


Ampholine Electrofocusing equipment,  
including Power Supply  
and Uvicord ultraviolet Monitor  
ready for protein separation.




IN THE SERVICE OF SCIENCE

LKB INSTRUMENTS LTD. • LKB HOUSE • 232 ADDINGTON ROAD • S. CROYDON, SURREY. CR2 8YD • TEL: 01-657-0286  
SALES AND SERVICE THROUGHOUT THE WORLD: STOCKHOLM, WASHINGTON, THE HAGUE, COPENHAGEN, ROME, VIENNA

# PROTEIN

# Separation Purification Characterization



*A separation  
of chicken haemoglobin.*

Research establishments, hospitals,  
and industry throughout the world  
have used LKB Ampholine Electro-  
focusing to successfully separate the  
following kinds of protein.

Endotoxins from bacteria  
(lipopolysaccharides)  
Capsular polysaccharide from H. Influenza  
Urine gonadotrophins of pregnancy (human)  
Pituitary hormones  
Amonuim Sulfate preparations of human  
serum  
Blood coagulation proteins, namely FXII  
Whole serum  
Gamma globulin  
Steroid binding  $\gamma$ -globulin  
Transcortin cortisol binding  $\beta_1$  globulin  
 $\gamma$ -globulin, transferrins  
Cytochrome c from beef heart  
Biliverdin-protein in eel serum  
Rat fetal protein from albumin  
Immunoglobulins  
Bovine serum  
Albumin  
Ovalbumin  
Intact platelet mebranes  
E. coli nucleases  
Enzymes catalyzing sulphdryl  
—disulfide interchanges  
Enzymes-cellulases (some proteases)  
Butyrylcholinesterases from human brain  
Pancreatic enzymes  
Bromelain + acid phosphatase from  
ananas comosus  
Arylsulphatases of aspergillus oryzae  
Mitochondrial transaminases  
D-aspartic oxidase  
Glycosidases from fungal or bacterial source  
Lactoperoxidase  
Invertase from yeast

Ribosomal  
Catalase  
Acid phosphatases  
DNA polymerase  
Enzymes of carbohydrate metabolism  
Neurospora crassa invertase  
Alkaline phosphatase in eel intestinal  
mucosa  
For myltetrahydrofolate synthetase from  
clostridium thermoaceticum  
Haemoglobin  
Isoenzymes of alcohol dehydrogenase  
Soluble grape proteins  
Influenza virus and adenovirus  
Herpes simplex virus proteins  
Renin (ovine, human)  
Insulin  
Glycopeptides of fibrinogen and platelets  
Chondroitin sulfate glycoproteins  
Myoglobin  
Ferritin  
Chemically modified myoglobin  
Interferon samples from chicken eggs  
High and low molecular weight  
glycosidases. Detergent-soluble  
glycosyltransferases (membrane bound)  
Extracellular enzymes and toxins from  
staphylococcus aureus e.g. hyaluronate  
lyase


Have YOU a research problem that  
can be solved by LKB

## Ampholine?



**SHHH, THE SECRET'S  
IN THE CARRIER  
AMPHOLYTES!!**

Sephadex®



## SEPHADEX® PRECISION CHROMATOGRAPHIC COLUMNS

GIVE YOU THE ULTIMATE IN RESOLUTION AND REPRODUCIBILITY

Selected material     Flow adaptors     Very small mixing volume     Special bed support design

Type	Size cm	Accessories		
		Cooling Jacket	Sample Applicator	Flow Adaptor
K 9/15	0.9 × 15	—	—	—
K 9/30	0.9 × 30	—	—	—
K 9/60	0.9 × 60	—	—	—
K 15/30	1.5 × 30	—	—	—
K 15/90	1.5 × 90	—	—	—
K 25/45	2.5 × 45	—	S	O
K 25/45 jacketed	2.5 × 45	S	S	O
K 25/100	2.5 × 100	—	S	O
K 25/100 jacketed	2.5 × 100	S	S	O
K 50/60	5.0 × 60	S	—	S
K 50/100	5.0 × 100	S	—	S
K 100/100	10.0 × 100	S	—	S
K 215/100	21.5 × 100	S	—	S
Sephadex Columns, resistant to organic solvents				
SR 25/45	2.5 × 45	—	—	S
SR 25/100	2.5 × 100	—	—	S

S=standard accessory    O=optional accessory

Please ask for further information on the whole assortment of chromatographic columns and accessories.

PHARMACIA (GREAT BRITAIN) LTD



Paramount House  
75 Uxbridge Road  
Ealing, London W.5.  
Tel. 01-579 0102/7



# BIOCHEMIST

**TO WORK** on the development of biochemical products labelled with carbon-14 and tritium using enzymatic synthesis or microbiological preparative techniques. These products are used principally in university and medical research units in this country and abroad.

**QUALIFICATIONS & EXPERIENCE:** A good honours degree together with R & D experience.

**STARTING SALARY:** In the range £1,150-£2,670 according to age and experience.

**HOUSING** or assistance with house purchase may be available.

Apply to: The Personnel Officer

## THE RADIOCHEMICAL CENTRE

**Amersham**

**Bucks**

(Quote ref: S. 162)

## ADVERTISING RATES

Cover and Special Positions      £46

Full Page      £38

Half Page      £20

Quarter Page      £11

Agency Commission      10%

Publisher's Discount      10%

All communications regarding advertising matters should be addressed to:

Advertisement Section,  
Biochemical Society,  
7 Warwick Court,  
London, WC1

Telephone: 01-405 1941

# THE BIOCHEMICAL JOURNAL

# Hoppe-Seyler's Zeitschrift für Physiologische Chemie

Editors in Chief  
A. BUTENANDT · K. THOMAS · G. WEITZEL

Subscription Rates  
For one volume (12 parts) DM 360,—

Vol. 350 No. 7

Contents

July 1969

- A one-letter notation for amino acid sequences:  
Tentative rules  
IUPAC-IUB COMMISSION ON BIOCHEMICAL  
NOMENCLATURE
- Studies on the enzymic specificity of neuraminidase  
and *N*-acylneuraminase-lyase with regard to the  
*N*-substitution  
H. FAILLARD, C. FERREIRA DO AMARAL AND M.  
BLOHM
- Metabolic properties of tumor slices under the in-  
fluence of cytostatic compounds  
B. ATHEN AND H. GUGLIELMI
- $\alpha$ - and  $\beta$ -thymidinedithioethers of 2-imidazolthione  
H. GUGLIELMI AND B. ATHEN
- Investigations on the metabolism of glycerol in the  
central nervous system, I: The incorporation of  
glycerol-carbon into the free amino acids of mouse  
brain  
N. SEILER, H. MÖLLER AND G. WERNER
- Isolation and properties of kallikrein from the  
Venom of the Gila monster (*Heloderma suspectum*)  
DIETRICH MEBS
- The relationship between phospholipid bio-  
syntheses, sphingosine degradation and serine  
metabolism  
R. HENNING AND W. STOFFEL
- Studies on the occurrence and properties of lyso-  
somal phospholipases A<sub>1</sub> and A<sub>2</sub> and the degrada-  
tion of phosphatidic acid in rat liver lysosomes  
W. STOFFEL AND U. TRABERT
- X-ray small-angle scattering of hemoglobin and  
its isolated subunits in aqueous solution  
H. CONRAD, A. MAYER, S. SCHWAIGER AND  
R. SCHNEIDER
- Neutron small-angle scattering of hemoglobin in  
aqueous solution  
J. SCHELLEN, A. MAYER, W. SCHMATZ AND F.  
HOSSFELD
- A method for the specific detection of glutathione  
peroxidase on cellophane electrophoresis strips and  
the determination of the isoelectric point  
L. FLOHÉ
- Levels of metabolites in rat liver following the  
application of fructose  
F. HEINZ AND J. JUNGHÄNEL
- Synthesis of tritium-labelled *N*-methylated lysines  
K. HEMPEL, H. W. LANGE AND L. BIRKHOFFER
- On the evolution of endopeptidases, IX: Immuno-  
logical studies on trypsin and the low molecular  
weight protease from three decapode Crustaceae  
R. LINKE, R. ZWILLING, D. HERBOLD AND G.  
PFLEIDERER
- Measurement of the standard redox potential  
(pH 7.0) of L(+)-ascorbate/semidehydro-L(+)-as-  
corbic acid by the non-enzymic reaction of L(+)-  
ascorbate/semidehydro-L(+)-ascorbic acid with  
cytochrome *b*<sub>5</sub>(Fe<sup>2+</sup>)/cytochrome *b*<sub>5</sub>(Fe<sup>3+</sup>)  
F. B. EVERLING, W. WEIS AND HJ. STAUDINGER
- XIX. Communication on seeds proteins:  $\alpha$ -Amyl-  
ase from malt  
E. WALDSCHMIDT-LEITZ AND CH. SIGRIST
- The primary structure of the specific trypsin inhi-  
bitor from sheep pancreas  
K. HOCHSTRASSER, W. SCHRAMM, H. FRITZ,  
S. SCHWARZ AND E. WERLE
- Plant protease inhibitors, V: The isolation and  
characterisation of some polyvalent protease inhi-  
bitors from *Solanum tuberosum*  
K. HOCHSTRASSER, E. WERLE, R. SIEGELMANN AND  
S. SCHWARZ.
- Changes in the optical rotatory dispersion of lactate  
dehydrogenase from pig heart after addition of  
urea, coenzyme and SH-blocking reagents  
D. JECKEL AND G. PFLEIDERER
- SHORT COMMUNICATIONS
- Preparation of pure aldolase from human liver  
(17. Communication on aldolases)  
B. GÜRTLER AND F. LEUTHARDT
- Mapping of potato proteins by combined electro-  
focusing and electrophoresis. Identification of  
varieties  
V. MACKO AND H. STEGEMANN

Walter de Gruyter & Co · Berlin 30

# CLINICAL SCIENCE

## EDITORIAL BOARD

### *For the Medical Research Society*

J. M. LEDINGHAM, *Chairman*

J. E. COTES, W. I. CRANSTON, A. M. DAWSON,  
C. J. DICKINSON, J. S. ROBSON, S. J. G. SEMPLE

### *For the Biochemical Society*

T. FREEMAN, *Deputy Chairman*

BARBARA E. CLAYTON, R. HOFFENBERG, R. G. HUNTSMAN,  
W. H. TAYLOR, G. R. WEBSTER, L. G. WHITBY

VOL. 37, No. 2

OCTOBER, 1969

- Renal blood flow in patients with hypertension. By J. LADEFOGED and F. PEDERSEN.
- The relationship between gas exchange and changes in blood lactate concentrations during exercise. By MARIE CLODE and E. J. M. CAMPBELL.
- Variation in the availability of transferrin-bound iron for uptake by immature red cells. By J. FLETCHER.
- The immediate buffering of retained carbon dioxide in man. By G. LASZLO, T. J. H. CLARK and E. J. M. CAMPBELL.
- Potassium retention during the respiratory alkalosis of mild hypoxia in man: its relationship to aldosterone secretion and other metabolic changes. By J. D. H. SLATER, E. S. WILLIAMS, R. H. T. EDWARDS, R. P. EKINS, P. H. SÖNKSEN, C. H. BERESFORD and MARJORIE McLAUGHLIN.
- Control of aldosterone secretion during acclimatization to hypoxia in man. By J. D. H. SLATER, R. E. TUFFLEY, E. S. WILLIAMS, C. H. BERESFORD, P. H. SÖNKSEN, R. H. T. EDWARDS, R. P. EKINS and MARJORIE McLAUGHLIN.
- The effect of expiratory flow rate on regional lung emptying. By J. G. JONES and S. W. CLARKE.
- Change in pulmonary ventilation in different postures. By S. W. CLARKE, J. G. JONES and D. H. GLAISTER.
- Glucose and immunoreactive insulin disappearance from the circulation following intravenous insulin administration, and the growth hormone response. By L. STIMMLER, K. MASHITER, B. J. BOUCHER and S. R. MEADOW.
- The effect of delayed dehydration of carbonic acid on renal bicarbonate clearance, and its significance for acid-base balance. By E. L. REID and A. G. HILLS.
- Blood pressure survey in pregnancy. By I. MAC-GILLIVRAY, G. A. ROSE and B. ROWE.
- Carbohydrate metabolism by rat liver slices incubated in serum obtained from uraemic patients. By R. DZÚRIK, T. R. NIEDERLAND and P. CERNACEK.
- The origin of inorganic pyrophosphate in urine. By R. G. G. RUSSELL, L. B. WADSTROM, S. LINDSTEDT, A. D. CARE, S. BISAZ and H. FLEISCH.
- The extravascular retention of albumin in wound tissue and its contribution to the postoperative hypoalbuminaemia in rabbits. By H. T. MOURIDSEN.
- The metabolism of cholesterol in two hypercholesteremic patients treated with cholestyramine. By C. D. MOUTAFIS and N. B. MYANT.
- Forearm metabolism in patients with chronic liver disease. By G. A. KLASSEN, A. ARONOFF and G. KARPATI.
- The effect of malnutrition and food habits on the concentrating power of the kidney. By R. A. McCANCE, R. S. CROWNE and T. S. HALL.
- Isolated gastric parietal cells: oxygen consumption, electrolyte content and intracellular pH. By D. N. CROFT and F. J. INGELFINGER.
- Elevated pulmonary artery wedge pressure at rest and during exercise in chronic bronchitis: fact or fancy. By A. LOCKHART, M. TZAREVA, F. NADER, P. LEBLANC, F. SCHRIJEN and P. SADOUL.
- Iron absorption in idiopathic haemochromatosis and its measurement using a whole-body counter. By P. M. SMITH, B. E. GODFREY and R. WILLIAMS.
- The effect of lead and ferrous and ferric iron on  $\delta$ -aminolaevulinic acid synthetase. By J. J. MORROW, G. URATA and A. GOLDBERG.
- The mechanism of decreased specific airway conductance in man during hypercapnia caused by inhalation of 7% CO<sub>2</sub>. By G. M. STERLING.
- In vivo* dialysis of faeces as a method of stool analysis. IV. The organic anion component. By RIVA RUBINSTEIN, ANN V. HOWARD and O. M. WRONG.

*Subscription Rate: £5 (\$17.50) per volume of 3 parts; £10 (\$35.00) per year.  
Orders may be placed with your bookseller, or sent direct to the publishers.*

BLACKWELL SCIENTIFIC PUBLICATIONS LTD

5 ALFRED STREET, OXFORD, ENGLAND

# How to succeed in spectrophotometry


## 1

Make a reliable instrument – the Unicam SP800 Ultraviolet Recording Spectrophotometer has more than 5 years' trouble-free service to its credit and in this time has become the best-selling instrument of its type in the U.K.




## 2

Add a choice of accessories like the SP820 Constant Wavelength/Wavenumber Scanner, the SP825 Programme Controller, the SP830 Automatic Cell Changer, and the SP850 Scale Expansion Accessory giving up to 20 times expansion of the absorbance scale.



## 3

Give it additional and unique features such as a second sample position for turbid samples and unbeatable performance and repeatability as illustrated in the spectrum below.



## 4

Write to Pye Unicam Ltd today for complete technical details, a quotation, or a demonstration. Our success could help you to further your success in spectrophotometry.



## PYE UNICAM



Precision Instruments

Pye Unicam Ltd  
York Street Cambridge, CB1 2PX, England  
Telephone (0223) 58866 Telex 81215



# The TAYLOR-McKILLOP Reactions

## THALLIC TRIFLUOROACETATE

New reagent for facile electrophilic metallation of aromatic compounds, leading to formation of arylthallium di-trifluoroacetates ( $\text{ArTl}(\text{OCOCF}_3)_2$ ). (1) These compounds are versatile intermediates for the synthesis of substituted aromatics. For example, treatment with aqueous KI leads directly to aromatic iodides in high yield. (2)

No. 15,053-3      Thallic trifluoroacetate      \$5.50/10 g.      \$19/50 g.  
1 kg. \$240.

## THALLIC ACETATE

Unique reagent for the controlled electrophilic bromination of aromatic compounds under very mild conditions. (3) Other applications include the stereospecific cleavage of substituted cyclopropanes, (4) conversion of enamines to  $\alpha$ -acetoxyketones, (5) and oxythallation of olefins (6).

No. 15,116-5      Thallic acetate      \$9.75/25 g.      \$32/100 g.  
\$190/kg. in 5 kg. lots

## THALLOUS ETHOXIDE

Thallos ethoxide reacts instantly and quantitatively with a wide range of acidic organic compounds, to generate the corresponding salts. These salts can be used for:

1. Exclusive C-alkylation of  $\beta$ -dicarbonyl compounds (7)
2. Either O- or C-acylation of  $\beta$ -dicarbonyl compounds (7)
3. Acylation, arylation and tosylation of carboxylic acids (8)
4. Conversion of carboxylic acids to alkyl bromides (9)
5. Alkylation and glycosidation of purines (10)
6. Acylation of heterocyclic amides (11)

No. 14,984-5      Thallos ethoxide      \$6.75/25 g.      \$21/100 g.      \$95/500 g.  
\$110/kg. in 10 kg. lots

### REFERENCES

- (1) A. McKillop, E. C. Taylor *et al.*, *Tetrahedron Letters*, **29**, (6) 2423 (1969)
- (2) A. McKillop, E. C. Taylor *et al.*, *ibid*, **29**, 2427 (1969)
- (3) A. McKillop, D. Bromley and E. C. Taylor, *ibid*, **21**, 1623 (1969)
- (4) A. South Jr. and R. J. Ouellette, *J. Am. Chem. Soc.* **90**, 7064 (1968)
- (5) M. E. Kuehne and T. J. Giacubbe, *J. Org. Chem.* **33**, 3359 (1968)
- (6) W. Kitching, *Organometal. Chem. Rev.* **3**, 35 (1968)
- (7) E. C. Taylor, G. H. Hawks, III, and A. McKillop, *J. Am. Chem. Soc.* **90**, 2421 (1968)
- (8) E. C. Taylor, G. W. McLay and A. McKillop, *ibid*, **90**, 2422 (1968)
- (9) A. McKillop, D. Bromley and E. C. Taylor, *J. Org. Chem.* **34**, 1172 (1969)
- (10) E. C. Taylor, Y. Maki and A. McKillop, *ibid*, **34**, 1170 (1969)
- (11) A. McKillop, M. J. Zelesko and C. E. Taylor, *Tetrahedron Letters*, **48**, 4945 (1968)

### OTHER THALLIUM-ORGANICS AVAILABLE

15,385-0	Ethyl acetoacetate, thallos salt	\$5.75/10 g.	\$21/50 g.	
15,386-9	Diethyl malonate, thallos salt	\$5.75/10 g.	\$21/50 g.	
15,387-7	Ethyl benzoylacetate, thallos salt	\$5.75/10 g.	\$21/50 g.	
15,388-5	Acetylacetone, thallos salt	\$5.75/10 g.	\$21/50 g.	
15,389-3	Thallos phenoxide	\$5.75/10 g.	\$21/50 g.	
15,229-3	2(1H)-Pyridone, thallium (I) salt	\$6.25/5 g.	\$21/25 g.	\$375/1 kg.

Write for our latest catalog



IN THE U.S.A.

**Aldrich Chemical  
Company, Inc.**

2371 NORTH 30th STREET  
MILWAUKEE, WISCONSIN 53210

IN GREAT BRITAIN

**Ralph N. Emanuel Ltd.**

264 Water Road  
Alperton, Middlesex  
Tel: 01-998 4414

