

Member's Copy

November 1969 Volume 115 No. 3

Editorial Board

D. G. Walker (Chairman)	N. M. Green*	A. C. T. North*
D. S. Robinson (Deputy Chairman)	B. S. Hartley	H. R. Perkins
M. J. Crumpton (Deputy Chairman)	J. N. Hawthorne	G. K. Radda
C. A. Pasternak (Deputy Chairman)	K. M. Jones	D. N. Rhodes
M. L. Birnstiel	J. D. Judah	R. Rodnight
R. H. Burdon	J. R. Knowles	D. B. Roodyn
R. A. Cox	P. N. Magee	R. E. Strange
J. E. Cremer	D. J. Manners	J. R. Tata
H. B. F. Dixon	J. H. Moore	P. K. Tubbs
D. F. Elliott	C. J. O. R. Morris	D. C. Watts
P. B. Garland	I. H. M. Muir	F. R. Whatley

Editorial Secretary: **J. D. Killip**

*Nominated by the British Biophysical Society

The Biochemical Society

Price £2 net (U.S.A. \$4.80)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1969-70

Chairman of the Committee

G. A. D. HASLEWOOD

Treasurer

W. F. J. CUTHBERTSON

Committee Secretary

K. S. DODGSON

Meetings Secretary

A. N. DAVISON

International Secretary

A. P. MATHIAS

Committee

J. S. D. BACON

T. FREEMAN*†

P. J. RANDLE

G. R. BARKER

A. KORNER

D. S. ROBINSON*†

W. BARTLEY

H. A. KREBS

D. B. ROODYN*†

S. R. ELSDEN

S. V. PERRY

R. M. S. SMELLIE

D. F. EVERED

D. C. PHILLIPS

D. G. WALKER*†

Symposium Organizer: T. W. GOODWIN

* *Ex officio* Member of Committee.

† Representative of Editorial Board of the *Biochemical Journal*.

‡ Representative of Editorial Board of *Clinical Science*.

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London W.C.1 (01-405 1941/2).

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1969. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £40 per year (£8 per volume). For non-members in the U.S.A. the subscription is \$96 per year (\$19.20 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London W.C.1.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal

Back Numbers. Enquiries for volumes 1-19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., Berkeley Square House, Berkeley Square, London W1X 6BA or to The Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London W.C.1 (01-405 1941/2). Copy is required eight weeks before publication date. Rate cards are available on request.

CONTENTS

iii

	PAGE
The biosynthesis of 3β -hydroxyandrosta-5,16 β -diene and its further metabolism in boar testis. By T. KATKOV and D. B. GOWER	16 P
Phospholipases in cerebrospinal fluid and cell fractions of human brain. By D. R. ILLINGWORTH and J. GLOVER	16 P
The proteolytic action of arvin on human fibrinogen. By M. R. EWART, M. HATTON, J. M. BASFORD and K. S. DODGSON	17 P
The localization of peptidases in microvilli from the brush border of the proximal renal tubule of the rabbit. By A. J. KENNY, S. G. GEORGE and S. G. R. APARICIO	18 P
The presence of pancreatic proteases in particulate preparations of rat intestinal mucosa. By J. F. WOODLEY and A. J. KENNY	18 P
Primary phase of rennin action on whole milk. By G. SINKINSON and J. V. WHEELOCK	19 P
Action of rennin on heat-sterilized milk. By E. J. HINDLE and J. V. WHEELOCK	19 P
A component of human duodenal juice that affects intrinsic factor. By J. M. SCOTT, I. J. TEMPERLEY and D. G. WEIR	20 P
The assay of α -amylase. By M. J. CLANCY and C. E. O'HARA	21 P
Dissociation of β -casein from casein micelles and complexes. By W. K. DOWNEY, R. F. MURPHY and S. A. AHERNE	21 P
Dissociation of casein micelles to soluble casein complexes. By R. F. MURPHY, W. K. DOWNEY and R. D. KEARNEY	22 P
Clinical biochemical analysis: the Baird and Tatlock Analmatic instrument. By D. W. NEILL and S. G. S. NESBITT	22 P

INDEX TO AUTHORS

	PAGE		PAGE
Abbondanza, A.	597	Eddy, A. A.	505
Adams, E. C.	441	Embery, G.	10 P
Aherne, S. A.	21 P	Esnouf, M. P.	1 P
Akhtar, M.	607	Ewart, M. R.	17 P
Aparicio, S. G. R.	18 P	Fiedler, F.	4 P
Avery, R. J.	383, 395	Foltmann, B.	3 P
Baker, J. R.	11 P	Fonnum, F.	465
Barford, D.	11 P	Fouts, J. R.	547
Bartley, W.	449	Fujimoto, D.	569
Basford, J. M.	17 P	Garrett, A. J.	419
Bergersen, F. J.	529	George, S. G.	18 P
Bishop, J. O.	353, 361	Givol, D.	371
Bonetti, E.	597	Glover, J.	16 P
Brady, T. G.	15 P	Gosling, J. P.	8 P
Brennan, P. J.	8 P	Gower, D. B.	16 P
Burns, J. A.	361	Greenbaum, A. L.	405
Campbell, J. W.	495	Grimes, H.	15 P
Cawley, T. N.	9 P	Gustafsson, J.-Å.	583
Chain, E. B.	537	Hatton, M.	17 P
Chase, J. F. A.	517	Hindle, E. J.	19 P
Cifonelli, J. A.	11 P	Hirtenstein, M. D.	607
Clancy, M. J.	21 P	Hollenberg, M. D.	473
Clements, J. B.	6 P	Hope, D. B.	473
Cohen, B. B.	523	Hurwitz, E.	371
Colleran, E.	13 P	Illingworth, D. R.	16 P
Della Corte, E.	597	Illingworth, J. A.	511
Di Augustine, R. P.	547	Johnston, M. D.	6 P
Dodgson, K. S.	17 P	Jones, J. G.	11 P
Downey, W. K.	21 P, 22 P		
Duggan, P. F.	8 P		
Dunican, L. K.	7 P		

	PAGE		PAGE
Katkov, T.	16P	Penn, N. W.	563
Kearney, R. D.	22P	Pigott, G. H.	395
Kelly, G. J.	481	Pinto, R. E.	449
Kenny, A. J.	18P	Pitts, B. J. R.	14P
Kikuchi, Y.	569		
		Rauch, R.	473
Lavin, M.	6P	Reddy, S. R. R.	495
Law, B. A.	10P	Rees, D. A.	431
Lehane, D. P.	8P	Reid, J. D.	377
Leonard, P. J.	15P	Robertson, F. W.	353, 361
Letters, R.	9P	Rodén, L.	11P
Lewis, D. A.	489		
Lindsay, D. G.	587	Saggerson, E. D.	405
Lisboa, B. P.	583	Scott, J. M.	20P
Lloyd, A. G.	10P	Shall, S.	587
		Sinkinson, G.	19P
Magnusson, S.	2P	Stefanovich, V.	555
Mansford, K. R. L.	537	Stirpe, F.	597
Marshall, B. J.	10P	Suwalski, R.	563
Martin, S. J.	6P		
Mattock, P.	11P	Tamiya, N.	569
Meadway, R. J.	12P	Temperley, I. J.	20P
Melli, M.	361	Tibbs, J.	10P
Midgley, J. E. M.	383, 395	Tipton, K. F.	511, 517
Monaghan-Cannon, M.	7P	Turner, G. L.	529
Morris, H. P.	575	Turner, J. F.	481
Morris, J. G.	603		
Murphy, M. J.	12P	Watts, D. C.	377
Murphy, R. F.	21P, 22P	Webb, T. E.	575
		Weir, D. G.	20P
Neill, D. W.	22P	Weiss, M. R.	441
Nesbitt, S. G. S.	22P	Werle, E.	4P
Noonan, N.	15P	Wheelock, J. V.	19P
		Wight, N. J.	431
Ó Carra, P.	13P	Winder, F. G.	6P
O'Hara, C. E.	21P	Wisdom, G. B.	10P
Ó hEocha, C.	12P	Wood, T. M.	457
Opie, L. H.	537	Woodley, J. F.	18P
O'rsi, B. A.	14P		

PAPERS ACCEPTED FOR PUBLICATION

- The effect of inhibitors on the formation of phosphoenolpyruvate by rat liver mitochondria. By W. BARTLEY and B. DEAN
- Glutathione *S*-alkyltransferase. By E. BOYLAND and L. F. CHASSEAUD
- Enzyme activity and composition of myelin and subcellular fractions in the developing rat brain. By N. L. BANIK and A. N. DAVISON
- The relaxing protein system of striated muscle. Resolution of the troponin complex into inhibitory and calcium ion-sensitizing factors and their relationship to tropomyosin. By M. C. SCHAUB and S. V. PERRY
- The specificity of proteinases from *Streptomyces griseus* (Pronase). By M. TROP and Y. BIRK
- The significance of the incorporation of [¹⁴C]leucine into different protein fractions by isolated ox heart mitochondria. By N. KRYMKIEWICZ and N. GONZÁLEZ-CADAVID
- The formation of short fibres from native cellulose by components of *Trichoderma koningii* cellulase. By M. RIAZ and G. HALLIWELL
- Attempted isolation of a heparin proteoglycan from bovine liver capsule. By U. LINDAHL
- Interaction of solvents with membranal and soluble potassium ion-dependent enzymes. By M. MAYER and Y. AVI-DOR
- The enzymic composition of the isolated cell wall and plasma membrane of baker's yeast. By T. NORMINEN, E. OURA and H. SUOMALAINEN
- A novel sequence for phytoene dehydrogenation in *Rhodospirillum rubrum*. By B. H. DAVIES
- Alternative pathways of spirilloxanthin biosynthesis in *Rhodospirillum rubrum*. By B. H. DAVIES
- Glucose metabolism in the mucosa of the small intestine. Changes of hexokinase activity during perfusion of the proximal half of rat small intestine. By R. J. MAYER, P. SHAKESPEARE and G. HÜBSCHER
- Absence of a common intermediate pool among individual enzyme chains of the energy-conservation pathway in chloroplasts of *Euglena gracilis*. By J. S. KAHN
- Amino acid incorporation by ribosomes and polyribosomes from wheat chloroplasts. By D. HADZIYEV and S. ZALIK
- The limiting factors of a cell-free protein-synthesizing system from rat brain. By A. J. DUNN
- Metabolism of endogenous sterol ester by the superovulated rat ovary *in vitro*. By A. P. F. FLINT and R. M. DENTON
- The thermodynamics of interaction between Sephadex and penetrating solutes. By A. G. OGSTON and P. SILFANANTA
- Properties of a halophil nicotinamide-adenine dinucleotide phosphate-specific isocitrate dehydrogenase. Preliminary studies of the salt relations and kinetics of the crude enzyme. By D. M. AITKEN, A. J. WICKEN and A. D. BROWN

THE BIOCHEMICAL JOURNAL

NOTES FOR CONTRIBUTORS

It is the policy of the *Biochemical Journal* to publish papers in English in all fields of biochemistry, provided that they make a sufficient contribution to biochemical knowledge. Papers may include new results obtained experimentally, descriptions of new experimental methods of biochemical importance, or new interpretations of existing results. All work presented should have as its aim the development of biochemical concepts rather than the mere recording of facts. Preliminary or inconclusive experiments should not generally be described.

Two types of paper are accepted by the editors as follows:

(1) Full-length papers. Papers submitted for publication should be sent together with an extra copy of the synopsis to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London W.C.1. Typescripts should bear the name and address of the person to whom the proof of the paper is to be sent. All communications about reprints should be addressed to the Executive Secretary, The Biochemical Society, 7 Warwick Court, London W.C.1.

Papers submitted should be written concisely. Special attention is directed to *Policy of the Journal and Instructions to Authors, Biochem. J.* (1969), **112**, 1 (obtainable from the Executive Secretary, price 2s. 6d. post free). Strict observance of these requirements will shorten the interval between the receipt of a paper and its publication. Typescripts that are not concise or do not conform to the conventions of the *Biochemical Journal* will be returned to the authors for revision. If a paper that has been returned to an author for revision is not resubmitted within one month, it will, on resubmission, be deemed to be a new paper and the date of receipt altered accordingly. A revised paper containing a significant amount of new material will also be redated.

Submission of a paper to the Editorial Board implies that it reports unpublished work, that it is not under consideration for publication elsewhere, and that if accepted for the *Biochemical Journal* it will not be published elsewhere in the same form, either in English or in any other language, without

the consent of the Editorial Board. Requests for reproduction of material should be addressed to the Editorial Secretary.

Papers should be headed by an informative title, by the names of the authors and by the name and address of the establishment where the work was performed. Details of financial support may appear in the acknowledgements at the end of the paper. Authors should give a shortened version of the title, not exceeding 45 letters and spaces, suitable for a running title in the published pages of the work.

The second copy of the synopsis requested above is required solely to assist in the selection of suitable editors or referees, or both.

The numbering of parts in a series is not permitted. Titles and subtitles may, however, be used.

It would help the editors if the author, when submitting a paper, would enclose reprints of relevant preceding papers, especially if they are not published in the *Biochemical Journal*.

Form of papers submitted for publication. Before preparing papers authors should consult a current issue of the Journal to make themselves familiar with the general format, such as the use of cross-headings, lay-out of tables and citation of references. The need for revision of badly prepared typescripts or diagrams will delay publication. Papers should be in double-spaced typing throughout (including references and legends of tables and figures) on sheets of uniform size with wide margins. The top copy should be submitted.

Papers on specialized subjects should be presented so that they are intelligible to the ordinary reader of the Journal. Sufficient information must be included to permit repetition of the experimental work.

Papers of biochemical interest are often divided into the following sections: (a) the **synopsis**, not more than 3–4% of the length of the paper; it may be divided into numbered sections; (b) the **introduction**, containing the reasons for doing the work; (c) **Experimental**, including materials and methods; (d) **Results**: these should be given concisely; the use of both tables and figures to present the same results is rarely permitted; (e) **Discussion**; (f) the acknowledgements;

(g) References. Authors are urged to consider carefully whether the material in their individual papers needs to be fully subdivided in the manner of sections (c), (d) and (e). In many cases two of these sections can be combined and thus save space and gain conciseness and clarity. In papers dealing predominantly with techniques, the Experimental and Results sections should be amalgamated; other papers of a more general nature are often simplified by the combination of Results and Discussion, and in chemical papers the Experimental section may be placed at the end. When a separate Discussion is used it should not recapitulate the results but only discuss their significance and relationship to the object of the work and their relation to the work of other people.

(2) **Short Communications.** Typescripts should be submitted *in duplicate*, written in English, and conform strictly to the form of the Journal as far as spelling and abbreviations are concerned. Such communications must not exceed 1200 words of text, but in addition may include either one table, typed on a separate sheet, or one figure, drawn according to the rules of the Journal. If no figure or table is included the text may be expanded to 1400 words. Communications should be addressed to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London W.C.1. Papers should be complete in themselves: (1) the methods used in experimental work must be adequately described or sufficient references given to allow repetition of the work; (2) sufficient indication of the results of experimental work must be included to justify the claims made. Theoretical contributions will be considered equally with papers dealing with experimental work. The editors' and referees' decisions will be final; contributions that are not being published will be returned to the authors with the minimum delay.

Preparation of Papers

The *Biochemical Journal* uses as a standard for spelling the *Concise Oxford Dictionary of Current English* (Oxford: Clarendon Press). For the technique of writing authors may find it helpful also to consult *The Complete Plain Words*, by Sir Ernest Gowers (London: H.M.S.O. and Penguin Books).

Abbreviations. New abbreviations should be coined only for unwieldy names, and should not be used at all unless those names occur frequently (more than about ten times). All abbreviations for names of compounds except those listed below must be defined together in a footnote. In the title and synopsis, abbreviations should be avoided. Abbreviations for units (e.g. min., cm., g.) should be used throughout. Chemical symbols as abbreviations for

elements, groups or compounds are used only in the Experimental section, and in legends to tables and figures, unless their use elsewhere is justified by special circumstances. The abbreviation for the plural of a unit is the same as that for the singular, unless confusion is likely to arise. Thus 'centimetres' is 'cm.', *not* 'cms.'

Accepted abbreviations that may be used without definition:

ADP, CDP, GDP, IDP, UDP	5'-Pyrophosphates of adenosine, cytidine, guanosine, inosine, uridine
AMP etc.	Adenosine 5'-phosphate etc.
ATP etc.	Adenosine 5'-triphosphate etc.
CM-cellulose	Carboxymethylcellulose
CoA and acyl-CoA	Coenzyme A and its acyl derivatives
DEAE- cellulose	Diethylaminoethylcellulose
DNA	Deoxyribonucleic acid
DNP-	2,4-Dinitrophenyl-
EDTA	Ethylenediaminetetra-acetate
FAD	Flavin-adenine dinucleotide
FMN	Flavin mononucleotide
GSH, GSSG	Glutathione, reduced and oxidized
NAD	Nicotinamide-adenine dinucleotide
NADP	Nicotinamide-adenine dinucleotide phosphate
NMN	Nicotinamide mononucleotide
P _i , PP _i	Orthophosphate, pyrophosphate
RNA	Ribonucleic acid
tris	2-Amino-2-hydroxymethylpropane- 1,3-diol

Illustrations. These constitute an expensive item in publication and may increase the time taken in printing. Their number should be kept to a minimum. Illustrations should be on separate sheets and packed flat; they should bear the author's name, the title of the paper and the figure number on the back. Their approximate position should be indicated in the margin of the typescript.

Tables. Tables should have legends which make their general meaning comprehensible without reference to the text. Footnotes should be kept to a minimum. Conditions specific to the particular experiment should be stated. Reference to the text for general experimental methods is permissible provided that there is no ambiguity. The units in which the results are expressed, e.g. g./100ml., should be given at the top of each column, and not repeated on each line of the table.

Tables should be typed on separate sheets and their approximate position in the text indicated. Words or numerals should be repeated on successive lines: 'ditto' or ',,' is not to be used.

THE BIOCHEMICAL JOURNAL

NOVEMBER 17th
1969

Index to Advertisers

Advertisers's Index	<i>inside back cover</i>
Boehringer Corporation	<i>outside back cover</i>
Butterworth Group	v
Clinical Science	vi
LKB Instruments Ltd	iv
Methuen	<i>inside back cover</i>
Nutritional Biochemicals Corporation	i
Pye Unicam	iii
Seravac Laboratories (Pty) Ltd	ii
Stockport & Buxton HMC	v
Tunbridge Wells HMC	v
University of Glasgow	v

Methuen's Monographs on
Biological Subjects

Multicompart- ment Models For Biological Systems

G. L. Atkins

After a brief historical introduction, this book gives a complete account of the principles, theory and applications of compartmental analysis including a detailed explanation of the mathematical methods involved. Relevant examples of the application of the technique are given throughout the book. 35s.

The Bio- chemistry Of The Nucleic Acids, Sixth Edition

J. N. Davidson

The explosive increase in our knowledge of the nucleic acid field during the last few years, particularly in relation to problems of conformation, of biosynthesis and of the genetic code has necessitated major revisions of this work. The author has provided an elementary outline of the main features of the nucleic acids and nucleoproteins and has covered as far as possible all developments in this progressive field. 50s.

METHUEN