

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1971-72

Chairman of the Committee

T. W. Goodwin, F.R.S.

Treasurer

D. F. Elliott

Committee Secretary

A. N. Davison

Meetings Secretary

H. M. Keir

International Secretary

A. P. Mathias

Committee

J. S. D. Bacon

R. B. Beechey

E. A. Dawes

R. M. C. Dawson

D. T. Elmore

R. Hoffenberg*‡

G. D. Hunter

V. H. T. James

C. F. Mills

H. R. Perkins†

S. V. Perry

D. C. Phillips, F.R.S.

P. J. Randle

D. S. Robinson†

T. A. Scott

D. G. Walker*†

A. M. White

**Ex officio* Member of Committee.

†Representative of Editorial Board of the *Biochemical Journal*.

‡Representative of Editorial Board of *Clinical Science*.

Symposium Organizer

R. M. S. Smellie

The **Biochemical Society** exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines)].

The **Biochemical Journal** is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1972. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the subscription is \$112 per year (subject to exchange variation) (\$22.50 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London WC1R 5DP.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1-9 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., 24/28 Oval Road, London NW1 7DX, or to The Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines)]. Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1-89 (1906-1963) have been recorded on microfilm by the EP Group, Microfilm Division, Bradford Road, East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

The BIOCHEMICAL JOURNAL

March 1972

Volume 127, No. 1

EDITORIAL BOARD

Chairman

D. G. Walker

Deputy Chairmen

**D. S. Robinson
M. J. Crumpton
C. A. Pasternak
H. B. F. Dixon**

Editorial Secretary

J. D. Killip

**R. H. Burdon
R. A. Cox
J. E. Cremer
D. C. Ellwood
P. B. Garland
N. M. Green *
J. J. Holbrook
M. R. Hollaway
R. C. Hughes
K. M. Jones
J. D. Judah
A. E. Kellie
U. E. Loening
P. N. Magee
R. D. Marshall
P. A. Mayes**

**J. H. Moore
C. J. O. R. Morris
K. Murray
A. C. T. North *
D. V. Parke
R. N. Perham
H. R. Perkins
G. K. Radda
R. Rodnight
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley**

*Nominated by the British
Biophysical Society



London: The Biochemical Society

	PAGE		PAGE
Purification, properties and substrate specificity of adenosine triphosphate sulphurylase from spinach leaf tissue. By W. H. Shaw & J. W. Anderson	237	Phosphoric acid triester–glutathione alkyltransferase. A mechanism for the detoxification of dimethyl phosphate triesters. By D. H. Hutson, B. A. Pickering & C. Donninger	285
The diffusion coefficient of caffeine through agar gels containing a hyaluronic acid–protein complex. A model system for the study of the permeability of connective tissues. By M. McCabe	249	Inhibition of the β -lactamases of <i>Escherichia coli</i> and <i>Klebsiella aerogenes</i> by semi-synthetic penicillins. By M. Cole, S. Elson & P. D. Fullbrook	295
Phagocytosis and leucocyte enzymes in protein-calorie malnutrition. By R. J. Selvaraj & K. Seetharam Bhat	255	Molecular properties of lupin and serradella leghaemoglobins. By W. J. Broughton, M. J. Dilworth & C. A. Godfrey	309
Chemical compositions of elastins isolated from aortas and pulmonary tissues of humans of different ages. By R. John & J. Thomas	261	Short Communications	
Some properties of pyruvate and 2-oxoglutarate oxidation by blowfly flight-muscle mitochondria. By R. G. Hansford	271	Inhibition of cholesterol biosynthesis by carbon monoxide: accumulation of lanosterol and 24,25-dihydrolanosterol. By G. F. Gibbons & K. A. Mitropoulos	315
		An abnormal pattern of product inhibition observed in phosphate acetyltransferase catalysis. By S. A. Kyrtopoulos & D. P. N. Satchell	319

Index of Authors

	PAGE		PAGE		PAGE
Aldridge, W. N.	51	Fonnum, F.	229	Metrione, R. M.	207
Anderson, J. C.	179	Foster, G. V.	199	Mitropoulos, K. A.	315
Anderson, J. W.	237	Franklin, S. G.	207	Murray, K.	1
Anderson, R. G.	11	Fullbrook, P. D.	295	Offord, R. E.	167
Baddiley, J.	11, 27, 39	Gibbons, G. F.	315	Perry, S. V.	215
Bendall, D. S.	125	Godfrey, C. A.	309	Pickering, B. A.	285
Bolton, P. G.	87	Gorchein, A.	97	Radhakrishnan, A. N.	61
Brocks, J. P.	1	Hahn, P.	107	Rathmell, W. G.	125
Broughton, W. J.	309	Hancock, I. C.	27	Robertson, J. S.	119
Brown, P. R.	1	Hansford, R. G.	271	Rose, M. S.	51
Byfield, P. G. H.	199	Hussey, H.	11, 39	Rowell, E. V.	155
Carnie, J. A.	155	Hutson, D. H.	285	Rowell, K. V.	155
Clark, M. B.	199	Jackson, D. S.	179	Satchell, D. P. N.	319
Clarke, N.	113	John, R.	261	Schofield, J. G.	143
Cole, H. A.	215	Jones, J. M.	187	Seetharam Bhat, K.	255
Cole, M.	295	Kekwick, R. A.	187	Selvaraj, R. J.	255
Cooper, R. H.	143	Koundakjian, P. P.	133	Shaw, W. H.	237
Creeth, J. M.	187	Kuttan, R.	61	Skala, J.	107
Dawson, R. M. C.	113	Kyrtopoulos, S. A.	319	Snell, D. T.	167
Dean, A. C. R.	87	Louis, B. G.	69, 81	Snell, K.	155
Dilworth, M. J.	309	MacIntyre, I.	199	Snoswell, A. M.	133
Donninger, C.	285	Malthe-Sørenssen, D.	229	Thomas, J.	261
Dunstan, P. J.	119	McCabe, M.	249	Trayer, I. P.	215
Elson, S.	295	McPherson, M.	143	Turner, K.	199
Fitt, P. S.	69, 81			Wilkinson, J. M.	215

Papers Accepted for Publication

Effect of hypobaric stress on enzymes of tryptophan metabolism.

By A. R. Inamdar, C. K. Ramakrishna Kurup & T. Ramasarma

The metabolism of testosterone and dihydrotestosterone in an androgen-dependent tumour. A possible correlation between dihydrotestosterone and tumour growth *in vivo*.

By N. Bruchovsky

Glucose metabolism in the developing rat. Studies *in vivo*.

By R. G. Vernon & D. G. Walker

Gluconeogenesis from lactate in the developing rat. Studies *in vivo*.

By R. G. Vernon & D. G. Walker

The relationship between δ -aminolaevulinate synthetase induction and the concentrations of cytochrome P-450 and catalase in rat liver.

By M. R. Satyanarayana Rao, K. Malathi & G. Padmanaban

The metabolism of sodium cortisone 21- ^{35}S sulphate in the rat.

By P. W. Gatehouse, A. B. Roy, K. S. Dodgson, G. M. Powell, A. G. Lloyd & A. H. Olavesen

Disequilibrium in the malate dehydrogenase reaction in rat liver mitochondria *in vivo*.

By D. F. Heath & J. C. Phillips

The intermediary role of 5-pregnene-3 β ,20 β -diol in the biosynthesis of 16-unsaturated C₁₉ steroids in boar testis.

By K. H. Loke & D. B. Gower

Isolation and characterization of 17 β -hydroxy steroid dehydrogenase from human erythrocytes.

By E. Mulder, G. J. M. Lamers-Stahlhofen & H. J. van der Molen

The molecular weight of two forms of carbamoyl phosphate synthetase from rat liver.

By R. Virden

Intracellular localization of aldehyde dehydrogenase in rat liver.

By L. Marjanen

A procedure for the isolation and determination of deoxyribose derivatives.

By R. Q. W. Pestell & H. R. Woodland

Determination of the nucleoside triphosphate contents of eggs and oocytes of *Xenopus laevis*.

By H. R. Woodland & R. Q. W. Pestell

Studies on gastric mucoproteins. The production of radioactive mucoproteins by pig gastric mucosal scrapings *in vitro*.

By D. Snary & A. Allen

The expression of catechol oxidase activity during the hydroxylation of *p*-coumaric acid by spinach-beet phenolase.

By P. F. T. Vaughan & V. S. Butt

Differential inhibition of mammalian ribonucleic acid polymerases by an exotoxin from *Bacillus thuringiensis*. The direct observation of nucleoplasmic ribonucleic acid polymerase activity in intact nuclei.

By T. Beebe, A. Korner & R. P. M. Bond

NOTES FOR CONTRIBUTORS

It is the policy of the *Biochemical Journal* to publish papers in English in all fields of biochemistry, provided that they make a sufficient contribution to biochemical knowledge. Papers may include new results obtained experimentally, descriptions of new experimental methods of biochemical importance, or new interpretations of existing results. All work presented should have as its aim the development of biochemical concepts rather than the mere recording of facts. Theoretical contributions will be considered equally with papers dealing with experimental work. Preliminary or inconclusive experiments should not generally be described.

For detailed instructions on the preparation of papers contributors should refer to *Policy of the Journal and Instructions to Authors* [*Biochem. J.* (1972), 126, 1–19] (obtainable from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP, price 15p. post free). The *Biochemical Journal* uses the recommended SI (Système Internationale) symbols [see *Pure Appl. Chem.* (1970) 21, 1–44; *Quantities, Units and Symbols* (1971) The Royal Society, London]. For biochemical nomenclature authors should as far as possible follow the Tentative Rules and Proposals of the IUPAC–IUB Commission on Biochemical Nomenclature [see *Biochem. J.* (1972), 126, 9]. For chemical nomenclature the IUPAC Rules should be followed [see *Biochem. J.* (1972), 126, 12]. The *Biochemical Journal* uses as a standard of spelling the *Concise Oxford Dictionary of Current English* (Oxford: Clarendon Press).

Two types of paper are accepted by the editors:
Full-length papers. Papers submitted for publication should be sent together with an extra copy of the synopsis (see below) to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Typescripts should bear the name and address of the person to whom the proof of the paper is to be sent.

Papers submitted should be written concisely. Special attention is directed to the sections below concerning the preparation of the typescript. Typescripts that are not concise or do not conform to the conventions of the *Biochemical Journal* will be returned to the authors for revision. If a paper that has been returned to an author for revision is not resubmitted within one month, it will, on resubmission, be deemed to be a new paper and the date of receipt altered accordingly. A revised paper containing a significant amount of new material will also be redated.

Submission of a paper to the Editorial Board

implies that it reports unpublished work, that it is not under consideration for publication elsewhere, and that if accepted for the *Biochemical Journal* it will not be published elsewhere in the same form, either in English or in any other language, without the consent of the Editorial Board.

Papers should be headed by a concise but informative full title, by the names of the authors (preferably with one forename in full for each author) and by the name and address of the establishment where the work was performed. Details of financial support appear in the acknowledgements at the end of the paper.

Before preparing papers authors should consult a current issue of the Journal to make themselves familiar with the general format, such as the use of cross-headings, lay-out of tables and citation of references. Papers should be in double-spaced typing throughout (including the references and legends of tables and figures) on sheets of uniform size and wide margins. The top copy should be submitted. It cannot be overemphasized that the need for revision of badly prepared typescripts inevitably leads to delays in publication.

Papers on specialized subjects should be presented so that they are intelligible to the ordinary reader of the Journal. Sufficient information must be included to permit repetition of the experimental work.

Short Communications. Typescripts should be submitted *in duplicate*, written in English, and conform strictly to the form of the Journal as far as spelling and abbreviations are concerned. Such communications should not exceed 2400 words in length inclusive of the title, references etc. Authors may include up to two insertions such as tables, figures or schemes; in these cases authors must assess what proportion of a page these insertions will occupy and reduce the number of text words accordingly at the rate of 700 words per full page of the Journal. Authors are advised that the preparation of tables and especially figures is liable to cause a slight increase in publication time. Under no circumstances whatsoever can a complete Short Communication occupy more than four pages of the Journal. Communications should be addressed to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Papers should be complete in themselves; (1) the methods used in experimental work must be adequately described or sufficient references given to allow repetition of the work; (2) sufficient indication of the results of experimental work must be included to justify the claims made.