ADVERTISING RATES

Cover and
Special Positions £90
Full Page £70
Half Page £40
Quarter Page £25

Agency Commission 10% Publisher's Discount 10%

All communications regarding advertising matters should be addressed to:

Advertisement Section,
Biochemical Society,
7 Warwick Court,
London, WC1R 5DP
Telephone: 01-242 1076
(4 lines)

THE BIOCHEMICAL JOURNAL____ Cumulative Index for Volumes 91–115 of The Biochemical Journal

available from

The Biochemical Society

Publications Department
7 Warwick Court
London WC1R 5DP

Members: £3.25—U.S. \$9

Non-Members: £5.25—U.S. \$13

The Journal of General Microbiology

Volume 75, Part 2. April 1973

DEVELOPMENT AND STRUCTURE

J. H. Freer, J. P. Arbuthnott and B. Billcliffe. Effects of Staphylococcal α-Toxin on the Structure of Erythrocyte Membranes: a Biochemical and Freeze-etching study.

PHYSIOLOGY AND GROWTH

- T. M. Preston and D. S. O'Dell. Deuterium Oxide-induced Reversion of Naegleria gruberi Flagellates.
- B. J. Abbott. Ethanol Inhibition of a Bacterium (Acinetobacter calcoaceticus) in Chemostat Culture.

BIOCHEMISTRY

- P. G. MANTLE. Production of Ergot Alkoids in vitro by Sphacelia sorghi.
- D. H. Jennings and S. Austin. The Stimulatory Effect of the Non-metabolized Sugar 3-O-Methyl Glucose on the Conversion of Mannitol and Arabitol to Polysaccharide and Other Insoluble Compounds in the Fungus Dendryphiella salina.
- J. P. Arbuthnott, J. H. Freer and B. Billcliffe. Lipid induced Polymerization of Staphylococcal α -Toxin.
- J. O'Sullivan and P. J. Casselton. The Subcellular Localization of Glyoxylate Cycle Enzymes in Coprinus lagopus (sensu Buller).
- H. A. Foster and J.H. Parish. Ribosomes, Ribosomal Subunits and Ribosomal Proteins from Myxococcus xanthus.
- H. A. FOSTER and J. H. PARISH. Synthesis of RNA during Myxospore Indiction in Myxococcus xanthus.

GENETICS AND MOLECULAR BIOLOGY

- D. P. BINGHAM and B. J. BARNHART. Inhibition of Transformation by Antibodies against Competent Haemophilus influenzae.
- J. Grinsted and R. W. Lacey. Ecological and Genetic Implications of Pigmentation in Staphylococcus aureus.
- G. Askaa, C. Christiansen and H. Ernø. Bovine Mycoplasmas: Genome Size and Base Composition of DNA.
- M. Crandall and P. P. Slonimski. Comparison of *Hansenula wingei*, a *Petite*-negative, Obligately Aerobic Yeast, to the *Petite*-positive Yeast *Saccharomyces cerevisiae*.
- M. CRANDALL. A Respiratory-deficient Mutant in the Obligately Aerobic Yeast Hansenula wingei.
- A. RODOLAKIS, P. THOMAS and J. STARKA. Morphological Mutants of *Escherichia coli*. Isolation and Ultrastructure of a Chain-forming *env*C Mutant.

MEDICAL MICROBIOLOGY

A. S. MSHELBWALA and W. E. ORMEROD. Measurement of the Infectivity of *Trypanosoma cruzi* in Faeces of Rhodnius by Comparison of Dose-response Curves.

TAXONOMY

- K. NAKAHAMA, A. IMADA, S. IGARASI and K. TUBAKI. Formation of L-Asparaginase by Fusarium Species.
- F. G. Priest, H. J. Somerville, J. A. Cole and J. S. Hough. The Taxonomic Position of Obesumbacterium proteus, a Common Brewery Contaminant.

SHORT COMMUNICATIONS

- J. A. A. VAN DER WIEL-KORSTANJE and W. DE VRIES. Cytochrome Synthesis by Bifidobacterium during Growth in Media Supplemented with Blood.
- T. Cross, R. W. Attwell and T. Locci. Fine Structure of the Spore Sheath in Streptoverticillium Species. Proceedings of the London Meeting of Society on 4 and 5 January 1973

Price £5.50 net (\$16.50 in U.S.A.) Annual subscription £48 net (\$159.00 in U.S.A.)

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB American Branch: 32 East 57th Street, New York, N.Y. 10022

Hoppe-Seyler's Zeitschrift für Physiologische Chemie

Editors in Chief

A. BUTENANDT · F. LYNEN · G. WEITZEL

Subscription Rates
For one volume (12 parts) DM 420,—

Vol. 354 No. 6 Contents June 1973

Regulation of transcription and translation in eukaryotes (Abstracts)

24. Mosbacher Kolloquium der Gesellschaft für Biologische Chemie

The chemical structure of the nucleus as the basis of its function (Abstracts)

17. KONFERENZ DER GESELLSCHAFT FÜR BIO-LOGISCHE CHEMIE

The effect of a non-peptide interchain crosslink on the reoxidation of reduced insulin

D. Brandenburg and A. Wollmer

Proliferation and energy metabolism of Ehrlich ascites tumor cells in a glucose-free medium

H. P. KRAUSE and FR. SCHNEIDER

On the mechanism of ketogenesis and its control, I: On a possible role of acetyaceto-CoA thiolase in the control of ketone body production

W. HUTH, C. DIERICH, V. V. OEYHAUSEN and W. SEUBERT

Chlorination of the cystine- and tyrosine peptides from the C-terminus of insulin A-chain

S. Stoev, B. Aleksiev and A. Valkova

Preparative isolation of disc-electrophoretically pure components of hordein

K. KLING

Studies on polypeptides, IV. The synthesis of C-peptide of human proinsulin

V. K. NAITHANI

A combination of micro-disc electrophoresis with antigen-antibody crossed electrophoresis (identification and quantitative determination of individual serum proteins)

W. GIEBEL and H. SAECHTLING

Contents of deoxyribonucleoside triphosphates in Yoshida ascites tumor cells

E. Liss, S. Brammer and H. Schmidt

SHORT COMMUNICATION Crystallisation of the hemoglobin of carp (Cyprinus carpio)

T. KLEINSCHMIDT, B. GRUJIC-INJAC and G. BRAUNITZER

Indexed in Current Contents



Walter de Gruyter · Berlin · New York

NEW CHEMISTRY TITLES

Analytical Emission Spectroscopy:

Fundamentals

József Mika, DSc and Tibor Török, DSc

English translation edited by P. A. Floyd BSc, PhD, FGS

This book summarises the theoretical foundations of optical and X-ray emission spectroscopy. It will be indispensable to analysts and research workers in laboratories involved in trace element analysis as it contains a great deal of information which is not readily available elsewhere.

1973 570 pp., illustrated 0 408 70163 3 £9.00

Three New Titles from IUPAC

Analytical Chemistry—4

(Kyoto, 1972)

Edited by Mitsugi Senda

The eleven plenary and invited lectures from the International Congress on Analytical Chemistry, held at Kyoto, Japan, 3–7 April, 1972.

1973 176 pp., illustrated 0 408 70463 2 £5.00 or \$15.00

Carotenoids other than Vitamin A—III

(Cluj, 1972)

This volume contains the six plenary lectures presented at the Third International Symposium on Carotenoids Other Than Vitamin A which was held at Cluj, Romania, 4–7 September, 1972. 1973 136 pp., illustrated 0 408 70493 4 £3.80 or \$11.40

Chemistry in Evolution and Systematics

(Strasbourg, 1972)

Edited by T. Swain

This symposium covered five main subjects areas: the chemistry of geographical races, comparative biosynthetic pathways, insect plant co-evolution, molecular evolution in plants, and fossil chemistry.

1973 326 pp., illustrated 0 408 70491 8 £9.00 \$27.00

North American Agents for IUPAC titles are Crane, Russack & Co. Inc., 52 Vanderbilt Avenue, New York, NY 10017

Obtainable through any bookseller or from the Publishers

The Butterworth Group 88 Kingsway, London WC2B 6AB

Showroom and trade counter: 4-5 Bell Yard, WC2



CLINICAL SCIENCE

EDITORIAL BOARD

For the Biochemical Society

R. HOFFENBERG, Chairman

C. N. Hales, R. G. Huntsman, G. H. Lathe, J. Liddell, I. MacIntyre, K. L. Manchester, J. A. Owen, R. W. E. Watts

For the Medical Research Society

J. S. ROBSON, Deputy Chairman

R. D. COHEN, W. I. CRANSTON, G. CUMMING, D. M. MATTHEWS, A. POLAK, J. I. S. ROBERTSON, B. ROBINSON, S. J. G. SEMPLE

VOLUME 45, No. 2 AUGUST 1973

CONTENTS

Determination of leg blood flow during exercise in man: an indicator-dilution technique based on femoral venous dye infusion. By J. WAHREN and L. JORFELDT

Factors affecting plasma clearance of [14C] cholic acid in patients with cirrhosis. By M. D. KAYE, J. E. STRUTHERS, JR, J. S. TIDBALL, ELIZABETH DENIRO and F. KERN, JR

Plasma noradrenaline and adrenaline in patients with thyrotoxicosis and myxoedema. By N. J. Christensen

Plasma volume decrease and elevated Evan Blue disppearance in essential hypertension. By MILOS ULYRYCH

Synthesis and release of parathyroid hormone by a renal carcinoma in cell culture. By P. B. Greenberg, T. J. Martin and Helen S. Sutcliffe

The urinary excretion of 1-methylimidasone-4-acetic acid, a histamine metabolite, by healthy and asthmatic children. By HAZEL THOM, JOYCE E. RICHARDSON and R. G. MITCHELL

Intestinal absorption of stereoisomers of dipeptides in the rat. By A. M. ASATOOR, AMRIT CHADRA, M. D. MILNE and D. I. PROSSER

The inactivation by carbonoxolone of individual human pepsinogens and pepsins. By N. B. ROBERTS and W. H. TAYLOR

Histamine metabolism in human gastric mucosa. By H. Dencker, G. Kahlson, Inger Kockum, C. Norryd and Elsa Rosengren

Retention of a single oral massive dose of vitamin A. By Sheila M. Pereira and Almas Begum

A comparison of the ventilatory response to carbon dioxide by steady-state and rebreathing methods during metabolic acidosis and alkalosis. By R. A. F. LINTON, P. A. POOLE-WILSON R. J. DAVIES and R. CAMERON

SHORT COMMUNICATIONS

Triiodothyronine concentration in cord and maternal sera at term. By C. J. EASTMAN, J. M. CORCORAN, A. JEQUIER, R. P. EKINS and E. S. WILLIAMS

Altered bile acid metabolism during treatment with phenolbarbitone. By N. E. MILLER and P. J. NESTEL

Rapid dehydration as a measure of the ability of the kidney to concentrate urine: comparison with the Bitressin-dehydration test. By K. G. KOUTSAIMANIS and P. R. W. TASKER

Subscription: £2.00 (\$7.50) per part; £20.00 (\$70.00) per year.

Orders may be placed with your bookseller, or sent direct to the publishers.

BLACKWELL SCIENTIFIC PUBLICATIONS LTD

5 ALFRED STREET, OXFORD, OX1 4HB, ENGLAND

when you want the best*

The success of your dehydrogenase enzyme reactions depends to a large extent on the quality and reliability of the nicotinamide co-enzymes you use.

As PRIME manufacturers of co-enzymes Boehringer Mannheim — THE ENZYME PEOPLE know from experience this need for quality and reliability and fulfill it in the following ways:—

Quality

- purity is determined enzymatically as well as by optical density measurements
- thus you can be sure the co-enzymes are tested from a functional viewpoint.

Reliability

- constantly quality controlled and guaranteed to minimum specifications throughout their shelf life
- -constantly quality controlled you have confidence in your and quaranteed to minimum results.

Applications —a choice of two grades for your particular requirements

 GRADE I — NAD, NADH free from LDH inhibitors for the best in accuracy and precision.

GRADE II — a 'workhorse' grade when economy is a factor.



insist on Boehringer Mannheim Co-enzymes

Epoetrander.

For further details contact:
The Boehringer Corporation (London) Ltd.,
Bilton House: Uxbridge Road, Ealing, London W5 2TZ
Tal. 011 579 6944 /5 lines)