

Hoppe-Seyler's Zeitschrift für Physiologische Chemie

Editors in Chief

A. BUTENANDT · F. LYNEN · G. WEITZEL

Subscription Rates

For one volume (12 parts) DM 480,—

Vol. 354 No. 9

Contents

September 1973

- Inhibition and activation of histamine methyltransferase by methylated histamines
H. BARTH, W. LORENZ and I. NIEMEYER
- Lysyl-tRNA synthetase from rat liver. Partial purification and evidence that this enzyme is associated with arginyl-tRNA synthetase
T. GOTO and A. SCHWEIGER
- Determination of the biological value of dietary proteins, XVIII: Unicellular organismus as a dietary supplement
H. MÜLLER-WECKER and E. KOFRÁNYI
- Sulfate esters as inactivation products of ecdysone in *Locusta migratoria*
J. KOOLMAN, J. A. HOFFMANN and P. KARLSON
- Gangliosides of extraneural organs
H. WIEGANDT
- Preparation and properties of mixed disulfides of bovine insulin with glutathione and thioglycollic acid
W. D. BUSSE and H. G. GATTNER
- Kynurenine 3-hydroxylase in eyes of the honeybee *Apis mellifica*
J. H. DUSTMANN
- One-dimensional micro-chromatography of phospholipids and neutral lipids on sodium silicate impregnated silica gel layers
H. H. ALTHAUS and V. NEUHOFF
- Enzyme induction in *Streptomyces hydrogenans*, III: Incorporation and binding of steroids
L. TRÄGER
- The binding energy of the ester group in *O*-acylcarnitines and some carboxyl derivatives, III: Hydrolysis enthalpy of *O*-acylcarnitines and betaine esters
D. M. MÜLLER and E. STRACK
- 3-Hydroxy-4-methoxymandelic acid, a new metabolite of adrenaline and noradrenaline in rat liver
H. THOMAS, D. MÜLLER ENOCH and E. R. LAX
- Dissociation of fibrinogen and fibrin peptide chains by partial cleavage of disulfide bonds
H. HÖRMANN and H. J. WAGNER
- Inhibition of UDPglucose degradation in the isolated perfused rat liver, a permeation study
E. BISCHOFF, J. WILKENING and K. DECKER
- The suitability of lipase from *Rhizopus arrhizus delemar* for analysis of fatty acid distribution in dihexosyl diglycerides, phospholipids and plant sulfolipids
W. FISHER, E. HEINZ and M. ZEUS
- Continuous synthesis of NAD in a nuclear column
H. JAUS, G. SIEBERT and G. SAUERMAN
- Biosynthesis *in vitro* of chorionic gonadotrophin from human placenta
L. C. PATRITO, A. FLURY, J. ROSATO and A. MARTÍN
- Studies on ADP-ribose ribosylation in rat liver nuclei
L. S. DIETRICH and G. SIEBERT
- In vivo* effects of androgens on nucleic acid metabolism, II: The effect of testosterone on the incorporation of [³H]uridine into the RNA of the prostate and seminal vesicles of young rats
H.-G. DAHNKE, A. SCHEUER and K.-O. MOSEBACH
- SHORT COMMUNICATIONS
- Influence of polyamines on two bivalent cation-activated ATPases
H. W. PETER, H. U. WOLF and N. SEILER
- Enzymatic degradation of Forssman hapten. A reinvestigation of the chemical structure
A. MAKITA, T. YOKOYAMA and W. TAKAHASHI
- The amino acid sequences of the α and β polypeptide chains of adult hemoglobin of the savannah monkey (*Cercopithecus aethiops*)
G. MATSUDA, T. MAITA, B. WATANABE, A. ARAYA, K. MOROKUMA, M. GOODMAN and W. PRYCHODKO
- Iron absorption and iron binding proteins in intestinal mucosa of mice with sex linked anaemia
H. HUEBERS, E. HUEBERS, W. FORTH and W. RUMMEL
- Binding of a phallotoxin to protein filaments of plasma membrane of liver cell
V. M. GOVINDAN, G. ROHR, TH. WIELAND and B. AGOSTINI
- Indexed in Current Contents



Walter de Gruyter · Berlin · New York

The Journal of General Microbiology

Volume 75, Part 2. April 1973

DEVELOPMENT AND STRUCTURE

J. H. FREER, J. P. ARBUTHNOTT and B. BILLCLIFFE. Effects of Staphylococcal α -Toxin on the Structure of Erythrocyte Membranes: a Biochemical and Freeze-etching study.

PHYSIOLOGY AND GROWTH

T. M. PRESTON and D. S. O'DELL. Deuterium Oxide-induced Reversion of *Naegleria gruberi* Flagellates.

B. J. ABBOTT. Ethanol Inhibition of a Bacterium (*Acinetobacter calcoaceticus*) in Chemostat Culture.

BIOCHEMISTRY

P. G. MANTLE. Production of Ergot Alkoids *in vitro* by *Sphacelia sorghi*.

D. H. JENNINGS and S. AUSTIN. The Stimulatory Effect of the Non-metabolized Sugar 3-O-Methyl Glucose on the Conversion of Mannitol and Arabitol to Polysaccharide and Other Insoluble Compounds in the Fungus *Dendryphiella salina*.

J. P. ARBUTHNOTT, J. H. FREER and B. BILLCLIFFE. Lipid induced Polymerization of Staphylococcal α -Toxin.

J. O'SULLIVAN and P. J. CASSELTON. The Subcellular Localization of Glyoxylate Cycle Enzymes in *Coprinus lagopus* (*sensu* Buller).

H. A. FOSTER and J.H. PARISH. Ribosomes, Ribosomal Subunits and Ribosomal Proteins from *Myxococcus xanthus*.

H. A. FOSTER and J. H. PARISH. Synthesis of RNA during Myxospore Induction in *Myxococcus xanthus*.

GENETICS AND MOLECULAR BIOLOGY

D. P. BINGHAM and B. J. BARNHART. Inhibition of Transformation by Antibodies against Competent *Haemophilus influenzae*.

J. GRINSTED and R. W. LACEY. Ecological and Genetic Implications of Pigmentation in *Staphylococcus aureus*.

G. ASKAA, C. CHRISTIANSEN and H. ERNØ. Bovine Mycoplasmas: Genome Size and Base Composition of DNA.

M. CRANDALL and P. P. SLONIMSKI. Comparison of *Hansenula wingei*, a *Petite*-negative, Obligately Aerobic Yeast, to the *Petite*-positive Yeast *Saccharomyces cerevisiae*.

M. CRANDALL. A Respiratory-deficient Mutant in the Obligately Aerobic Yeast *Hansenula wingei*.

A. RODOLAKIS, P. THOMAS and J. STARKA. Morphological Mutants of *Escherichia coli*. Isolation and Ultrastructure of a Chain-forming *envC* Mutant.

MEDICAL MICROBIOLOGY

A. S. MSHELHWALA and W. E. ORMEROD. Measurement of the Infectivity of *Trypanosoma cruzi* in Faeces of Rhodnius by Comparison of Dose-response Curves.

TAXONOMY

K. NAKAHAMA, A. IMADA, S. IGARASI and K. TUBAKI. Formation of L-Asparaginase by Fusarium Species.

F. G. PRIEST, H. J. SOMERVILLE, J. A. COLE and J. S. HOUGH. The Taxonomic Position of *Obesumbacterium proteus*, a Common Brewery Contaminant.

SHORT COMMUNICATIONS

J. A. A. VAN DER WIEL-KORSTANJE and W. DE VRIES. Cytochrome Synthesis by Bifidobacterium during Growth in Media Supplemented with Blood.

T. CROSS, R. W. ATTWELL and T. LOCCI. Fine Structure of the Spore Sheath in Streptovorticillium Species. Proceedings of the London Meeting of Society on 4 and 5 January 1973

Price £5.50 net (\$16.50 in U.S.A.) Annual subscription £48 net (\$159.00 in U.S.A.)

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB

American Branch: 32 East 57th Street, New York, N.Y. 10022

ADVERTISING RATES

Cover and Special Positions	£90
Full Page	£70
Half Page	£40
Quarter Page	£25
Agency Commission	10%
Publisher's Discount	10%

All communications regarding advertising matters should be addressed to:

Advertisement Section,
Biochemical Society,
7 Warwick Court,
London, WC1R 5DP
Telephone: 01-242 1076
(4 lines)

THE BIOCHEMICAL JOURNAL

The Biochemical Journal

Cumulative Indices

Save Research Time

Busy researchers and authors find that these multi-volume indices are invaluable. Where time is money the cost is recovered quickly. Produced as a service to subscribers and priced accordingly.

Volumes	£ p	U.S.\$
21-30	0.75	2.50
31-40	2.00	5.50
41-65	2.75	7.50
66-90	3.25	9.00
91-115	5.25	13.00
116-130	5.50	15.00

All prices include postage (by surface mail to overseas)

Available from:

The Biochemical Society
(Publications)

PO BOX 32 Commerce Way
Whitehall Industrial Estate
Colchester CO2 8HP Essex

THE COMMISSION OF THE EUROPEAN COMMUNITY WISHES TO RECRUIT A HIGH LEVEL ADMINISTRATOR, Grade A5/A4

Function

Head of the Medical Service's Laboratories of the Joint Research Centre, at Ispra (Lake Maggiore), Italy.

Main qualifications required

A medical degree.

Post-graduate qualifications—or lacking these—several years' experience in the following fields:

biochemistry
toxicology and industrial hygiene
radio-toxicology.

to have held a position of responsibility in a laboratory or laboratories active in one or more of the fields specified above.

Knowledge of foreign languages: specifically a thorough knowledge of one of the official languages of the Community, and a reasonable familiarity with at least one other language of the Community.

Candidates must be of British nationality.

Starting salary


A monthly salary of £660 to £730 net (head of household with one dependent child) according to qualifications, experience, age, etc., to which will be added all normal social advantages. Well-qualified candidates may enter with higher salaries ranging up to maximum of about £880. An automatic salary increase for "age" is awarded every two years.

Please send a detailed curriculum vitae before December 15, 1973, to the following address:

**Dr. C. VIGAN,
Head of the Medical Service,
EURATOM CCR,
Ispra (Va), Italy**

WANTED

—an Automatic Enzyme System that prepares samples precisely, makes kinetic measurements, requires no tedious pipetting, has wavelengths other than just 340 nm, provides a choice of operating temperature ! This description fits the PYE UNICAM AC1800 Automatic Enzyme System exactly. It includes one of the most wanted UV Spectrophotometers—the SP1800. This system will cost you far less to secure than some dedicated instruments with lower performance.



REWARD

from using the AC1800 system can be very worthwhile—just request more information now on our

Automatic Enzyme Analyser

Pye Unicam Ltd.
York Street, Cambridge CB1 2PX, England
Telephone (0223) 58866. Telex: 81215

PYE UNICAM 

CLINICAL SCIENCE AND MOLECULAR MEDICINE

Formerly *Clinical Science*

EDITORIAL BOARD

For the Biochemical Society

J. A. OWEN, *Deputy Chairman*

B. H. BILLING, A. M. BRECKENRIDGE, C. N. HALES, T. D. R. HOCKADAY,
R. G. HUNTSMAN, G. H. LATHE, J. LIDDELL, I. MACINTYRE,
K. L. MANCHESTER, R. W. E. WATTS

For the Medical Research Society

R. D. COHEN, *Chairman*

G. CUMMING, D. C. FLENLEY, N. F. JONES, D. M. MATTHEWS,
M. I. M. NOBLE, D. K. PETERS, A. POLAK, J. I. S. ROBERTSON,
B. ROBINSON, J. D. M. SLATER

VOLUME 45, No. 6

DECEMBER 1973

CONTENTS

- Plasma catecholamines during sustained isometric exercise. By S. KOZŁOWSKI, Z. BREZEZINSKA, K. NAZAR, W. KOWALSKI and H. FRANCZYK
- Renal vascular responses to dopamine: haemodynamic and angiographic observations in normal man. By N. K. HOLLENBERG, D. F. ADAMS, P. MENDELL, H. L. ABRAMS and J. P. MERRILL
- Studies on the mechanism of aldosterone-induced hypertension in man. By A. DISTLER, H. J. JUST and TH. PHILIPP
- Renal handling of calcium, magnesium, inorganic phosphate and hydrogen ions during prolonged exposure to elevated carbon dioxide concentrations. By S. P. GRAY, J. E. W. MORRIS and C. J. BROOKS
- Studies on sweating in clinical and experimental thyrotoxicosis. By JUDITH A. ALLEN, DAPHNE C. LOWE, I. C. ROSSIE and W. F. M. WALLACE
- Decreased ouabain-sensitive adenosine triphosphatase activity in the erythrocyte membrane of patients with chronic renal disease. By C. H. COLE
- The effect of ethinyloestradiol on calcium and phosphorus metabolism of postmenopausal women with primary hyperparathyroidism. By J. C. GALLAGHER and R. WILKINSON
- The hydrolysis of glycine oligopeptides by guinea-pig intestinal mucosa and by isolated brush borders. By T. J. PETERS
- The mechanism of the entry of dye into neutrophils in the Nitroblue Tetrazolium (NBT) test. By A. W. SEGAL and A. J. LEVI
- The effect of protein loads on plasma amino acid levels. By T. PALMER, MARY A. ROSSITER, B. LEVIN and V. G. OBERHOLZER
- The effects of therapeutic decrease in packed cell volume on the responses to exercise of patients with polycythaemia secondary to lung disease. By B. D. W. HARRISON, JANE DAVIS, R. G. MADGWICK and MARION EVANS
- Intestinal absorption of dipeptides containing glycine, phenylalanine, proline, β -alanine or histidine in the rat. By D. J. BOULLIN, R. F. CRAMPTON, CHRISTINE E. HEADING and D. PELLING
- SHORT COMMUNICATIONS
- Maximum bicarbonate response to intravenous infusion of 'GIH' secretion in man. By L. V. GUTIERREZ and J. H. BARON
- CORRESPONDENCE SECTION
- Measurements of the metabolic component of the acid-base status in acute clinical situations. By C. T. KAPPAGODA, R. J. LINDEN, H. M. SNOW, J. B. STOKER, D. G. LEWIS and J. C. STODDART
- Body potassium and fat free mass. By P. P. MULDOWNNEY, K. BODDY, PRISCILLA C. KING, J. WOMERSLEY and J. V. G. A. DURNIN

Subscription: £2.00 (\$7.50) per part; £20.00 (\$70.00) per year.

Orders may be placed with your bookseller, or sent direct to the publishers.

BLACKWELL SCIENTIFIC PUBLICATIONS LTD

5 ALFRED STREET, OXFORD, OX1 4HB, ENGLAND

DNA Polymerase I

(EC 2.7.7.7)

Boehringer Mannheim have DNA Polymerase I that you can rely upon in every way. For convenience of use the enzyme is supplied in 50% glycerol in a polypropylene vial that can be kept happily at -20°C during shipment and storage.


Our Grade I preparation with a specific activity of 2500–5000 U/mg¹ corresponds to stage 7 of the Jovin et al. preparation². Before it leaves our Research Laboratories in Tutzing it undergoes exacting quality control procedures including SDS disc-electrophoresis which shows just one heavy and a few very faint bands. A fragment of the DNA Polymerase I enzyme—Enzyme A according to Klenow³ is the latest addition to our range. It has a molecular weight of only 75,000, as opposed to 109,000 for the DNA Polymerase I, due to the removal by proteolytic activity of the 5'→3' Exonuclease.

References

1. Richardson, J. Biol. Chem. **239**, 222 (1964).
2. Jovin et al, J. Biol. Chem. **244**, 2996 (1969).
3. Klenow, H. et al, Proc. Nat. Acad. Sci. **65**, 168 (1970).



DNA Polymerase is no exception to the Boehringer Mannheim dictum 'that for each enzyme its own substrate, co-factor and inhibitor is supplied'. Examples from the range of complimentary biochemicals available for DNA Polymerase I are deoxytriphosphates including 5'-bromo dUTP, Nalidixic acid and Poly-d (G-C)—Analytical specifications and applications for these and the complete range of our biochemicals for Molecular Biology and Structural Studies are in these illustrated brochures.



Please write or telephone for your own personal copy to:

The Boehringer Corporation (London) Ltd.,
Bilton House, Uxbridge Road, London, W5 2TZ
Tel: 01 579 6944 (5 lines).