

# The BIOCHEMICAL JOURNAL

---

June 1974

Volume 139, No. 3

---

## EDITORIAL BOARD

*Chairman*

D. G. Walker

*Deputy Chairmen*

H. B. F. Dixon  
K. M. Jones  
J. E. Cremer  
N. M. Green\*

*Editorial Secretary*

J. D. Killip

*Assistant Editorial Secretary*

E. N. Maltby

J. W. Bradbeer

R. B. Cain

M. Cannon

R. M. Denton

F. M. Dickinson

R. R. Dils

J. T. Dingle

G. H. Dixon

D. C. Ellwood

P. B. Garland

J. J. Holbrook

M. R. Hollaway

R. C. Hughes

J. D. Judah

A. E. Kellie

U. E. Loening

J. A. Lucy

W. I. P. Mainwaring

R. D. Marshall

P. A. Mayes

J. C. Metcalfe

A. C. T. North\*

R. E. Offord

D. V. Parke

A. E. Pegg

R. N. Perham

G. K. Radda

R. Rodnight

A. P. Ryle

D. R. Stanworth

I. O. Walker

D. C. Watts

F. R. Whatley

D. H. Williamson

\*Nominated by the British  
Biophysical Society

*Overseas Advisory Panel*

F. J. Ballard (*Australia*), S. Bergström (*Sweden*), B. Chance (*U.S.A.*), J.-P. Changeux (*France*), P. W. Choppin (*U.S.A.*), W. H. Elliott (*Australia*), D. Garfinkel (*U.S.A.*), F. W. E. Gibson (*Australia*), A. A. Hadjolov (*Bulgaria*), H. G. Hers (*Belgium*), W. D. Stein (*Israel*), H. G. Wittmann (*Germany*), I. G. Wool (*U.S.A.*)



London : The Biochemical Society

# THE BIOCHEMICAL SOCIETY

---

## OFFICERS AND COMMITTEE, 1973-74

*Chairman of the Committee*

**T. W. Goodwin, F.R.S.**

*Treasurer*

**D. F. Elliott**

*General Secretary*

**A. P. Mathias**

*Publications Secretary*

**R. M. C. Dawson**

*Meetings Secretary*

**H. M. Keir**

*Assistant Meetings Secretary*

**J. B. Lloyd**

*Committee*

**B. A. Askonas, F.R.S.**

**E. A. Dawes**

**C. A. Fewson**

**K. Griffiths**

**M. G. Harrington**

**C. H. S. Hitchcock**

**G. D. Hunter**

**V. H. T. James**

**C. F. Mills**

**T. A. Scott**

**T. F. Slater**

**R. E. van Heyningen**

**D. G. Walker\***

**A. M. White**

**T. S. Work**

\**Ex officio Member of Committee; representative of Editorial Board of the Biochemical Journal.*

*Executive Secretary*

**A. I. P. Henton (7 Warwick Court, London WC1R 5DP)**

---

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Several meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines)].

Second-class postage paid at Long Island City, N.Y., U.S.A.

**The Biochemical Journal** is published and distributed by the Biochemical Society. It is published twice monthly, alternate issues being devoted to **Molecular Aspects** and to **Cellular Aspects** of biochemistry. It is planned that in 1974 eight volumes, each volume being made up of three issues, will be published according to the following schedule:

<b>Molecular Aspects</b>			<b>Cellular Aspects</b>		
1974	Vol.	Part	1974	Vol.	Part
1 Jan.	137	1	15 Jan.	138	1
1 Feb.	137	2	15 Feb.	138	2
1 Mar.	137	3	15 Mar.	138	3
1 Apr.	139	1	15 Apr.	140	1
1 May	139	2	15 May	140	2
1 June	139	3	15 June	140	3
1 July	141	1	15 July	142	1
1 Aug.	141	2	15 Aug.	142	2
1 Sept.	141	3	15 Sept.	142	3
1 Oct.	143	1	15 Oct.	144	1
1 Nov.	143	2	15 Nov.	144	2
1 Dec.	143	3	15 Dec.	144	3

**Biochemical Society Transactions.** This is now a separate publication (see below). Volume 2 will be published in 1974 in six parts.

**Subscription Rates to the Biochemical Journal.** For non-members of the Biochemical Society the subscription in 1974 is £95.00. Subject to exchange variation the rate for U.S.A., Canada and Mexico is \$265.00 (despatch by air freight to these countries).

Subscribers to the *Biochemical Journal* can subscribe to *Biochemical Society Transactions* on a joint subscription, saving £10 (\$25.00). The joint subscription is £100.00 (\$280.00 to addressees in U.S.A., Canada and Mexico; both publications despatched by air freight).

Terms are cash with order or against proforma invoice. Orders and subscriptions should be sent to the Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex, or through your normal agent.

**Claims** regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address given in the preceding paragraph. Claims cannot be entertained if they are received later than three months after the date of posting.

**Back Numbers.** Enquiries for volumes 1-19 of the Journal should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts of the Journal, and also of Transactions, may be obtained on application to The Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

**Microfilms.** Volumes 1-89 (1906-1963) of the Journal have been recorded on microfilm. Details are available from the Biochemical Society's Colchester office.

**Advertisements.** Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines)]. Copy is required eight weeks before publication date. Rate cards are available on request.

## Index of Authors

PAGE		PAGE		PAGE	
Abdelal, A. T. H.	481	Glaid, A. J., III	709	Peacocke, A. R.	665
Ainsworth, S.	499	Goodgame, D. M. L.	791	Perkins, H. R.	781
Anderson, M.	653	Gray, C. J.	555		
Arsenis, C.	699	Gray, G. W.	633	Ramshaw, J. A. M.	583
Bailey, C. J.	583	Gutfreund, H.	677		
Barker, S. A.	555	Hardingham, T. E.	565	Salviati, G.	509
Becker, W. M.	771	Harland, W. A.	793	Sawyer, W. H.	535
Bennett, N. G.	677	Harrison, P. M.	603	Scawen, M. D.	583
Bessell, E. M.	661	Holbrook, J. J.	677, 797	Schlegel, H. G.	481
Birch, M.	491	Houslay, M. D.	645	Scott, A. P.	593
Bitar, K. G.	547	Hoy, T. G.	603	Shabbir, M.	603
Bottomley, R. C.	609	Illsley, N. P.	797	Skapski, A. C.	791
Boulter, D.	583	Ireson, J.	555	Small, D. A. P.	609
Britton, H. G.	491			Smith, A. G.	793
Brooks, C. J. W.	793			Smith, G. P.	779
Carraro, U.	509	Jaklitsch, A.	709	Stone, B. A.	535
Cawston, T.	653	Jendrisak, J. J.	771	Taylor, R. F.	751, 761
Cheeseman, G. C.	653	Jones, T. J.	791	Thomas, P.	661
Clarke, F. M.	785	Liddle, P. F.	665	Tipton, K. F.	645
Clarke, J. B.	491	Lindley, H.	515	Trayer, H. R.	609
Cornish-Bowden, A.	715, 721	Lodola, A.	797	Trayer, I. P.	609
Cranston, R. W.	515	Lomax, J. A.	633	Vinogradov, S. N.	547
Davies, B. H.	751, 761	Lowenkron, S.	547		
de Meester, P.	791	Lowry, P. J.	593	Waheed, A.	709
Dwek, R. A.	665			Waley, S. G.	789
Eisenthal, R.	715, 721	Macfarlane, N.	499	Ward, J. B.	781
Fell, D. A.	665	Margreth, A.	509	Westwood, J. H.	661
Fincher, G. B.	535	Masters, C. J.	785	Whitaker, J. R.	677
Friedman, Y.	699	McKean, D. J.	779	Wilkinson, S. G.	633
Gaitonde, M. K.	625	McLaren, J. V.	555	Winzor, D. J.	785
Gawron, O.	709	Muir, H.	565	Woo, S. L. C.	731, 741
Gilbert, J. D.	793	Northcote, D. H.	525	Woolf, L. I.	731, 741
Gillam, S. S.	731, 741	Parker, R. C.	555	Wright, K.	525
				Yates, D. W.	677

# NOTES FOR CONTRIBUTORS

It is the policy of the *Biochemical Journal* to publish papers in English in all fields of biochemistry, provided that they make a sufficient contribution to biochemical knowledge. Papers may include new results obtained experimentally, descriptions of new experimental methods of biochemical importance, or new interpretations of existing results. Theoretical contributions will be considered equally with papers dealing with experimental work. All work presented should have as its aim the development of biochemical concepts rather than the mere recording of facts. Preliminary or inconclusive experiments should not generally be described.

For detailed instructions on the preparation of papers contributors should refer to *Policy of the Journal and Instructions to Authors* [*Biochem. J.* (1973), 131, 1-20] and amendments [*Biochem. J.* (1974), 137, 1] (obtainable from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP, price 20p. post free). The *Biochemical Journal* uses the recommended SI (Système Internationale) symbols [see *Pure Appl. Chem.* (1970), 21, 1-44; *Quantities, Units and Symbols* (1971), The Royal Society, London]. For biochemical nomenclature authors should as far as possible follow the Tentative Rules and Proposals of the IUPAC-IUB Commission on Biochemical Nomenclature [see *Biochem. J.* (1973), 131, 9]. For chemical nomenclature the IUPAC Rules should be followed [see *Biochem. J.* (1973), 131, 12]. The *Biochemical Journal* uses as a standard of spelling the *Concise Oxford Dictionary of Current English* (Clarendon Press, Oxford).

Two types of paper are accepted by the editors:

**Full-length papers.** Papers submitted for publication should be sent together with an extra copy of the synopsis (see below) to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Typescripts should bear the name and address of the person to whom the proof of the paper is to be sent.

Papers submitted should be written concisely. Special attention is directed to the sections below concerning the preparation of the typescript. Typescripts that are not concise or do not conform to the conventions of the *Biochemical Journal* will be returned to the authors for revision. If a paper that has been returned to an author for revision is not resubmitted within one month, it will, on resubmission, be deemed to be a new paper and the date of receipt altered accordingly. A revised paper containing a significant amount of new material will also be redated.

Submission of a paper to the Editorial Board

implies that it reports unpublished work, that it is not under consideration for publication elsewhere, and that if accepted for the *Biochemical Journal* it will not be published elsewhere in the same form, either in English or in any other language, without the consent of the Editorial Board.

Papers should be headed by a concise but informative full title, by the names of the authors (preferably with one forename in full for each author) and by the name and address of the establishment where the work was performed. Details of financial support appear in the acknowledgements at the end of the paper.

Before preparing papers authors should consult a current issue of the Journal to make themselves familiar with the general format, such as the use of cross-headings, lay-out of tables and citation of references. Papers should be in double-spaced typing throughout (including the references and legends of tables and figures) on sheets of uniform size and wide margins. The top copy should be submitted. It cannot be overemphasized that the need for revision of badly prepared typescripts inevitably leads to delays in publication.

Papers on specialized subjects should be presented so that they are intelligible to the ordinary reader of the Journal. Sufficient information must be included to permit repetition of the experimental work.

**Short Communications.** Typescripts should be submitted *in duplicate*, written in English, and conform strictly to the form of the Journal as far as spelling and abbreviations are concerned. Each Short Communication should be provided with a short synopsis (normally not exceeding 50 words). Such communications should not exceed 2400 words in length inclusive of the title, references etc. Authors may include up to two insertions such as tables, figures or schemes; in these cases authors must assess what proportion of a page these insertions will occupy and reduce the number of text words accordingly at the rate of 700 words per full page of the Journal. Authors are advised that the preparation of tables and especially figures is liable to cause a slight increase in publication time. Under no circumstances whatsoever can a complete Short Communication occupy more than four pages of the Journal. Communications should be addressed to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Papers should be complete in themselves; (1) the methods used in experimental work must be adequately described or sufficient references given to allow repetition of the work; (2) sufficient indication of the results of experimental work must be included to justify the claims made.

## Index of Authors

- ABDELAL, A. T. H. & SCHLEGEL, H. G. Purification and regulatory properties of phosphoribulokinase from *Hydrogenomonas eutropha* H16 481-489
- AINSWORTH, S. *see* MACFARLANE, N. 499-508
- ANDERSON, J. W. *see* SHAW, W. H. 27-35, 37-42
- ANDERSON, M., CAWSTON, T. & CHEESEMAN, G. C. Molecular-weight estimates of milk-fat-globule-membrane protein-sodium dodecyl sulphate complexes by electrophoresis in gradient acrylamide gels 653-660
- ANDREWS, A. T. Navy (haricot)-bean (*Phaseolus vulgaris*) lectin. Isolation and characterization of two components from a toxic agglutinating extract 421-429
- ARSENIS, C. *see* FRIEDMAN, Y. 699-708
- AUGUSTINSSON, K.-B. & ERIKSSON, H. The effects of two disulphides on cholinesterase activity in the spectrophotometric assay 123-127
- AWASTHI, Y. C. *see* SRIVASTAVA, S. K. 289-295
- BAILEY, C. J. *see* RAMSHAW, J. A. M. 583-592
- BARDSLEY, W. G., CRABBE, M. J. C. & SCOTT, I. V. The amine oxidases of human placenta and pregnancy plasma 169-181
- BARDLEY, W. G. *see also* CRABBE, M. J. C. 183-189
- BARKER, S. A., GRAY, C. J., IRESON, J. C., PARKER, R. C. & McLAREN, J. V. The reaction of an  $\alpha$ -aza-amino acid derivative with chymotrypsin and its use as a ligand for covalent affinity purification 555-563
- BARNES, M. J., CONSTABLE, B. J., MORTON, L. F. & ROYCE, P. M. Age-related variations in hydroxylation of lysine and proline in collagen 461-468
- BARRETT, A. J. *see* WERB, Z. 359-368
- BARSOUM, A. L. *see* NERY, R. 431-439
- BECKER, W. M. *see* JENDRISAK, J. J. 771-777
- BEEDLE, A. S., REES, H. H. & GOODWIN, T. W. Some properties and a suggested reclassification of mevalonate reductase 205-209
- BEEVERS, L. *see* WELLS, G. N. 61-69
- BENNETT, N. G. *see* WHITAKER, J. R. 677-697
- BESSELL, E. M. *see* THOMAS, P. 661-664
- BEUTLER, E. *see* SRIVASTAVA, S. K. 289-295
- BIRCH, M. *see* CLARKE, J. B. 491-497
- BITAR, K. G. *see* VINOGRADOV, S. N. 547-553
- BOTTOMLEY, R. C. *see* TRAYER, I. P. 609-623
- BOULTER, D. *see* RAMSHAW, J. A. M. 583-592
- BRAY, R. C., COCKLE, S. A., FIELDEN, E. M., ROBERTS, P. B., ROTILIO, G. & CALABRESE, L. Reduction and inactivation of superoxide dismutase by hydrogen peroxide 43-48
- BRAY, R. C. *see also* FIELDEN, E. M. 49-60
- BREW, K. *see* SUTTON, M. R. 163-168
- BRITTON, H. G. *see* CLARKE, J. B. 491-497
- BROCKLEHURST, K. *see* CARLSSON, J. 221-235, 237-242
- BROOKS, C. J. W. *see* SMITH, A. G. 793-795
- BULLMAN, H. *see* NERY, R. 431-439
- BURLEIGH, M. C. *see* WERB, Z. 359-368
- CALABRESE, L. *see* BRAY, R. C. 43-48; FIELDEN, E. M. 49-60
- CAMMACK, R. *see* DICKSON, D. P. E. 105-108; THOMPSON, C. L. 97-103
- CARLSSON, J., KIERSTAN, M. P. J. & BROCKLEHURST, K. A convenient spectrophotometric assay for the determination of L-ergothioneine in blood 237-242
- CARLSSON, J., KIERSTAN, M. P. J. & BROCKLEHURST, K. Reactions of L-ergothioneine and some other aminothiones with 2,2'- and 4,4'-dipyridyl disulphides and of L-ergothioneine with iodoacetamide. 2-Mercaptoimidazoles, 2- and 4-thiopyridones, thiourea and thioacetamide as highly reactive neutral sulphur nucleophiles 221-235
- CARRARO, U. *see* MARGRETH, A. 509-513
- CAWSTON, T. *see* ANDERSON, M. 653-660
- CHEESEMAN, G. C. *see* ANDERSON, M. 653-660
- CHU, C. Y. T. & TURNER, M. D. Purification of  $\alpha$ -mannosidase from jack-bean meal suitable for use as reagent 469-471
- CLARKE, F. M., MASTERS, C. J. & WINZOR, D. J. Interaction of aldolase with the troponin-tropomyosin complex of bovine muscle 785-788
- CLARKE, J. B., BIRCH, M. & BRITTON, H. G. The equilibrium constant of the phosphoglyceromutase reaction 491-497
- COCKLE, S. A. *see* BRAY, R. C. 43-48
- CONSTABLE, B. J. *see* BARNES, M. J. 461-468
- CORNISH-BOWDEN, A. & EISENTHAL, R. Statistical considerations in the estimation of enzyme kinetic parameters by the direct linear plot and other methods 721-730
- CORNISH-BOWDEN, A. *see also* EISENTHAL, R. 715-720
- CORRAN, P. H. & WALEY, S. G. The tryptic peptides of rabbit muscle triose phosphate isomerase 1-10
- CORTI, A., DAVE, C., WILLIAMS-ASHMAN, H. G., MIHIC, E. & SCHENONE, A. Specific inhibition of the enzymic decarboxylation of S-adenosylmethionine by methylglyoxal bis(guanylhydrazone) and related substances 351-357
- CRABBE, M. J. C. & BARDSLEY, W. G. The inhibition of human placental diamine oxidase by substrate analogues 183-189
- CRABBE, M. J. C. *see also* BARDSLEY, W. G. 169-181
- CRASTON, R. W. *see* LINDLEY, H. 515-523
- DAVE, C. *see* CORTI, A. 351-357
- DAVIES, B. H. *see* TAYLOR, R. F. 751-760, 761-769
- DE LUCCA, F. L., IMAIZUMI, M. T. & HADDAD, A. Characterization of ribonucleic acids from the venom glands of *Crotalus durissus terrificus* (Ophidia, Reptilia) after manual extraction of the venom. Studies on template activity and base composition 151-156
- DE MEESTER, P., GOODGAME, D. M. L., JONES, T. J. & SKAPSKI, A. C. X-Ray evidence for metal-N-7 bonding in a hydrated manganese derivative of guanosine 5'-monophosphate 791-792
- DICKSON, D. P. E., JOHNSON, C. E., CAMMACK, R., EVANS, M. C. W., HALL, D. O. & RAO, K. K. Mössbauer effect in the high-potential iron-sulphur protein from *Chromatium*. Evidence for the state of the iron atoms 105-108
- DICKSON, D. P. E. *see also* THOMPSON, C. L. 97-103
- DWEK, R. A. *see* FELL, D. A. 665-675

- EISENTHAL, R. & CORNISH-BOWDEN, A. The direct linear plot. A new graphical procedure for estimating enzyme kinetic parameters 715-720
- EISENTHAL, R. *see also* CORNISH-BOWDEN, A. 721-730
- ERIKSSON, H. *see* AUGUSTINSSON, K.-B. 123-127
- EVANS, M. C. W. *see* DICKSON, D. P. E. 105-108
- FELL, D. A., LIDDLE, P. F., PEACOCKE, A. R. & DWEK, R. A. The preparation and properties of pyruvate kinase from yeast 665-675
- FELTS, J. M. *see* RUDEL, L. L. 89-95
- FIELDEN, E. M., ROBERTS, P. B., BRAY, R. C., LOWE, D. J., MAUTNER, G. N., ROTILIO, G. & CALABRESE, L. The mechanism of action of superoxide dismutase from pulse radiolysis and electron paramagnetic resonance. Evidence that only half the active sites function in catalysis 49-60
- FIELDEN, E. M. *see also* BRAY, R. C. 43-48
- FINCHER, G. B., SAWYER, W. H. & STONE, B. A. Chemical and physical properties of an arabinogalactan-peptide from wheat endosperm 535-545
- FISHER, C. E. & PRESS, E. M. Affinity labelling of the binding site of rabbit antibody. Evidence for the involvement of the hypervariable regions of the heavy chain 135-149
- FRIEDMAN, Y. & ARSENIS, C. Studies on the heparin sulphamidase activity from rat spleen. Intracellular distribution and characterization of the enzyme 699-708
- FURTH, A. J., MILMAN, J. D., PRIDDLE, J. D. & OFFORD, R. E. Studies on the subunit structure and amino acid sequence of triose phosphate isomerase from chicken breast muscle 11-22
- GAITONDE, M. K. A fluorimetric method for the determination of tryptophan in animal tissues 625-631
- GAWRON, O., WAHEED, A., GLAID, A. J., III & JAKLITSCH, A. Iron and aconitase activity 709-714
- GIBBONS, I. Subunit interactions in hybrids of native, carboxypeptidase-treated and citraconylated rabbit muscle aldolase 343-350
- GIBBONS, I. & PERHAM, R. N. Kinetic and molecular properties of citraconyl-aldolase. The reversible denaturation and hybridization of the native and modified enzymes 331-342
- GILBERT, J. D. *see* SMITH, A. G. 793-795
- GILLAM, S. S., WOO, S. L. C. & WOOLF, L. I. The isolation and properties of phenylalanine hydroxylase from rat liver 731-739
- GILLAM, S. S. *see also* WOO, S. L. C. 741-749
- GLAID, A. J., III *see* GAIRON, O. 709-714
- GOODGAME, D. M. L. *see* DE MEESTER, P. 791-792
- GOODWIN, T. W. *see* BEEDLE, A. S. 205-209
- GRANT, E. H., MITTON, B. G. R., SOUTH, G. P. & SHEPPARD, R. J. An investigation by dielectric methods of hydration in myoglobin solutions 375-380
- GRAY, C. J. *see* BARKER, S. A. 555-563
- GRAY, G. W. *see* LOMAX, J. A. 633-643
- GREENWOOD, C. *see* PARR, S. R. 273-276
- GRIFFITHS, K. *see* MILLINGTON, D. 473-475
- GUILFORD, H. *see* JERGIL, B. 441-448
- GUTFREUND, H. *see* WHITAKER, J. R. 677-697
- HACKING, A. J. & QUAYLE, J. R. Purification and properties of malyl-coenzyme A lyase from *Pseudomonas* AMI 399-405
- HADDAD, A. *see* DE LUCCA, F. L. 151-156
- HAIMOVICH, J. *see* JATON, J.-C. 281-283
- HALL, D. O. *see* DICKSON, D. P. E. 105-108; THOMPSON, C. L. 97-103
- HARDINGHAM, T. E. & MUIR, H. Hyaluronic acid in cartilage and proteoglycan aggregation 565-581
- HARLAND, W. A. *see* SMITH, A. G. 793-795
- HARRISON, P. M. *see* HOY, T. G. 603-607
- HASLAM, E. Polyphenol-protein interactions 285-288
- HOLBROOK, J. J., LODOLA, A. & ILLSLEY, N. P. Histidine residues and the enzyme activity of pig heart supernatant malate dehydrogenase 797-800
- HOLBROOK, J. J. *see also* WHITAKER, D. W. 677-697
- HOUSLAY, M. D. & TIPTON, K. F. A kinetic evaluation of monoamine oxidase activity in rat liver mitochondrial outer membranes 645-652
- HOY, T. G., HARRISON, P. M. & SHABBIR, M. Uptake and release of ferritin iron. Surface effects and exchange within the crystalline core 603-607
- HUNTER, G. *see* STEIN, G. S. 71-76
- ILLSLEY, N. P. *see* HOLBROOK, N. P. 797-800
- IMAIZUMI, M. T. *see* DE LUCCA, F. L. 151-156
- IRESON, J. C. *see* BARKER, S. A. 555-563
- JAKLITSCH, A. *see* GAIRON, O. 709-714
- JATON, J.-C. & HAIMOVICH, J. Partial amino acid sequence in the N-terminal region of an anti-pneumococcal immunoglobulin heavy chain of allotype a<sub>2</sub> 281-283
- JEFFCOAT, R. Studies on glucarate catabolism: the oxidoxyglucarate aldolase activity of glucarate hydro-lyase from *Pseudomonas acidovorans* 477-480
- JENDRISAK, J. J. & BECKER, W. M. Purification and subunit analysis of wheat-germ ribonucleic acid polymerase II 771-777
- JENNER, D. *see* MILLINGTON, D. 473-475
- JERGIL, B., GUILFORD, H. & MOSBACH, K. Biospecific affinity chromatography of an adenosine 3':5'-cyclic monophosphate-stimulated protein kinase (protamine kinase from trout testis) by using immobilized adenine nucleotides 441-448
- JOHNSON, C. E. *see* DICKSON, D. P. E. 105-108; THOMPSON, C. L. 97-103
- JONES, R. L. Inhibitors of rabbit plasma prostaglandin A isomerase 381-389
- JONES, T. *see* MILLINGTON, D. 473-475
- JONES, T. J. *see* DE MEESTER, P. 791-792
- KEMP, M. B. Hexose phosphate synthase from *Methylococcus capsulatus* makes D-arabino-3-hexulose phosphate 129-134
- KIERSTAN, M. P. J. *see* CARLSSON, J. 221-235, 237-242
- KNOWLES, J. R. *see* WILKINSON, S. 391-398
- LAVIE, L. *see* STEIN, G. S. 71-76
- LEE, J. A. *see* RUDEL, L. L. 89-95
- LIDDLE, P. F. *see* FELL, D. A. 665-675
- LINDLEY, H. & CRANSTON, R. W. The reactivity of the disulphide bonds of wool 515-523
- LODOLA, A. *see* HOLBROOK, J. J. 797-800
- LOMAX, J. A., GRAY, G. W. & WILKINSON, S. G. Studies of the polysaccharide fraction from the lipopolysaccharide of *Pseudomonas alcaligenes* 633-643
- LOWE, D. J. *see* FIELDEN, E. M. 49-60

- LOWENKRON, S. *see* VINOGRADOV, S. N. 547-553  
 LOWRY, P. J. *see* SCOTT, A. P. 593-602
- MACFARLANE, N. & AINSWORTH, S. A kinetic study of pig liver pyruvate kinase activated by fructose diphosphate 499-508
- MARGRETH, A., CARRARO, U. & SALVIATI, G. Structural membrane proteins and loosely associated proteins of the sarcoplasmic reticulum 509-513
- MASTERS, C. J. *see* CLARKE, F. M. 785-788
- MAUTNER, G. N. *see* FIELDEN, E. M. 49-60
- McKEAN, D. J. & SMITH, G. P. The use of radiolabelled T<sub>1</sub> ribonuclease to monitor the efficiency of Edman degradations 779-780
- MCCLAREN, J. V. *see* BARKER, S. A. 555-563
- MESSER, M. Identification of *N*-acetyl-4-O-acetylneuraminy-lactose in echidna milk 415-420
- MIDDLETON, B. The kinetic mechanism and properties of the cytoplasmic acetoacetyl-coenzyme A thiolase from rat liver 109-121
- MIHICH, E. *see* CORTI, A. 351-357
- MILLINGTON, D., JENNER, D., JONES, T. & GRIFFITHS, K. Endogenous steroid concentrations in human breast tumours determined by high-resolution mass fragmentation 473-475
- MILMAN, J. D. *see* FURTH, A. J. 11-22
- MITTON, B. G. R. *see* GRANT, E. H. 375-380
- MOLE, L. E. *see* STEVENSON, G. T. 369-374
- MORRIS, M. D. *see* RUDEL, L. L. 89-95
- MORRISON, I. M. Structural investigations on the lignin-carbohydrate complexes on *Lolium perenne* 197-204
- MORTON, L. F. *see* BARNES, M. J. 461-468
- MOSBACH, K. *see* JERGIL, B. 441-448
- MUIR, H. *see* HARDINGHAM, T. E. 565-581
- NEY, R., BARSOUM, A. L., BULLMAN, H. & NEVILLE, A. M. Carcinoembryonic antigen-like substances of human urothelial carcinomas. Isolation of components from pathological urine and comparison with colorectal carcinoma antigens 431-439
- NEVILLE, A. M. *see* NERY, R. 431-439
- NORTHCOTE, D. H. *see* WRIGHT, K. 525-534
- OESCH, F. Purification and specificity of a human micro-somal epoxide hydratase 77-88
- OFFORD, R. E. *see* FURTH, A. J. 11-22
- PARKER, R. C. *see* BARKER, S. A. 555-563
- PARR, S. R., WILSON, M. T. & GREENWOOD, C. The reaction of *Pseudomonas aeruginosa* cytochrome c oxidase with sodium metabisulphite 273-276
- PEACOCKE, A. R. *see* FELL, D. A. 665-675
- PERHAM, R. N. *see* GIBBONS, I. 331-342
- PERKINS, H. R. *see* WARD, J. B. 781-784
- PETROVIĆ, S. L., ŠUMONJA, B. D. & VASILJEVIĆ, R. B. Fractionation of nucleic acids from *Penicillium chrysogenum* and associated ribonucleic acid viruses by selective exclusion and retention in agarose gels 157-162
- PETTIGREW, G. W. The purification and amino acid sequence of cytochrome c-552 from *Euglena gracilis* 449-459
- PRESS, E. M. *see* FISHER, C. E. 135-149
- PRIDDLE, J. D. The use of mass spectrometry to complement conventional techniques for protein sequence determination 23-25
- PRIDDLE, J. D. *see also* FURTH, A. J. 11-22
- QUAYLE, J. R. *see* HACKING, A. J. 399-405
- RAMSHAW, J. A. M., SCAWEN, M. D., BAILEY, C. J. & BOULTER, D. The amino acid sequence of plastocyanin from *Solanum tuberosum* L. (potato) 583-592
- RAO, K. K. *see* DICKSON, D. P. E. 105-108; THOMPSON, C. L. 97-103
- RATLEDGE, C. & SNOW, G. A. Isolation and structure of nocardactin NA, a lipid-soluble iron-binding compound from *Nocardia asteroides* 407-413
- REES, H. H. *see* BEEDLE, A. S. 205-209
- ROBERTS, P. B. *see* BRAY, R. C. 43-48; FIELDEN, E. M. 49-60
- ROTILIO, G. *see* BRAY, R. C. 43-48; FIELDEN, E. M. 49-60
- ROYCE, P. M. *see* BARNES, M. J. 461-468
- RUDEL, L. L., LEE, J. A., MORRIS, M. D. & FELTS, J. M. Characterization of plasma lipoproteins separated and purified by agarose-column chromatography 89-95
- RUSSELL, A. E. Effect of pH on thermal stability of collagen in the dispersed and aggregated states 277-280
- SALVIATI, G. *see* MARGRETH, A. 509-513
- SAWYER, W. H. *see* FINCHER, G. B. 535-545
- SCAwen, M. D. *see* RAMSHAW, J. A. M. 583-592
- SCHENONE, A. *see* CORTI, A. 351-357
- SCHLEGEL, H. G. *see* ABDELAL, A. T. H. 481-489
- SCHUMM, D. E. & WEBB, T. E. Modified messenger ribonucleic acid release from isolated hepatic nuclei after inhibition of polyadenylate formation 191-196
- SCOTT, A. P. & LOWRY, P. J. Adrenocorticotrophic and melanocyte-stimulating peptides in the human pituitary 593-602
- SCOTT, I. V. *see* BARDSELEY, W. G. 169-181
- SHABBIR, M. *see* HOY, T. G. 603-607
- SHAW, W. H. & ANDERSON, J. W. Comparative enzymology of the adenosine triphosphate sulphurylases from leaf tissue of selenium-accumulator and non-accumulator plants 37-42
- SHAW, W. H. & ANDERSON, J. W. The enzymology of adenosine triphosphate sulphurylase from spinach leaf tissue. Kinetic studies and a proposed reaction mechanism 27-35
- SHEPPARD, R. J. *see* GRANT, E. H. 375-380
- SKAPSKI, A. C. *see* DE MEESTER, P. 791-792
- SMALL, D. A. P. *see* TRAYER, I. P. 609-623
- SMITH, A. G., GILBERT, J. D., HARLAND, W. A. & BROOKS, C. J. W. The isolation of cholest-5-ene-3 $\beta$ ,26-diol from human brain 793-795
- SMITH, G. P. *see* McKEAN, D. J. 779-780
- SNOW, G. A. *see* RATLEDGE, C. 407-413
- SOUTH, G. P. *see* GRANT, E. H. 375-380
- SRIVASTAVA, S. K., AWASTHI, Y. C. & BEUTLER, E. Useful agents for the study of glutathione metabolism in erythrocytes. Organic hydroperoxides 289-295
- STARKEY, P. M. *see* WERB, Z. 359-368
- STEIN, G. S., HUNTER, G. & LAVIE, L. Non-histone chromosomal proteins. Evidence for their role in mediating the binding of histones to deoxyribonucleic acid during the cell cycle 71-76

- STEVENSON, G. T. & MOLE, L. E. The specificity of chain interactions among immunoglobulins. Combinations of  $\gamma$  chains with  $\kappa$  chains of the same subgroup as in the parent immunoglobulin G 369-374
- STEVENSON, K. J. The selective isolation of an active-site histidine peptide from chymotrypsin- $\alpha$  by diagonal peptide 'mapping'. An  $N^{\text{c}}$ -carboxymethylhistidine diagonal peptide 'map' 215-220
- STONE, B. A. *see* FINCHER, G. B. 535-545
- SUDI, J. Macroscopic rate constants involved in the formation and interconversion of the two central enzyme-substrate complexes of the lactate dehydrogenase turnover 261-271
- SUDI, J. The lactate dehydrogenase-reduced nicotinamide-adenine dinucleotide-pyruvate complex. Kinetics of pyruvate binding and quenching of coenzyme fluorescence 251-259
- ŠUMONJA, B. D. *see* PETROVIĆ, S. L. 157-162
- SUTTON, M. R. & BREW, K. Purification and characterization of the seven cyanogen bromide fragments of human serum transferrin 163-168
- TAYLOR, R. F. & DAVIES, B. H. Triterpenoid carotenoids and related lipids. The triterpenoid carotenes of *Streptococcus faecium* UNH 564P 751-760
- TAYLOR, R. F. & DAVIES, B. H. Triterpenoid carotenoids and related lipids. Triterpenoid monohydroxy- and monoglucoxyloxy-carotenoids from *Streptococcus faecium* UNH 564P 761-769
- THOMAS, P., BESELL, E. M. & WESTWOOD, J. H. The use of deoxyfluoro-D-galactopyranoses in a study of yeast galactokinase specificity 661-664
- THOMPSON, C. L., JOHNSON, C. E., DICKSON, D. P. E., CAMMACK, R., HALL, D. O., WESER, U. & RAO, K. K. Mössbauer effect in the eight-iron ferredoxin from *Clostridium pasteurianum*. Evidence for the state of the iron atoms 97-103
- THORNELEY, R. N. F. & WILLISON, K. R. Nitrogenase of *Klebsiella pneumoniae*. Inhibition of acetylene reduction by magnesium ion explained by the formation of an inactive dimagnesium-adenosine triphosphate complex 211-214
- TIPTON, K. F. *see* HOUSLAY, M. D. 645-652; WARREN, G. B. 297-310, 311-320, 321-329
- TRAYER, H. R. *see* TRAYER, I. P. 609-623
- TRAYER, I. P., TRAYER, H. R., SMALL, D. A. P. & BOTTOMLEY, R. C. Preparation of adenosine nucleotide derivatives suitable for affinity chromatography 609-623
- TURNER, M. D. *see* CHU, C. Y. T. 469-471
- VASILJEVIĆ, R. B. *see* PETROVIĆ, S. L. 157-162
- VESSEY, D. A. & ZAKIM, D. Stimulation of microsomal uridine diphosphate glucuronyltransferase by glucuronic acid derivatives 243-249
- VINOGRADOV, S. N., BITAR, K. G. & LOWENKRON, S. Haem ligands of the ferricytochrome c of *Ustilago sphaerogena* 547-553
- WAHEED, A. *see* GAWRON, O. 709-714
- WALEY, S. G. A spectrophotometric assay of  $\beta$ -lactamase action on penicillins 789-790
- WALEY, S. G. *see also* CORRAN, P. H. 1-10
- WARD, J. B. & PERKINS, H. R. Peptidoglycan biosynthesis by preparations from *Bacillus licheniformis*: cross-linking of newly synthesized chains to preformed cell wall 781-784
- WARREN, G. B. & TIPTON, K. F. Pig liver pyruvate carboxylase. Purification, properties and cation specificity 297-310
- WARREN, G. B. & TIPTON, K. F. Pig liver pyruvate carboxylase. The reaction pathway for the carboxylation of pyruvate 311-320
- WARREN, G. B. & TIPTON, K. F. Pig liver pyruvate carboxylase. The reaction pathway for the decarboxylation of oxaloacetate 321-329
- WEBB, T. E. *see* SCHUMM, D. E. 191-196
- WELLS, G. N. & BEEVERS, L. Protein synthesis in the cotyledons of *Pisum sativum* L. Protein factors involved in the binding of phenylalanyl-transfer-ribonucleic acid to ribosomes 61-69
- WERB, Z., BURLEIGH, M. C., BARRETT, A. J. & STARKEY, P. M. The interaction of  $\alpha_2$ -macroglobulin with proteinases. Binding and inhibition of mammalian collagenases and other metal proteinases 359-368
- WESER, U. *see* THOMPSON, C. L. 97-103
- WESTWOOD, J. H. *see* THOMAS, P. 661-664
- WHITAKER, J. R., YATES, D. W., BENNETT, N. G., HOLBROOK, J. J. & GUTFREUND, H. The identification of intermediates in the reaction of pig heart lactate dehydrogenase with its substrates 677-697
- WILKINSON, S. & KNOWLES, J. R. A comparison of purified valyl-transfer ribonucleic acid synthetase from *Bacillus stearothermophilus* and from *Escherichia coli* 391-398
- WILKINSON, S. G. *see* LOMAX, J. A. 633-643
- WILLIAMS-ASHMAN, H. G. *see* CORTI, A. 351-357
- WILLISON, K. R. *see* THORNELEY, R. N. F. 211-214
- WILSON, M. T. *see* PARR, S. R. 273-276
- WINZOR, D. J. *see* CLARKE, F. M. 785-788
- WOO, S. L. C., GILLAM, S. S. & WOOLF, L. I. The isolation and properties of phenylalanine hydroxylase from human liver 741-749
- WOO, S. L. C. *see also* GILLAM, S. S. 731-739
- WOOLF, L. I. *see* GILLAM, S. S. 731-739; WOO, S. L. C. 741-749
- WRIGHT, K. & NORTHCOTE, D. H. The relationship of root-cap slimes to pectins 525-534
- YATES, D. W. *see* WHITAKER, J. R. 677-697
- ZAKIM, D. *see* VESSEY, D. A. 243-249

## Index of Subjects

- Acer pseudoplatanus*, see Sycamore
- Acetoacetyl-coenzyme A thiolase, cytoplasmic, liver, rat, kinetic mechanism and properties of (Middleton, B.) 109-121
- N*-Acetyl-4-*O*-acetylneuraminyllactose, identification of, in echidna milk (Messer, M.) 415-420
- N*-Acetyl- $\alpha$ -azaphenylalanine phenyl ester (phenyl *N*<sup>2</sup>-acetyl-*N*<sup>1</sup>-benzylcarbazate), reaction of, with chymotrypsin and its use as a ligand for covalent affinity purification (Barker, S. A., Gray, C. J., Ireson, J. C., Parker, R. C. & McLaren, J. V.) 555-563
- Acetylcholinesterase, erythrocyte, ox, effects of two disulphides on the spectrophotometric assay of the activity of (Augustinsson, K.-B. & Eriksson, H.) 123-127
- Acetylene, formation of an inactive dimagnesium-adenosine triphosphate complex as the explanation of the inhibition by magnesium ions of the reduction of, by nitrogenase from *Klebsiella pneumoniae* (Thorneley, R. N. F. & Willison, K. R.) 211-214
- Aconitase, heart, pig, role of iron in the activity of (Gawron, O., Waheed, A., Glaid, A. J., III & Jaklitsch, A.) 709-714
- Adenine nucleotides, immobilized, use of, for the bio-specific affinity chromatography of rainbow-trout testis protamine kinase (Jergil, B., Guilford, H. & Mosbach, K.) 441-448
- Adenine nucleotides, preparation of derivatives of, suitable for the affinity chromatography of dehydrogenases, kinases and myosin (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623
- Adenosine monophosphate, inhibition by, of *Hydrogenomonas eutropha* H16 A.T.C.C. 17699 phosphoribulokinase (Abdelal, A. T. H. & Schlegel, H. G.) 481-489
- Adenosine triphosphate sulphurylase, spinach-leaf, kinetics and a proposed mechanism for the reaction catalysed by (Shaw, W. H. & Anderson, J. W.) 27-35
- Adenosine triphosphate sulphurylases, comparative enzymology of, from leaves of selenium-accumulator and non-accumulator *Astragalus* species (Shaw, W. H. & Anderson, J. W.) 37-42
- S*-Adenosylmethionine decarboxylases, mammalian, specific inhibition by methylglyoxal bis(guanylhydrazone) and related compounds of the activity of (Corti, A., Dave, C., Williams-Ashman, H. G., Mihich, E. & Schenone, A.) 351-357
- Adrenocorticotropicin, see Corticotrophin
- Agglutinating extract, haricot-bean, isolation and characterization of two glycoprotein components from (Andrews, A. T.) 421-429
- Alcohol dehydrogenase, nicotinamide-adenine dinucleotide phosphate-linked, suggested reclassification of rat liver mevaldate reductase as (Beedle, A. S., Rees, H. H. & Goodwin, T. W.) 205-209
- Aldehyde reductase, see Alcohol dehydrogenase
- Aldolase, see Fructose diphosphate aldolase
- Allotype a<sub>2</sub>, *N*-terminal amino acid sequence of heavy chain of, of rabbit anti-pneumococcal immunoglobulin (Jaton, J.-C. & Haimovich, J.) 281-283
- Amino acid compositions of seven fragments produced by cyanogen bromide cleavage of human serum transferrin (Sutton, M. R. & Brew, K.) 163-168
- Amino acid sequence, *N*-terminal, of allotype a<sub>2</sub> heavy chain of rabbit anti-pneumococcal immunoglobulin (Jaton, J.-C. & Haimovich, J.) 281-283
- Amino acid sequence, studies on the subunit structure and, of chicken breast-muscle triose phosphate isomerase (Furth, A. J., Milman, J. D., Priddle, J. D. & Offord, R. E.) 11-22
- Amino acid sequence of cytochrome c-552 from *Euglena gracilis* (Pettigrew, G. W.) 449-459
- Amino acid sequence of potato-leaf plastocyanin (Ramsay, J. A. M., Scawen, M. D., Bailey, C. J. & Boulter, D.) 583-592
- Amino acid sequences, use of mass spectrometry to complement conventional techniques for the determination of, of proteins (Priddle, J. D.) 23-25
- Amino acid sequences, use of radioactively labelled T<sub>1</sub> ribonuclease to monitor the efficiency of Edman degradations in the determination of, of proteins (McKean, D. J. & Smith, G. P.) 779-780
- Amino acid sequences of the tryptic peptides of rabbit skeletal-muscle triose phosphate isomerase (Corran, P. H. & Waley, S. G.) 1-10
- Aminothiones, reactions of, with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Androgens, use of high-resolution mass fragmentography for the determination of the concentrations of endogenous oestrogens and, in human breast tumours (Millington, D., Jenner, D., Jones, T. & Griffiths, K.) 473-475
- Antibodies, rabbit, evidence for the involvement of the hypervariable regions of the heavy chains in the affinity labelling of the binding sites of (Fisher, C. E. & Press, E. M.) 135-149
- Antigen, carcinoembryonic, isolation of carcinoembryonic antigen-like components from the urine of human patients with urothelial carcinoma and comparison with, derived from human colorectal carcinoma (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Apo ferritin, spleen, horse, surface effects and exchange within the crystalline core during the uptake of iron by, and its subsequent release by the ferritin (Hoy, T. G., Harrison, P. M. & Shabbir, M.) 603-607
- Arabinogalactan-peptide, wheat-endosperm, chemical and physical properties of (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545
- Astragalus* species, selenium-accumulator and non-accumulator, comparative enzymology of the adenosine triphosphate sulphurylases from leaves of (Shaw, W. H. & Anderson, J. W.) 37-42
- $\alpha$ -Azaphenylalanine phenyl ester group, use of polyacrylamide-based polymers carrying ligands containing, for the covalent affinity purification of chymotrypsin (Barker, S. A., Gray, C. J., Ireson, J. C., Parker, R. C. & McLaren, J. V.) 555-563
- 4-Azido-2-nitrophenyl-lysine, evidence for the involvement of the hypervariable regions of the heavy chains in the affinity labelling of the binding sites of rabbit antibodies for (Fisher, C. E. & Press, E. M.) 135-149

- Bacillus cereus* 569/H, spectrophotometric assay of the action of  $\beta$ -lactamase from, on penicillins (Waley, S. G.) 789-790
- Bacillus licheniformis*, cross-linking of newly synthesized peptidoglycan precursor to preformed cell wall of (Ward, J. B. & Perkins, H. R.) 781-784
- Bacillus stearothermophilus*, comparison of the properties of the purified valyl-transfer ribonucleic acid synthetases from *Escherichia coli* and (Wilkinson, S. & Knowles, J. R.) 391-398
- Bean, haricot (*Phaseolus vulgaris*), isolation and characterization of two glycoprotein components from a toxic agglutinating extract of (Andrews, A. T.) 421-429
- Bean, jack, purification of  $\alpha$ -mannosidase from, to yield a preparation free of  $\beta$ -N-acetylglucosaminidase activity (Chu, C. Y. T. & Turner, M. D.) 469-471
- Blood, mammalian, spectrophotometric assay method for the determination of L-ergothioneine in, involving reaction with 2,2'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 237-242
- Blood, ox, evidence from pulse radiolysis and electron paramagnetic resonance that only half the active sites function in the reaction catalysed by superoxide dismutase from (Fielden, E. M., Roberts, P. B., Bray, R. C., Lowe, D. J., Mautner, G. N., Rotilio, G. & Calabrese, L.) 49-60
- Blood, ox, reduction and inactivation of superoxide dismutase from, by hydrogen peroxide (Bray, R. C., Cockle, S. A., Fielden, E. M., Roberts, P. B., Rotilio, G. & Calabrese, L.) 43-48
- Bone, chicken, age-related variations in the hydroxylation of lysine and proline residues in collagens of, and other tissues (Barnes, M. J., Constable, E. J., Morton, L. F. & Royce, P. M.) 461-468
- Brain, human, isolation of cholest-5-ene-3 $\beta$ ,26-diol from (Smith, A. G., Gilbert, J. D., Harland, W. A. & Brooks, C. J. W.) 793-795
- Brain, rat, fluorimetric method for the determination of tryptophan in, and other animal tissues (Gaitonde, M. K.) 625-631
- Breast tumours, human, use of high-resolution mass fragmentography for the determination of the concentrations of endogenous steroids in (Millington, D., Jenner, D., Jones, T. & Griffiths, K.) 473-475
- t-Butyl hydroperoxide, use of, for the study of the metabolism of glutathione in human erythrocytes (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- Carbohydrate, structural investigations of the complexes of lignin and, of ryegrass (Morrison, I. M.) 197-204
- N<sup>r</sup>-Carboxymethylhistidine residue, use of diagonal paper electrophoresis for the selective isolation of a peptide containing, derived from a peptide containing the active-site histidine residue of chymotrypsin- $\alpha$  (Stevenson, K. J.) 215-220
- Carcinoembryonic antigen, isolation of carcinoembryonic antigen-like components from the urine of human patients with urothelial carcinoma and comparison with, derived from human colorectal carcinoma (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Carcinoma, colorectal, human, isolation of carcinoembryonic-antigen-like components from the urine of human patients with urothelial carcinoma and comparison with carcinoembryonic antigen derived from (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Carcinoma, *see also* Tumour
- Carcinoma, urothelial, human, isolation of carcinoembryonic-antigen-like components from the urine of patients with, and comparison with carcinoembryonic antigen derived from human colorectal carcinoma (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Carotenes, triterpenoid, *Streptococcus faecium* UNH 564P, characterization of (Taylor, R. F. & Davies, B. H.) 751-760
- Carotenoids, monohydroxy- and monoglucoxy-, triterpenoid, *Streptococcus faecium* UNH 564P, characterization of (Taylor, R. F. & Davies, B. H.) 761-769
- Cartilage, laryngeal, pig, role of hyaluronic acid in the aggregation of proteoglycans from (Hardingham, T. E. & Muir, H.) 565-581
- Catecholamines, oxidation of, by monoamine oxidases in rat liver mitochondrial outer membranes (Houslay, M. D. & Tipton, K. F.) 645-652
- Cations, specificity of pig liver pyruvate carboxylase for (Warren, G. B. & Tipton, K. F.) 297-310
- Cell cycle, evidence for the role of chromosomal non-histone proteins in mediating the binding of histones to deoxyribonucleic acid during, of HeLa cells (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Cells, HeLa, evidence for the role of chromosomal non-histone proteins in mediating the binding of histones to deoxyribonucleic acid during the cell cycle of (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Cells, leukaemia, L1210, mouse, specific inhibition by methylglyoxal bis(guanylhydrazone) and related compounds of the activity of S-adenosylmethionine decarboxylase from (Corti, A., Dave, C., Williams-Ashman, H. G., Mihich, E. & Schenone, A.) 351-357
- Cells, synovial, rabbit, binding and inhibition by  $\alpha_2$ -macroglobulin of collagenase from (Werb, Z., Burleigh, M. C., Barrett, A. J. & Starkey, P. M.) 359-368
- Cell wall, *Bacillus licheniformis*, preformed, cross-linking of newly synthesized peptidoglycan precursor to (Ward, J. B. & Perkins, H. R.) 781-784
- Cellulose, structural investigations of the complexes of lignin and, of ryegrass (Morrison, I. M.) 197-204
- Chicken, age-related variations in the hydroxylation of lysine and proline residues in bone, skin and tendon collagens of (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- L-1-Chloro-4-phenyl-3-toluene-p-sulphonamidobutan-2-one, use of diagonal paper electrophoresis for the selective isolation of a peptide containing an N<sup>r</sup>-carboxymethylhistidine residue derived from chymotrypsin- $\alpha$  inhibited by reaction with (Stevenson, K. J.) 215-220
- Cholest-5-ene-3 $\beta$ ,26-diol, isolation of, from human brain (Smith, A. G., Gilbert, J. D., Harland, W. A. & Brooks, C. J. W.) 793-795
- Cholinesterase, serum, horse, effects of two disulphides on the spectrophotometric assay of the activity of (Augustinsson, K.-B. & Eriksson, H.) 123-127

- Chromatium* strain D, evidence from the Mössbauer effect for the state of the iron atoms in the high-potential iron-sulphur protein from (Dickson, D. P. E., Johnson, C. E., Cammack, R., Evans, M. C. W., Hall, D. O. & Rao, K. K.) 105-108
- Chromosomes, evidence for the role of non-histone proteins of, in mediating the binding of histones to deoxyribonucleic acid during the cell cycle of HeLa cells (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Chymotrypsin, reaction of *N*-acetyl- $\alpha$ -azaphenylalanine phenyl ester with, and its use as a ligand for covalent affinity purification (Barker, S. A., Gray, C. J., Ireson, J. C., Parker, R. C. & McLaren, J. V.) 555-563
- Chymotrypsin- $\alpha$ , use of diagonal paper electrophoresis for the selective isolation of a peptide containing an *N*<sup>t</sup>-carboxymethylhistidine residue derived from a peptide containing the active-site histidine residue of (Stevenson, K. J.) 215-220
- Clostridium pasteurianum*, evidence from the Mössbauer effect for the state of the iron atoms in the eight-iron ferredoxin from (Thompson, C. L., Johnson, C. E., Dickson, D. P. E., Cammack, R., Hall, D. O., Weser, U. & Rao, K. K.) 97-103
- Collagen, skin, calf, effects of pH on the thermal stability of, in the dispersed and aggregated states (Russell, A. E.) 277-280
- Collagenases, mammalian, binding and inhibition by  $\alpha_2$ -macroglobulin of, and other metal proteinases (Werb, Z., Burleigh, M. C., Barrett, A. J. & Starkey, P. M.) 359-368
- Collagens, bone, skin and tendon, chicken, age-related variations in the hydroxylation of lysine and proline residues in (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Colorectal carcinoma, human, isolation of carcino-embryonic-antigen-like components from the urine of human patients with urothelial carcinoma and comparison with carcinoembryonic antigen derived from (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Cordycepin, see 3'-Deoxyadenosine
- Corticotrophin, investigation of the melanocyte-stimulating peptide hormones and, of human pituitary gland (Scott, A. P. & Lowry, P. J.) 593-602
- Cotyledons, pea, protein factors involved in the binding of phenylalanyl-transfer-ribonucleic acid to ribosomes from (Wells, G. N. & Beevers, L.) 61-69
- Crotalus durissus terrificus*, see Rattlesnake
- Cumene hydroperoxide, use of, for the study of the metabolism of glutathione in human erythrocytes (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- Cystine residues, reactivity of the disulphide bonds of, of wool (Lindley, H. & Cranston, R. W.) 515-523
- Cytochrome *c*, ferri-, *Ustilago sphaerogena* A.T.C.C. 12421, identification of histidine and methionine residues as the haem ligands in (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Cytochrome *c*-552, purification and amino acid sequence of, from *Euglena gracilis* (Pettigrew, G. W.) 449-459
- Cytochrome *f* (cytochrome *c*-552), purification and amino acid sequence of, from *Euglena gracilis* (Pettigrew, G. W.) 449-459
- Cytochrome *c<sub>551</sub>* oxidase, *Pseudomonas aeruginosa* N.C.T.C. 6750, reaction of, with sodium metabisulphite (Parr, S. R., Wilson, M. T. & Greenwood, C.) 273-276
- Cytosol, heart, pig, histidine residues and the enzymic activity of malate dehydrogenase from (Holbrook, J. J., Lodola, A. & Illsley, N. P.) 797-800
- Cytosol, liver, rat, kinetic mechanism and properties of acetoacetyl-coenzyme A thiolase from (Middleton, B.) 109-121
- Dehydrogenases, preparation of adenine nucleotide derivatives suitable for the affinity chromatography of myosin, kinases and (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623
- 3'-Deoxyadenosine, release of modified messenger ribonucleic acid from isolated rat liver nuclei after inhibition of the formation of polyadenylate by the administration of (Schumm, D. E. & Webb, T. E.) 191-196
- Deoxyfluoro-D-galactoses, use of, in a study of the substrate specificity of yeast galactokinase (Thomas, P., Bessell, E. M. & Westwood, J. H.) 661-664
- Deoxyoxoglucarate aldolase, association of the activity of, with glucarate hydro-lyase from *Pseudomonas acidovorans* N.C.I.B. 10013 (Jeffcoat, R.) 477-480
- Deoxyribonucleic acid, evidence for the role of chromosomal non-histone proteins in mediating the binding of histones to, during the cell cycle of HeLa cells (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Deoxyribonucleic acids, fractionation of double-stranded ribonucleic acids and, from *Penicillium chrysogenum* and associated ribonucleic acid viruses by selective exclusion and retention on agarose gels (Petrović, S. L., Šumonja, B. D. & Vasiljević, R. B.) 157-162
- Development, variations in the hydroxylation of lysine and proline residues in chicken bone, skin and tendon collagens during (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Diamine oxidase, placental, human, inhibition of the activity of, by substrate analogues (Crabbe, M. J. C. & Bardsley, W. G.) 183-189
- Diamine oxidase, purification of monoamine oxidase and, from human placenta and a comparison of their properties with the amine oxidase activity of pregnancy plasma (Bardsley, W. G., Crabbe, M. J. C. & Scott, I. V.) 169-181
- Dimagnesium-adenosine triphosphate complex, inactive, formation of, as the explanation of the inhibition by magnesium ions of the reduction of acetylene by nitrogenase from *Klebsiella pneumoniae* (Thorneley, R. N. F. & Willison, K. R.) 211-214
- 2,2'-Dipyridyl disulphide, spectrophotometric assay method for the determination of L-ergothioneine in mammalian blood involving reaction with (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 237-242
- 2,2'- and 4,4'-Dipyridyl disulphide, reactions of L-ergothioneine and other aminothiones with (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Disulphide bonds, reactivity of, of wool (Lindley, H. & Cranston, R. W.) 515-523

- 5,5'-Dithiobis-(2-nitrobenzoate), effects of 2,2'-dithiodipyridine and, on the spectrophotometric assay of the activities of horse serum cholinesterase and ox erythrocyte acetylcholinesterase (Augustinsson, K.-B. & Eriksson, H.) 123-127
- 2,2'-Dithiodipyridine, effects of 5,5'-dithiobis-(2-nitrobenzoate) and, on the spectrophotometric assay of the activities of horse serum cholinesterase and ox erythrocyte acetylcholinesterase (Augustinsson, K.-B. & Eriksson, H.) 123-127
- Echidna (*Tachyglossus aculeatus*), identification of *N*-acetyl-4-O-acetylneuramyl-lactose in milk from (Messer, M.) 415-420
- Endosperm, wheat, chemical and physical properties of an arabinogalactan-peptide from (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545
- Enzymes, new graphical procedure for the estimation of kinetic parameters of reactions catalysed by (Eisenthal, R. & Cornish-Bowden, A.) 715-720
- Enzymes, statistical considerations in the estimation by the direct linear plot and other methods of kinetic parameters of reactions catalysed by (Cornish-Bowden, A. & Eisenthal, R.) 721-730
- Epoxide hydratase, purification and specificity of, from human liver microsomal fraction (Oesch, F.) 77-88
- L-Ergothioneine, reactions of, and other aminothiones with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- L-Ergothioneine, spectrophotometric assay method for the determination of, in mammalian blood involving reaction with 2,2'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 237-242
- Erythrocytes, human, use of organic hydroperoxides for the study of the metabolism of glutathione in (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- Erythrocytes, ox, effects of two disulphides on the spectrophotometric assay of the activity of acetylcholinesterase from (Augustinsson, K.-B. & Eriksson, H.) 123-127
- Escherichia coli*, comparison of the properties of the purified valyl-transfer ribonucleic acid synthetases from *Bacillus stearothermophilus* and (Wilkinson, S. & Knowles, J. R.) 391-398
- Estrogens, *see* Oestrogens
- Euglena gracilis*, purification and amino acid sequence of cytochrome c-552 from (Pettigrew, G. W.) 449-459
- Ferredoxin, eight-iron, *Clostridium pasteurianum*, evidence from the Mössbauer effect for the state of the iron atoms in (Thompson, C. L., Johnson, C. E., Dickson, D. P. E., Cammack, R., Hall, D. O., Weser, U. & Rao, K. K.) 97-103
- Ferricytochrome c, *Ustilago sphaerogena* A.T.C.C. 12421, identification of histidine and methionine residues as the haem ligands in (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Ferritin, apo-, spleen, horse, surface effects and exchange within the crystalline core during the uptake of iron by, and its subsequent release by the ferritin (Hoy, T. G., Harrison, P. M. & Shabbir, M.) 603-607
- Ferritin, spleen, horse, surface effects and exchange within the crystalline core during the uptake and release of iron by (Hoy, T. G., Harrison, P. M. & Shabbir, M.) 603-607
- Ferroso ions, role of, in the activity of pig heart aconitase (Gawron, O., Waheed, A., Glaid, A. J., III & Jaklitsch, A.) 709-714
- Fructose diphosphate aldolase, interaction of, with the troponin-tropomyosin complex from ox skeletal muscle (Clarke, F. M., Masters, C. J. & Winzor, D. J.) 785-788
- Fructose 1,6-diphosphate, kinetic study of the reaction catalysed by pig liver pyruvate kinase activated by (Macfarlane, N. & Ainsworth, S.) 499-508
- Fructose diphosphate aldolase, skeletal-muscle, rabbit, native and citraconylated, reversible denaturation and hybridization of (Gibbons, I. & Perham, R. N.) 331-342
- Fructose diphosphate aldolase, skeletal-muscle, rabbit, native, carboxypeptidase-treated and citraconylated, subunit interactions in hybrids of (Gibbons, I.) 343-350
- Fucose, identification of, as a component of maize root-cap slime (Wright, K. & Northcote, D. H.) 525-534
- Galactokinase, yeast, use of deoxyfluoro-D-galactoses in a study of the substrate specificity of (Thomas, P., Bessell, E. M. & Westwood, J. H.) 661-664
- D-Galactose, use of deoxyfluoro derivatives of, in a study of the substrate specificity of yeast galactokinase (Thomas, P., Bessell, E. M. & Westwood, J. H.) 661-664
- Galactose residues, identification of a glycosidic linkage between hydroxyproline residues and, in a wheat-endosperm arabinogalactan-peptide (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545
- Glucarate hydro-lyase, *Pseudomonas acidovorans* N.C.I.B. 10013, association of deoxyoxoglucarate aldolase activity with (Jeffcoat, R.) 477-480
- Glucokinase, partial purification of, from rat liver by affinity chromatography on an adenosine diphosphate derivative (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623
- Glucose 6-phosphate dehydrogenase, use of organic hydroperoxides for the study of the metabolism of glutathione in human erythrocytes deficient in (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- $\beta$ -Glucosidase, sweet-almond, interactions of polyphenols with (Haslam, E.) 285-288
- Glucuronic acid, stimulation by derivatives of, of the activity of uridine diphosphate glucuronyltransferase of guinea-pig liver microsomal fraction (Vessey, D. A. & Zakim, D.) 243-249
- Glucuronides, stimulation by, of the activity of uridine diphosphate glucuronyltransferase of guinea-pig liver microsomal fraction (Vessey, D. A. & Zakim, D.) 243-249
- Glutathione, use of organic hydroperoxides for the study of the metabolism of, in human erythrocytes (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- Glycoproteins, membrane, milk-fat-globule, estimation of the molecular weights of complexes of sodium dodecyl sulphate with, by gradient polyacrylamide-gel electrophoresis (Anderson, M., Cawston, T. & Cheeseman, G. C.) 653-660

- Glycoproteins, two, isolation and characterization of, from a toxic agglutinating extract of haricot bean (Andrews, A. T.) 421-429
- Guanosine 5'-monophosphate, X-ray evidence for metal-N-7 bonding in a hydrated manganese derivative of (de Meester, P., Goodgame, D. M. L., Jones, T. J. & Skapski, A. C.) 791-792
- Haem group, identification of histidine and methionine residues as the ligands for, in *Ustilago sphaerogena* A.T.C.C. 12421 ferricytochrome c (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Haricot bean, see Bean, haricot
- Heart, pig, determination of the macroscopic rate constants involved in the formation and interconversion of the two central enzyme-substrate complexes involved in the turnover of lactate dehydrogenase from (Südi, J.) 261-271
- Heart, pig, histidine residues and the enzymic activity of malate dehydrogenase from the cytosol fraction of (Holbrook, J. J., Lodola, A. & Illsley, N. P.) 797-800
- Heart, pig, identification of intermediates in the reaction of lactate dehydrogenase from, with its substrates (Whitaker, J. R., Yates, D. W., Bennett, N. G., Holbrook, J. J. & Gutfreund, H.) 677-697
- Heart, pig, kinetics of the binding of pyruvate to the complex of lactate dehydrogenase from, and reduced nicotinamide-adenine dinucleotide and the quenching of the fluorescence of the coenzyme in the resultant ternary complex (Südi, J.) 251-259
- Heart, pig, role of iron in the activity of aconitase from (Gawron, O., Waheed, A., Glaid, A. J., III & Jaklitsch, A.) 709-714
- Heavy chain, allotype  $\alpha_2$ , immunoglobulin, rabbit, N-terminal amino acid sequence of (Jaton, J.-C. & Haimovich, J.) 281-283
- Heavy chains, antibody, rabbit, evidence for the involvement of the hypervariable regions of, in affinity labelling of the binding sites (Fisher, C. E. & Press, E. M.) 135-149
- Heavy ( $\gamma$ ) chains, specificity of the combinations of, with light ( $\kappa$ ) chains of the same subgroup as in the parent human immunoglobulin G (Stevenson, G. T. & Mole, L. E.) 369-374
- HeLa cells, evidence for the role of chromosomal non-histone proteins in mediating the binding of histones to deoxyribonucleic acid during the cell cycle of (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Hen, see Chicken
- Heparin sulphatidase, lysosomal, spleen, rat, characterization of (Friedman, Y. & Arsenis, C.) 699-708
- Hexose phosphate synthase, *Methylococcus capsulatus*, identification of D-arabino-3-hexulose phosphate as the product of the reaction catalysed by (Kemp, M. B.) 129-134
- D-arabino-3-Hexulose phosphate, identification of, as the product of the reaction catalysed by hexose phosphate synthase from *Methylococcus capsulatus* (Kemp, M. B.) 129-134
- Histidine residue, active-site, use of diagonal paper electrophoresis for the selective isolation of a peptide containing an N<sup>1</sup>-carboxymethylhistidine residue derived from a peptide containing, of chymotrypsin- $\alpha$  (Stevenson, K. J.) 215-220
- Histidine residue, evidence for the involvement of, in the reduction and inactivation of ox blood superoxide dismutase by hydrogen peroxide (Bray, R. C., Cockle, S. A., Fielden, E. M., Roberts, P. B., Rotilio, G. & Calabrese, L.) 43-48
- Histidine residue, identification of a methionine residue and, as the haem ligands in *Ustilago sphaerogena* A.T.C.C. 12421 ferricytochrome c (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Histidine residues and the enzymic activity of pig heart cytosol malate dehydrogenase (Holbrook, J. J., Lodola, A. & Illsley, N. P.) 797-800
- Histones, evidence for the role of chromosomal non-histone proteins in mediating the binding of, to deoxyribonucleic acid during the cell cycle of HeLa cells (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Hyaluronic acid, role of, in the aggregation of proteoglycans from pig laryngeal cartilage (Hardingham, T. E. & Muir, H.) 565-581
- Hydration, investigation by dielectric methods of, in solutions of sperm-whale myoglobin (Grant, E. H., Mitton, B. G. R., South, G. P. & Sheppard, R. J.) 375-380
- Hydrogen peroxide, reduction and inactivation of ox blood superoxide dismutase by (Bray, R. C., Cockle, S. A., Fielden, E. M., Roberts, P. B., Rotilio, G. & Calabrese, L.) 43-48
- Hydrogenomonas eutropha* H16 A.T.C.C. 17699, purification and regulatory properties of phosphoribulokinase from (Abdelal, A. T. H. & Schlegel, H. G.) 481-489
- Hydroperoxides, organic, use of, for the study of the metabolism of glutathione in human erythrocytes (Srivastava, S. K., Awasthi, Y. C. & Beutler, E.) 289-295
- 4-Hydroxy-4,4'-diaponeurosporene, identification of, and its glucoside from *Streptococcus faecium* UNH 564P (Taylor, R. F. & Davies, B. H.) 761-769
- Hydroxyproline residues, identification of a glycosidic linkage between galactose residues and, in a wheat-endosperm arabinogalactan-peptide (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545
- Immunoglobulin, anti-pneumococcal, rabbit, N-terminal amino acid sequence of allotype  $\alpha_2$  heavy chain of (Jaton, J.-C. & Haimovich, J.) 281-283
- Immunoglobulin G, human, parent, specificity of combinations of heavy ( $\gamma$ ) chains with light ( $\kappa$ ) chains of the same subgroup as in (Stevenson, G. T. & Mole, L. E.) 369-374
- Immunoglobulins, rabbit, evidence for the involvement of the hypervariable regions of the heavy chains in the affinity labelling of the binding sites (Fisher, C. E. & Press, E. M.) 135-149
- Iodoacetamide, reaction of L-ergothioneine with (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Iron, isolation and structure of nocobactin NA, a lipid-soluble iron-binding compound from *Nocardia asteroides* grown in medium deficient in (Ratledge, C. & Snow, G. A.) 407-413
- Iron, role of, in the activity of pig heart aconitase (Gawron, O., Waheed, A., Glaid, A. J., III & Jaklitsch, A.) 709-714

- Iron, surface effects and exchange within the crystalline core during the uptake and release of, by horse spleen ferritin (Hoy, T. G., Harrison, P. M. & Shabbir, M.) 603-607
- Iron atoms, evidence from the Mössbauer effect for the state of, in the eight-iron ferredoxin from *Clostridium pasteurianum* (Thompson, C. L., Johnson, C. E., Dickson, D. P. E., Cammack, R., Hall, D. O., Weser, U. & Rao, K. K.) 97-103
- Iron atoms, evidence from the Mössbauer effect for the state of, in the high-potential iron-sulphur protein from *Chromatium* strain D (Dickson, D. P. E., Johnson, C. E., Cammack, R., Evans, M. C. W., Hall, D. O. & Rao, K. K.) 105-108
- Iron-sulphur protein, high-potential, *Chromatium* strain D, evidence from the Mössbauer effect for the state of the iron atoms in (Dickson, D. P. E., Johnson, C. E., Cammack, R., Evans, M. C. W., Hall, D. O. & Rao, K. K.) 105-108
- Jack bean, see Bean, jack
- Kinases, preparation of adenine nucleotide derivatives suitable for the affinity chromatography of myosin, dehydrogenases and (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623
- Kinetic parameters, new graphical procedure for the estimation of, of reactions catalysed by enzymes (Eisenthal, R. & Cornish-Bowden, A.) 715-720
- Kinetic parameters, statistical considerations in the estimation by the direct linear plot and other methods of, of reactions catalysed by enzymes (Cornish-Bowden, A. & Eisenthal, R.) 721-730
- Klebsiella pneumoniae*, formation of an inactive dimagnesium-adenosine triphosphate complex as the explanation of the inhibition by magnesium ions of the reduction of acetylene by nitrogenase from (Thorneley, R. N. F. & Willison, K. R.) 211-214
- $\beta$ -Lactamase, *Bacillus cereus* 569/H, spectrophotometric assay of the action of, on penicillins (Waley, S. G.) 789-790
- Lactate dehydrogenase, heart, pig, determination of the macroscopic rate constants involved in the formation and interconversion of the two central enzyme-substrate complexes involved in the turnover of (Südi, J.) 261-271
- Lactate dehydrogenase, heart, pig, identification of intermediates in the reaction of, with its substrates (Whitaker, J. R., Yates, D. W., Bennett, N. G., Holbrook, J. J. & Guttfreund, H.) 677-697
- Lactate dehydrogenase, heart, pig, kinetics of the binding of pyruvate to the complex of, and reduced nicotinamide-adenine dinucleotide and the quenching of the fluorescence of the coenzyme in the resultant ternary complex (Südi, J.) 251-259
- Leaves, comparative enzymology of the adenosine triphosphate sulphurylases from, of selenium-accumulator and non-accumulator *Astragalus* species (Shaw, W. H. & Anderson, J. W.) 37-42
- Leaves, potato, amino acid sequence of plastocyanin from (Ramshaw, J. A. M., Scawen, M. D., Bailey, C. J. & Boulter, D.) 583-592
- Leaves, spinach, kinetics and a proposed mechanism for the reaction catalysed by adenosine triphosphate sulphurylase from (Shaw, W. H. & Anderson, J. W.) 27-35
- Lectin, isolation and characterization of, and another glycoprotein component from a toxic agglutinating extract of haricot bean (Andrews, A. T.) 421-429
- Leukaemia cells, L1210, mouse, specific inhibition by methylglyoxal bis(guanylhydrazone) and related compounds of the activity of S-adenosylmethionine decarboxylase from (Corti, A., Dave, C., Williams-Ashman, H. G., Mihich, E. & Schenone, A.) 351-357
- Light ( $\kappa$ ) chains, specificity of the combinations of heavy ( $\gamma$ ) chains with, of the same subgroup as in the parent human immunoglobulin G (Stevenson, G. T. & Mole, L. E.) 369-374
- Lignin-carbohydrate complexes, ryegrass, structural investigations of (Morrison, I. M.) 197-204
- Lipopolysaccharide, *Pseudomonas alcaligenes*, composition of the polysaccharide moiety of (Lomax, J. A., Gray, G. W. & Wilkinson, S. G.) 633-643
- Lipoproteins, plasma, human, characterization of, separated and purified by column chromatography on agarose (Rudel, L. L., Lee, J. A., Morris, M. D. & Felts, J. M.) 89-95
- $\beta$ -Lipotrophin, pituitary-gland, human, tentative identification of  $\beta$ -melanocyte-stimulating hormone as an artifact formed by enzymic degradation of, during extraction (Scott, A. P. & Lowry, P. J.) 593-602
- Liver, guinea-pig, stimulation by glucuronic acid derivatives of the activity of uridine diphosphate glucuronyltransferase of the microsomal fraction from (Vessey, D. A. & Zakim, D.) 243-249
- Liver, human, purification and properties of phenylalanine 4-hydroxylase from (Woo, S. L. C., Gillam, S. S. & Woolf, L. I.) 741-749
- Liver, human, purification and specificity of an epoxide hydratase from the microsomal fraction of (Oesch, F.) 77-88
- Liver, pig, kinetic study of the reaction catalysed by pyruvate kinase from, activated by fructose 1,6-diphosphate (Macfarlane, N. & Ainsworth, S.) 499-508
- Liver, pig, purification, properties and cation specificity of pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 297-310
- Liver, pig, reaction pathway for the carboxylation of pyruvate by pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 311-320
- Liver, pig, reaction pathway for the decarboxylation of oxaloacetate by pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 321-329
- Liver, rat, kinetic evaluation of the activities of two monoamine oxidases in the mitochondrial outer membranes of (Houslay, M. D. & Tipton, K. F.) 645-652
- Liver, rat, kinetic mechanism and properties of the cytoplasmic acetoacetyl-coenzyme A thiolase from (Middleton, B.) 109-121
- Liver, rat, partial purification of glucokinase from, by affinity chromatography on an adenosine diphosphate derivative (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623

- Liver, rat, properties and a suggested reclassification of mevaldate reductase from, as a nicotinamide-adenine dinucleotide phosphate-linked alcohol dehydrogenase (Beedle, A. S., Rees, H. H. & Goodwin, T. W.) 205-209
- Liver, rat, purification and properties of phenylalanine 4-hydroxylase from (Gillam, S. S., Woo, S. L. C. & Woolf, L. I.) 731-739
- Liver, rat, release of modified messenger ribonucleic acid from isolated nuclei from, after inhibition of the formation of polyadenylate by the administration of 3'-deoxyadenosine (Schumm, D. E. & Webb, T. E.) 191-196
- Lolium perenne*, see Ryegrass
- Lysine residues, age-related variations in the hydroxylation of proline residues and, in chicken bone, skin and tendon collagens (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Lysosomes, spleen, rat, characterization of heparin sulphamidase of (Friedman, Y. & Arsenis, C.) 699-708
- $\alpha_2$ -Macroglobulin, binding and inhibition by, of mammalian collagenases and other metal proteinases (Werb, Z., Burleigh, M. C., Barrett, A. J. & Starkey, P. M.) 359-368
- Magnesium ions, formation of an inactive dimagnesium-adenosine triphosphate complex as the explanation of the inhibition by, of the reduction of acetylene by nitrogenase from *Klebsiella pneumoniae* (Thorneley, R. N. F. & Willison, K. R.) 211-214
- Maize (*Zea mays*), relationship of root-cap slimes to pectins produced by, and other higher plants (Wright, K. & Northcote, D. H.) 525-534
- Malate dehydrogenase, cytosol, heart, pig, histidine residues and the enzymic activity of (Holbrook, J. J., Lodola, A. & Illsley, N. P.) 797-800
- Malyl-coenzyme A lyase, purification and properties of, from *Pseudomonas AMI* (Hacking, A. J. & Quayle, J. R.) 399-405
- $\alpha$ -Mannosidase, purification of, from Jack bean to yield a preparation free of  $\beta$ -N-acetylglucosaminidase activity (Chu, C. Y. T. & Turner, M. D.) 469-471
- $\beta$ -Melanocyte-stimulating hormone, pituitary-gland, human, tentative identification of, as an artifact formed by enzymic degradation of  $\beta$ -lipotrophin during extraction (Scott, A. P. & Lowry, P. J.) 593-602
- Membrane proteins, milk-fat-globule, estimation of the molecular weights of complexes of sodium dodecyl sulphate with, by gradient polyacrylamide-gel electrophoresis (Anderson, M., Cawston, T. & Cheeseman, G. C.) 653-660
- Membrane proteins, structural, electrophoretic investigation of, and loosely associated proteins of rabbit skeletal-muscle sarcoplasmic reticulum (Margreth, A., Carraro, U. & Salviati, G.) 509-513
- Membranes, outer, mitochondrial, liver, rat, kinetic evaluation of the activities of two monoamine oxidases in (Houslay, M. D. & Tipton, K. F.) 645-652
- 2-Mercaptoimidazoles, reactions of, and other aminothiones with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Messenger ribonucleic acid, see Ribonucleic acid, messenger
- Metabisulphite, sodium, reaction of cytochrome  $c_{551}$  oxidase from *Pseudomonas aeruginosa* N.C.T.C. 6750 with (Parr, S. R., Wilson, M. T. & Greenwood, C.) 273-276
- Methanol, purification and properties of malyl-coenzyme A from *Pseudomonas AMI* grown on (Hacking, A. J. & Quayle, J. R.) 399-405
- Methionine residue, identification of a histidine residue and, as the haem ligands in *Ustilago sphaerogena* A.T.C.C. 12421 ferricytochrome c (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Methylglyoxal bis(guanylhydrazone), specific inhibition by, of the activity of mammalian S-adenosylmethionine decarboxylases (Corti, A., Dave, C., Williams-Ashman, H. G., Mihich, E. & Schenone, A.) 351-357
- Methylococcus capsulatus*, identification of D-arabino-3-hexulose phosphate as the product of the reaction catalysed by hexose phosphate synthase from (Kemp, M. B.) 129-134
- Melvaldate reductase, liver, rat, properties and a suggested reclassification of, as a nicotinamide-adenine dinucleotide phosphate-linked alcohol dehydrogenase (Beedle, A. S., Rees, H. H. & Goodwin, T. W.) 205-209
- Microsomal fraction, liver, guinea-pig, stimulation by glucuronic acid derivatives of the activity of uridine diphosphate glucuronyltransferase of (Vessey, D. A. & Zakim, D.) 243-249
- Microsomal fraction, liver, human, purification and specificity of an epoxide hydratase from (Oesch, F.) 77-88
- Milk, echidna, identification of N-acetyl-4-O-acetyl-neuraminyllactose in (Messer, M.) 415-420
- Milk-fat globules, estimation of the molecular weights of complexes of sodium dodecyl sulphate with membrane proteins of, by gradient polyacrylamide-gel electrophoresis (Anderson, M., Cawston, T. & Cheeseman, G. C.) 653-660
- Mitochondria, liver, pig, purification, properties and cation specificity of pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 297-310
- Mitochondria, liver, pig, reaction pathway for the carboxylation of pyruvate by pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 311-320
- Mitochondria, liver, pig, reaction pathway for the decarboxylation of oxaloacetate by pyruvate carboxylase from (Warren, G. B. & Tipton, K. F.) 321-329
- Mitochondria, liver, rat, kinetic evaluation of the activities of two monoamine oxidases in the outer membranes of (Houslay, M. D. & Tipton, K. F.) 645-652
- Monoamine oxidase, purification of diamine oxidase and, from human placenta and a comparison of their properties with the amine oxidase activity of pregnancy plasma (Bardsley, W. G., Crabbe, M. J. C. & Scott, I. V.) 169-181
- Monoamine oxidases, two, kinetic evaluation of the activities of, in rat liver mitochondrial outer membranes (Houslay, M. D. & Tipton, K. F.) 645-652
- Muscle, breast, chicken, studies on the subunit structure and amino acid sequence of triose phosphate isomerase from (Furth, A. J., Milman, J. D., Priddle, J. D. & Offord, R. E.) 11-22

- Muscle, skeletal, ox, interaction of fructose diphosphate aldolase with the troponin-tropomyosin complex from (Clarke, F. M., Masters, C. J. & Winzor, D. J.) 785-788
- Muscle, skeletal, rabbit, amino acid sequences of the tryptic peptides of triose phosphate isomerase from (Corran, P. H. & Waley, S. G.) 1-10
- Muscle, skeletal, rabbit, electrophoretic investigation of the structural membrane proteins and loosely associated proteins of the sarcoplasmic reticulum of (Margreth, A., Carraro, U. & Salvati, G.) 509-513
- Muscle, skeletal, rabbit, equilibrium constant of the reaction catalysed by phosphoglyceromutase from (Clarke, J. B., Birch, M. & Britton, H. G.) 491-497
- Muscle, skeletal, rabbit, reversible denaturation and hybridization of native and citraconylated fructose diphosphate aldolase from (Gibbons, I. & Perham, R. N.) 331-342
- Muscle, skeletal, rabbit, subunit interactions in hybrids of native, carboxypeptidase-treated and citraconylated fructose diphosphate aldolase from (Gibbons, I.) 343-350
- Mycobactin-like compound (nocobactin NA), isolation and structure of, a lipid-soluble iron-binding compound from *Nocardia asteroides* (Ratledge, C. & Snow, G. A.) 407-413
- Myoglobin, sperm-whale, investigation by dielectric methods of hydration in solutions of (Grant, E. H., Mitton, B. G. R., South, G. P. & Sheppard, R. J.) 375-380
- Myosin, preparation of adenine nucleotide derivatives suitable for the affinity chromatography of dehydrogenases, kinases and (Trayer, I. P., Trayer, H. R., Small, D. A. P. & Bottomley, R. C.) 609-623
- Navy bean, *see* Bean, haricot
- Nicotinamide-adenine dinucleotide, reduced, quenching of the fluorescence of the coenzyme in the ternary complex of pig heart lactate dehydrogenase, pyruvate and (Südi, J.) 251-259
- Nicotinamide-adenine nucleotide, reduced, activation by, of *Hydrogenomonas eutropha* H16 A.T.C.C. 17699 phosphoribulokinase (Abdelal, A. T. H. & Schlegel, H. G.) 481-489
- Nitrogenase, *Klebsiella pneumoniae*, formation of an inactive dimagnesium-adenosine triphosphate complex as the explanation of the inhibition by magnesium ions of the reduction of acetylene by (Thorneley, R. N. F. & Willison, K. R.) 211-214
- Nocardia asteroides*, isolation and structure of nocobactin NA, a lipid-soluble iron-binding compound from (Ratledge, C. & Snow, G. A.) 407-413
- Nocobactin NA, isolation and structure of, a lipid-soluble iron-binding compound from *Nocardia asteroides* (Ratledge, C. & Snow, G. A.) 407-413
- Nuclei, liver, rat, isolated, release of modified messenger ribonucleic acid from, after inhibition of the formation of polyadenylate by the administration of 3'-deoxyadenosine (Schumm, D. E. & Webb, T. E.) 191-196
- Nucleic acids, fractionation of, from *Penicillium chrysogenum* and associated ribonucleic acid viruses by selective exclusion and retention on agarose gels (Petrović, S. L., Šumonja, B. D. & Vasiljević, R. B.) 157-162
- Oestrogens, use of high-resolution mass fragmentography for the determination of the concentrations of endogenous androgens and, in human breast tumours (Millington, D., Jenner, D., Jones, T. & Griffiths, K.) 473-475
- Oxaloacetate, reaction pathway for the decarboxylation of, by pig liver pyruvate carboxylase (Warren, G. B. & Tipton, K. F.) 321-329
- Oxiranes, substituted, specificity of a human liver microsomal epoxide hydratase towards (Oesch, F.) 77-88
- Oxodeox ylucarate, *see* Deoxyoxoglucarate
- Pea (*Pisum sativum*) cotyledons, protein factors involved in the binding of phenylalanyl-transfer-ribonucleic acid to ribosomes from (Wells, G. N. & Beevers, L.) 61-69
- Pectins, relationship of root-cap slimes to, produced by sycamore, maize and other higher plants (Wright, K. & Northcote, D. H.) 525-534
- Penicillins, spectrophotometric assay of the action of *Bacillus cereus* 569/H  $\beta$ -lactamase on (Waley, S. G.) 789-790
- Penicillium chrysogenum*, fractionation of nucleic acids from, and associated ribonucleic acid viruses by selective exclusion and retention on agarose gels (Petrović, S. L., Šumonja, B. D. & Vasiljević, R. B.) 157-162
- Peptide, arabinogalactan-, wheat-endosperm, chemical and physical properties of (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545
- Peptide, use of diagonal paper electrophoresis for the selective isolation of, containing an *N*<sup>1</sup>-carboxy-methylhistidine residue derived from a peptide containing the active-site histidine residue of chymotrypsin- $\alpha$  (Stevenson, K. J.) 215-220
- Peptide hormones, adrenocorticotrophic and melanocyte-stimulating, investigation of, of human pituitary gland (Scott, A. P. & Lowry, P. J.) 593-602
- Peptidoglycan, cross-linking of newly synthesized precursor of, to preformed *Bacillus licheniformis* cell wall (Ward, J. B. & Perkins, H. R.) 781-784
- Peroxide, hydrogen, reduction and inactivation of ox blood superoxide dismutase by (Bray, R. C., Cockle, S. A., Fielden, E. M., Roberts, P. B., Rotilio, G. & Calabrese, L.) 43-48
- pH, effects of, on the thermal stability of calf skin collagen in the dispersed and aggregated states (Russell, A. E.) 277-280
- Phaseolus vulgaris*, *see* Bean, haricot
- Phenolic acids, possible role of, as cross-linking agents in the lignin-carbohydrate complexes of ryegrass (Morrison, I. M.) 197-204
- Phenyl *N*<sup>2</sup>-acetyl-*N*<sup>1</sup>-benzylcarbazate (*N*-acetyl- $\alpha$ -azaphenylalanine phenyl ester), reaction of, with chymotrypsin and its use as a ligand for covalent affinity purification (Barker, S. A., Gray, C. J., Ireson, J. C., Parker, R. C. & McLaren, J. V.) 555-563
- Phenylalanine 4-hydroxylase, purification and properties of, from human liver (Woo, S. L. C., Gillam, S. S. & Woolf, L. I.) 741-749
- Phenylalanine 4-hydroxylase, purification and properties of, from rat liver (Gillam, S. S., Woo, S. L. C. & Woolf, L. I.) 731-739
- Phenylalanyl-transfer-ribonucleic acid, protein factors involved in the binding of, to ribosomes from pea cotyledons (Wells, G. N. & Beevers, L.) 61-69

- Phenylketonuria, purification and properties of phenylalanine 4-hydroxylase from human liver and its possible usefulness in the study of (Woo, S. L. C., Gillam, S. S. & Woolf, L. I.) 741-749
- Phosphoenolpyruvate, inhibition by, of *Hydrogenomonas eutropha* H16 A.T.C.C. 17699 phosphoribulokinase (Abdelal, A. T. H. & Schlegel, H. G.) 481-489
- 2- and 3-Phosphoglycerate, dissociation constants and magnesium ion association constants of (Clarke, J. B., Birch, M. & Britton, H. G.) 491-497
- Phosphoglyceromutase, skeletal-muscle, rabbit, equilibrium constant of the reaction catalysed by (Clarke, J. B., Birch, M. & Britton, H. G.) 491-497
- Phosphoribulokinase, purification and regulatory properties of, from *Hydrogenomonas eutropha* H16 A.T.C.C. 17699 (Abdelal, A. T. H. & Schlegel, H. G.) 481-489
- Pisum sativum*, see Pea
- Pituitary gland, human, investigation of the adrenocorticotrophic and melanocyte-stimulating peptide hormones of (Scott, A. P. & Lowry, P. J.) 593-602
- Placenta, human, inhibition of the activity of diamine oxidase from, by substrate analogues (Crabbe, M. J. C. & Bardsley, W. G.) 183-189
- Placenta, human, purification of monoamine oxidase and diamine oxidase from, and a comparison of their properties with the amine oxidase activity of pregnancy plasma (Bardsley, W. G., Crabbe, M. J. C. & Scott, I. V.) 169-181
- Plasma, human, purification of monoamine oxidase and diamine oxidase from human placenta and a comparison of their properties with the amine oxidase activity of, during pregnancy (Bardsley, W. G., Crabbe, M. J. C. & Scott, I. V.) 169-181
- Plasma, rabbit, inhibitors of prostaglandin A isomerase from (Jones, R. L.) 381-389
- Plasma lipoproteins, human, characterization of, separated and purified by column chromatography on agarose (Rudel, L. L., Lee, J. A., Morris, M. D. & Felts, J. M.) 89-95
- Plastocyanin, potato-leaf, amino acid sequence of (Ramshaw, J. A. M., Scawen, M. D., Bailey, C. J. & Boulter, D.) 583-592
- Polyadenylate, release of modified messenger ribonucleic acid from isolated rat liver nuclei after inhibition of the formation of, by the administration of 3'-deoxyadenosine (Schumm, D. E. & Webb, T. E.) 191-196
- Polyphenols, interactions of, with sweet-almond  $\beta$ -glucosidase (Haslam, E.) 285-288
- Polysaccharide moiety, composition of, of *Pseudomonas alcaligenes* lipopolysaccharide (Lomax, J. A., Gray, G. W. & Wilkinson, S. G.) 633-643
- Potato (*Solanum tuberosum*) leaves, amino acid sequence of plastocyanin from (Ramshaw, J. A. M., Scawen, M. D., Bailey, C. J. & Boulter, D.) 583-592
- Pregnancy, purification of monoamine oxidase and diamine oxidase from human placenta and a comparison of their properties with the amine oxidase activity of plasma during (Bardsley, W. G., Crabbe, M. J. C. & Scott, I. V.) 169-181
- Proline residues, age-related variations in the hydroxylation of lysine residues and, in chicken bone, skin and tendon collagens (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Prostaglandin A isomerase, plasma, rabbit, inhibitors of (Jones, R. L.) 381-389
- Prostate gland, ventral, rat, specific inhibition by methylglyoxal bis(guanylhydrazone) and related compounds of the activity of S-adenosylmethionine decarboxylase from (Corti, A., Dave, D., Williams-Ashman, H. G., Mihić, E. & Schenone, A.) 351-357
- Protamine kinase, testis, rainbow-trout, use of immobilized adenine nucleotides for the biospecific affinity chromatography of (Jergil, B., Guilford, H. & Mosbach, K.) 441-448
- Protease, see Proteinase
- Protein, iron-sulphur, high-potential, *Chromatium* strain D, evidence from the Mössbauer effect for the state of the iron atoms in (Dickson, D. P. E., Johnson, C. E., Cammack, R., Evans, M. C. W., Hall, D. O. & Rao, K. K.) 105-108
- Protein kinase (protamine kinase), adenosine 3':5'-cyclic monophosphate-stimulated, testis, rainbow-trout, use of immobilized adenine nucleotides for the biospecific affinity chromatography of (Jergil, B., Guildford, H. & Mosbach, K.) 441-448
- Proteinases, metal, binding and inhibition by  $\alpha_2$ -macroglobulin of, from various sources (Werb, Z., Burleigh, M. C., Barrett, A. J. & Starkey, P. M.) 359-368
- Protein-polysaccharide, see Proteoglycan
- Proteins, membrane, milk-fat-globule, estimation of the molecular weights of complexes of sodium dodecyl sulphate with, by gradient polyacrylamide-gel electrophoresis (Anderson, M., Cawston, T. & Cheeseman, G. C.) 653-660
- Proteins, membrane, structural, electrophoretic investigation of, and loosely associated proteins of rabbit skeletal-muscle sarcoplasmic reticulum (Margreth, A., Carraro, U. & Salvati, G.) 509-513
- Proteins, non-histone, chromosomal, evidence for the role of, in mediating the binding of histones to deoxyribonucleic acid during the cell cycle of HeLa cells (Stein, G. S., Hunter, G. & Lavie, L.) 71-76
- Proteins, ribosomal, involvement of, in the binding of phenylalanyl-transfer-ribonucleic acid to ribosomes from pea cotyledons (Wells, G. N. & Beevers, L.) 61-69
- Proteins, use of mass spectrometry to complement conventional techniques for the determination of the amino acid sequences of (Priddle, J. D.) 23-25
- Proteins, use of radioactively labelled T<sub>1</sub> ribonuclease to monitor the efficiency of Edman degradations in the determination of the amino acid sequences of (McKean, D. J. & Smith, G. P.) 779-780
- Proteoglycans, cartilage, laryngeal, pig, role of hyaluronic acid in the aggregation of (Hardingham, T. E. & Muir, H.) 565-581
- Pseudomonas acidovorans* N.C.I.B. 10013, association of deoxyoxoglucarate aldolase activity with glucarate hydro-lyase from (Jeffcoat, R.) 477-480
- Pseudomonas aeruginosa* N.C.T.C. 6750, reaction of cytochrome  $c_{551}$  oxidase from, with sodium metabisulphite (Parr, S. R., Wilson, M. T. & Greenwood, C.) 273-276
- Pseudomonas alcaligenes*, composition of the polysaccharide moiety of the lipopolysaccharide from (Lomax, J. A., Gray, G. W. & Wilkinson, S. G.) 633-643

- Pseudomonas AMI*, purification and properties of malyl-coenzyme A lyase from (Hacking, A. J. & Quayle, J. R.) 399-405
- Pyruvate, kinetics of the binding of, to the complex of pig heart lactate dehydrogenase and reduced nicotinamide-adenine dinucleotide and the quenching of the fluorescence of the coenzyme in the resultant ternary complex (Südi, J.) 251-259
- Pyruvate, reaction pathway for the carboxylation of, by pig liver pyruvate carboxylase (Warren, G. B. & Tipton, K. F.) 311-320
- Pyruvate carboxylase, liver, pig, reaction pathway for the carboxylation of pyruvate by (Warren, G. B. & Tipton, K. F.) 311-320
- Pyruvate carboxylase, liver, pig, reaction pathway for the decarboxylation of oxaloacetate by (Warren, G. B. & Tipton, K. F.) 321-329
- Pyruvate carboxylase, purification, properties and cation specificity of, from pig liver (Warren, G. B. & Tipton, K. F.) 297-310
- Pyruvate kinase, liver, pig, kinetic study of the reaction catalysed by, activated by fructose 1,6-diphosphate (Macfarlane, N. & Ainsworth, S.) 499-508
- Pyruvate kinase, preparation and properties of, from *Saccharomyces cerevisiae* (Fell, D. A., Liddle, P. F., Peacocke, A. R. & Dwek, R. A.) 665-675
- Rate constants, determination of, involved in the formation and interconversion of the two central enzyme-substrate complexes involved in the turnover of pig heart lactate dehydrogenase (Südi, J.) 261-271
- Rattlesnake (*Crotalus durissus terrificus*), template activity and base composition of ribonucleic acids from the venom glands of, after manual extraction of the venom (De Lucca, F. L., Imaizumi, M. T. & Haddad, A.) 151-156
- Red blood cells, *see* Erythrocytes
- Reticulum, sarcoplasmic, skeletal-muscle, rabbit, electrophoretic investigation of the structural membrane proteins and loosely associated proteins of (Margreth, A., Carraro, U. & Salvati, G.) 509-513
- Ribonuclease, T<sub>1</sub>, radioactively labelled, use of, to monitor the efficiency of Edman degradations in the determination of amino acid sequences of proteins (McKean, D. J. & Smith, G. P.) 779-780
- Ribonucleic acid, messenger, modified, release of, from isolated rat liver nuclei after inhibition of the formation of polyadenylate by the administration of 3'-deoxyadenosine (Schumm, D. E. & Webb, T. E.) 191-196
- Ribonucleic acid polymerase II, purification and subunit analysis of, from wheat germ (Jendrisak, J. J. & Becker, W. M.) 771-777
- Ribonucleic acid, transfer, phenylalanyl-, protein factors involved in the binding of, to ribosomes from pea cotyledons (Wells, G. N. & Beevers, L.) 61-69
- Ribonucleic acid viruses, fractionation of nucleic acids from *Penicillium chrysogenum* containing, by selective exclusion and retention on agarose gels (Petrović, S. L., Šumonja, B. D. & Vasiljević, R. B.) 157-162

- Ribonucleic acids, double-stranded, fractionation of deoxyribonucleic acids and, from *Penicillium chrysogenum* and associated ribonucleic acid viruses by selective exclusion and retention on agarose gels (Petrović, S. L., Šumonja, B. D. & Vasiljević, R. B.) 157-162
- Ribonucleic acids, template activity and base composition of, from the venom glands of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L., Imaizumi, M. T. & Haddad, A.) 151-156
- Ribosomes, pea-cotyledon, protein factors involved in the binding of phenylalanyl-transfer-ribonucleic acid to (Wells, G. N. & Beevers, L.) 61-69
- Root-cap slimes, relationship of, to pectins produced by sycamore, maize and other higher plants (Wright, K. & Northcote, D. H.) 525-534
- Ryegrass (*Lolium perenne*), structural investigations of the lignin-carbohydrate complexes of (Morrison, I. M.) 197-204
- Saccharomyces cerevisiae*, preparation and properties of pyruvate kinase from (Fell, D. A., Liddle, P. F., Peacocke, A. R. & Dwek, R. A.) 665-675
- Sarcoplasmic reticulum, *see* Reticulum, sarcoplasmic
- Selenium, comparative enzymology of adenosine triphosphate sulphurylases from leaves of *Astragalus* species differing in their ability to accumulate (Shaw, W. H. & Anderson, J. W.) 37-42
- Serum, horse, effects of two disulphides on the spectrophotometric assay of the activity of cholinesterase from (Augustinsson, K.-B. & Eriksson, H.) 123-127
- Serum, human, purification and characterization of seven fragments produced by cyanogen bromide cleavage of transferrin from (Sutton, M. R. & Brew, K.) 163-168
- Sialyl-lactose, identification of, in echidna milk as N-acetyl-4-O-acetylneuramyl-lactose (Messer, M.) 415-420
- Skeletal muscle, *see* Muscle, skeletal
- Skin, calf, effects of pH on the thermal stability of collagen from, in the dispersed and aggregated states (Russell, A. E.) 277-280
- Skin, chicken, age-related variations in the hydroxylation of lysine and proline residues in collagens of, and other tissues (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Slimes, root-cap, relationship of, to pectins produced by sycamore, maize and other higher plants (Wright, K. & Northcote, D. H.) 525-534
- Sodium metabisulphite, reaction of cytochrome *c*<sub>551</sub> oxidase from *Pseudomonas aeruginosa* N.C.T.C. 6750 with (Parr, S. R., Wilson, M. T. & Greenwood, C.) 273-276
- Solanum tuberosum*, *see* Potato
- Sperm whale, investigation by dielectric methods of hydration in solutions of myoglobin from (Grant, E. H., Mitton, B. G. R., South, G. P. & Sheppard, R. J.) 375-380
- Spinacea oleracea*, *see* Spinach
- Spinach (*Spinacea oleracea*) leaves, kinetics and a proposed mechanism for the reaction catalysed by adenosine triphosphate sulphurylase from (Shaw, W. H. & Anderson, J. W.) 27-35

- Spleen, horse, surface effects and exchange within the crystalline core during the uptake and release of iron by ferritin from (Hoy, T. G., Harrison, P. M. & Shabir, M.) 603-607
- Spleen, rat, characterization of heparin sulphamidase of the lysosomal fraction of (Friedman, Y. & Arsenis, C.) 699-708
- Steroids, endogenous, use of high-resolution mass fragmentography for the determination of the concentrations of, in human breast tumours (Millington, D., Jenner, D., Jones, T. & Griffiths, K.) 473-475
- Sterols, kinetic mechanism and properties of rat liver cytoplasmic acetoacetyl-coenzyme A thiolase in relation to its role in the biosynthesis of (Middleton, B.) 109-121
- Streptococcus faecium* UNH 564P, characterization of the triterpenoid monohydroxy- and monoglucoxy-carotenoids of (Taylor, R. F. & Davies, B. H.) 761-769
- Streptococcus faecium* UNH 564P, characterization of the triterpenoid carotenes of (Taylor, R. F. & Davies, B. H.) 751-760
- Sulphate, inorganic, activation of, by spinach-leaf adenosine triphosphate sulphurylase (Shaw, W. H. & Anderson, J. W.) 27-35
- Supernatant fraction, *see* Cytosol
- Superoxide dismutase, blood, ox, evidence from pulse radiolysis and electron paramagnetic resonance that only half the active sites function in the reaction catalysed by (Fielden, E. M., Roberts, P. B., Bray, R. C., Lowe, D. J., Mautner, G. N., Rotilio, G. & Calabrese, L.) 49-60
- Superoxide dismutase, blood, ox, reduction and inactivation of, by hydrogen peroxide (Bray, R. C., Cockle, S. A., Fielden, E. M., Roberts, P. B., Rotilio, G. & Calabrese, L.) 43-48
- Sweet almond, interactions of polyphenols with  $\beta$ -glucosidase from (Haslam, E.) 285-288
- Sycamore (*Acer pseudoplatanus*), relationship of root-cap slimes to pectins produced by, and other higher plants (Wright, K. & Northcote, D. H.) 525-534
- Synovial cells, rabbit, binding and inhibition by  $\alpha_2$ -macroglobulin of collagenase from (Werb, Z., Burleigh, M. C., Barrett, A. J. & Starkey, P. M.) 359-368
- Tachyglossus aculeatus*, *see* Echidna
- Tendon, chicken, age-related variations in the hydroxylation of lysine and proline residues in collagens of, and other tissues (Barnes, M. J., Constable, B. J., Morton, L. F. & Royce, P. M.) 461-468
- Testis, rainbow-trout, use of immobilized adenine nucleotides for the biospecific affinity chromatography of protamine kinase from (Jergil, B., Guilford, H. & Mosbach, K.) 441-448
- Thioacetamide, reactions of, and other aminothiones with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- 2- and 4-Thiopyridone, reactions of, and other aminothiones with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Thiourea, reactions of, and other aminothiones with 2,2'- and 4,4'-dipyridyl disulphide (Carlsson, J., Kierstan, M. P. J. & Brocklehurst, K.) 221-235
- Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
- Transferrin, serum, human, purification and characterization of seven fragments produced by cyanogen bromide cleavage of (Sutton, M. R. & Brew, K.) 163-168
- Triose phosphate isomerase, breast-muscle, chicken, studies on the subunit structure and amino acid sequence of (Furth, A. J., Milman, J. D., Priddle, J. D. & Offord, R. E.) 11-22
- Triose phosphate isomerase, skeletal-muscle, rabbit, amino acid sequences of the tryptic peptides of (Corran, P. H. & Waley, S. G.) 1-10
- Triterpenoid carotenes, *Streptococcus faecium* UNH 564P, characterization of (Taylor, R. F. & Davies, B. H.) 751-760
- Triterpenoid carotenoids, monohydroxy- and monoglucoxy-, *Streptococcus faecium* UNH 564P, characterization of (Taylor, R. F. & Davies, B. H.) 761-769
- Triticum vulgare*, *see* Wheat
- Troponin-tropomyosin complex, skeletal-muscle, ox, interaction of fructose diphosphate aldolase with (Clarke, F. M., Masters, C. J. & Winzor, D. J.) 785-788
- Trout, rainbow, use of immobilized adenine nucleotides for the biospecific affinity chromatography of protamine kinase from the testis of (Jergil, B., Guilford, H. & Mosbach, K.) 441-448
- Tryptophan, fluorimetric method for the determination of, in animal tissues (Gaitonde, M. K.) 625-631
- Tumour, *see also* Carcinoma
- Tumours, breast, human, use of high-resolution mass fragmentography for the determination of the concentrations of endogenous steroids in (Millington, D., Jenner, D., Jones, T. & Griffiths, K.) 473-475
- Uridine diphosphate glucuronyltransferase, microsomal, liver, guinea-pig, stimulation by glucuronic acid derivatives of the activity of (Vessey, D. A. & Zakim, D.) 243-249
- Urine, isolation of carcinoembryonic-antigen-like components from, of human patients with urothelial carcinoma and comparison with carcinoembryonic antigen derived from human colorectal carcinoma (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Urothelial carcinoma, human, isolation of carcinoembryonic-antigen-like components from the urine of patients with, and comparison with carcinoembryonic antigen derived from human colorectal carcinoma (Nery, R., Barsoum, A. L., Bullman, H. & Neville, A. M.) 431-439
- Ustilago sphaerogena* A.T.C.C. 12421, identification of histidine and methionine residues as the haem ligands in ferricytochrome c from (Vinogradov, S. N., Bitar, K. G. & Lowenkron, S.) 547-553
- Valyl-transfer ribonucleic acid synthetases, *Bacillus stearothermophilus* and *Escherichia coli*, purified, comparison of the properties of (Wilkinson, S. & Knowles, J. R.) 391-398

Venom gland, rattlesnake (*Crotalus durissus terrificus*), template activity and base composition of ribonucleic acids from, after manual extraction of the venom (De Lucca, F. L., Imaizumi, M. T. & Haddad, A.) 151-156  
Viruses, ribonucleic acid, fractionation of nucleic acids from *Penicillium chrysogenum* containing, by selective exclusion and retention on agarose gels (Petrović, S. L., Šumanja, B. D. & Vasiljević, R. B.) 157-162

Wall, cell, *see* Cell wall

Wheat (*Triticum vulgare*) endosperm, chemical and physical properties of an arabinogalactan-peptide from (Fincher, G. B., Sawyer, W. H. & Stone, B. A.) 535-545

Wheat (*Triticum vulgare*) germ, purification and subunit analysis of ribonucleic acid polymerase II from (Jendrisak, J. J. & Becker, W. M.) 771-777

Wool, reactivity of the disulphide bonds of (Lindley, H. & Cranston, R. W.) 515-523

Yeast (*Saccharomyces cerevisiae*), preparation and properties of pyruvate kinase from (Fell, D. A., Liddle, P. F., Peacocke, A. R. & Dwek, R. A.) 665-675

Yeast, use of deoxyfluoro-D-galactoses in a study of the substrate specificity of galactokinase from (Thomas, P., Bessell, E. M. & Westwood, J. H.) 661-664

*Zea mays*, *see* Maize

# The BIOCHEMICAL JOURNAL

## Molecular Aspects

---

Volume 139

1974

---

### EDITORIAL BOARD

*Chairman*

D. G. Walker

*Deputy Chairmen*

H. B. F. Dixon

K. M. Jones

J. E. Cremer

N. M. Green \*

*Editorial Secretary*

J. D. Killip

*Assistant Editorial Secretary*

E. N. Maltby

J. W. Bradbeer

R. B. Cain

M. Cannon

R. M. Denton

F. M. Dickinson

R. R. Dils

J. T. Dingle

G. H. Dixon

D. C. Ellwood

P. B. Garland

J. J. Holbrook

M. R. Hollaway

R. C. Hughes

J. D. Judah

A. E. Kellie

U. E. Loening

J. A. Lucy

W. I. P. Mainwaring

R. D. Marshall

P. A. Mayes

J. C. Metcalfe

A. C. T. North \*

R. E. Offord

D. V. Parke

A. E. Pegg

R. N. Perham

G. K. Radda

R. Rodnight

A. P. Ryle

D. R. Stanworth

I. O. Walker

D. C. Watts

F. R. Whatley

D. H. Williamson

\*Nominated by the British  
Biophysical Society

*Overseas Advisory Panel*

F. J. Ballard (*Australia*), S. Bergström (*Sweden*), B. Chance (*U.S.A.*), J.-P. Changeux (*France*), P. W. Choppin (*U.S.A.*), W. H. Elliott (*Australia*), D. Garfinkel (*U.S.A.*), F. W. E. Gibson (*Australia*), A. A. Hadjolov (*Bulgaria*), H. G. Hers (*Belgium*), W. D. Stein (*Israel*), H. G. Wittmann (*Germany*), I. G. Wool (*U.S.A.*)



London : The Biochemical Society © 1974

THE BIOCHEMICAL SOCIETY, 7 WARWICK COURT, LONDON WC1R 5DP

*Printed in Great Britain by William Clowes & Sons Limited,  
London, Colchester and Beccles*