

Molecular Aspects

Contents of Volume 139, No. 3, 1974

	PAGE		PAGE
Proteins		Lipids	
Structural membrane proteins and loosely associated proteins of the sarcoplasmic reticulum. By A. Margreth, U. Carraro & G. Salviati	509	Triterpenoid carotenoids and related lipids. The triterpenoid carotenes of <i>Streptococcus faecium</i> UNH 564P. By R. F. Taylor & B. H. Davies	751
The reactivity of the disulphide bonds of wool. By H. Lindley & R. W. Cranston	515	Triterpenoid carotenoids and related lipids. Triterpenoid monohydroxy- and monoglucosyloxy-carotenoids from <i>Streptococcus faecium</i> UNH 564P. By R. F. Taylor & B. H. Davies	761
Haem ligands of the ferricytochrome <i>c</i> of <i>Ustilago sphaerogena</i> . By S. N. Vinogradov, K. G. Bitar & S. Lowenkron	547	The isolation of cholest-5-ene-3 β ,26-diol from human brain (<i>Short Communication</i>). By A. G. Smith, J. D. Gilbert, W. A. Harland & C. J. W. Brooks	793
The amino acid sequence of plastocyanin from <i>Solanum tuberosum</i> L. (potato). By J. A. M. Ramshaw, M. D. Scawen, C. J. Bailey & D. Boulter	583	Carbohydrates	
Adrenocorticotrophic and melanocyte-stimulating peptides in the human pituitary. By A. P. Scott & P. J. Lowry	593	The relationship of root-cap slimes to pectins. By K. Wright & D. H. Northcote	525
Uptake and release of ferritin iron. Surface effects and exchange within the crystalline core. By T. G. Hoy, P. M. Harrison & M. Shabbir	603	Chemical and physical properties of an arabinogalactan-peptide from wheat endosperm. By G. B. Fincher, W. H. Sawyer & B. A. Stone	535
Molecular-weight estimates of milk-fat-globule-membrane protein-sodium dodecyl sulphate complexes by electrophoresis in gradient acrylamide gels. By M. Anderson, T. Cawston & G. C. Cheeseman	653	Studies of the polysaccharide fraction from the lipopolysaccharide of <i>Pseudomonas alcaligenes</i> . By J. A. Lomax, G. W. Gray & S. G. Wilkinson	633
The use of radiolabelled T ₁ ribonuclease to monitor the efficiency of Edman degradations (<i>Short Communication</i>). By D. J. McKean & G. P. Smith	779	Peptidoglycan biosynthesis by preparations from <i>Bacillus licheniformis</i> : cross-linking of newly synthesized chains to preformed cell wall (<i>Short Communication</i>). By J. B. Ward & H. R. Perkins	781
Interaction of aldolase with the troponin-tropomyosin complex of bovine muscle (<i>Short Communication</i>). By F. M. Clarke, C. J. Masters & D. J. Winzor	785	Small Molecules	
Histidine residues and the enzyme activity of pig heart supernatant malate dehydrogenase (<i>Short Communication</i>). By J. J. Holbrook, A. Lodola & N. P. Illsley	797	A fluorimetric method for the determination of tryptophan in animal tissues. By M. K. Gaitonde	625
Nucleic Acids		Enzymology	
X-ray evidence for metal-N-7 bonding in a hydrated manganese derivative of guanosine 5'-monophosphate (<i>Short Communication</i>). By P. de Meester, D. M. L. Goodgame, T. J. Jones & A. C. Skapski	791	Purification and regulatory properties of phosphoribulokinase from <i>Hydrogenomonas eutropha</i> H 16. By A. T. H. Abdelal & H. G. Schlegel	481
		The equilibrium constant of the phosphoglyceromutase reaction. By J. B. Clarke, M. Birch & H. G. Britton	491

	PAGE		PAGE
A kinetic study of pig liver pyruvate kinase activated by fructose diphosphate. By N. Macfarlane & S. Ainsworth	499	Iron and aconitase activity. By O. Gawron, A. Waheed, A. J. Glaid, III & A. Jaklitsch	709
The reaction of an α -aza-amino acid derivative with chymotrypsin and its use as a ligand for covalent affinity purification. By S. A. Barker, C. J. Gray, J. Ireson, R. C. Parker & J. V. McLaren	555	The direct linear plot. A new graphical procedure for estimating enzyme kinetic parameters. By R. Eisinger & A. Cornish-Bowden	715
Preparation of adenosine nucleotide derivatives suitable for affinity chromatography. By I. P. Trayer, H. R. Trayer, D. A. P. Small & R. C. Bottomley	609	Statistical considerations in the estimation of enzyme kinetic parameters by the direct linear plot and other methods. By A. Cornish-Bowden & R. Eisinger	721
A kinetic evaluation of monoamine oxidase activity in rat liver mitochondrial outer membranes. By M. D. Houslay & K. F. Tipton	645	The isolation and properties of phenylalanine hydroxylase from rat liver. By S. S. Gillam, S. L. C. Woo & L. I. Woolf	731
The use of deoxyfluoro-D-galactopyranoses in a study of yeast galactokinase specificity. By P. Thomas, E. M. Bessell & J. H. Westwood	661	The isolation and properties of phenylalanine hydroxylase from human liver. By S. L. C. Woo, S. S. Gillam & L. I. Woolf	741
The preparation and properties of pyruvate kinase from yeast. By D. A. Fell, P. F. Liddle, A. R. Peacocke & R. A. Dwek	665	Purification and subunit analysis of wheat-germ ribonucleic acid polymerase II. By J. J. Jendrisak & W. M. Becker	771
The identification of intermediates in the reaction of pig heart lactate dehydrogenase with its substrates. By J. R. Whitaker, D. W. Yates, N. G. Bennett, J. J. Holbrook & H. Gutfreund	677	A spectrophotometric assay of β -lactamase action on penicillins (<i>Short Communication</i>). By S. G. Waley	789
Studies on the heparin sulphamidase activity from rat spleen. Intracellular distribution and characterization of the enzyme. By Y. Friedman & C. Arsenis	699	Intermolecular Organization Hyaluronic acid in cartilage and proteoglycan aggregation. By T. E. Hardingham & H. Muir	565
		Index	801

The following papers appeared in the last issue of the Biochemical Journal

Cellular Aspects

Contents of Volume 140, No. 2, 1974

	PAGE		PAGE
Biosynthesis and Degradation		The isolation and subfractionation of plasma membrane from the cellular slime mould <i>Dictyostelium discoideum</i> .	
Microbial degradation of alkylbenzenesulphonates. Metabolism of homologues of short alkyl-chain length by an <i>Alcaligenes</i> sp.		By A. A. Green & P. C. Newell	313
By J. A. Bird & R. B. Cain	121	Cellular Interactions and Control Processes	
Role of membrane-bound and free polyribosomes in the synthesis of cytochrome <i>c</i> in rat liver.		The effect of nickel on secretory systems. Studies on the release of amylase, insulin and growth hormone.	
By N. F. González-Cadavid & C. S. de Córdova	157	By R. L. Dormer, A. L. Kerbey, M. McPherson, S. Manley, S. J. H. Ashcroft, G. Schofield & P. J. Randle	135
Lipogenesis in rat and guinea-pig isolated epididymal fat-cells.		The uptake and metabolism of [³² P]pyrophosphate by mouse calvaria <i>in vitro</i> .	
By E. D. Saggerson	211	By A. Jung, S. Bisaz, U. Gebauer, R. G. G. Russell, D. B. Morgan & H. Fleisch	175
Pathways of glyceride glycerol synthesis.		Effects of cytochalasin B, colchicine and vincristine on the metabolism of isolated fat-cells.	
By R. Rognstad, D. G. Clark & J. Katz	249	By E. G. Loten & B. Jeanrenaud	185
Microbial oxidation of amines. Partial purification of a trimethylamine mono-oxygenase from <i>Pseudomonas aminovorans</i> and its role in growth on trimethylamine.		Utilization of gluconate by <i>Escherichia coli</i> . Uptake of D-gluconate by a mutant impaired in gluconate kinase activity and by membrane vesicles derived therefrom.	
By C. A. Boulton, M. J. C. Crabbe & P. J. Large	253	By J. M. Pouysségur, P. Faik & H. L. Kornberg	193
Microbial metabolism of the pyridine ring. The hydroxylation of 4-hydroxypyridine to pyridine-3,4-diol (3,4-dihydroxypyridine) by 4-hydroxypyridine 3-hydroxylase.		Calcium and magnesium ions as effectors of adipose-tissue pyruvate dehydrogenase phosphate phosphatase.	
By G. K. Watson, C. Houghton & R. B. Cain	265	By D. L. Severson, R. M. Denton, H. T. Pask & P. J. Randle	225
Microbial metabolism of the pyridine ring. The metabolism of pyridine-3,4-diol (3,4-dihydroxypyridine) by <i>Agrobacterium</i> sp.		The response of the small intestine to vitamin D. Isolation and properties of chick intestinal polyribosomes.	
By G. K. Watson, C. Houghton & R. B. Cain	277	By J. S. Emtage, D. E. M. Lawson & E. Kodicek	239
Microbial metabolism of the pyridine ring. Metabolism of 2- and 3-hydroxypyridines by the maleamate pathway in <i>Achromobacter</i> sp.		Properties of a prolactin receptor from the rabbit mammary gland.	
By R. B. Cain, C. Houghton & K. A. Wright	293	By R. P. C. Shiu & H. G. Friesen	301
Glycogen metabolism in the liver of the foetal rat.		Comparative effect and fate of non-entrapped and liposome-entrapped neuraminidase injected into rats.	
By P. Devos & H.-G. Hers	331	By G. Gregoriadis, D. Putman, L. Louis & D. Neerunjun	323
Bioenergetics			
The inhibition of mitochondrial calcium transport by lanthanides and Ruthenium Red.			
By K. C. Reed & F. L. Bygrave	143		
Subcellular Structures			
Glutamate and aspartate transport in rat brain mitochondria.			
By M. D. Brand & J. B. Chappell	205		

(continued from preceding page)

	PAGE		PAGE
Development			
Leucyl-transfer ribonucleic acid synthetase in senescing tobacco leaves.		Aging effects on the liver aldolase of rabbits (<i>Short Communication</i>).	
By I. Nathan & A. Richmond	169	By P. J. Anderson	341

Contents of Volume 139, No. 1

	PAGE		PAGE
Proteins		Partial amino acid sequence in the <i>N</i>-terminal region of an anti-pneumococcal immunoglobulin heavy chain of allotype a_2 (<i>Short Communication</i>).	
The tryptic peptides of rabbit muscle triose phosphate isomerase.		By J.-C. Jaton & J. Haimovich	281
By P. H. Corran & S. G. Waley	1		
Studies on the subunit structure and amino acid sequence of triose phosphate isomerase from chicken breast muscle.		Nucleic Acids	
By A. J. Furth, J. D. Milman, J. D. Priddle & R. E. Offord	11	Characterization of ribonucleic acids from the venom glands of <i>Crotalus durissus terrificus</i> (Ophidia, Reptilia) after manual extraction of the venom. Studies on template activity and base composition.	
<i>Appendix:</i> The use of mass spectrometry to complement conventional techniques for protein sequence determination.		By F. L. De Lucca, M. T. Imaizumi & A. Haddad	151
By J. D. Priddle	23	Fractionation of nucleic acids from <i>Penicillium chrysogenum</i> and associated ribonucleic acid viruses by selective exclusion and retention in agarose gels.	
Non-histone chromosomal proteins. Evidence for their role in mediating the binding of histones to deoxyribonucleic acid during the cell cycle.		By S. L. Petrović, B. D. Šumonja & R. B. Vasiljević	157
By G. S. Stein, G. Hunter & L. Lavie	71	Modified messenger ribonucleic acid release from isolated hepatic nuclei after inhibition of polyadenylate formation.	
Mössbauer effect in the eight-iron ferredoxin from <i>Clostridium pasteurianum</i> . Evidence for the state of the iron atoms.		By D. E. Schumm & T. E. Webb	191
By C. L. Thompson, C. E. Johnson, D. P. E. Dickson, R. Cammack, D. O. Hall, U. Weser & K. K. Rao	97		
Mössbauer effect in the high-potential iron-sulphur protein from <i>Chromatium</i> . Evidence for the state of the iron atoms.		Lipids	
By D. P. E. Dickson, C. E. Johnson, R. Cammack, M. C. W. Evans, D. O. Hall & K. K. Rao	105	Characterization of plasma lipoproteins separated and purified by agarose-column chromatography.	
Affinity labelling of the binding site of rabbit antibody. Evidence for the involvement of the hypervariable regions of the heavy chain.		By L. L. Rudel, J. A. Lee, M. D. Morris & J. M. Felts	89
By C. E. Fisher & E. M. Press	135	Carbohydrates	
Purification and characterization of the seven cyanogen bromide fragments of human serum transferrin.		Hexose phosphate synthetase from <i>Methylobacterium capsulatus</i> makes D-arabino-3-hexulose phosphate.	
By M. R. Sutton & K. Brew	163	By M. B. Kemp	129
The selective isolation of an active-site histidine peptide from chymotrypsin- α by diagonal peptide 'mapping'. An <i>N</i> ⁴ -carboxymethyl-histidine diagonal peptide 'map'.		Structural investigations on the lignin-carbohydrate complexes of <i>Lolium perenne</i> .	
By K. J. Stevenson	215	By I. M. Morrison	197
Effect of pH on thermal stability of collagen in the dispersed and aggregated states (<i>Short Communication</i>).		Small Molecules	
By A. E. Russell	277	Reactions of L-ergothioneine and some other aminothiones with 2,2'- and 4,4'-dipyridyl disulphides and of L-ergothioneine with iodoacetamide. 2-Mercaptoimidazoles, 2- and 4-thiopyridones, thiourea and thioacetamide as highly reactive neutral sulphur nucleophiles.	
		By J. Carlsson, M. P. J. Kierstan & K. Brocklehurst	221

	PAGE		PAGE
A convenient spectrophotometric assay for the determination of L-ergothioneine in blood. By J. Carlsson, M. P. J. Kierstan & K. Brocklehurst	237	The inhibition of human placental diamine oxidase by substrate analogues. By M. J. C. Crabbe & W. G. Bardsley	183
Enzymology		Some properties and a suggested reclassification of mevaldate reductase. By A. S. Beedle, H. H. Rees & T. W. Goodwin	205
The enzymology of adenosine triphosphate sulphurylase from spinach leaf tissue. Kinetic studies and a proposed reaction mechanism. By W. H. Shaw & J. W. Anderson	27	Nitrogenase of <i>Klebsiella pneumoniae</i> . Inhibition of acetylene reduction by magnesium ion explained by the formation of an inactive dimagnesium-adenosine triphosphate complex. By R. N. F. Thorneley & K. R. Willison	211
Comparative enzymology of the adenosine triphosphate sulphurylases from leaf tissue of selenium-accumulator and non-accumulator plants. By W. H. Shaw & J. W. Anderson	37	Stimulation of microsomal uridine diphosphate glucuronyltransferase by glucuronic acid derivatives. By D. A. Vessey & D. Zakim	243
Reduction and inactivation of superoxide dismutase by hydrogen peroxide. By R. C. Bray, S. A. Cockle, E. M. Fielden, P. B. Roberts, G. Rotilio & L. Calabrese	43	The lactate dehydrogenase-reduced nicotinamide-adenine dinucleotide-pyruvate complex. Kinetics of pyruvate binding and quenching of coenzyme fluorescence. By J. Südi	251
The mechanism of action of superoxide dismutase from pulse radiolysis and electron paramagnetic resonance. Evidence that only half the active sites function in catalysis. By E. M. Fielden, P. B. Roberts, R. C. Bray, D. J. Lowe, G. N. Mautner, G. Rotilio & L. Calabrese	49	Macroscopic rate constants involved in the formation and interconversion of the two central enzyme-substrate complexes of the lactate dehydrogenase turnover. By J. Südi	261
Purification and specificity of a human microsomal epoxide hydratase. By F. Oesch	77	The reaction of <i>Pseudomonas aeruginosa</i> cytochrome <i>c</i> oxidase with sodium metabisulphite (<i>Short Communication</i>). By S. R. Parr, M. T. Wilson & C. Greenwood	273
The kinetic mechanism and properties of the cytoplasmic acetoacetyl-coenzyme A thiolase from rat liver. By B. Middleton	109	Intermolecular Organization	
The effects of two disulphides on cholinesterase activity in the spectrophotometric assay. By K.-B. Augustinsson & H. Eriksson	123	Protein synthesis in the cotyledons of <i>Pisum sativum</i> L. Protein factors involved in the binding of phenylalanyl-transfer ribonucleic acid to ribosomes. By G. N. Wells & L. Beevers	61
The amine oxidases of human placenta and pregnancy plasma. By W. G. Bardsley, M. J. C. Crabbe & I. V. Scott	169	Polyphenol-protein interactions (<i>Short Communication</i>). By E. Haslam	285

Contents of Volume 139, No. 2

	PAGE		PAGE
Proteins		Navy (haricot)-bean (<i>Phaseolus vulgaris</i>) lectin. Isolation and characterization of two components from a toxic agglutinating extract. By A. T. Andrews	421
The specificity of chain interactions among immunoglobulins. Combinations of γ chains with κ chains of the same subgroup as in the parent immunoglobulin G. By G. T. Stevenson & L. E. Mole	369	Carcinoembryonic-antigen-like substances of human urothelial carcinomas. Isolation of components from pathological urine and comparison with colorectal carcinoma antigens. By R. Nery, A. L. Barsoum, H. Bullman & A. M. Neville	431
An investigation by dielectric methods of hydration in myoglobin solutions. By E. H. Grant, B. G. R. Mitton, G. P. South & R. J. Sheppard	375		

	PAGE		PAGE
The purification and amino acid sequence of cytochrome <i>c</i> -552 from <i>Euglena gracilis</i> . By G. W. Pettigrew	449	Kinetic and molecular properties of citraconyl-aldolase. The reversible denaturation and hybridization of the native and modified enzymes. By I. Gibbons & R. N. Perham	331
Age-related variations in hydroxylation of lysine and proline in collagen. By M. J. Barnes, B. J. Constable, L. F. Morton & P. M. Royce	461	Subunit interactions in hybrids of native, carboxypeptidase-treated and citraconylated rabbit muscle aldolase. By I. Gibbons	343
Lipids		Specific inhibition of the enzymic decarboxylation of <i>S</i> -adenosylmethionine by methylglyoxal bis(guanylhyazone) and related substances. By A. Corti, C. Dave, H. G. Williams-Ashman, E. Mihich & A. Schenone	351
Endogenous steroid concentrations in human breast tumours determined by high-resolution mass fragmentography (<i>Short Communication</i>). By D. Millington, D. Jenner, T. Jones & K. Griffiths	473	The interaction of α_2 -macroglobulin with proteinases. Binding and inhibition of mammalian collagenases and other metal proteinases. By Z. Werb, M. C. Burleigh, A. J. Barrett & P. M. Starkey	359
Carbohydrates		Inhibitors of rabbit plasma prostaglandin A isomerase. By R. L. Jones	381
Identification of <i>N</i> -acetyl-4- <i>O</i> -acetylneuraminyl-lactose in echidna milk. By M. Messer	415	A comparison of purified valyl-transfer ribonucleic acid synthetase from <i>Bacillus stearothermophilus</i> and from <i>Escherichia coli</i> . By S. Wilkinson & J. R. Knowles	391
Small Molecules		Purification and properties of malyl-coenzyme A lyase from <i>Pseudomonas</i> AM1. By A. J. Hacking & J. R. Quayle	399
Useful agents for the study of glutathione metabolism in erythrocytes. Organic hydroperoxides. By S. K. Srivastava, Y. C. Awasthi & E. Beutler	289	Biospecific affinity chromatography of an adenosine 3':5'-cyclic monophosphate-stimulated protein kinase (protamine kinase from trout testis) by using immobilized adenine nucleotides. By B. Jergil, H. Guilford & K. Mosbach	441
Isolation and structure of nocobactin NA, a lipid-soluble iron-binding compound from <i>Nocardia asteroides</i> . By C. Ratledge & G. A. Snow	407	Purification of α -mannosidase from jack-bean meal suitable for use as reagent (<i>Short Communication</i>). By C. Y. T. Chu & M. D. Turner	469
Enzymology		Studies on glucarate catabolism: the oxodeoxyglucarate aldolase activity of glucarate hydrolyase from <i>Pseudomonas acidovorans</i> (<i>Short Communication</i>). By R. Jeffcoat	477
Pig liver pyruvate carboxylase. Purification, properties and cation specificity. By G. B. Warren & K. F. Tipton	297		
Pig liver pyruvate carboxylase. The reaction pathway for the carboxylation of pyruvate. By G. B. Warren & K. F. Tipton	311		
Pig liver pyruvate carboxylase. The reaction pathway for the decarboxylation of oxaloacetate. By G. B. Warren & K. F. Tipton	321		

Contents of Volume 139, No. 3

	PAGE		PAGE
Proteins		The reactivity of the disulphide bonds of wool. By H. Lindley & R. W. Cranston	515
Structural membrane proteins and loosely associated proteins of the sarcoplasmic reticulum. By A. Margreth, U. Carraro & G. Salvati	509	Haem ligands of the ferricytochrome <i>c</i> of <i>Ustilago sphaerogena</i> . By S. N. Vinogradov, K. G. Bitar & S. Lowenkron	547

	PAGE		PAGE
The amino acid sequence of plastocyanin from <i>Solanum tuberosum</i> L. (potato). By J. A. M. Ramshaw, M. D. Scawen, C. J. Bailey & D. Boulter	583	Carbohydrates	
Adrenocorticotrophic and melanocyte-stimulating peptides in the human pituitary. By A. P. Scott & P. J. Lowry	593	The relationship of root-cap slimes to proteins. By K. Wright & D. H. Northcote	525
Uptake and release of ferritin iron. Surface effects and exchange within the crystalline core. By T. G. Hoy, P. M. Harrison & M. Shabbir	603	Chemical and physical properties of an arabinogalactan-peptide from wheat endosperm. By G. B. Fincher, W. H. Sawyer & B. A. Stone	535
Molecular-weight estimates of milk-fat-globule-membrane protein-sodium dodecyl sulphate complexes by electrophoresis in gradient acrylamide gels. By M. Anderson, T. Cawston & G. C. Cheeseman	653	Studies of the polysaccharide fraction from the lipopolysaccharide of <i>Pseudomonas alcaligenes</i> . By J. A. Lomax, G. W. Gray & S. G. Wilkinson	633
The use of radiolabelled T ₁ ribonuclease to monitor the efficiency of Edman degradations (<i>Short Communication</i>). By D. J. McKean & G. P. Smith	779	Peptidoglycan biosynthesis by preparations from <i>Bacillus licheniformis</i> : cross-linking of newly synthesized chains to preformed cell wall (<i>Short Communication</i>). By J. B. Ward & H. R. Perkins	781
Interaction of aldolase with the troponin-tropomyosin complex of bovine muscle (<i>Short Communication</i>). By F. M. Clarke, C. J. Masters & D. J. Winzor	785	Small Molecules	
Histidine residues and the enzyme activity of pig heart supernatant malate dehydrogenase (<i>Short Communication</i>). By J. J. Holbrook, A. Lodola & N. P. Illsley	797	A fluorimetric method for the determination of tryptophan in animal tissues. By M. K. Gaitonde	625
Nucleic Acids		Enzymology	
X-ray evidence for metal-N-7 bonding in a hydrated manganese derivative of guanosine 5'-monophosphate (<i>Short Communication</i>). By P. de Meester, D. M. L. Goodgame, T. J. Jones & A. C. Skapski	791	Purification and regulatory properties of phosphoribulokinase from <i>Hydrogenomonas eutropha</i> H 16. By A. T. H. Abdelal & H. G. Schlegel	481
Lipids		The equilibrium constant of the phosphoglyceromutase reaction. By J. B. Clarke, M. Birch & H. G. Britton	491
Triterpenoid carotenoids and related lipids. The triterpenoid carotenes of <i>Streptococcus faecium</i> UNH 564P. By R. F. Taylor & B. H. Davies	751	A kinetic study of pig liver pyruvate kinase activated by fructose diphosphate. By N. MacFarlane & S. Ainsworth	499
Triterpenoid carotenoids and related lipids. Triterpenoid monohydroxy- and monoglucosyloxy-carotenoids from <i>Streptococcus faecium</i> UNH 564P. By R. F. Taylor & B. H. Davies	761	The reaction of an α -aza-amino acid derivative with chymotrypsin and its use as a ligand for covalent affinity purification. By S. A. Barker, C. J. Gray, J. Ireson, R. C. Parker & J. V. McLaren	555
The isolation of cholest-5-ene-3 β ,26-diol from human brain (<i>Short Communication</i>). By A. G. Smith, J. D. Gilbert, W. A. Harland & C. J. W. Brooks	793	Preparation of adenosine nucleotide derivatives suitable for affinity chromatography. By I. P. Trayer, H. R. Trayer, D. A. P. Small & R. C. Bottomley	609
		A kinetic evaluation of monoamine oxidase activity in rat liver mitochondrial outer membranes. By M. D. Houslay & K. F. Tipton	645
		The use of deoxyfluoro-D-galactopyranoses in a study of yeast galactokinase specificity. By P. Thomas, E. M. Bessell & J. H. Westwood	661

	PAGE		PAGE
The preparation and properties of pyruvate kinase from yeast. By D. A. Fell, P. F. Liddle, A. R. Peacocke & R. A. Dwek	665	Statistical considerations in the estimation of enzyme kinetic parameters by the direct linear plot and other methods. By A. Cornish-Bowden & R. Eisenthal	721
The identification of intermediates in the reaction of pig heart lactate dehydrogenase with its substrates. By J. R. Whitaker, D. W. Yates, N. G. Bennett, J. J. Holbrook & H. Gutfreund	677	The isolation and properties of phenylalanine hydroxylase from rat liver. By S. S. Gillam, S. L. C. Woo & L. I. Woolf	731
Studies on the heparin sulphamidase activity from rat spleen. Intracellular distribution and characterization of the enzyme. By Y. Friedman & C. Arsenis	699	The isolation and properties of phenylalanine hydroxylase from human liver. By S. L. C. Woo, S. S. Gillam & L. I. Woolf	741
Iron and aconitase activity. By O. Gawron, A. Waheed, A. J. Glaid, III & A. Jaklitsch	709	Purification and subunit analysis of wheat-germ ribonucleic acid polymerase II. By J. J. Jendrisak & W. M. Becker	771
The direct linear plot. A new graphical procedure for estimating enzyme kinetic parameters. By R. Eisenthal & A. Cornish-Bowden	715	A spectrophotometric assay of β -lactamase action on penicillins (<i>Short Communication</i>). By S. G. Waley	789
		Intermolecular Organization	
		Hyaluronic acid in cartilage and proteoglycan aggregation. By T. E. Hardingham & H. Muir	565