

Hoppe-Seyler's Zeitschrift für Physiologische Chemie

Begründet 1877 · Fortgeführt von A. Kossel, F. Knoop und K. Thomas

Editors in Chief:

A. BUTENANDT · F. LYNEN · G. WEITZEL

Subscription Rates:

For one volume (12 parts) DM 480,—

Vol. 355 No. 5

Contents

May 1974

NADP-specific glutamate dehydrogenase from *Plasmodium chabaudi*

R. D. Walter, J.-P. Nordmeyer and E. König

Hydroxysteroid oxidoreductases and their role in the catalysis of the specific transfer of hydrogen between steroid hormones in human placenta, I. Morphological studies and the distribution of the activities of 17 β - and 20 α -hydroxysteroid oxidoreductases in subcellular fractions

K. Pollow, G. Sokolowski, H. Grunz and B. Pollow

Hydroxysteroid oxidoreductases and their role in the catalysis of the specific transfer of hydrogen between steroid hormones in human placenta, II. Kinetic studies on the hydrogen transfer between C-17 of oestradiol-17 β and C-20 of progesterone

K. Pollow, G. Sokolowski, J. Schmalbeck and B. Pollow

The purification and characterization of atropine esterase from rabbit liver microsomes

P. Moog and K. Krisch

Organ specificity in the sexual differentiation of the 17 β -hydroxysteroid dehydrogenase activities of the rat

R. Ghraf, U. Vetter and H. Schriefers

Unusual glycolipids in brain cortex of a visceral lipidosis (Niemann-Pick diseases?)

R. Kannan, H.-B. Tjong, H. Debuch and H.-R. Wiedemann

The formation of plasmalogens at the time of myelination in the rat, VII: Incorporation of (1-¹⁴C)-acetate into the aldehydes and into the sphingosine bases at different stages

G. Robbers, H. Fürniss and H. Debuch

Time course of the induction by cyclohexane of hydroxylases in mouse liver and a suitable parameter for hydroxylase activities

G. Mohn and E.-M. Philipp

The relation between the blood-level of a substrate and enzyme kinetics studied with glycerol in the rat

R. H. Ackerman, K.-H. Bässler and K. Wagner

Quantitative evaluation of reflexion spectra of living tissues

R. Wodick and D. W. Lübbers

Monodehydro-L(+)-ascorbate reducing systems in differently prepared pig liver microsomes

H. Weber, W. Weis and B. Wolf

The molecular weight of J chains of human IgM

E. Kownatzki and W. Bähr

Studies on L-asparaginase, inactivation and modification of the enzyme by *N*-bromosuccinimide and the substrate specificity of the reaction

U. Menge and L. Jaenicke

Acyl digalactosyl diglyceride from leaf homogenates

E. Heinz, J. Rullkötter and H. Budzikiewics

Investigations on the mechanism of glycoside-splitting enzymes, VIII. Number of active sites of the β -glucosidase A and B from sweet almond emulsin determined by fluorescence measurements

G. Legler and F. Witassek

Phospholipids as cinchocaine action site during inhibition of lipoperoxidative reactions in rat liver microsomes

V. Mishin, I. Tsyrllov, O. Gromova and V. Lyakhovich

Indexed in Current Contents



Walter de Gruyter · Berlin · New York

The Journal of General Microbiology

Volume 75, Part 2. April 1973

DEVELOPMENT AND STRUCTURE

J. H. FREER, J. P. ARBUTHNOTT and B. BILLCLIFFE. Effects of Staphylococcal α -Toxin on the Structure of Erythrocyte Membranes: a Biochemical and Freeze-etching study.

PHYSIOLOGY AND GROWTH

T. M. PRESTON and D. S. O'DELL. Deuterium Oxide-induced Reversion of *Naegleria gruberi* Flagellates.
B. J. ABBOTT. Ethanol Inhibition of a Bacterium (*Acinetobacter calcoaceticus*) in Chemostat Culture.

BIOCHEMISTRY

P. G. MANTLE. Production of Ergot Alkoids *in vitro* by *Sphacelia sorghi*.
D. H. JENNINGS and S. AUSTIN. The Stimulatory Effect of the Non-metabolized Sugar 3-O-Methyl Glucose on the Conversion of Mannitol and Arabinol to Polysaccharide and Other Insoluble Compounds in the Fungus *Dendryphiella salina*.
J. P. ARBUTHNOTT, J. H. FREER and B. BILLCLIFFE. Lipid induced Polymerization of Staphylococcal α -Toxin.
J. O'SULLIVAN and P. J. CASSELTON. The Subcellular Localization of Glyoxylate Cycle Enzymes in *Coprinus lagopus* (sensu Buller).
H. A. FOSTER and J. H. PARISH. Ribosomes, Ribosomal Subunits and Ribosomal Proteins from *Myxococcus xanthus*.
H. A. FOSTER and J. H. PARISH. Synthesis of RNA during Myxospore Induction in *Myxococcus xanthus*.

GENETICS AND MOLECULAR BIOLOGY

D. P. BINGHAM and B. J. BARNHART. Inhibition of Transformation by Antibodies against Competent *Haemophilus influenzae*.
J. GRINSTED and R. W. LACEY. Ecological and Genetic Implications of Pigmentation in *Staphylococcus aureus*.
G. ASKAA, C. CHRISTIANSEN and H. ERNØ. Bovine Mycoplasmas: Genome Size and Base Composition of DNA.
M. CRANDALL and P. P. SLONIMSKI. Comparison of *Hansenula wingei*, a *Petite*-negative, Obligately Aerobic Yeast, to the *Petite*-positive Yeast *Saccharomyces cerevisiae*.
M. CRANDALL. A Respiratory-deficient Mutant in the Obligately Aerobic Yeast *Hansenula wingei*.
A. RODOLAKIS, P. THOMAS and J. STARKA. Morphological Mutants of *Escherichia coli*. Isolation and Ultrastructure of a Chain-forming *envC* Mutant.

MEDICAL MICROBIOLOGY

A. S. MSHELBWALA and W. E. ORMEROD. Measurement of the Infectivity of *Trypanosoma cruzi* in Faeces of Rhodnius by Comparison of Dose-response Curves.

TAXONOMY

K. NAKAHAMA, A. IMADA, S. IGARASI and K. TUBAKI. Formation of L-Asparaginase by *Fusarium* Species.
F. G. PRIEST, H. J. SOMERVILLE, J. A. COLE and J. S. HOUGH. The Taxonomic Position of *Obesumbacterium proteus*, a Common Brewery Contaminant.

SHORT COMMUNICATIONS

J. A. A. VAN DER WIEL-KORSTANJE and W. DE VRIES. Cytochrome Synthesis by *Bifidobacterium* during Growth in Media Supplemented with Blood.
T. CROSS, R. W. ATTWELL and T. LOCCI. Fine Structure of the Spore Sheath in *Streptovercillium* Species. Proceedings of the London Meeting of Society on 4 and 5 January 1973.

Price £5.50 net (\$16.50 in U.S.A.) Annual subscription £48 net (\$159.00 in U.S.A.)

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

CLINICAL SCIENCE AND MOLECULAR MEDICINE

Formerly *Clinical Science*

EDITORIAL BOARD

For the Biochemical Society

J. A. OWEN, *Deputy Chairman*

B. H. BILLING, A. M. BRECKENRIDGE, C. N. HALES, T. D. R. HOCKADAY,
R. G. HUNTSMAN G. H. LATHE, J. LIDDELL, I. MACINTYRE,
K. L. MANCHESTER, R. W. E. WATTS

For the Medical Research Society

R. D. COHEN, *Chairman*

G. CUMMING, D. C. FLENLEY, N. F. JONES, D. M. MATTHEWS,
M. E. M. NOBLE, D. K. PETERS, A. POLAK, J. I. S. ROBERTSON,
B. ROBINSON, J. D. M. SLATER

VOL. 46, No. 5

MAY 1974

CONTENTS

- Effects of nucleotides, hormones, oils and 1,25-dihydroxycholecalciferol on 1,25-dihydroxycholecalciferol production in isolated chick renal tubules. By R. G. LARKINS, S. J. MACAULEY, A. RAPOPORT, T. J. MARTIN, B. R. TULLOCH, P. G. H. BYFIELD, E. W. MATHEWS and I. MACINTYRE
- Cell sodium, potassium and water in uraemia and the effect of regular dialysis as studied in the leucocyte. By J. PATRICK and N. F. JONES
- Observations on the development of the febrile response to pyrogens in sheep. By Q. J. PITTMAN, K. E. COOPER, W. L. VEALE and G. R. VAN PETTEN
- Vasopressin-induced increase in renal lymph flow and natriureses in dogs. By S. J. LEBRIE and R. W. GOTSHALL
- Sodium and potassium transport rates in normal human leucocytes in hypo-osmolal extracellular fluid. By P. J. HILTON and J. PATRICK
- The effects of drugs that cause neutropeni upon colony formation by bone marrow cells in semi-solid agar. By A. HOWELL, SUSAN CHINN, T. M. ANDREWS and R. W. E. WATTS
- Air embolism: fission of microtubules upon collision in plasma. By B. A. HILLS
- Plasma tocopherol levels and the susceptibility of erythrocytes to Heinz body formation. By G. R. TUDHOPE and J. HOPKINS

SHORT COMMUNICATIONS

- The effect of angiotensin upon the vasculature of the isolated perfused rat kidney. By R. B. CROSS, J. W. TRACE and J. R. VATTUONE
- The interference of human IgG with the double-antibody radioimmunoassay of thyrotrophic hormone and its clinical significance. By C. CHAPMAN, W. N. HUTTON and C. J. HAYTER
- Influence of salmon calcitonin on radiophorus distribution in polycythaemic patients. By FRANÇOISE PAILLARD, R ARDAILLOU and G. VALLÉE
- Post-heparin lipolytic activity and tissue lipoprotein lipase activity in the alloxan diabetic rat. By R. S. ELKELES and E. WILLIAMS
- Stimulation of angiotensin release by raised blood angiotensin concentration in the dog. By J. R. BLAIR-WEST, I. A. REID and W. F. GANONG

*Subscription: £2.00 (\$7.50) per part; £20.00 (\$70.00) per year.
Orders may be placed with your bookseller, or sent direct to the publishers.*

BLACKWELL SCIENTIFIC PUBLICATIONS LTD
5 ALFRED STREET, OXFORD, OX1 4HB, ENGLAND

Success

for the competitive yachtsman must in some part depend upon the quality and reliability of the equipment he uses.

Likewise for you, the researcher, these virtues must apply to your reagents for them to contribute to your success.

To broaden your Biochemical Research 'horizon' Boehringer Mannheim offer the following new preparations.

Reverse transcriptase (AMV) Cat.No. 15644 (RNA-dependent DNA-polymerase)

Purified by chromatography on DEAE-cellulose, phosphocellulose and Sephadex^{RG}-100. Supplied at -20°C in 50% glycerol, 1mM dithiothreitol and 0.3M potassium phosphate; pH approx. 8.0. Stabilised with bovine serum albumin (0.5mg/ml). With oligo-dT stimulated AMV-RNA the enzyme preparation performs well.

2'-O-Succinyl-A-3:5-MP Cat.No.15663

Introduced to satisfy the growing demand for an ultra-sensitive radio-immuno assay for A-3:5MP*. Techniques currently being developed make it possible to measure A-3:5-MP in the p-gram range with antibodies produced from Succinyl-A-3:5-MP linked to albumin.

*First described by A.L.STEINER et al., Proc. Nat. Acad. Sci. 64, 367 (1969).

Phospholipase C Cat.No 15636 from Bacillus cereus E.C. 3.1.4.3.

When elucidating the type and arrangement of membrane phospholipid structures in erythrocytes the enzyme from B. cereus has the advantage over other sources of being free from proteases, hydrolases neuraminidase and has negligible haemolytic activity.

Reference: J.SHILOACH et al., Biotechnol. and Bioengin. XV, 551 (1973)

Adenosine-5'-0-(3-thiotriphosphate) (ATP-γ-S) Cat.No. 15623

The latest in a line of nucleotide analogues of particular interest to anybody working on ATP-dependent enzyme systems. Supplied as tetra-lithium salt to facilitate solubilisation combined with stability.


Typical analysis: ATP-γ-S 85%, H₂O 15%.

Application: Inhibition of phosphatases and ATPases; investigation of muscle myosin; affinity labelling of proteins; labelling of ATP-γ-S binding enzymes for electron structural analysis and electron microscopy (ATP-γ-S was used for mercury compounds).

References: Nachr. Chem. Technol. Biochem. 155-161 (1972)

Cholesterol oxidase Cat.No. 15635 from Nocardia erythropolis E.C. 1.1.3.6

Specific activity: approx. 20U/mg
Only 0.1U of enzyme is needed for reaction of approx. 5mM substrate cholesterol.
Of particular interest to food analysts, food researchers and research clinical chemists.



For further details contact

The Boehringer Corporation (London) Ltd.,

Bilton House, Uxbridge Road, London W5 2TZ,

Telephone: 01-579 6944 (7 lines) Telex: 934289

or in Countries other than Gt. Britain your local Boehringer Mannheim Office.