Molecular Aspects

Contents of Volume 143, No. 3, 1974

	PAGE		PAGE
Proteins		Enzymology	
Topography of <i>Escherichia coli</i> ribosomal proteins. The order of reactivity of thiol groups. By A. Bakardjieva & R. R. Crichton	599	Chemically modified nylons as supports for enzyme immobilization. Polyisonitrile-nylon. By L. Goldstein, A. Freeman & M. Sokolovsky	497
Reductive alkylation of ribosomes as a probe to the topography of ribosomal proteins. By G. Moore & R. R. Crichton	607	The nucleoside triphosphate-ribonucleic acid nucleotidyltransferase (EC 2.7.7.6) of Agro-	
The macromolecular properties of blood-group-specific glycoproteins. Characterization of a series of fractions obtained by density-gradient ultracentrifugation. By K. R. Bhaskar & J. M. Creeth		bacterium tumefaciens (Smith and Townsend) Conn. Purification and properties of the enzyme from the tumorigenic strain B6806. By U. C. Knopf Temperature and pressure adaptation of the	511
The amino acid sequence of plastocyanin from Chlorella fusca. By J. Kelly & R. P. Ambler	681	binding site of acetylcholinesterase. By P. W. Hochachka	535
The amino acid sequence of plastocyanin from French bean (<i>Phaseolus vulgaris</i>). By P. R. Milne, J. R. E. Wells & R. P. Ambler		Purification and properties of dolphin muscle aspartate and alanine transaminases and their possible roles in the energy metabolism of diving mammals.	
Completion of the analysis of the primary structure of the variable domain of a homogeneous rabbit antibody to type III pneumococcal polysaccharide. By JC. Jaton	723	By T. G. Owen & P. W. Hochachka Purification and properties of the trimethylamine dehydrogenase of Bacterium 4B6. By J. Colby & L. J. Zatman	541555
Mössbauer effect in the 'super-reduced' form of the high-potential iron-sulphur protein from Chromatium (Short Communication). By D. P. E. Dickson & R. Cammack	763	Protection of glutamate dehydrogenase by nicotinamide-adenine dinucleotide against reversible inactivation by pyridoxal 5'-phosphate as a sensitive indicator of conformational change induced by substrates and substrate	
The solubility of fibrinogen in solutions containing dextrans of various molecular weights (Short Communication).		analogues. By SS. Chen & P. C. Engel	569
By M. W. Rampling	767	The structure and mechanism of stem brome- lain. Evaluation of the homogeneity of purified stem bromelain, determination of the mole-	
Nucleic Acids Formation of rings from segments of HeLacell nuclear deoxyribonucleic acid. By N. Hardman	521	cular weight and kinetic analysis of the brome- lain-catalysed hydrolysis of N-benzyloxycar- bonyl-L-phenylalanyl-L-serine methyl ester. By C. W. Wharton	575
Small Molecules		Kinetic studies on the effect of uridine	
Biological, proton-magnetic-resonance- and ultraviolet-spectroscopic evidence for a molecular complex of actinomycin D and 10,11-dihydro-3 <i>H</i> -naphth[1,2- <i>g</i>]indazol-7-ol (<i>Short Communication</i>).		diphosphate galactose and manganous ions on the reaction between lactose synthetase A protein from human milk and p-hydroxymercuribenzoate. By B. J. Kitchen & P. Andrews	587
By R. W. Chesnut, N. N. Durham, E. A. Mawdsley, G. X. Thyvelikakath, K. D. Berlin & B. M. Fung	789	Structure and properties of arginase from the polychaete annelid <i>Pista pacifica</i> Berkeley. By K. L. O'Malley & R. C. Terwilliger	591

	PAGE		PAGE
An oxygenase from guinea-pig liver which catalyses sulphoxidation. By K. Prema & K. P. Gopinathan	613	The β -galactosidase-catalysed hydrolyses of β -D-galactopyranosyl pyridinium salts. Ratelimiting generation of an enzyme-bound galactopyranosyl cation in a process dependent	
Regulation of heart muscle pyruvate dehydrogenase kinase. By R. H. Cooper, P. J. Randle & R. M.		only on aglycone acidity. By M. L. Sinnott & S. G. Withers	751
Denton	625	Expressions of the Michaelis-Menten equation when studying enzyme reactions in a variable-	
Studies on the changes in protein fluorescence and enzymic activity of aspartate aminotransferase on binding of pyridoxal 5'-phosphate.		volume medium (Short Communication). By M. P. Gingold	771
By R. W. Evans & J. J. Holbrook	643	The effect of systematic error on the accuracy of Michaelis constants and maximum velocities	
The hybridization of glyceraldehyde 3-phosphate dehydrogenases from rabbit muscle and yeast. Kinetics and thermodynamics of the reaction and isolation of the hybrid. By H. H. Osborne & M. R. Hollaway	651	estimated by using the integrated Michaelis—Menten equation (Short Communication). By P. F. J. Newman, G. L. Atkins & I. A. Nimmo	779
An examination of the utility of photogenerated		The steady-state kinetics of isotope exchange	
reagents by using α-chymotrypsin. By A. J. Bridges & J. R. Knowles	663	at equilibrium: one substrate—one product enzymic mechanisms where two molecules of substrate or product are bound to an enzyme	1
Electron-paramagnetic-resonance studies on cobalt(II) carbonic anhydrase-sulphonamide complexes.		molecule (Short Communication). By I. G. Darvey	783
By S. A. Cockle, S. Lindskog & E. Grell	703	Immunological evidence to show that the N-acetylglucosaminidase and N-acetylgalactos-	
Properties of pig heart aconitase.		aminidase activities of Dictyostelium discoideum	!
By O. Gawron, Sr., M. C. Kennedy & R. A. Rauner	717	reside in the same protein molecule (Short Communication).	
The purification of cholinesterase from horse serum.		By D. Every & J. M. Ashworth	785
By A. R. Main, W. G. Soucie, I. L. Buxton & E. Arinc	733	Intermolecular Organization	
Inhibition of the soluble adenosine triphos-	133	pH-controlled hydrogen-bonding (Short Communication).	•
phatase from mitochondria by adenylyl imido- diphosphate.		By J. L. Wood	775
By R. D. Philo & M. J. Selwyn	745	Index	79 3

The following papers appeared in the last issue of the Biochemical Journal

Cellular Aspects Contents of Volume 144, No. 2, 1974

	PAGE	1	PAGE
Biosynthesis and Degradation Degradation of monogalactosyl diglyceride and		Inhibition of progesterone of the lactogenic effect of prolactin in the pseudopregnant rabbit.	
diagalactosyl diglyceride by sheep pancreatic enzymes.		By L. Assairi, C. Delouis, P. Gaye, LM. Houdebine, M. Ollivier-Bousquet & R. Denamur	245
By S. S. Bajwa & P. S. Sastry	177	Denamur	243
Urate synthesis in the perfused chick liver. By E. Barratt, P. J. Buttery & K. N. Boorman	189	Adenosine 3':5'-cyclic monophosphate in young and senescent human fibroblasts during growth and stationary phase <i>in vitro</i> . Effects of	
Synthesis of phosphoenolpyruvate carboxy- kinase (guanosine triphosphate) by isolated liver polyribosomes.		prostaglandin E ₁ and of adrenaline. By R. J. Haslam & S. Goldstein	253
By F. J. Ballard, M. F. Hopgood, L. Reshef, S. Tilghman & R. W. Hanson	199	Biogenesis of mitochondria. Phospholipid synthesis <i>in vitro</i> by yeast mitochondrial and microsomal fractions.	
Alternative pathways of zeaxanthin biosynthesis in a <i>Flavobacterium</i> species. Experiments with nicotine as inhibitor.		By G. S. Cobon, P. D. Crowfoot & A. W. Linnane	265
By J. C. B. McDermott, D. J. Brown, G. Britton & T. W. Goodwin	231	A study of various changes in transfer ribo- nucleic acid methylase activity during adeno- virus-12 transformation in vitro.	
Studies on the metabolism of 5α -androst-16-en- 3-one in boar testis <i>in vivo</i> . By Y. A. Saat, D. B. Gower, F. A. Harrison		By E. S. McFarlane	277
& R. B. Heap	347	Soluble neutral and acid maltases in the suckling-rat intestine. The effect of cortisol and development.	
The relative stability of liver cytosol enzymes incubated <i>in vitro</i> . By M. F. Hopgood & F. J. Ballard	371	By G. Galand & G. G. Forstner	281
Inhibitory effect of carbon monoxide on the <i>N</i> -and ring-hydroxylation of 2-acetamidofluorene by hamster hepatic microsomal preparations		Isolation of microvillus plasma membranes from suckling-rat intestine. The influence of premature induction of digestive enzymes by injection of cortisol acetate.	
(Short Communication). By P. D. Lotlikar & K. Zaleski	427	By G. Galand & G. G. Forstner	293
Possible site of flavonoid synthesis in the photo- synthetic apparatus (Short Communication). By K. Saito	431	The response of the small intestine to vitamin D. Correlation between calcium-binding-protein production and increased calcium absorption. By J. S. Emtage, D. E. M. Lawson &	
Subcellular Structures		E. Kodicek	339
Transport of catecholamines by resealed chromaffin-granule 'ghosts'. By J. H. Phillips	311	Simulation of biogenic amine metabolism in the brain. By A. J. Turner, J. A. Illingworth & K. F.	
Steady-state kinetics of catecholamine transport		Tipton	353
by chromaffin-granule 'ghosts'. By J. H. Phillips	319	Hormonal control of liver regeneration. By S. Thrower & M. G. Ord	361
Cellular Interactions and Control Processes		A study of 3':5'-cyclic mononucleotide-	
Androgen responsiveness of the liver of the developing rat.		dependent protein kinase from canine prostate glands.	
By JA. Gustafsson	225	By B. K. Tsang & R. L. Singhal	377
		(continued over	leaf)

(continued from preceding page)

	PAGE		PAGE
Effects of antimycin and 2-deoxyglucose on adenine nucleotides in human platelets. Role of metabolic adenosine triphosphate in primary aggregation, secondary aggregation and shape change of platelets. By H. Holmsen, C. A. Setkowsky & H. J.		Protein synthesis and breakdown in the mother- cell and forespore compartments during spore morphogenesis in <i>Bacillus megaterium</i> . <i>By</i> M. W. Eaton & D. J. Ellar	
Day	385	Metabolism in Whole Organisms	
The effect of adrenocorticotrophin on protein degradation in rat adrenal gland and liver. By J. A. Canick & D. B. Villee Specific changes in the messenger ribonucleic	397	Intracellular protein breakdown in thermophilic and mesophilic fungi. By H. M. Miller, P. A. Sullivan & M. G. Shepherd	
acid content of the rat ventral prostate gland after androgenic stimulation. Evidence from the synthesis of aldolase messenger ribonucleic acid. By W. I. P. Mainwaring, F. R. Mangan, R. A. Irving & D. A. Jones	413	Water-soluble metabolites of p-nitrophenol and 1-naphthyl N-methylcarbamate in flies and grass grubs. Formation of glucose phosphate and phosphate conjugates. By MP. Heenan & J. N. Smith	
Development		by W. I. Heenan & J. IV. Sintin	303
Albumin and transferrin synthesis during development in the rat. By G. C. T. Yeoh & E. H. Morgan	215	Pullulanase synthesis in Klebsiella (Aerobacter) aerogenes strains growing in continuous culture. By G. C. Hope & A. C. R. Dean	

Contents of Volume 143, No. 1

	PAGE		PAGE
Proteins		Transcription of fractionated mammalian	
The localization of a vitamin K-induced modification in an N-terminal fragment of human prothrombin. By T. Skotland, T. Holm, B. Østerud, R. Flengsrud & H. Prydz	29	chromatin by mammalian ribonucleic acid polymerase. Demonstration of temperature-dependent rifampicin-resistant initiation sites in euchromatin deoxyribonucleic acid. By C. J. Chesterton, B. E. H. Coupar &	
Preliminary characterization of Thy-1.1 and		P. H. W. Butterworth	73
Ag-B antigens from rat tissues solubilized in detergents. By M. Letarte-Muirhead, R. T. Acton & A. F. Williams	51	Ribonucleic acid polymerase activities in Jerusalem-artichoke tissue. By J. R. Gore & J. Ingle	107
Effects of iodination on the distribution of pep-		Lipids	
tide hormones in aqueous two-phase polymer systems. By B. Desbuquois & G. D. Aurbach	83	A solid-phase radioimmunoassay for plasma progesterone. By K. K. Dighe & W. M. Hunter	219
Separation, purification and properties of β -lactamase I and β -lactamase II from Bacillus		Carbohydrates	
cereus 569/H/9. By R. B. Davies, E. P. Abraham & J. Melling	115	Crystallization of macromolecular heparin (Short Communication).	
Metal cofactor requirement of β-lactamase II. By R. B. Davies & E. P. Abraham	129	By E. D. T. Atkins, I. A. Nieduszynski & A. A. Horner	251
Conformational changes in the extracellular		Small Molecules	
β-lactamase I from Bacillus cereus 569/H/9. By R. B. Davies, E. P. Abraham & D. G. Dalgleish	137	The identification of 3,3',5,5'-tetraiodothyro- formic acid within the rat liver. By D. B. Ramsden, A. M. Lawson, P. J. Raw	
A new systematic strategy for the isolation of proteins, illustrated by the purification of a		& R. Hoffenberg The isolation of an azobilirubin β -D-mono-	47
mammalian exo-β-N-acetyl-D-glucosaminidase. By H. K. Robinson & D. H. Leaback The macromolecular properties of blood-	143	glucoside from dog gall-bladder bile. By E. R. Gordon, M. Dadoun, C. A.	07
group-specific glycoproteins. Characterization		Goresky, TH. Chan & A. S. Perlin The molecular and crystal structures of 4-N-	97
of a series of fractions obtained by solvent fractionation. By J. M. Creeth, K. R. Bhaskar, A. S. R. Donald & W. T. J. Morgan	159	(2-acetamido-2-deoxy- β -D-glucopyranosyl)-L-asparagine trihydrate and 4- N -(β -D-glucopyranosyl)-L-asparagine monohydrate. The X-ray	
The isolation and identification of the P-component of normal human plasma proteins		analysis of a carbohydrate-peptide linkage. By L. T. J. Delbaere	197
(Short Communication). By P. Binette, M. Binette & E. Calkins	253	Isolation of oligomers of 5,6-dihydroxyindole-2-carboxylic acid from the eye of the catfish. By S. Ito & J. A. C. Nicol	207
Nucleic Acids		Engramology	
Mammalian chromatin substructure studies with the calcium—magnesium endonuclease and		Enzymology A study of the coenzyme-binding character-	
two-dimensional polyacrylamide-gel electro- phoresis.		istics of rabbit muscle L-glycerol 3-phosphate dehydrogenase.	44
By L. A. Burgoyne, D. R. Hewish & J. Mobbs	67	By P. Bentley & F. M. Dickinson	11

iv CONTENTS

	PAGE		PAGE
A study of the kinetics and mechanism of rabbit muscle L-glycerol 3-phosphate dehydrogenase. By P. Bentley & F. M. Dickinson	19	Polyribosomal and particulate distribution of lysyl- and phenylalanyl-transfer ribonucleic acid synthetases. By G. Moline, A. Hampel & M. D. Enger	
Activation of carbamoyl phosphate synthase by N-acetyl-L-aspartate. By H. J. Forman, R. Waddell, P. B. Hamilton & S. Grisolia A new method for determining the Michaelis constant.	63	Molecular weight, amino acid composition and physicochemical properties of the exocellular DD-carboxypeptidase-transpeptidase of Streptomyces R39. By JM. Frère, R. Moreno, JM. Ghuysen, H. R. Perkins, L. Dierickx & L. Delcambe	
By F. de Miguel Merino	93	Binding of β -lactam antibiotics to the exo-	
Association of xanthine oxidase with the bovine milk-fat-globule membrane. Catalytic properties of the free and membrane-bound enzyme. By M. S. Briley & R. Eisenthal The amino acid sequence of the peptide containing the thiol group of creatine kinase from normal and dystrophic chicken breast muscle.	149	cellular DD-carboxypeptidase-transpeptidase of Streptomyces R39. By JM. Frère, JM. Ghuysen, P. E. Reynolds, R. Moreno & H. R. Perkins Anion effects on pyruvate kinase (Short Communication). By P. J. Taylor & J. L. Robinson	241
Comparison of some of the immunological		Intermolecular Organization	
properties of the antibodies developed in rabbits against these enzymes. By B. P. Roy	171	Model connective-tissue systems. A study of polyion-mobile ion and of excluded-volume interactions of proteoglycans.	
Adenosine triphosphatase activity in the neural		By W. D. Comper & B. N. Preston	_
lobe of the bovine pituitary gland. By H. Vilhardt & D. B. Hope	181	Lipid and basic protein interaction in myelin. By N. L. Banik & A. N. Davison	39

Contents of Volume 143, No. 2

	PAGE		PAGE
Proteins		Slow conformational changes of a Neurospora	
The amino acid sequence of plastocyanin from <i>Cucurbita pepo</i> L. (vegetable marrow). By M. D. Scawen & D. Boulter	257	glutamate dehydrogenase studied by protein fluorescence. By B. Ashby, J. C. Wootton & J. R. S. Fincham	
Studies on the structure and activity of rabbit C1q (a subcomponent of the first component of complement). By D. M. Lowe & K. B. M. Reid	265	Extraction, partial purification and properties of obelin, the calcium-activated luminescent protein from the hydroid <i>Obelia geniculata</i> . By A. K. Campbell	
Different molecular forms of plasminogen and plasmin produced by urokinase in human plasma and their relation to protease inhibitors and lysis of fibrinogen and fibrin. By S. Müllertz	273	Evaluation of equilibrium constants by affinity chromatography. By L. W. Nichol, A. G. Ogston, D. J. Winzon & W. H. Sawyer	
The release of iron from horse spleen ferritin by reduced flavins. By S. Sirivech, E. Frieden & S. Osaki	311	Ferritin iron uptake and release. Structure- function relationships. By P. M. Harrison, T. G. Hoy, I. G. Macara & R. J. Hoare	

F	PAGE	P	AGE
The reaction of N-acetylneuraminate lyase with		Enzymology	
chloropyruvate (Short Communication). By J. E. G. Barnett & F. Kolisis	487	Separation and properties of human brain hexosaminidase C.	
Proteolysis of rabbit immunoglobulin M by papain (Short Communication).	491	By I. Braidman, M. Carroll, N. Dance & D. Robinson	295
By B. M. McIlroy & G. T. Stevenson	491	Subcellular distribution and properties of	
Small-angle X-ray scattering of pig thyro- globulin in solution (Short Communication). By H. Brumberger, J. L. Lipton, G. Dorfman & E. Nakano	495	kynurenine transaminase in rat liver. By M. Nakatani, M. Morimoto, T. Noguchi & R. Kido	303
		Turkey liver xanthine dehydrogenase. Reacti-	
Nucleic Acids		vation of the cyanide-inactivated enzyme by sulphide and by selenide.	
Studies on chemical modification of thionucleosides in the transfer ribonucleic acid of <i>Escherichia coli</i> .		By W. F. Cleere & M. P. Coughlan	331
By Y. S. P. Rao & J. D. Cherayil	285	A comparison of wild-type and mutant ribitol dehydrogenases from <i>Klebsiella aerogenes</i> .	
Some evidence for the occurrence of ribonucleic acid in the lutoid fraction (lysosomal compartment) from <i>Hevea brasiliensis</i> latex (<i>Short</i>		By B. D. Burleigh, Jr., P. W. J. Rigby & B. S. Hartley	341
Communication). By B. Marin, P. Trouslot & S. Pujarniscle	479	Kinetic studies of oxidized nicotinamide-	
,	417	adenine dinucleotide-facilitated reactions of D-glyceraldehyde 3-phosphate dehydrogenase.	
Stabilization of two-stranded ribohomopolymer helices and destabilization of a three-		By P. J. Harrigan & D. R. Trentham	353
stranded helix by ethidium bromide (Short Communication).		The enthalpy change for the reduction of nico-	
By M. J. Waring	483	tinamide-adenine dinucleotide. By K. Burton	365
Lipids	•	•	505
The reaction of phosphoglycolipids and other lipids with hydrofluoric acid.		Membrane-bound DD-carboxypeptidases from Bacillus megaterium KM. General properties, substrate specificity and sensitivity to peni-	
By N. Shaw & A. Stead	461	cillins, cephalosporins and peptide inhibitors of	
Carbohydrates		the activity at pH5. By T. Diaz-Mauriño, M. Nieto & H. R.	
The copolymeric structure of pig skin dermatan sulphate. Characterization of p-glucuronic		Perkins	391
acid-containing oligosaccharides isolated after controlled degradation of oxydermatan sul-		Deoxycytidylate deaminase. Evidence for a new enzyme in cells infected by the virus of herpes	
phate.		simplex.	402
By LÅ. Fransson, L. Cöster, A. Malmström & I. Sjöberg	369	By H. A. Rolton & H. M. Keir	403
		An inhibitor of phospholipase D in saliva.	427
The copolymeric structure of pig skin dermatan sulphate. Isolation and characterization of		By R. M. C. Dawson & N. Hemington	427
L-idurono-sulphate-containing oligosaccharides		The preparation of crystalline human L-lactate-	
from copolymeric chains. By LÅ. Fransson, L. Cöster, B. Havsmark,		nicotinamide-adenine dinucleotide oxidoreduc- tase isoenzyme 1 involving preparative poly-	
A. Malmström & I. Sjöberg	379	acrylamide-gel electrophoresis.	
Small Molecules		By A. V. Emes, M. J. Gallimore, A. W. Hodson & A. L. Latner	453
Metabolism of biphenyl. Structure and physico-			
chemical properties of 2-hydroxy-6-oxo-6- phenylhexa-2,4-dienoic acid, the <i>meta</i> -cleavage		Turkey liver xanthine dehydrogenase: properties of the enzyme dependent on the content	
product from 2,3-dihydroxybiphenyl by <i>Pseudo</i> -		of functional active sites (Short Communication).	
monas putida.	421	By W. F. Cleere, C. O'Regan & M. P.	165
By D. Catelani & A. Colombi	431	Coughlan	465

	PAGE		PAGE
Nuclear protein kinase activity in glucagon- stimulated perfused rat livers (Short Com- munication). By W. K. Palmer, M. Castagna & D. A. Walsh	469	Intermolecular Organization The role of ribosomal ribonucleic acid in the structure and function of mammalian brain ribosomes. By B. K. Grove & T. C. Johnson	419
Formation of catalase compound I by reaction with peroxoacetic acid: pH changes in unbuffered systems (Short Communication). By P. Jones & D. N. Middlemiss		Enhanced extractability of articular cartilage proteoglycans in osteoarthrosis (Short Communication). By K. D. Brandt	475
Contents	of Volu	me 143, No. 3	
	PAGE		PAGE
Proteins		Small Molecules	
Topography of Escherichia coli ribosomal proteins. The order of reactivity of thiol groups. By A. Bakardjieva & R. R. Crichton	599	Biological, proton-magnetic-resonance- and ultraviolet-spectroscopic evidence for a molecular complex of actinomycin D and 10,11-dihydro-3H-naphth[1,2-g]indazol-7-ol (Short	
Reductive alkylation of ribosomes as a probe to the topography of ribosomal proteins. By G. Moore & R. R. Crichton	607	Communication). By R. W. Chesnut, N. N. Durham, E. A. Mawdsley, G. X. Thyvelikakath, K. D. Berlin & B. M. Fung	789
The macromolecular properties of blood- group-specific glycoproteins. Characterization of a series of fractions obtained by density- gradient ultracentrifugation. By K. R. Bhaskar & J. M. Creeth		Enzymology Chemically modified nylons as supports for enzyme immobilization. Polyisonitrile-nylon. By L. Goldstein, A. Freeman & M. Sokolovsky	497
The amino acid sequence of plastocyanin from Chlorella fusca. By J. Kelly & R. P. Ambler The amino acid sequence of plastocyanin from	681	The nucleoside triphosphate-ribonucleic acid nucleotidyltransferase (EC 2.7.7.6) of Agrobacterium tumefaciens (Smith and Townsend) Conn. Purification and properties of the enzyme	
French bean (<i>Phaseolus vulgaris</i>). By P. R. Milne, J. R. E. Wells & R. P. Ambler		from the tumorigenic strain B6806. By U. C. Knopf	511
Completion of the analysis of the primary structure of the variable domain of a homogeneous rabbit antibody to type III pneumo-		Temperature and pressure adaptation of the binding site of acetylcholinesterase. By P. W. Hochachka	535
coccal polysaccharide. By JC. Jaton	723	Purification and properties of dolphin muscle aspartate and alanine transaminases and their	
Mössbauer effect in the 'super-reduced' form of the high-potential iron-sulphur protein from <i>Chromatium</i> (Short Communication).		possible roles in the energy metabolism of diving mammals. By T. G. Owen & P. W. Hochachka	541
By D. P. E. Dickson & R. Cammack The solubility of fibrinogen in solutions containing dextrans of various molecular	763	Purification and properties of the trimethylamine dehydrogenase of Bacterium 4B6. By J. Colby & L. J. Zatman	555
weights (Short Communication). By M. W. Rampling	767	Protection of glutamate dehydrogenase by nicotinamide-adenine dinucleotide against	
Nucleic Acids Formation of rings from segments of HeLa-		reversible inactivation by pyridoxal 5'-phosphate as a sensitive indicator of conformational change induced by substrates and substrate	
cell nuclear deoxyribonucleic acid. By N. Hardman	521	change induced by substrates and substrate analogues. By SS. Chen & P. C. Engel	569

	PAGE		PAGE
The structure and mechanism of stem bromelain. Evaluation of the homogeneity of purified stem bromelain, determination of the molecular weight and kinetic analysis of the bromelain-catalysed hydrolysis of N-benzyloxycarbonyl-L-phenylalanyl-L-serine methyl ester. By C. W. Wharton	575	The purification of cholinesterase from horse serum. By A. R. Main, W. G. Soucie, I. L. Buxton & E. Arinc Inhibition of the soluble adenosine triphosphatase from mitochondria by adenylyl imido-	733
Kinetic studies on the effect of uridine diphosphate galactose and manganous ions on the reaction between lactose synthetase A protein from human milk and p-hydroxymercuribenzoate. By B. J. Kitchen & P. Andrews	587	diphosphate. By R. D. Philo & M. J. Selwyn The β -galactosidase-catalysed hydrolyses of β -D-galactopyranosyl pyridinium salts. Ratelimiting generation of an enzyme-bound galactopyranosyl cation in a process dependent	745
Structure and properties of arginase from the polychaete annelid <i>Pista pacifica</i> Berkeley. By K. L. O'Malley & R. C. Terwilliger	591	only on aglycone acidity. By M. L. Sinnott & S. G. Withers Expressions of the Michaelis-Menten equation	751
An oxygenase from guinea-pig liver which catalyses sulphoxidation. By K. Prema & K. P. Gopinathan	613	when studying enzyme reactions in a variable-volume medium (Short Communication). By M. P. Gingold	771
Regulation of heart muscle pyruvate dehydrogenase kinase. By R. H. Cooper, P. J. Randle & R. M. Denton	625	The effect of systematic error on the accuracy of Michaelis constants and maximum velocities estimated by using the integrated Michaelis—Menten equation (Short Communication). By P. F. J. Newman, G. L. Atkins & I. A.	
Studies on the changes in protein fluorescence and enzymic activity of aspartate aminotransferase on binding of pyridoxal 5'-phosphate. By R. W. Evans & J. J. Holbrook	643	Nimmo The steady-state kinetics of isotope exchange at equilibrium: one substrate-one product	779
The hybridization of glyceraldehyde 3-phosphate dehydrogenases from rabbit muscle and yeast. Kinetics and thermodynamics of the reaction and isolation of the hybrid.		enzymic mechanisms where two molecules of substrate or product are bound to an enzyme molecule (<i>Short Communication</i>). By I. G. Darvey	783
By H. H. Osborne & M. R. Hollaway An examination of the utility of photogenerated reagents by using α-chymotrypsin.	651	Immunological evidence to show that the N-acetylglucosaminidase and N-acetylgalactosaminidase activities of Dictyostelium discoideum reside in the same protein molecule (Short	
By A. J. Bridges & J. R. Knowles Electron-paramagnetic-resonance studies on cobalt(II) carbonic anhydrase-sulphonamide	663	Communication). By D. Every & J. M. Ashworth	785
Complexes. By S. A. Cockle, S. Lindskog & E. Grell Properties of pig heart aconitase.	703	Intermolecular Organization pH-controlled hydrogen-bonding (Short Communication). By J. L. Wood	775
By O. Gawron, Sr., M. C. Kennedy & R. A.	717	Index	793