


NOW IT'S SO EASY TO MEASURE CYCLIC GMP



Now you can measure
cyclic GMP simply and
accurately with our new RIA kit.

The kit is based on a highly
specific and stable antibody.
This, combined with the high
specific activity of the tritium label,
makes the assay extremely sensitive—
with a detection limit 0.04 pmol.
In addition it can be used over a wide
range of cyclic GMP levels, with
a linear calibration curve in the range
0 to 8 pmol.

Add to this simple pipetting
steps and a short incubation time of
1½ hours, and you can see why our
new cyclic GMP kit will join our well-
established cyclic AMP kit as an
invaluable aid to your research.

cyclic GMP RIA kit



**The Radiochemical Centre
Amersham**

Full information is available on request.
The Radiochemical Centre Limited, Amersham, England. Telephone: 024-04-4444
In the Americas: Amersham Searle Corp. Illinois 60005. Telephone: 312-593-6300
In W. Germany: Amersham Buchler GmbH & Co KG, Braunschweig. Telephone: 05307-4693-97

0581

The Distribution of the Human Blood Groups and other Polymorphisms

A. E. Mourant, Ada C. Kopec, and Kazimiera Domaniewska-Sobczak

The first edition of this work was published in 1954 when only ten major genetically independent systems of blood groups had been discovered. Now completely rewritten and expanded to include a mass of new information, this second edition is a unique compendium of the basic quantitative data on human population genetics. Second edition £55
Oxford Monographs on Medical Genetics

Behavioral Pharmacology

Susan D. Iversen and Leslie D. Iversen

In this book the principles and techniques for the analysis of behaviour and of drug actions in the central nervous system are concisely described, with consistent reference to the original laboratory work and to current research. The various classes of psychopharmacologic agents such as amphetamines, barbiturates, antidepressants, opiates, hallucinogens, and minor and major tranquillizers are then discussed in detail. £5.50 paper covers £2.75

The Biochemical Basis of Neuropharmacology

Jack R. Cooper, Floyd E. Bloom, and Robert H. Roth

For this edition, the information in each chapter has been updated, new illustrations have been added, and the chapter on catecholamines divided in two because of all the recent findings on dopamine. New material on the prostaglandins, cyclic AMP, and the cholinergic receptor has been included. Second edition illustrated paper covers £2.50 *Oxford Medical Publications*

Biochemical Analysis in Crop Science

Simon R. Draper

This is an introductory textbook for undergraduates and research workers wishing to use biochemical techniques in the study of crop plants. The first part deals with the technical procedures associated with the sampling and analysis of temperate and tropical crops and their products, and the second part deals with the major constituents of plant tissues. £6 paper covers £2

Oxford University Press

The
Centre
for
radiochemicals

NOW AVAILABLE
Bolton and Hunter reagent
for protein iodination

N-succinimidyl 3-(4-hydroxy,
5- [¹²⁵I] iodophenyl) propionate.

A reagent for the iodination under
very mild conditions of labile
proteins and proteins not containing
tyrosine residues*

- highly purified mono-iodo ester
- competitively priced

* Bolton AE and Hunter W M, *Biochem J*, 133, 529-539, 1973.

Please enquire for further details



The Radiochemical Centre
Amersham

The Radiochemical Centre Limited, Amersham, England.
Tel: Little Chalfont (024 04) 4444.
In the Americas: Amersham/Searle Corp, Illinois 60005.
Tel: 312-593-6300.
In V.V. Germany: Amersham Buchler GmbH & Co, KG,
Braunschweig.
Tel: 05307-4693-97.

0656

**THE BIOCHEMICAL SOCIETY
SPECIAL PUBLICATIONS SERIES**

No. 1 BIOCHEMISTRY AND MENTAL ILLNESS

Edited by L. L. IVERSEN *and* S. P. R. ROSE

1973 251 pp. £4.50 (\$12.00)

No. 2 BIOCHEMISTS IN INDUSTRY

Edited by K. W. FULLER

1973 58 pp. £1.25 (U.S. \$3.50)

No. 3 THE METABOLISM AND FUNCTION OF VITAMIN D

Edited by D. R. FRASER

1974 114 pp. £4.00 (\$10.50)

**No. 4 MEMBRANE ADENOSINE TRIPHOSPHATASES AND
TRANSPORT PROCESSES**

Edited by J. R. BRONK

1974 197 pp. £5.00 (\$12.50)

Available from your bookseller or agent, or direct from

**THE BIOCHEMICAL SOCIETY (PUBLICATIONS)
P.O. Box 32, Commerce Way,
Colchester CO2 8HP, Essex**

Leaflets giving details of contents of the above publications are available on request

CLINICAL SCIENCE AND MOLECULAR MEDICINE

Formerly *Clinical Science*

EDITORIAL BOARD

For the Biochemical Society

J. A. OWEN, *Chairman*

K. G. M. M. ALBERTI, T. M. ANDREWS, H. S. BACHELARD, B. H. BILLING,
A. M. BRECKENRIDGE, D. J. GALTON, D. GOMPERTZ, T. D. R. HOCKADAY,
G. H. LATHE, I. MACINTYRE, K. L. MANCHESTER, B. E. C. NORDIN

For the Medical Research Society

D. C. FLENLEY, *Deputy Chairman*

A. J. BELLINGHAM, R. H. DOWLING, A. V. HOFFBRAND, N. F. JONES.
G. J. R. MCHARDY, M. I. M. NOBLE, D. K. PETERS, P. RICHARDS,
B. F. ROBINSON, J. D. H. SLATER, J. D. SWALES

VOL. 50, No. 5

CONTENTS

MAY 1976

The spectrophotometric determination of human serum carboxypolypeptidase with angiotensin converting enzyme-like activity. By J. J. SUMMARY

Rat hepatic sodium plus potassium ion-dependent adenosine triphosphatase after treatment with digoxin and thyroxine. By R. LINDSAY and J. L. W. PARKER

The effect of repeated phlebotomy on bilirubin turnover, bilirubin clearance and unconjugated hyperbilirubinaemia in the Crigler-Najjar syndrome and the jaundiced Gunn rat: application of computers to experimental design. By P. D. BERK, B. F. SCHARSCHMIDT, JEANNE G. WAGGONER and S. C. WHITE

Effect of phenobarbitone on plasma lipids in normal subjects. By P. N. DURRINGTON, C. J. C. ROBERTS, LYN JACKSON, R. A. BRANCH and M. HARTOG

Analytical subcellular fractionation studies on rat liver and on isolated jejunal enterocytes with special reference to the separation of lysosomes, peroxisomes and mitochondria. By T. J. PETERS and H. SHIO

The ventilatory response in severe metabolic acidosis. By M. FULOP

The relation between functioning parietal cell and gastrin cell masses in two groups of duodenal ulcer patients. By D. J. BYRNES, SHIU KUM LAM and W. SIRCUS

Disappearance of ¹²⁵I-labelled and unlabelled insulins from blood in normal and injured rats. By K. N. FRAYN

Branched-chain amino acids, nitrogen excretion and injury in man. By J. H. WEDGE, R. DE CAMPOS, A. KERR, R. SMITH, ROSE FARRELL, VERA ILIC and D. H. WILLIAMSON

Turnover of plasma glucose and free fatty acids in patients on the first day after myocardial infarction. By I. A. NIMMO, R. H. SMITH, M. A. DOLDER and M. F. OLIVER

Renal haemodynamics and plasma renin in patients with essential hypertension. By E. B. PEDERSEN and H. J. KORNERUP

Effect of vasopressin on plasma volume and renin release in man. By A. M. KHOKHÄR, J. D. H. SLATER, MARY L. FORSLING and N. N. PAYNE

Biochemical and morphological studies on human jejunal mucosa maintained in culture. By C. L'HIRONDEL, W. F. DOE and T. J. PETERS

SHORT COMMUNICATION

The porphyrinogenic effects of kryptopyrrole in the rat and the occurrence of urinary kryptopyrrole in human hereditary hepatic porphyria. By M. J. BRODIE, D. J. M. GRAHAM, G. G. THOMPSON, M. R. MOORE and A. GOLDBERG

Subscription: £2.75 (\$8.50) per part; £28.00 (\$100.00) per year.

Orders may be placed with your bookseller, or sent direct to the publishers.

BLACKWELL SCIENTIFIC PUBLICATIONS LTD
5 ALFRED STREET, OXFORD OX1 4HB, ENGLAND

CYCLIC



in serum,
urine and
tissues

	cAMP	cGMP
Measuring range	1 – 20 p mole	0.2 – 2.0 p mole
No. of tests	150	100
New Cat. No.	171689	161659

Method: Radio-isotope dilution using specific binding protein.
Protein separation by ammonium sulphate precipitation.

2 NEW TEST COMBINATIONS from Boehringer Mannheim

Provide economical, quick and reliable methods for the
determination of both cAMP and cGMP – by the
same technique.



Full details, including your sample preparation guide, available from:
The Boehringer Corporation (London) Ltd.,
Bell Lane, Lewes, East Sussex BN7 1LG
Telephone: Lewes (07916) 71611



If in the Republic of Ireland please order direct from our Dublin Office.