Molecular Aspects Contents of Volume 167, No. 3, 1977

FULL PAPERS

PAGE

PAGE

513

525

groups into sirohaem by Escherichia coli.	
By L. M. Siegel, P. S. Davis & M. J. Murphy	669

Enzymology

Purification, biochemical characterization and serological analysis of cellular deoxyribonucleic acid polymerases and a reverse transcriptase from spleen of a patient with myelofibrotic syndrome.

Bv P. Chandra & L. K. Steel

Hydrolysis of synthetic pyrophosphoric esters by an isoenzyme of apyrase from Solanum tuberosum.

By	G.	del	Campo,	J.	Puente,	М.	Α.
Val	enzu	ela, A	A. Travers	o-C	ori & O. (Cori	

Mixed-valence cytochrome oxidase-formate complex. A steady-state intermediate.

By T. Brittain, C. Greenwood & A. Johnson 531

Chemical modification of a cellulase from Aspergillus niger.

By P. L. Hurst, P. A. Sullivan & M. G. Shepherd

549

601

The deoxyribonucleic acid polymerases from the diatom Cylindrotheca fusiformis. Partial purification and characterization of four distinct activities.

By T. W. Okita & B. E. Volcani

The deoxyribonucleic acid polymerases from the diatom Cvlindrotheca fusiformis. Subcellular distribution, exonuclease activity and heterogeneity of the enzymes.

By T. W. Okita & B. E. Volcani	51	1
--------------------------------	----	---

Human plasma uridine diphosphate galactoseglycoprotein galactosyltransferase. Purification, properties and kinetics of the enzymecatalysed reaction.

By A. Bella, Jr., J. S. Whitehead & Y. S. Kim 621

The degradation of cartilage proteoglycans and its susceptibility to proteolysis. By P. J. Roughley & A. J. Barrett 629

Proteins Incorporation of methionine-derived methyl The separation and characterization of brong chial glycoproteins by density-gradient methods. By J. M. Creeth, K. R. Bhaskar, J. R. Horton, I. Das, M.-T. Lopez-Vidriero & L. Reid 557 Enzymic and immunochemical properties of lysozyme. Accurate definition of the antigenic site around the disulphide bridge 30-115 (site 3) by 'surface simulation' synthesis. By C.-L. Lee and M. Z. Atassi 571 Localization of sites for ionic interaction with lipid in the C-terminal third of the bovine myelin basic protein. By A. J. S. Jones & M. G. Rumsby 583 Biosynthesis of the first component of complement by human fibroblasts. 1 647 By K. B. M. Reid & E. Solomon The interaction of protein A and the Fc fragment of rabbit immunoglobulin G as probed by complement-fixation and nuclear-magneticresonance studies. By C. Wright, K. J. Willan, J. Sjödahl, D. R. Burton & R. A. Dwek 661 The reactivity of the thiol groups of the adenosine triphosphatase of sarcoplasmic reticulum and their location on tryptic fragments of the molecule. By D. A. Thorley-Lawson & N. M. Green 739 The use of wheat-germ lectin-Sepharose for the purification of human haemopexin. 759 By P. Vretblad & R. Hjorth Carbohydrates Interaction of cartilage proteoglycans with hyaluronic acid. The role of the hyaluronic acid carboxyl groups. By J. E. Christner, M. L. Brown & D. D. 711 Dziewiatkowski **Small Molecules** Conjugated and unconjugated bilirubins in bile of humans and rhesus monkeys. Structure of adult human and rhesus-monkey bilirubins compared with dog bilirubins. By S. G. Blumenthal, D. B. Taggart, R. M. Ikeda, B. H. Ruebner & D. E. Bergstrom 535 (ix)

	PAGE		PAGE
The degradation of cartilage proteoglycans by tissue proteinases. Proteoglycan heterogeneity and the pathway of proteolytic degradation. By P. J. Roughley	639	The nature of the circular-dichroic spectra of complexes between ribonuclease A and nucleo- tides. By S. M. Dudkin, L. V. Karabashyan,	
The properties of a carboxylesterase from the peach-potato aphid, <i>Myzus persicae</i> (Sulz.), and its role in conferring insecticide resistance.	(75	M. Ya. Karpeisky, S. N. Mikhailov, N. Sh. Padyukova & V. G. Sakharovsky The separation and characterization of mar-	749
By A. L. Devonshire Fungal degradation of aromatic nitriles. Enzymology of C-N cleavage by <i>Fusarium</i> solani.	675	moset kidney β -D-galactosidase and β -D- glucosidase. By R. J. Pierce, R. G. Price & J. S. L. Fowler Proteoglycan-degrading enzymes. A radio-	
By D. B. Harper	685	chemical assay method and the detection of a	
Purification and properties of the hexosaminid- ase A-activating protein from human liver. By P. Hechtman & D. LeBlanc	693	new enzyme, cathepsin F. By J. T. Dingle, A. M. J. Blow, A. J. Barrett & P. E. N. Martin	775
Partial purification and properties of purine nucleoside phosphorylase from rabbit erythro- cytes. By B. Savage & N. Spencer	703	Steady-state kinetic studies of the negative co-operativity and flip-flop mechanism for <i>Escherichia coli</i> alkaline phosphatase. <i>By</i> R. D. Waight, P. Leff & W. G. Bardsley	787
Preparation and characterization of substrates suitable for the study of stereospecific secondary alkylsulphohydrolases of detergent-degrading micro-organisms.		Benzofuroxan as thiol-specific reactivity probe. Kinetics of its reactions with papain, ficin, bromelain and low-molecular-weight thiols. By M. Shipton & K. Brocklehurst	799
By G. W. J. Matcham & K. S. Dodgson	717	Degradation of myofibrillar proteins by cathep-	
Purification, properties and cellular localization of the stereospecific CS2 secondary alkyl-		sins B and D. By W. N. Schwartz & J. W. C. Bird	811
sulphohydrolase of <i>Comamonas terrigena</i> . <i>By</i> G. W. J. Matcham, K. S. Dodgson & J. W. Fitzgerald	723	General Methods Changes in apparent pH on freezing aqueous buffer solutions and their relevance to bio-	
Heterogeneity of rabbit muscle creatine kinase and limited proteolysis by proteinase K.		chemical electron-paramagnetic-resonance spectroscopy.	
By J. Williamson, J. Greene, S. Chérif & E. J. Milner-White	731	By D. L. Williams-Smith, R. C. Bray, M. J. Barber, A. D. Tsopanakis & S. P. Vincent	593

RAPID PAPERS

PAGE

Proteins

The immunological similarity of rat glandular kallikriens.

By D. Proud, G.	S.	Bailey,	Κ.	Nustad	&	
K. M. Gautvik						835

The first step in the activation of chicken pepsinogen is similar to that of prochymosin.

By	H. Keilova,	V. Kostka	& J.	Kay	855

Lipids

Phospholipase A activity associated with the membranes of human polymorphonuclear leucocytes.

By R. Franson, J. Weiss, L. Martin, J. K. Spitznagel & P. Elsbach 839

Rate-limiting steps in the cytidine pathway for the synthesis of phosphatidylcholine and phosphatidylethanolamine. By J. P. Infante	page 847
Carbohydrates A simple and rapid method for isolation of reduced carbohydrate fragments from the	

linkage region of cartilage keratan sulphate. By F. J. Kieras

Enzymology

The arrangement of substrate and organophosphorus-inhibitor leaving groups in acetylcholinesterase active site.

By J. Järv, A. Aaviksaar, N. Godovikov & D. Lobanov

823

851

	PAGE		PAGE
Phosphorus nuclear-magnetic-resonance studies of a transition-state analogue complex of creatine kinase. By E. J. Milner-White & D. S. Rycroft	827	The mechanisms of action of primary alkyl- sulphohydrolase and arylsulphohydrolase from a detergent-degrading micro-organism. By J. M. Cloves, K. S. Dodgson, D. E.	
	027	Games, D. J. Shaw & G. F. White	843
The active site of β -glucosidase from <i>Botryo-</i> <i>diplodia theobromae</i> . Effects of pH and dioxan on enzyme-catalysed reactions.		The pH-dependence of second-order rate constants of enzyme modification may provide free-reactant pK_a values.	
By G. M. Umezurike	831	By K. Brocklehurst & H. B. F. Dixon	859

INDEXES

	PAGE		PAGE
Author Index	863	Subject Index	86 9

Contents of Volume 167, No. 1, 1977 FULL PAPERS

PAGE

Proteins Enzymically iodinated human salivary proteins. Fractionation and characterization by column chromatography and electrofocusing. By S. S. Sarimo & J. Tenovuo 23 Electron-paramagnetic-resonance studies on a photochemically produced species of horseradish peroxidase Compound I. By A. R. McIntosh & M. J. Stillman 31 Griseofulvin-induced aggregation of microtubule protein. By A. Roobol, K. Gull & C. I. Pogson 39 The state of aggregation of red deer (Cervus elaphus L.) β -lactoglobulin preparations near neutral pH. By E. I. McDougall & J. C. Stewart 45 Self-association of troponin. By S. J. Lovell & D. J. Winzor 131 Solvent accessibilities in glycyl, alanyl and seryl dipeptides. By P. Manavalan, P. K. Ponnuswamy & A. R. Srinivasan 171 The amino acid sequence of rabbit slow-muscle troponin I. By R. J. A. Grand & J. M. Wilkinson 183 The subunit and polypeptide-chain structure of rabbit secretory immunoglobulin A. Isolation of a proteolytic fragment suitable for sequence studies on the variable region of α -chain. Bv A. P. Johnstone & L. E. Mole 245 Sequence studies on the heavy chain of rabbit immunoglobulin A of different a-locus allotypes. 255 By A. P. Johnstone & L. E. Mole Nucleic acids Methylated nucleotide sequences in HeLa-cell ribosomal ribonucleic acid. Correlation between the results from 'fingerprinting' hydrolysates obtained by digestion with T_1 ribonuclease

and with T_1 plus pancreatic ribonucleases.

By B. E. H. Maden & M. S. N. Khan

Lipids

Characterization of the serum lipoproteins and their apoproteins in hypercholesterolaemic guinea pigs. By M. J. Chapman & G. L. Mills	9
Carbohydrates	
Characterization of lipid A and polysaccharide moieties of the lipopolysaccharides from <i>Vibrio</i> <i>cholerae.</i> <i>By</i> S. Raziuddin	147
Free and lipid <i>myo</i> -inositol in tissues from rats with acute and less severe streptozotocin- induced diabetes. <i>By</i> K. P. Palmano, P. H. Whiting & J. N. Hawthorne	229
induced diabetes. By K. P. Palmano, P. H. Whiting & J. N.	22

Small Molecules

The isolation and further characterization of the bilirubin tetrapyrroles in bile-containing human duodenal juice and dog gall-bladder bile.

By E. R. Gordon, T.-H. Chan, K. Samodai & C. A. Goresky

Enzymology

Interaction of aspartate aminotransferase with mercurochrome. Relationship of an exposed thiol group of the enzyme to the active centre. By T. G. Kalogerakos, N. G. Oikonomakos, C. G. Dimitropoulos, I. A. Karni-Katsadima & A. E. Evangelopoulos

Use of isoelectric focusing and a chromophoric organomercurial to monitor urea-induced conformational changes of yeast phosphoglycerate kinase.

By R. A. Stinson

Purification and subunit structure of argininosuccinate lyase from Chlamydomonas reinhardi. By R. F. Matagne & J.-P. Schlösser

Tritium effect in peroxidation of ethanol by liver catalase.

77 By S. E. Damgaard

211

PAGE

53

1

65

71

	PAGE		PAGE
The equilibrium constant and the reversibility of the reaction catalysed by nicotinamide- adenine dinucleotide kinase from pigeon liver. By D. K. Apps & A. C. Nairn	87	Degradation of (\pm) -synephrine by Arthrobacter synephrinum. Oxidation of 3,4-dihydroxy-phenylacetate to 2-hydroxy-5-carboxymethyl-muconate semialdehyde.	
Affinity chromatography of the <i>Neurospora</i> NADP-specific glutamate dehydrogenase, its mutational variants and hybrid hexamers.		<i>By</i> R. Krishnan Kutty, N. Abitha Devi, M. Veeraswamy, S. Ramesh & P. V. Subba Rao	163
By D. H. Watson & J. C. Wootton	95	Reaction of the aminic form of aspartate	
Interaction of lipoprotein lipase with heparin– Sepharose. Evaluation of conditions for affinity binding.		transaminase with difluoro-oxaloacetate. By P. A. Briley, R. Eisenthal, R. Harrison & G. D. Smith	193
By G. Bengtsson & T. Olivecrona	109	Synthesis and use of bifunctional chloromethyl-	
The substrate specificity and stereochemistry, reversibility and inhibition of the 3-oxo steroid $\Delta^4 - \Delta^5$ -isomerase component of cholesterol oxidase. By A. G. Smith & C. J. W. Brooks	121	alkanedione derivatives of variable chain length for cross-linking thiol groups in oligomeric proteins. Specific cross-linking in glyceraldehyde 3-phosphate dehydrogenase. By D. P. Bloxham	201
	141	•	
Purification and properties of myosin light- chain kinase from fast skeletal muscle. <i>By</i> E. M. V. Pires & S. V. Perry	137	Kinetic studies of the phenol sulphate-phenol sulphotransferase of <i>Aspergillus oryzae</i> . <i>By</i> G. R. J. Burns, E. Galanopoulou &	
The purification and properties of <i>p</i> -cresol-		C. H. Wynn	223
(acceptor) oxidoreductase (hydroxylating), a flavocytochrome from <i>Pseudomonas putida</i> .		The reactions of 1,10-phenanthroline with yeast alcohol dehydrogenase.	
By D. J. Hopper & D. G. Taylor	155	By F. M. Dickinson & S. Berrieman	237

RAPID PAPERS

PAGE

Proteins

Prediction and confirmation by synthesis of
two antigenic sites in human haemoglobin by
extrapolation from the known antigenic
structure of sperm-whale myoglobin.
By A. L. Kazim & M. Z. Atassi275Chemical differences between thyrotropin
isohormones.
By K. M. M. Davy, J. S. Fawcett & C. J. O. R.
Morris279A second activation peptide from bovine279

cationic trypsinogen.By D. Webster & R. E. Offord285Appendix:The production of the secondactivation peptide from trypsinogen isolatedfrom individual pancreases.By P. C. Mahony & R. E. Offord287

Correction of partial amino acid sequence of erabutoxins. By N. Maeda & N. Tamiya 289

The effect of matrix on the binding of albumin	
to immobilized Cibacron Blue.	
By S. Angal & P. D. G. Dean	301

PAGE Variation in the distribution of two human heart ferritin species. Isoferritin profile and subunit composition in normal and iron-overloaded

297

subjects. By A. Bomford, Y. Lis, I. G. McFarlane & R. Williams 309

Enzymology

L.

The involvement of the bridging imidazolate in the catalytic mechanism of action of bovine superoxide dismutase. By M. E. McAdam, E. M. Fielden, F. Lavelle

M.E. MCAdam, E	. M. rielden, r. Lavene	<i>.</i> ,
Calabrese, D. Coc	cco & G. Rotilio	271

Lysostaphin endopeptidase-catalysed transpeptidation reactions of the imino-transfer type. *By* G. L. Sloan, E. C. Smith & J. H. Lancaster 293

Adenosine triphosphatase and adenosine diphosphate/adenosine triphosphate isotopeexchange activities of the chromaffin-granule membrane.

By D. K. Apps & G. A. Reid

PAGE	TT 1 1 d' Constantin en un de las ser	PAGE
305	Hydroxylation of aromatic compounds by re- duced nicotinamide-adenine dinucleotide and phenazine methosulphate requires hydrogen peroxide and hydroxyl radicals, but not superoxide. By B. Halliwell	
	Intermolecular Organization	
	Release of alkaline phosphatase from mem- branes by a phosphatidylinositol-specific phos- pholipase C. <i>By</i> M. G. Low & J. B. Finean	
	305	 Hydroxylation of aromatic compounds by reduced nicotinamide-adenine dinucleotide and phenazine methosulphate requires hydrogen peroxide and hydroxyl radicals, but not superoxide. By B. Halliwell Intermolecular Organization Release of alkaline phosphatase from membranes by a phosphatidylinositol-specific phospholipase C.

Contents of Volume 167, No. 2, 1977

FULL PAPERS

Proteins	PAGE	Enzymology	PAGE
Characterization and serology of the matrix protein from a nuclear-polyhedrosis virus of <i>Trichoplusia ni</i> before and after degradation by an endogenous proteinase.		Identification and partial characterization of an inhibitor of collagenase from rabbit bone. By A. Sellers & J. J. Reynolds	353
By D. A. Eppstein & J. A. Thoma The sites of phosphorylation of rabbit cardiac troponin I by adenosine $3':5'$ -cyclic mono- phosphate-dependent protein kinase. Effect of interaction with troponin C. By A. J. G. Moir & S. V. Perry	321	Fructose 1,6-bisphosphate aldolase from rabbit muscle. The isomerization of the enzyme- dihydroxyacetone phosphate complex. By E. Grazi & M. Blanzieri A subunit-sized butyrylcholinesterase present in high concentrations in pooled rabbit serum.	361
Inactivation of α - and β -thrombin by anti- thrombin-III, α_2 -macroglobulin and α_1 -pro- teinase inhibitor. By R. Machovich, A. Borsodi, G. Blaskó & S. A. Orakzai	393	 By A. R. Main, S. C. McKnelly & S. K. Burgess-Miller Studies on C3 convertases. Inhibition of C5 convertase formation by peptides containing aromatic amino acids. 	367
Electron-paramagnetic-resonance studies of leghaemoglobins from soya-bean and cowpea root nodules. Identification of nitrosyl-leg- haemoglobin in crude leghaemoglobin pre-		By A. Kossorotow, W. Opitz, E. Etschenberg & U. HaddingThe histidine residues of phospholipase C from	377
parations. By C. S. Maskall, J. F. Gibson & P. J. Dart	435	Bacillus cereus. By C. Little Affinity chromatography of aminoacyl-transfer	399
Carbohydrates		ribonucleic acid synthetases. Small organic ligands.	
Synthesis of glycosaminoglycans by human embryonic lung fibroblasts. Different distri- bution of heparan sulphate, chondroitin sulphate and dermatan sulphate in various fractions of the cell culture.	383	By C. M. Clarke & J. R. Knowles Affinity chromatography of aminoacyl-transfer ribonucleic acid synthetases. Cognate transfer ribonucleic acid as a ligand. By C. M. Clarke & J. R. Knowles	405 419
By I. Sjöberg & LÅ. Fransson	505	by C. M. Clarke & J. R. Khowles	

497

501

I	PAGE		PAGE
Activation studies of the multiple forms of prochymosin (prorennin). By N. Asato & A. G. Rand, Jr.	429	Evidence for the role of vitamin B-6 as a cofactor of lysyl oxidase. By J. C. Murray & C. I. Levene	463
The electron-transfer reaction between azurin and the cytochrome c oxidase from <i>Pseudo- monas aeruginosa</i> . By S. R. Parr, D. Barber, C. Greenwood & M. Brunori	447	 Pre-steady-state kinetic studies on cytoplasmic sheep liver aldehyde dehydrogenase. By A. K. H. MacGibbon, L. F. Blackwell & P. D. Buckley A model for the allosteric regulation of pH-sensitive enzymes. By J. S. Shindler & K. F. Tipton 	469
Nitrogenase of <i>Klebsiella pneumoniae</i> . Distinc- tion between proton-reducing and acetylene- reducing forms of the enzyme: effect of tem- perature and component protein ratio on substrate-reduction kinetics. <i>By</i> R. N. F. Thorneley & R. R. Eady	457	Intermolecular Organization The effect of bovine tendon glycoprotein on the formation of fibrils from collagen solutions. By J. C. Anderson, R. I. Labedz & M. A. Kewley	
R	APID P.	APERS	
Proteins	PAGE	Small Molecules	PAGE
A quantitative analysis of histone H1 in rabbit thymus nuclei. By G. H. Goodwin, R. H. Nicolas & E. W. Johns	485	Electrochemical analysis of the carboxy- ¹⁴ C- labelled aliphatic carboxylic acid metabolites resulting from tracer studies. By G. H. Walker & D. E. Hathway	
A cystine-rich protein fraction from oxidized α -keratin. By J. H. Buchanan The reaction of Fe(III) myoglobin fluoride with	489	Enzymology Inhibition of the membrane-bound adenosine triphosphatase of <i>Escherichia coli</i> by dicyclo- hexylcarbodi-imide.	

reducing agents. By R. P. Cox	493
The molecular size of <i>N</i> -methylglutamate dehydrogenase of <i>Pseudomonas aminovorans</i> .	

By C. W. Bamforth & P. J. Large

475A simple radioassay for angiotensin-converting
enzyme.tamateenzyme.trans.By J. W. Ryan, A. Chung, C. Ammons &
M. L. Carlton

By D. L. Feinstein & R. J. Fisher

Contents of Volume 167, No. 3, 1977

FULL PAPERS

	PAGE		PAGE
Proteins The separation and characterization of bron-		Biosynthesis of the first component of comple- ment by human fibroblasts. By K. B. M. Reid & E. Solomon	647
chialglycoproteins by density-gradient methods. By J. M. Creeth, K. R. Bhaskar, J. R. Horton, I. Das, MT. Lopez-Vidriero & L. Reid		The interaction of protein A and the Fc frag- ment of rabbit immunoglobulin G as probed by	
Enzymic and immunochemical properties of lysozyme. Accurate definition of the antigenic site around the disulphide bridge 30–115 (site 3) by 'surface simulation' synthesis.	;	complement-fixation and nuclear-magnetic- resonance studies. By C. Wright, K. J. Willan, J. Sjödahl, D. R. Burton & R. A. Dwek	
By CL. Lee and M. Z. Atassi Localization of sites for ionic interaction with lipid in the C-terminal third of the bovine myelin basic protein.		The reactivity of the thiol groups of the adenosine triphosphatase of sarcoplasmic reti- culum and their location on tryptic fragments of the molecule.	
By A. J. S. Jones & M. G. Rumsby	583	By D. A. Thorley-Lawson & N. M. Green	739

The use of wheat-germ lectin-Sepharose the purification of human haemopexin. By P. Vretblad & R. Hjorth	-	759
Carbohydrates		

Interaction of cartilage proteoglycans with hyaluronic acid. The role of the hyaluronic acid carboxyl groups.

By J. E. Christner, M. L. Brown & D. D. Dziewiatkowski 711

Small Molecules

Conjugated and unconjugated bilirubins in bile of humans and rhesus monkeys. Structure of adult human and rhesus-monkey bilirubins compared with dog bilirubins.

By S. G. Blumenthal, D. B. Taggart, R. M.	
Ikeda, B. H. Ruebner & D. E. Bergstrom	535

Incorporation of methionine-derived methyl groups into sirohaem by Escherichia coli.

By L. M. Siegel, P. S. Davis & M. J. Murphy 669

Enzymology

Purification, biochemical characterization and serological analysis of cellular deoxyribonucleic acid polymerases and a reverse transcriptase from spleen of a patient with mvelofibrotic syndrome.

By P. Chandra & L. K. Steel 513

Hydrolysis of synthetic pyrophosphoric esters by an isoenzyme of apyrase from Solanum tuberosum.

By G. del Campo, J. Puente, M. A. Valenzuela, A. Traverso-Cori & O. Cori 525

Mixed-valence cytochrome oxidase-formate complex. A steady-state intermediate.

By T. Brittain, C. Greenwood & A. Johnson 531

Chemical modification of a cellulase from Aspergillus niger.

By P	. L.	Hurst,	Ρ.	Α.	Sullivan	&	М.	G.	
Shep	nerd								549

The deoxyribonucleic acid polymerases from the diatom Cylindrotheca fusiformis. Partial purification and characterization of four distinct activities.

The deoxyribonucleic acid polymerases from the diatom Cylindrotheca fusiformis. Subcellular distribution, exonuclease activity and heterogeneity of the enzymes.

By T. W. Okita & B. E. Volcani 611

Human plasma uridine diphosphate galactose- glycoprotein galactosyltransferase. Purifica- tion, properties and kinetics of the enzyme- catalysed reaction. By A. Bella, Jr., J. S. Whitehead & Y. S. Kim	PAGE 621
The degradation of cartilage proteoglycans and its susceptibility to proteolysis. By P. J. Roughley & A. J. Barrett	629
The degradation of cartilage proteoglycans by tissue proteinases. Proteoglycan heterogeneity and the pathway of proteolytic degradation. <i>By</i> P. J. Roughley	639
The properties of a carboxylesterase from the peach-potato aphid, <i>Myzus persicae</i> (Sulz.), and its role in conferring insecticide resistance. <i>By</i> A. L. Devonshire	675
Fungal degradation of aromatic nitriles. Enzymology of C-N cleavage by <i>Fusarium</i> solani. By D. B. Harper	685
Purification and properties of the hexosamini- dase A-activating protein from human liver. By P. Hechtman & D. LeBlanc	693
Partial purification and properties of purine nucleoside phosphorylase from rabbit erythro- cytes.	
By B. Savage & N. Spencer Preparation and characterization of substrates suitable for the study of stereospecific secondary alkylsulphohydrolases of detergent-degrading micro-organisms. By G. W. J. Matcham & K. S. Dodgson	
 Purification, properties and cellular localization of the stereospecific CS2 secondary alkyl-sulphohydrolase of <i>Comamonas terrigena</i>. By G. W. J. Matcham, K. S. Dodgson & J. W. Fitzgerald 	
Heterogeneity of rabbit muscle creatine kinase and limited proteolysis by proteinase K. By J. Williamson, J. Greene, S. Chérif &	

complexes between ribonuclease A and nucleo-

731

749

By S. M. Dudkin, L. V. Karabashyan, M. Ya. Karpeisky, S. N. Mikhailov, N. Sh. Padyukova & V. G. Sakharovsky

The nature of the circular-dichroic spectra of

E. J. Milner-White

tides.

The separation and characterization of marmoset kidney β -D-galactosidase and β -Dglucosidase.

By R. J. Pierce, R. G. Price & J. S. L. Fowler 765

DACE

PAGE

Proteoglycan-degrading enzymes. A radiochemical assay method and the detection of a new enzyme, cathepsin F.

By J. T. Dingle, A. M. J. Blow, A. J. Barrett	
& P. E. N. Martin	775

Steady-state kinetic studies of the negative co-operativity and flip-flop mechanism for Escherichia coli alkaline phosphatase.

By R. D. Waight, P. Leff & W. G. Bardsley 787 Benzofuroxan as thiol-specific reactivity probe.

Kinetics of its reactions with papain, ficin, bromelain and low-molecular-weight thiols.

By	M.	Shipton	& K.	Brocklehurst	799
----	----	---------	------	--------------	-----

PAGE Degradation of myofibrillar proteins by cathepsins B and D. By W. N. Schwartz & J. W. C. Bird 811

General Methods

Enzymology

Changes in apparent pH on freezing aqueous buffer solutions and their relevance to biochemical electron-paramagnetic-resonance spectroscopy.

By D. L. Williams-Smith, R. C. Bray, M. J. Barber, A. D. Tsopanakis & S. P. Vincent

RAPID PAPERS

PAGE

The immunological similarity of rat glandular The arrangement of substrate and organokallikriens. By D. Proud, G. S. Bailey, K. Nustad & K. M. Gautvik 835

The first step in the activation of chicken pepsinogen is similar to that of prochymosin.

855 By H. Keilova, V. Kostka & J. Kay

Lipids

Proteins

Phospholipase A activity associated with the membranes of human polymorphonuclear leucocytes.

Bv R. Franson, J. Weiss, L. Martin, J. K. Spitznagel & P. Elsbach 839

Rate-limiting steps in the cytidine pathway for the synthesis of phosphatidylcholine and phosphatidylethanolamine.

Carbohydrates

A simple and rapid method for isolation of reduced carbohydrate fragments from the linkage region of cartilage keratan sulphate. By F. J. Kieras

phosphorus-inhibitor leaving groups in acetylcholinesterase active site. By J. Järv, A. Aaviksaar, N. Godovikov & D. Lobanov

Phosphorus nuclear-magnetic-resonance studies of a transition-state analogue complex of creatine kinase.

By E. J. Milner-White & D. S. Rycroft 827

The active site of β -glucosidase from *Botryo*diplodia theobromae. Effects of pH and dioxan on enzyme-catalysed reactions. By G. M. Umezurike

The mechanisms of action of primary alkylsulphohydrolase and arylsulphohydrolase from a detergent-degrading micro-organism.

By J. M. Cloves, K. S. Dodgson, D. E. Games, D. J. Shaw & G. F. White 843

The pH-dependence of second-order rate constants of enzyme modification may provide free-reactant pK_a values.

859 By K. Brocklehurst & H. B. F. Dixon

INDEXES

851

	PAGE		PAGE
Author Index	863	Subject Index	869

PAGE

823

831

593