

Cellular Aspects
Contents of Volume 208, No. 3, 1982

Protein Biosynthesis/Molecular Genetics

- The breakdown of *Tetrahymena* ribosomes *in vivo*. The effects of inhibitors H. G. KLEMPERER & D. J. PILLEY 831-837

Protein Turnover

- The effect of chloroquine on the distribution of newly synthesized and old β -hexosaminidase in fibroblasts G. D. VLADUTIU 559-566
- Effect of corticosterone on myofibrillar protein turnover in diabetic rats as assessed by N^{α} -methylhistidine excretion F. M. TOMAS 593-601
- The rate of protein degradation in developing brain. Methodological considerations D. S. DUNLOP, D. M. McHALE & A. LAJTHA 659-666
- The regulation of proteolysis in normal fibroblasts as they approach confluence. Evidence for the participation of the lysosomal system S. M. COCKLE & R. T. DEAN 795-800
- Cystine accumulation in cystinotic fibroblasts from free and protein-linked cystine but not cysteine J. G. THOENE & R. M. LEMONS 823-830

Metabolism, Regulation and Control Processes

- Effect of calmodulin antagonists on lysosomal enzyme secretion and phospholipid metabolism in guinea-pig macrophages T. TAKENAWA, Y. HOMMA & Y. NAGAI 549-558
- Kinetics of subcellular distribution in rat intestine of 1,25-dihydroxycholecalciferol administered *in vivo*. Evidence for concentration within 5 min into purified nuclei J. H. BLOOR, A. DASMAHAPATRA, M. M. WEISER & W. D. KLOHS 567-575
- Role of pyruvate carboxylation in the energy-linked regulation of pool sizes of tricarboxylic acid-cycle intermediates in the myocardium K. J. PEUKURINEN, E. M. NUUTINEN, E. P. PIETILÄINEN, J. K. HILTUNEN & I. E. HASSINEN 577-581
- A ^1H n.m.r. study of the kinetic properties expressed by glyceraldehyde phosphate dehydrogenase in the intact human erythrocyte K. M. BRINDLE, I. D. CAMPBELL & R. J. SIMPSON 583-592
- A new procedure for haptenizing adenosine leading to a more specific radioimmunoassay method A. C. NEWBY & G. B. SALA 603-610
- Regulation of lipogenic capacity in lactating rats M. R. GRIGOR, A. GEURSEN, M. J. SNEYD & S. M. WARREN 611-618
- Calcium ion fluxes induced by the action of α -adrenergic agonists in perfused rat liver P. H. REINHART, W. M. TAYLOR & F. L. BYGRAVE 619-630
- Role of an acidic compartment in synthesis of disaturated phosphatidylcholine by rat granular pneumocytes A. CHANDER, A. B. FISHER & J. F. STRAUSS, III 651-658
- Effects of thyroidectomy and starvation on the activity and properties of hepatic carnitine palmitoyltransferase E. D. SAGGERSON, C. A. CARPENTER & B. S. TSELENITIS 667-672
- Response to starvation of hepatic carnitine palmitoyltransferase activity and its regulation by malonyl-CoA. Sex differences and effects of pregnancy E. D. SAGGERSON & C. A. CARPENTER 673-678
- The degradative pathway of the *s*-triazine melamine. The steps to ring cleavage K. JUTZI, A. M. COOK & R. HÜTTER 679-684
- Exercise-induced alterations of hepatic mitochondrial function C. A. TATE, P. E. WOLKOWICZ & M. McMILLIN-WOOD 695-701
- Phospholipid turnover in isolated rat pancreatic acini. Consideration of the relative roles of phospholipase A₂ and phospholipase C S. P. HALENDA & R. P. RUBIN 713-721

| | | |
|---|--|---------|
| Abundant amounts of diadenosine 5',5'''-P ¹ ,P ⁴ -tetraphosphate are present and releasable, but metabolically inactive, in human platelets | H. FLODGAARD & H. KLENOW | 737-742 |
| Maximum activities of some enzymes of glycolysis, the tricarboxylic acid cycle and ketone-body and glutamine utilization pathways in lymphocytes of the rat | M. S. M. ARDAWI & E. A. NEWSHOLME | 743-748 |
| A role for 2,4-enoyl-CoA reductase in mitochondrial β -oxidation of polyunsaturated fatty acids. Effects of treatment with clofibrate on oxidation of polyunsaturated acylcarnitines by isolated rat liver mitochondria | H. OSMUNDSEN, J. CERVENKA & J. BREMER | 749-757 |
| Modulation of cerebral catecholamine concentrations during hyperphenylalaninaemia | C. A. BRASS & O. GREENGARD | 765-771 |
| Inhibition of acetyl-CoA carboxylase activity in isolated rat adipocytes incubated with glucagon. Interaction with the effects of insulin, adrenaline and adenosine deaminase | V. A. ZAMMIT & C. G. CORSTORPHINE | 783-788 |
| Plasma-membrane location of phosphatidylinositol hydrolysis in rabbit neutrophils stimulated with formyl-methionyl-leucylphenylalanine | J. P. BENNETT, S. COCKCROFT, A. H. CASWELL & B. D. GOMPERTS | 801-808 |
| The effect of adrenalectomy on GDP binding to brown-adipose-tissue mitochondria of obese rats | S. HOLT & D. A. YORK | 819-822 |
| Inosine metabolism in the rat | R. J. SHARMA, A. R. FERNANDO & J. R. GRIFFITHS | 839-844 |
| Activation of glycerophosphocholine phosphodiesterase in rat forebrain by Ca ²⁺ | S. SPANNER & G. B. ANSELL | 845-850 |
| Further evidence for the classical pentose phosphate cycle in the liver | R. ROGNSTAD, P. WALS & J. KATZ | 851-855 |
| Mechanism of hydroxylation at C-22 during the biosynthesis of ecdysteroids in the locust <i>Schistocerca gregaria</i> | D. R. GREENWOOD & H. H. REES | 857-864 |
| The polyenic system of retinyl phosphate is required for its mannosyl donor activity but not for acceptor activity | Y. SHIDOJI, C. S. SILVERMAN-JONES & L. M. DE LUCA | 865-868 |
| Cell Surfaces and Receptors | | |
| A new unextracted-sample radioimmunoassay method for hepatic endogenous nuclear L-tri-iodothyronine content. Validity of its use in determining nuclear receptor binding characteristics | T. YAGURA & P. G. WALFISH | 641-649 |
| Nuclear interactions of retinoic acid-binding protein in chemically induced mammary adenocarcinoma | R. G. MEHTA, W. L. CERNY & R. C. MOON | 731-736 |
| The liver angiotensin receptor involved in the activation of glycogen phosphorylase | S. KEPPENS, H. DE WULF, P. CLAUSER, S. JARD & J.-L. MORGAT | 809-817 |
| Developmental Biochemistry | | |
| Development of fatty acid oxidation in neonatal guinea-pig liver | D. A. SHIPP, M. PARAMESWARAN & I. J. ARINZE | 723-730 |
| Membranes, Transport, Bioenergetics and Photosynthesis | | |
| Cation transport mechanisms in <i>Mycoplasma mycooides</i> var. Capri cells Na ⁺ -dependent K ⁺ accumulation | M. BENYOUCEF, J.-L. RIGAUD & G. LEBLANC | 529-538 |
| Cation transport mechanisms in <i>Mycoplasma mycooides</i> var. Capri cells. The nature of the link between K ⁺ and Na ⁺ transport | M. BENYOUCEF, J.-L. RIGAUD & G. LEBLANC | 539-547 |
| Influence of dietary fat on the lipid composition of rat brain synaptosomal and microsomal membranes | M. FOOT, T. F. CRUZ & M. T. CLANDININ | 631-640 |
| Sodium-gradient-stimulated transport of L-alanine by plasma-membrane vesicles isolated from liver parenchymal cells of fed and starved rats. Crucial role of the adrenal glucocorticoids | D. C. QUINLAN, C. G. TODDERUD, D. S. KELLEY & R. F. KLETZIEN | 685-693 |

| | | |
|--|---|---------|
| Regulation of malate oxidation in plant mitochondria. Response to rotenone and exogenous NAD ⁺ | J. M. PALMER, J.-P. SCHWITZGUÉBEL & | 703–711 |
| The association of FAD with the cytochrome <i>b</i> ₋₂₄₅ of human neutrophils | I. M. MØLLER | |
| Characterization of calcium binding to brush-border mem- branes from rat duodenum | A. R. CROSS, O. T. G. JONES, R. GARCIA & A. W. SEGAL | 759–763 |
| Parotid microsomal Ca ²⁺ transport. Subcellular localization and characterization | A. MILLER, III, S.-T. LI & F. BRONNER | 773–781 |
| | P. KANAGASUNTHERAM & T. S. TEO | 789–794 |