

CONTENTS

Volume 257, No. 1, 1989

Policy of the Journal and Instructions to Authors		1-21
REVIEW ARTICLE		
Phosphotyrosyl protein phosphatases	K.-H. W. LAU, J. R. FARLEY & D. J. BAYLINK	23-36
FULL AND RAPID PAPERS		
Proteins		
Physicochemical studies on achatinin _H , a novel sialic acid-binding lectin	C. MANDAL, S. BASU & C. MANDAL	65-71
A type VI collagen-related glycopolypeptide is the major concanavalin A-binding component in pig skin	I. A. KING, A. TABIOWO, P. R. FRYER & F. M. POPE	79-86
Sequence-specific ¹ H-n.m.r. assignments and peptide backbone conformation in rat epidermal growth factor	K. H. MAYO, R. C. CAVALLI, A. R. PETERS, R. BOELEN & R. KAPTEIN	197-205
Enzymes		
Partial purification and characterization of a formylmethionine deformylase from rat small intestine	M. F. BROOM, R. M. SHERRIFF, W. P. TATE, J. COLLINGS & V. S. CHADWICK	51-56
A single-parameter family of adjustments for fitting enzyme kinetic models to progress-curve data	R. G. DUGGLEBY & J. C. NASH	57-64
Minimum requirements for inhibition of smooth-muscle myosin light-chain kinase by synthetic peptides	J. T. HUNT, D. M. FLOYD, V. G. LEE, D. K. LITTLE & S. MORELAND	73-78
Studies on electron transfer from methanol dehydrogenase to cytochrome c _L , both purified from <i>Hyphomicrobium X</i>	M. DIJKSTRA, J. FRANK, JZN. & J. A. DUINE	87-94
Correlation of neuropathy target esterase activity with specific tritiated di-isopropyl phosphorofluoridate-labelled proteins	T. C. THOMAS, Y. ISHIKAWA, M. G. MCNAMEE & B. W. WILSON	109-116
The identification of active forms of cysteine proteinases in Kirsten-virus-transformed mouse fibroblasts by use of a specific radio-labelled inhibitor	R. W. MASON, D. WILCOX, P. WIKSTROM & E. N. SHAW	125-129
Unfractionated heparin inhibits thrombin-catalysed amplification reactions of coagulation more efficiently than those catalysed by Factor Xa	F. A. OFOSU, J. HIRSH, C. T. ESMON, G. J. MODI, L. M. SMITH, N. ANVARI, M. R. BUCHANAN, J. W. FENTON, II & M. A. BLAJCHMAN	143-150
Structural similarity of chymopapain forms as indicated by circular dichroism	S. SOLIS-MENDIOLA, R. ZUBILLAGA-LUNA, A. ROJO-DOMINGUEZ & A. HERNANDEZ-ARANA	183-186
Transient-time analysis of substrate-channelling in interacting enzyme systems	J. OVÁDI, P. TOMPA, B. VÉRTESSY, F. OROSZ, T. KELETI & G. R. WELCH	187-190
Effect of heparin on the glia-derived-nexin-thrombin interaction	A. WALLACE, G. ROVELLI, J. HOFSTEENGE & S. R. STONE	191-196
Glutathione transferases in rat hepatoma cells. Effects of ascites cells on the isoenzyme pattern in liver and induction of glutathione transferases in the tumour cells	M. K. TAHIR, C. GUTHENBERG & B. MANNERVIK	215-220
Subcellular distribution and characteristics of trihydroxycoprostanoyl-CoA synthetase in rat liver	L. SCHEPERS, M. CASTEELS, K. VERHEYDEN, G. PARMENTIER, S. ASSELBERGHS, H. J. EYSEN & G. P. MANNAERTS	221-229
Unexpected influence of ionic strength on branched-pathway interactions between β -lactamases and β -halogenopenicillanates	F. DE MEESTER, A. MATAGNE, G. DIVE & J.-M. FRÈRE	245-249
Common epitopes of bovine lens multicatalytic-proteinase-complex subunits	B. J. WAGNER & J. W. MARGOLIS	265-269
The inhibition of tyrosinase by pyridinones	R. C. HIDER & K. LERCH	289-290
Some uses of extrapolation in kinetics	I. E. CROMPTON & S. G. WALEY	305-308
Carbohydrates		
Type analysis of the oligosaccharide chains on microheterogeneous components of bovine pancreatic DNAase by the lectin-nitro-cellulose sheet method	S. KIJIMOTO-OCHIAI, Y. U. KATAGIRI, T. HATAE & H. OKUYAMA	43-49

CONTENTS (continued)

Gene structure and expression

- Identification of an androgen-repressed mRNA in rat ventral prostate as coding for sulphated glycoprotein 2 by cDNA cloning and sequence analysis S. BETTUZZI, R. A. HIIPAKKA, P. GILNA & S. LIAO 293-296

Intermediary metabolism and metabolic control

- Physiological significance of the marked increased branching of the glycans of human serotransferrin during pregnancy D. LÉGER, B. CAMPION, J.-P. DECOTTIGNIES, J. MONTREUIL & G. SPIK 231-238
- Altered enzyme activities and citrulline synthesis in liver mitochondria from ornithine carbamoyltransferase-deficient *sparse-fur^{ssh}* mice N. S. COHEN, C.-W. CHEUNG & L. RAIJMAN 251-257
- Longer-term regulation of branched-chain-2-oxoacid dehydrogenase complex studied in rat hepatocytes in culture M. BEGGS, J. M. SHAW & P. J. RANDLE 271-275
- Cleavage of folates during ethanol metabolism. Role of acetaldehyde/xanthine oxidase-generated superoxide S. SHAW, E. JAYATILLEKE, V. HERBERT & N. COLMAN 277-280
- Is methionine transaminated in skeletal muscle? G. WU & J. R. THOMPSON 281-284
- Sub-micromolar concentrations of extramitochondrial Ca²⁺ stimulate the rate of citrulline synthesis by rat liver mitochondria J. D. JOHNSTON & M. D. BRAND 285-288
- Involvement of D-amino acid oxidase in elimination of free D-amino acids in mice Y. NAGATA, R. KONNO, Y. YASUMURA & T. AKINO 291-292

Bioenergetics and transport

- Calcium and proton activities in rat cardiac mitochondria. Effect of matrix environment on behaviour of fluorescent probes M. REERS, R. A. KELLY & T. W. SMITH 131-142
- The renal Na⁺/Ca²⁺ exchange system is located exclusively in the distal tubule C. RAMACHANDRAN & M. G. BRUNETTE 259-264

Membranes and receptors

- Membrane proteins in senescent erythrocytes T. SUZUKI & G. L. DALE 37-41
- Partial purification of a protein from maize (*Zea mays*) coleoptile membranes binding the Ca²⁺-channel antagonist verapamil H. J. HARVEY, M. A. VENIS & A. J. TREWAVAS 95-100
- Delineation of atypical insulin receptors from classical insulin and Type I insulin-like growth factor receptors in human placenta H. A. JONAS, A. J. COX & L. C. HARRISON 101-107
- Smooth muscle expresses a cardiac/slow muscle isoform of the Ca²⁺-transport ATPase in its endoplasmic reticulum F. WUYTACK, Y. KANMURA, J. A. EGGERMONT, L. RAEYMAEKERS, J. VERBIST, D. HARTWEG, K. GIETZEN & R. CASTEELS 117-123
- Release of soluble resident as well as secretory proteins from HepG2 cells by partial permeabilization of rough-endoplasmic-reticulum membranes G. J. STROUS & P. VAN KERKHOFF 159-163
- Morphine enhances the phosphorylation of a 58 kDa protein in mouse brain membranes K. NAGAMATSU, K. SUZUKI, R. TESHIMA, H. IKEBUCHI & T. TERAO 165-171
- Uptake of retinyl ester in HL-60 cells via the low-density-lipoprotein-receptor pathway K.-O. WATHNE, B. CARLANDER, K. R. NORUM & R. BLOMHOFF 239-244
- Inositol 1:2-cyclic,4,5-trisphosphate is only a weak agonist at inositol 1,4,5-trisphosphate receptors A. L. WILLOCK, J. STRUPISH, R. F. IRVINE & S. R. NAHORSKI 297-300
- Binding of various ovotransferrin fragments to chick-embryo red cells A. ORATORE, G. D'ANDREA, K. MORETON & J. WILLIAMS 301-304

Cell structure and function

- Activation of the Na⁺/H⁺ antiport is not required for epidermal growth factor-dependent gene expression, growth inhibition or proliferation in human breast cancer cells J. G. CHURCH, G. B. MILLS & R. N. BUICK 151-157
- Biochemical localization of the transformation-sensitive 52 kDa (p52) protein to the substratum contact regions of cultured rat fibroblasts. Butyrate induction, characterization, and quantification of p52 in *v-ras* transformed cells P. J. HIGGINS & M. P. RYAN 173-182
- Inhibition of Ca²⁺-induced cytosolic enzyme efflux from skeletal muscle by vitamin E and related compounds J. PHOENIX, R. H. T. EDWARDS & M. J. JACKSON 207-213

CONTENTS (continued)

BJ LETTERS

The interplay of electrostatic and binding interactions determining active centre chemistry and catalytic activity in actinidin and papain	K. BROCKLEHURST, M. O'DRISCOLL, D. KOWLESSUR, I. R. PHILLIPS, W. TEMPLETON, E. W. THOMAS, C. M. TOPHAM & C. W. WHARTON	309-310
Structural and electrostatic differences between actinidin and papain account for differences in activity	R. W. PICKERSGILL, I. G. SUMNER, M. E. COLLINS & P. E. GOODENOUGH	310-312