

RESEARCH COMMUNICATIONS

Site of palmitoylation of a phospholipase C-resistant glycosyl-phosphatidylinositol membrane anchor

M. A. J. FERGUSON 297-300

Demonstration of inhibitory guanine nucleotide regulatory protein (G_i) function in liver and hepatocyte membranes from streptozotocin-treated rats

D. M. KIRKHAM, G. J. MURPHY & P. YOUNG 301-304

RESEARCH PAPERS

Proteins

Formation of salivary-mucosal pellicle: the role of transglutaminase

S. D. BRADWAY, E. J. BERGEY, F. A. SCANNAPIECO, N. RAMASUBBU, S. ZAWACKI & M. J. LEVINE 577-564

Enzymes

Localization of gastric peroxidase and its inhibition by mercapto-methylimidazole, an inducer of gastric acid secretion

U. BANDYOPADHYAY, D. K. BHATTACHARYYA, R. CHATTERJEE & R. K. BANERJEE 305-312

Pyridoxal arsenate as a prosthetic group for aspartate aminotransferase

B. R. S. ALI & H. B. F. DIXON 349-352

Purification and *N*-terminal sequencing of peptidyl-prolyl *cis*-*trans*-isomerase from rat liver mitochondrial matrix reveals the existence of a distinct mitochondrial cyclophilin

C. P. CONNERN & A. P. HALESTRAP 381-385

Purification of PKC-I, an endogenous protein kinase C inhibitor, and types II and III protein kinase C isoenzymes from human neutrophils. Kinetic parameters for the generation of endothelins-1,-2 and -3 by human cathepsin E

K. J. BALAZOVICH, E. L. MCEWEN, M. L. LUTZKE, L. A. BOXER & T. WHITE 399-405
P. S. ROBINSON, W. E. LEES, J. KAY & N. D. COOK 407-409

Mutations altering substrate specificity in OHIO-1, an SHV-1 family β -lactamase

D. M. SHLAES & C. CURRIE-MCCUMBER 411-415

Multiplicity of UDP-glucuronosyltransferases in fish. Purification and characterization of a phenol UDP-glucuronosyltransferase from the liver of a marine teleost, *Pleuronectes platessa*

D. J. CLARKE, S. G. GEORGE & B. BURCHELL 417-423

Inhibitory effect of okadaic acid derivatives on protein phosphatases. A study on structure-affinity relationship

A. TAKAI, M. MURATA, K. TORIGOE, M. ISOBE, G. MIESKES & T. YASUMOTO 539-544

A thermostable NADH oxidase from anaerobic extreme thermophiles

K. MAEDA, K. TRUSCOTT, X.-L. LIU & R. K. SCOPES 551-555

A survey of membrane peptidases in two human colonic cell lines, Caco-2 and HT-29

S. HOWELL, A. J. KENNY & A. J. TURNER 595-601

Carbohydrates and lipids

The antigenicity of the carbohydrate moiety of an insect glycoprotein, honey-bee (*Apis mellifera*) venom phospholipase A₂. The role of α 1,3-fucosylation of the asparagine-bound *N*-acetylglucosamine

C. PRENNER, L. MACH, J. GLÖSSL & L. MÄRZ 377-380

The isolation and characterization of high-density-lipoprotein sub-fractions containing apolipoprotein E from human plasma

H. M. WILSON, B. A. GRIFFIN, C. WATT & E. R. SKINNER 477-481

Gene structure and expression

Cloning and heterologous expression of cDNA encoding class Alpha rat glutathione transferase 8-8, an enzyme with high catalytic activity towards genotoxic α,β -unsaturated carbonyl compounds

G. STENBERG, M. RIDDERSTRÖM, Å. ENGSTRÖM, S. E. PEMBLE & B. MANNERVIK 313-319

Identification of the 52 kDa cytoskeletal-like protein of cytochalasin D-stimulated normal rat kidney (NRK/CD) cells as substrate-associated glycoprotein p52 [plasminogen-activator inhibitor type 1 (PAI-1)]. Expression of p52 (PAI-1) in NRK/CD cells is regulated at the level of mRNA abundance

P. J. HIGGINS & M. P. RYAN 433-439

Human homologues of the bacterial heat-shock protein DnaJ are preferentially expressed in neurons

M. E. CHEETHAM, J.-P. BRION & B. H. ANDERTON 469-476

Regulation of metabolism

Glycaemia regulates the glucose transporter number in the plasma membrane of rat skeletal muscle

D. DIMITRAKOUDIS, T. RAMLAL, S. RASTOGI, M. VRANIC & A. KLIP 341-348

Fructose metabolism in the human erythrocyte. Phosphorylation to fructose 3-phosphate

A. PETERSEN, F. KAPPLER, B. S. SZWERGOLD & T. R. BROWN 363-366

CONTENTS (continued)

Macrophage activation for intracellular killing as induced by a Ca ²⁺ ionophore. Dependence on L-arginine-derived nitrogen oxidation products	Y. BUCHMÜLLER-ROUILLER, S. B. CORRADIN & J. MAUËL	387-392
The lipolysis/esterification cycle of hepatic triacylglycerol. Its role in the secretion of very-low-density lipoprotein and its response to hormones and sulphonylureas	D. WIGGINS & G. F. GIBBONS	457-462
Stereochemical requirements for the modulation by retinoic acid of thyroid hormone activation of Ca ²⁺ -ATPase and binding at the human erythrocyte membrane	T. J. SMITH, F. B. DAVIS & P. J. DAVIS	583-587
N-Terminal sequence of proteoglycan fragments isolated from medium of interleukin-1-treated articular-cartilage cultures. Putative site(s) of enzymic cleavage	P. LOULAKIS, A. SHRIKHANDE, G. DAVIS & C. A. MANIGLIA	589-593
Membranes and bioenergetics		
Transport of L-glutamine and L-glutamate across sinusoidal membranes of rat liver. Effects of starvation, diabetes and corticosteroid treatment	S. Y. LOW, P. M. TAYLOR, H. S. HUNDAL, C. I. POGSON & M. J. RENNIE	333-340
Testing and characterizing enzymes and membrane-bound carrier proteins acting on amphipathic ligands in the presence of bilayer membrane material and soluble binding protein. Application to the uptake of oleate into isolated cells	K. P. M. HEIRWEGH & J. A. T. P. MEUWISSEN	353-361
Maltose/proton co-transport in <i>Saccharomyces cerevisiae</i> . Comparative study with cells and plasma membrane vesicles	C. C. M. VAN LEEUWEN, R. A. WEUSTHUIS, E. POSTMA, P. J. A. VAN DEN BROEK & J. P. VAN DIJKEN	441-445
Ca ²⁺ transport by digitonin-permeabilized <i>Leishmania donovani</i> . Effects of Ca ²⁺ , pentamidine and WR-6026 on mitochondrial membrane potential <i>in situ</i>	A. E. VERCESI & R. DOCAMPO	463-467
Interaction of 7-n-alkoxycoumarins with cytochrome P-450 ₂ and their partitioning into liposomal membranes. Assessment of methods for determination of membrane partition coefficients	M. VERMEIR, N. BOENS & K. P. M. HEIRWEGH	483-490
Amino acid deprivation leads to the emergence of System A activity and the synthesis of a specific membrane glycoprotein in the bovine renal epithelial cell line NBL-1	A. FELIPE, C. SOLER & J. D. MCGIVAN	577-582
Receptors and signal transduction		
Exocytosis from permeabilized bovine adrenal chromaffin cells is differently modulated by guanosine 5'-[γ-thio]triphosphate and guanosine 5'-[βγ-imido]triphosphate. Evidence for the involvement of various guanine nucleotide-binding proteins	G. AHNERT-HILGER, U. WEGENHORST, B. STECHER, K. SPICHER, W. ROSENTHAL & M. GRATZ	321-326
Activation of G proteins by (R _p) and (S _p) diastereomers of guanosine 5'-[β-thio]triphosphate in hamster fibroblasts. Differential stereospecificity of G _i , G _s and G _p	S. PARIS & F. ECKSTEIN	327-332
Quantification of contributions of phospholipid precursors to diradylglycerols in stimulated mononuclear phagocytes	R. J. SEBALDT, D. O. ADAMS & R. J. UHING	367-375
Histamine H ₁ -receptor-mediated calcium influx in DDT ₁ MF-2 cells	J. M. DICKENSON & S. J. HILL	425-431
Relationships between the degree of cross-linking of surface immunoglobulin and the associated inositol 1,4,5-trisphosphate and Ca ²⁺ signals in human B cells	F. M. MCCONNELL, S. B. SHEARS, P. J. L. LANE, M. S. SCHEIBEL & E. A. CLARK	447-445
Oxytocin receptors on cultured astroglial cells. Kinetic and pharmacological characterization of oxytocin-binding sites on intact hypothalamic and hippocampic cells from foetal rat brain	D. DI SCALA-GUENOT & M.-T. STROSSER	491-497
Oxytocin receptors on cultured astroglial cells. Regulation by a guanine-nucleotide-binding protein and effect of Mg ²⁺	D. DI SCALA-GUENOT & M.-T. STROSSER	499-505
Oxidized glutathione causes sensitization of calcium release to inositol 1,4,5-trisphosphate in permeabilized hepatocytes	D. C. RENARD, M. B. SEITZ & A. P. THOMAS	507-512
Thrombospondin receptor expression in human neutrophils coincides with the release of a subpopulation of specific granules	S. J. SUCHARD, M. J. BURTON & S. J. STOEHR	513-520
Depletion of the inositol 1,4,5-trisphosphate-sensitive intracellular Ca ²⁺ store in vascular endothelial cells activates the agonist-sensitive Ca ²⁺ -influx pathway	W. P. SCHILLING, O. A. CABELLO & L. RAJAN	521-530
Synergistic activation of phospholipase D by protein kinase C- and G-protein-mediated pathways in streptolysin O-permeabilized HL60 cells	B. GENY & S. COCKCROFT	531-538

CONTENTS (continued)

G ₃ does not contribute to the inhibition of adenylate cyclase when stimulation of an α_2 -adrenergic receptor causes activation of both G ₂ and G ₃	S. J. McCLUE, E. SELZER, M. FREISSMUTH & G. MILLIGAN	565-568
Insulin receptor and epidermal growth factor receptor dephosphorylation by three major rat liver protein-tyrosine phosphatases expressed in a recombinant bacterial system	N. HASHIMOTO, W.-R. ZHANG & B. J. GOLDSTEIN	569-576
Cell biology and development		
Induction and degradation of the uncoupling protein thermogenin in brown adipocytes <i>in vitro</i> and <i>in vivo</i> . Evidence for a rapidly degradable pool	P. PUIGSERVER, D. HERRON, M. GIANOTTI, A. PALOU, B. CANNON & J. NEDERGAARD	393-398
Characterization of the interaction both <i>in vitro</i> and <i>in vivo</i> of tissue-type plasminogen activator (t-PA) with rat liver cells. Effects of monoclonal antibodies to t-PA	M. OTTER, J. KUIPER, R. BOS, D. C. RIJKEN & T. J. C. VAN BERKEL	545-550
BJ LETTERS		
A comparison of mass spectrometric methods for the analysis of protein mixtures	B. N. GREEN	603-604
Specificity constants in the context of protein engineering of two-substrate enzymes	P. C. ENGEL	604-605
An improved assay for pyruvate dehydrogenase in liver and heart	P. J. RANDLE	605-606
An improved assay for pyruvate dehydrogenase: reply	R. PAXTON	606-608