

## REVIEW ARTICLE

Calreticulin

M. MICHALAK, R. E. MILNER, K. BURNS &amp; M. OPAS 681-692

## RESEARCH COMMUNICATIONS

Activation of lipoprotein lipase in cardiac myocytes by glycosylation requires trimming of glucose residues in the endoplasmic reticulum

R. CARROLL, O. BEN-ZEEV, M. H. DOOLITTLE &amp; D. L. SEVERSON 693-696

Anti-(14-3-3 protein) antibody inhibits stimulation of noradrenaline (norepinephrine) secretion by chromaffin-cell cytosolic proteins

Y. N. WU, N.-D. VU &amp; P. D. WAGNER 697-700

Renaturation and partial peptide sequencing of mitogen-activated protein kinase (MAP kinase) activator from rabbit skeletal muscle

J. WU, H. MICHEL, A. ROSSOMANDO, T. HAYSTEAD, J. SHABANOWITZ, D. F. HUNT &amp; T. W. STURGILL 701-705

C-Terminally truncated human *O*<sup>6</sup>-alkylguanine-DNA alkyltransferase retains activity

R. H. ELDER, J. TUMELTY, K. T. DOUGLAS, G. P. MARGISON &amp; J. A. RAFFERTY 707-709

Uptake of Al<sup>3+</sup> into the N-lobe of human serum transferrin

G. KUBAL, A. B. MASON, P. J. SADLER, A. TUCKER &amp; R. C. WOODWORTH 711-714

Identification of rab2 as a tubulovesicle-membrane-associated protein in rabbit gastric parietal cells

L. H. TANG, S. A. STOCH, I. M. MODLIN &amp; J. R. GOLDENRING 715-719

Yeast transcription factor IID participates in cell-free transcription of a mammalian ribosomal protein TATA-less promoter

T. YOGANATHAN, M. HORIKOSHI, S. HASEGAWA, R. G. ROEDER &amp; B. H. SELLS 721-723

The chloride channel blocker anthracene 9-carboxylate inhibits fatty acid incorporation into phospholipid in cultured human airway epithelial cells

J. X. KANG, S. F. P. MAN, N. E. BROWN, P. A. LABRECQUE &amp; M. T. CLANDININ 725-729

## RESEARCH PAPERS

## Proteins

Solubilization of growth hormone and other recombinant proteins from *Escherichia coli* inclusion bodies by using a cationic surfactant

N. K. PURI, E. CRIVELLI, M. CARDAMONE, R. FIDDES, J. BERTOLINI, B. NINHAM &amp; M. R. BRANDON 871-879

## Enzymes

Inhibition of tonoplast ATPase from etiolated mung bean seedlings by fluorescein 5'-isothiocyanate

C. M. TZENG, L. H. HSU &amp; R. L. PAN 733-743

Comparison of the lipid regulation of yeast and rat CTP:phosphocholine cytidyltransferase expressed in COS cells

J. E. JOHNSON, G. B. KALMAR, P. S. SOHAL, C. J. WALKER, S. YAMASHITA &amp; R. B. CORNELL 815-820

Human placental  $\beta$ -galactosidase. Characterization of the dimer and complex forms of the enzyme

M. HUBBES, R. M. D'AGROSA &amp; J. W. CALLAHAN 827-831

Characteristics of the  $\beta$ -galactosidase-carboxypeptidase complex in G<sub>M1</sub>-gangliosidosis and  $\beta$ -galactosialidosis fibroblasts

R. M. D'AGROSA, M. HUBBES, S. ZHANG, R. SHANKARAN &amp; J. W. CALLAHAN 833-838

Characterization of proteoglycan degradation by calpain

K. SUZUKI, K. SHIMIZU, T. HAMAMOTO, Y. NAKAGAWA, T. MURACHI &amp; T. YAMAMURO 857-862

Stability of *Arthrobacter* D-xylose isomerase to denaturants and heat

M. RANGARAJAN, B. ASBOTH &amp; B. S. HARTLEY 889-898

Molecular characterization of a low-molecular-mass matrix metalloproteinase secreted by glomerular mesangial cells as PUMP-1

H.-P. MARTI, L. MCNEIL, G. THOMAS, M. DAVIES &amp; D. H. LOVETT 899-905

Characterization of the gene *celD* and its encoded product 1,4- $\beta$ -D-glucan glucohydrolase D from *Pseudomonas fluorescens* subsp. *cellulosa*

J. E. RIXON, L. M. A. FERREIRA, A. J. DURRANT, J. I. LAURIE, G. P. HAZLEWOOD &amp; H. J. GILBERT 947-955

Photolabelling of *Salmonella typhimurium* LT2 sialidase. Identification of a peptide with a predicted structural similarity to the active sites of influenza-virus sialidases

T. G. WARNER, R. HARRIS, R. MCDOWELL &amp; E. R. VIMR 957-964

## Carbohydrates and lipids

Interaction of size-fractionated heparins with lipoprotein lipase and hepatic lipase in the rat

G. LIU, M. HULTIN, P. ØSTERGAARD &amp; T. OLIVECRONA 731-736

Structure of a heparan sulphate oligosaccharide that binds to basic fibroblast growth factor

H. HABUCHI, S. SUZUKI, T. SAITO, T. TAMURA, T. HARADA, K. YOSHIDA &amp; K. KIMATA 805-813

## CONTENTS (continued)

Inhibition of protein <i>N</i> -glycosylation by 2-deoxy-2-fluoro-D-galactose	V. GROSS, W. E. HULL, U. BERGER, T. ANDUS, W. KREISEL, W. GEROK & D. KEPPLER	821-826
Different culture methods lead to differences in glycosylation of a murine IgG monoclonal antibody	T. P. PATEL, R. B. PAREKH, B. J. MOELLERING & C. P. PRIOR	839-845
Muller cells of chicken retina synthesize 11- <i>cis</i> -retinol	S. R. DAS, N. BHARDWAJ, H. KJELDBYE & P. GOURAS	907-913
Mouse UDP-GlcNAc:dolichyl-phosphate <i>N</i> -acetylglucosamine-phosphotransferase. Molecular cloning of the cDNA, generation of anti-peptide antibodies and chromosomal localization	B. RAJPUT, J. MA, N. MUNIAPPA, L. SCHANTZ, S. L. NAYLOR, P. A. LALLEY & I. K. VIJAY	985-992
<b>Gene structure and expression</b>		
Genetic evidence for an androgen-regulated epididymal secretory glutathione peroxidase whose transcript does not contain a selenocysteine codon	A. C. F. PERRY, R. JONES, L. S. P. NIANG, R. M. JACKSON & L. HALL	863-870
Sequence of the complete cDNA and the 5' structure of the human sucrose-isomaltase gene. Possible homology with a yeast glucoamylase	I. CHANTRET, M. LACASA, G. CHEVALIER, J. RUF, I. ISLAM, N. MANTEI, Y. EDWARDS, D. SWALLOW & M. ROUSSET	915-923
Cloning, sequencing and characterization of the human Alpha glutathione <i>S</i> -transferase gene corresponding to the cDNA clone pGTH2	A. KLÖNE, R. HUSSNÄTTER & H. SIES	925-928
Maintenance of total cytochrome <i>P</i> -450 content in rat hepatocyte culture and the abundance of CYP1A2 and CYP2B1/2 mRNAs	C. R. W. PADGHAM, A. J. PAINE, I. R. PHILLIPS & E. A. SHEPHARD	929-932
Regulation of the mouse liver cytochrome <i>P</i> 450 2B subfamily by sex hormones and phenobarbital	P. HONKAKOSKI, A. KOJO & M. A. LANG	979-983
Interferons induce xanthine dehydrogenase gene expression in L929 cells	F. FALCIANI, P. GHEZZI, M. TERAQ, G. CAZZANIGA & E. GARATTINI	1001-1008
<b>Regulation of metabolism</b>		
Physiological concentrations of 2-oxoglutarate regulate the activity of phosphoenolpyruvate carboxykinase in liver	M. A. TITHERADGE, R. A. PICKING & R. C. HAYNES, JR.	767-771
Refeeding meal-fed rats increases lipoprotein lipase activity and deposition of dietary [ <sup>14</sup> C]lipid in white adipose tissue and decreases oxidation to <sup>14</sup> CO <sub>2</sub> . The role of undernutrition	M. L. CRUZ & D. H. WILLIAMSON	773-778
The effects of perfluoro-octanoic acid on hepatic peroxisome proliferation and related parameters show no sex-related differences in mice	A.-K. SOHLENIUS, K. ANDERSSON & J. W. DEPIERRE	779-783
Metabolic control analysis using transient metabolite concentrations. Determination of metabolite concentration control coefficients	J. DELGADO & J. C. LIAO	965-972
<b>Membranes and bioenergetics</b>		
Characterization of the ileal Na <sup>+</sup> /bile salt co-transporter in brush border membrane vesicles and functional expression in <i>Xenopus laevis</i> oocytes	J. G. LL. MULLINS, R. B. BEECHEY, G. W. GOULD, F. C. CAMPBELL & S. P. SHIRAZI-BEECHEY	785-790
Overexpression of the erythrocyte plasma membrane Ca <sup>2+</sup> pump in COS-1 cells	H. P. ADAMO, A. K. VERMA, M. A. SANDERS, R. HEIM, J. L. SALISBURY, E. D. WIEBEN & J. T. PENNISTON	791-797
Nucleotide sequence, organization and characterization of the <i>atp</i> genes and the encoded subunits of <i>Mycoplasma gallisepticum</i> ATPase	O. F. RASMUSSEN, M. H. SHIRVAN, H. MARGALIT, C. CHRISTIANSEN & S. ROTTEM	881-888
<b>Receptors and signal transduction</b>		
Suppression by wortmannin of platelet responses to stimuli due to inhibition of pleckstrin phosphorylation	Y. YATOMI, O. HAZEKI, S. KUME & M. UI	745-751
Kinetics of the functional loss of different muscarinic receptor isoforms in <i>Xenopus</i> oocytes	N. MATUS-LEIBOVITCH, G. MENGOD & Y. ORON	753-758
Rapid desensitization of vasopressin-stimulated phosphatidylinositol 4,5-bisphosphate and phosphatidylcholine hydrolysis questions the role of these pathways in sustained diacylglycerol formation in A10 vascular-smooth-muscle cells	R. PLEVIN & M. J. O. WAKELAM	759-766
Influences of cholecystokinin octapeptide on phosphoinositide turnover in neonatal-rat brain cells	L.-J. ZHANG, X.-Y. LU & J.-S. HAN	847-850

## CONTENTS (continued)

---

Characterization of a tyrosine kinase activity associated with the high-affinity interleukin 2 receptor complex	G. G. GARCIA, G. A. EVANS, D. F. MICHIEL, & W. L. FARRAR	851-856
High-level stable expression of recombinant 5-HT <sub>1A</sub> 5-hydroxytryptamine receptors in Chinese hamster ovary cells	A. NEWMAN-TANCREDI, R. WOOTTON & P. G. STRANGE	933-938
Ca <sup>2+</sup> -induced insulin secretion from electrically permeabilized islets. Loss of the Ca <sup>2+</sup> -induced secretory response is accompanied by loss of Ca <sup>2+</sup> -induced protein phosphorylation	P. M. JONES, S. J. PERSAUD & S. L. HOWELL	973-978
Evidence for the lack of spare high-affinity insulin receptors in skeletal muscle	M. CAMPS, A. GUMÀ, F. VIÑALS, X. TESTAR, M. PALACÍN & A. ZORZANO	993-999
<b>Cell biology and development</b>		
Evidence for carbohydrate-independent endocytosis of tissue-type plasminogen activator by liver cells	E. STANG, N. ROOS, M. SCHLÜTER, T. BERG & J. KRAUSE	799-804
Changes in keratin expression during fetal and postnatal development of intestinal epithelial cells	D. CALNEK & A. QUARONI	939-946