

Review

Platelet-activating factor: the biosynthetic and catabolic enzymes
by F. Snyder **689–705**

Research Communications

- Escherichia coli* chorismate synthase: a deuterium kinetic-isotope effect under single-turnover and steady-state conditions shows that a flavin intermediate forms before the C-(6*proR*)-H bond is cleaved **707–710**
S. Bornemann, S. Balasubramanian, J.R. Coggins, C. Abell, D.J. Lowe and R.N.F. Thorneley
- Different molecular forms of rat kidney gp330, the dominant autoantigen of active Heymann nephritis **711–713**
G.G. Jokhadze, A.V. Oleinikov, J.J. Kanalas and S.P. Makker
- Construction and characterization of a chimeric β -glucosidase **715–719**
A. Singh, K. Hayashi, T.T. Hoa, Y. Kashiwagi and K. Tokuyasu
- Vesicle-associated membrane protein-2 (synaptobrevin-2) forms a complex with synaptophysin **721–724**
P. Washbourne, G. Schiavo and C. Montecucco

Research Papers

Proteins

- Identification of a substrate site for transglutaminases on the human protein synthesis initiation factor 5A **725–728**
S. Beninati, L. Nicolini, J. Jakus, A. Passeggio and A. Abbruzzese
- Heterologous expression in *Escherichia coli* of native and mutant forms of the major intrinsic protein of rat eye lens (MIP26) **753–759**
N. Dilsiz and M.J.C. Crabbe
- Isoform I (mdr3) is the major form of P-glycoprotein expressed in mouse brain capillaries. Evidence for cross-reactivity of antibody C219 with an unrelated protein **761–766**
L. Jetté, J.-F. Pouliot, G.F. Murphy and R. Béliveau
- A gelsolin-related protein from lobster muscle: cloning, sequence analysis and expression **767–775**
A. Lück, J. D'Haese and H. Hinssen
- Cooperative interaction of oestrogen receptor 'zinc finger' domain polypeptides on DNA binding **805–810**
P.F. Predki and B. Sarkar
- Identification of a 23 kDa protein from maize photaffinity-labelled with 5-azido-[7-³H]indol-3-ylacetic acid **853–857**
J. Feldwisch, R. Zettl, N. Campos and K. Palme
- Measurement of the spin concentration of metalloprotein samples from saturation-magnetization data with particular reference to cytochrome c oxidase **871–878**
J. Peterson, E.P. Day, L.L. Pearce and M.T. Wilson
- Comparative study of the structural and functional properties of a bovine plasma C-type lectin, collectin-43, with other collectins **889–896**
U. Holmskov, S.B. Laursen, R. Malhotra, H. Wiedemann, R. Timpl, G.R. Stuart, I. Tornøe, P.S. Madsen, K.B.M. Reid and J.C. Jensenius
- Increased response to cholesterol feeding in apolipoprotein C1-deficient mice **905–911**
J.H. van Ree, M.H. Hofker, W.J.A.A. van den Broek, J.M.A. van Deursen, H. van der Boom, R.R. Frants, B. Wieringa and L.M. Havekes
- Conformational changes and *in vitro* core-formation modifications induced by site-directed mutagenesis of the specific N-terminus of pea seed ferritin **959–965**
O. van Wuytswinkel and J.-F. Briat

Enzymes

- src*-Homology 2 (SH2) domain ligation as an allosteric regulator: modulation of phosphoinositide-specific phospholipase $\text{C}\gamma 1$ structure and activity **745–751**
K.S. Koblan, M.D. Schaber, G. Edwards, J.B. Gibbs and D.L. Pompiano
- Regulatory effects of ATP and luciferin on firefly luciferase activity **929–933**
N. Lambert and L.-Å. Idahl
- Changes in the structure of bovine phospholipase A_2 upon micelle binding **935–944**
P.M. Kilby, W.U. Primrose and G.C.K. Roberts
- Glyoxalase III from *Escherichia coli*: a single novel enzyme for the conversion of methylglyoxal into D-lactate without reduced glutathione **999–1003**
K. Misra, A.B. Banerjee, S. Ray and M. Ray
- A non-modular endo- β -1,4-mannanase from *Pseudomonas fluorescens* subspecies *cellulosa* **1005–1010**
K.L. Braithwaite, G.W. Black, G.P. Hazlewood, B.R.S. Ali and H.J. Gilbert

Gene structure and expression

- Binding of histone H1e-c variants to CpG-rich DNA correlates with the inhibitory effect on enzymic DNA methylation 739–744
 R. Santoro, M. D'Erme, S. Mastrantonio, A. Reale, S. Marenzi, H.-P. Saluz, R. Strom and P. Caiafa
- The effect of histone H1 and DNA methylation on transcription 791–798
 C.A. Johnson, J.P. Goddard and R.L.P. Adams
- Human eosinophil major basic protein, a mediator of allergic inflammation, is expressed by alternative splicing from two promoters 921–927
 M.-S. Li, L. Sun, T. Satoh, L.M. Fisher and C.J.F. Spry
- In vitro* association between the Jun protein family and the general transcription factors, TBP and TFIIIB 967–974
 C.C. Franklin, A.V. McCulloch and A.S. Kraft

Regulation of metabolism

- Identification by photoaffinity labelling of a pyridine nucleotide-dependent tri-iodothyronine-binding protein in the cytosol of cultured astroglial cells 729–737
 A. Beslin, M.-P. Vié, J.-P. Blondeau and J. Francon
- Monoclonal antibodies that specifically recognize neopeptide sequences generated by 'aggrecanase' and matrix metalloproteinase cleavage of aggrecan: application to catabolism *in situ* and *in vitro* 799–804
 C.E. Hughes, B. Caterson, A.J. Fosang, P.J. Roughley and J.S. Mort
- Tissue differences in the response of the pyruvate dehydrogenase complex to a glucose load during the development of obesity in gold–thioglucose-obese mice 811–816
 J.M. Bryson, G.J. Cooney, V.R. Wensley, J.L. Phuyal and I.D. Caterson
- Activation of hepatic glutaminase by spermine 837–841
 Z. Kovacevic, S.H. Day, V. Collett, J.T. Brosnan and M.E. Brosnan
- The effect of increasing nucleotide-sugar concentrations on the incorporation of sugars into glycoconjugates in rat hepatocytes 865–870
 W.R. Pels Rijcken, B. Overdijk, D.H. Van Den Eijnden and W. Ferwerda
- Cell-type specificity of inhibition of glycolysis by 5-amino-4-imidazolecarboxamide riboside. Lack of effect in rabbit cardiomyocytes and human erythrocytes, and inhibition in FTO-2B rat hepatoma cells 913–919
 F. Javaux, M.F. Vincent, D.R. Wagner and G. Van den Berghe
- Insulin-independent and extremely rapid switch in the partitioning of hepatic fatty acids from oxidation to esterification in starved-refed diabetic rats. Possible roles for changes in cell pH and volume 953–958
 A.M.B. Moir and V.A. Zammit
- Hepatic molecular conversion and detoxification of ferritin iron in adult lampreys (*Geotria australis*), following natural and induced iron loading 975–980
 L.R. Harris, D.J. Macey, I.C. Potter and M.H. Cake
- Sulphation of L-tyrosine in mammalian cells: a comparative study 993–998
 Y. Sakakibara, M. Suiko, H. Nakajima and M.-C. Liu

Membranes and bioenergetics

- Circular-dichroism and fluorescence studies on melittin: effects of C-terminal modifications on tetramer formation and binding to phospholipid vesicles 785–790
 M. van Veen, G.N. Georgiou, A.F. Drake and R.J. Cherry
- Topological organization of the Rieske iron-sulphur protein and subunit IV in the cytochrome *bc*₁ complex of *Rhodobacter sphaeroides* 823–828
 J. Wu and R.A. Niederman

Receptors and signal transduction

- Platelet-derived growth factor and angiotensin II stimulate the mitogen-activated protein kinase cascade in renal mesangial cells: comparison of hypertrophic and hyperplastic agonists 777–784
 A. Huwiler, S. Stabel, D. Fabbro and J. Pfeilschifter
- Expression of human platelet-activating factor receptor gene in EoL-1 cells following butyrate-induced differentiation 829–835
 T. Izumi, S. Kishimoto, T. Takano, M. Nakamura, Y. Miyabe, M. Nakata, C. Sakanaka and T. Shimizu
- Interleukin-3 facilitates glucose transport in a myeloid cell line by regulating the affinity of the glucose transporter for glucose: involvement of protein phosphorylation in transporter activation 843–851
 M.V. Berridge and A.S. Tan
- Arachidonic acid is functioning as a second messenger in activating the Ca²⁺ entry process on H₁-histaminoceptor stimulation in DDT₁ MF-2 cells 859–864
 L. van der Zee, A. Nelemans and A. den Hertog
- Biphasic and differential modulation of Ca²⁺ entry by ATP and UTP in promyelocytic leukaemia HL60 cells 879–887
 M. Montero, J. Garcia-Sancho and J. Alvarez

Measurement of the absolute number of functioning low-density lipoprotein receptors <i>in vivo</i> using a monoclonal antibody	C. Fitzsimmons, R. Bush, D. Hele, C. Godliman, E. Gherardi and D.E. Bowyer	897–904
Identification of putative ligand-binding sites of the integrin $\alpha 4\beta 1$ (VLA-4, CD49d/CD29)	T. Kamata, W. Puzon and Y. Takada	945–951
A single-chain insulin-like growth factor I/insulin hybrid binds with high affinity to the insulin receptor	C. Kristensen, A.S. Andersen, M. Hach, F.C. Wiberg, L. Schäffer and T. Kjeldsen	981–986
Confocal fluorescence microscopy for studying thapsigargin-induced bivalent-cation entry into B cells	Y. Okamoto, T. Furuno, T. Hamano and M. Nakanishi	1011–1015
Cell biology and development		
Respiratory-deficient human fibroblasts exhibiting defective mitochondrial DNA replication	A.G. Bodnar, J.M. Cooper, J.V. Leonard and A.H.V. Schapira	817–822
Translocation of nucleosphosmin from nucleoli to nucleoplasm requires ATP	M.-H. Wu, C.-Y. Lam and B. Y.-M. Yung	987–992
Methional derived from 4-methylthio-2-oxobutanoate is a cellular mediator of apoptosis in BAF ₃ lymphoid cells	G. Quash, A.-M. Roch, J. Chantepie, Y. Michal, G. Fournet and C. Dumontet	1017–1025
The expression of interstitial collagenase in human endometrium is controlled by progesterone and by oestradiol and is related to menstruation	E. Marbaix, I. Kokorine, P. Henriët, J. Donnez, P.J. Courtoy and Y. Eeckhout	1027–1030
Correction		
Induction of the FK506-binding protein, FKBP13, under conditions which misfold proteins in the endoplasmic reticulum by K.T. Bush, B.A. Hendrickson and S.K. Nigam (volume 303, pages 705–708, 1994)		1031