# Biochemical Journal Volume 307, part 1 1 April 1995

## **Research Communications**

Acetylation of <i>p</i> -aminobenzoylglutamate, a folic acid catabolite, by recombinant human arylamine <i>N</i> -acetyltransferase and U937 cells	R.F. Minchin	1–3
Cyclophilin-40: evidence for a dimeric complex with hsp90	K. Hoffmann and R.E. Handschumacher	5—8
Proteins		
The apolipoprotein B <sup>3304-3317</sup> peptide as an inhibitor of the lipoprotein (a):apolipoprotein B-containing lipoprotein interaction	V.N. Trieu, U. Olsson and W.J. McConathy	17–22
Importance of the glutamate residue of KDEL in increasing the cytotoxicity of <i>Pseudomonas</i> exotoxin derivatives and for increased binding to the KDEL receptor	R.J. Kreitman and I. Pastan	2 <del>9</del> —37
Evidence for a general role for non-catalytic thermostabilizing domains in xylanases from thermophilic bacteria	C.M.G.A. Fontes, G.P. Hazlewood, E. Morag, J. Hall, B.H. Hirst and H.J. Gilbert	151–158
Quantification of a matrix metalloproteinase-generated aggrecan G1 fragment using monospecific anti-peptide serum	M.W. Lark, H. Williams, L.A. Hoernner, J. Weidner, J.M. Ayala, C.F. Harper, A. Christen, J. Olszewski, Z. Konteatis, R. Webber and R.A. Mumford	245–252
Permeation of small molecules into the cavity of ferritin as revealed by proton nuclear magnetic resonance relaxation	D. Yang and K. Nagayama	253–256
Expression of wild-type and mutated rabbit osteopontin in <i>Escherichia coli</i> , and their effects on adhesion and migration of P388D1 cells	K. Nasu, T. Ishida, M. Setoguchi, Y. Higuchi, S. Akizuki and S. Yamamoto	257–265
Expression and characterization of maize ZBP14, a member of a new family of zinc-binding proteins	K. Robinson, D. Jones, S. Howell, Y. Soneji, S. Martin and A. Aitken	267–272
The binding of natural and fluorescent lysophospholipids to wild- type and mutant rat liver fatty acid-binding protein and albumin	A.E.A. Thumser and D.C. Wilton	305–311
Enzymes		
Expression, purification and characterization of 1-aminocyclopropane-1-carboxylate oxidase from tomato in Escherichia coli	Z. Zhang, C.J. Schofield, J.E. Baldwin, P. Thomas and P. John	77–85
The mechanism of inhibition of DNA (cytosine-5-)- methyltransferases by 5-azacytosine is likely to involve methyl transfer to the inhibitor	S. Gabbara and A.S. Bhagwat	87–92
Deletions at the C-terminus of interferon $\gamma$ reduce RNA binding and activation of double-stranded-RNA cleavage by bovine seminal ribonuclease	C.H. Schein and M. Haugg	123–127
Anti-(human immunodeficiency virus) activity of polyoxotungstates and their inhibition of human immunodeficiency virus reverse transcriptase	P.S. Moore, C.J. Jones, N. Mahmood, I.G. Evans, M. Goff, R. Cooper and A.J. Hay	129–134
Wild-type and mutant D-xylose isomerase from Actinoplanes missouriensis: metal-ion dissociation constants, kinetic parameters of deuterated and non-deuterated substrates and solvent-isotope effects	P.B.M. van Bastelaere, H.L.M. Kersters-Hilderson and AM. Lambeir	135–142
Cloning, sequencing and expression of the pyrophosphate- dependent phosphofructo-1-kinase from Naegleria fowleri	K.L. Wessberg, S. Skolnick, J. Xu, F. Marciano-Cabral and R.G. Kemp	143–149
A modular xylanase containing a novel non-catalytic xylan-specific binding domain	G.W. Black, G.P. Hazlewood, S.J. Millward-Sadler, J.I. Laurie and H.J. Gilbert	191–195
Characterization of phospholipid methylation in rat brain myelin	V. Tsvetnitsky, L. Auci, A. Nicolaou and W.A. Gibbons	23 <del>9</del> –244
Oxidative stress and recovery from oxidative stress are associated with altered ubiquitin conjugating and proteolytic activities in bovine lens epithelial cells	F. Shang and A. Taylor	297–303

### **Carbohydrates and lipids**

Comparison of metabolic fluxes of *cis*-5-enoyl-CoA and saturated acyl-CoA through the  $\beta$ -oxidation pathway

Temperature-induced alteration of inositolphosphorylceramides in the putative glycosylated lipid precursors of *Tetrahymena mimbres* glycosylphosphatidylinositol-anchored proteins

Temperature regulation of the *Tetrahymena mimbres* glycosylphosphatidylinositol-anchored protein lipid composition

Structure of heparin fragments with high affinity for lipoprotein lipase and inhibition of lipoprotein lipase binding to  $\alpha_2$ -macroglobulin-receptor/low-density-lipoprotein-receptor-related protein by heparin fragments

#### Gene structure and expression

Cloning, expression and chromosomal localization of the rat pancreatitis-associated protein III gene

Rat mammary-gland transferrin: nucleotide sequence, phylogenetic analysis and glycan structure

Epidermal growth factor-stimulated parathyroid hormone-related protein expression involves increased gene transcription and mRNA stability

Regulation of J6 gene expression by transcription factor GATA-4

Proteins binding to the leader to the 6.0 kb mRNA of human insulin-like growth factor 2 influence translation

3'-Untranslated sequences mediate post-transcriptional regulation of 3-hydroxy-3-methylglutaryl-CoA reductase mRNA by 25hydroxycholesterol

#### **Regulation of metabolism**

Oxidation of intracellular glutathione after exposure of human red blood cells to hypochlorous acid

Interaction of cadmium and oestradiol-17 $\beta$  on metallothionein and vitellogenin synthesis in rainbow trout (*Oncorhynchus mykiss*)

#### **Membranes and bioenergetics**

Mitochondrial non-specific pores remain closed during cardiac ischaemia, but open upon reperfusion

Contribution of the mitochondrial permeability transition to lethal injury after exposure of hepatocytes to *t*-butylhydroperoxide Solvent isotope effect on bile formation in the rat

Isolation and characterization of distinct domains of sarcolemma and T-tubules from rat skeletal muscle

#### **Receptors and signal transduction**

Effects of granulocyte–macrophage colony-stimulating factor and tumour necrosis factor- $\alpha$  on tyrosine phosphorylation and activation of mitogen-activated protein kinases in human neutrophils

Regulation of fibroblast procollagen production. Transforming growth factor- $\beta_1$  induces prostaglandin E<sub>2</sub> but not procollagen synthesis via a pertussis toxin-sensitive G-protein

Mutations within a highly conserved sequence present in the X region of phosphoinositide-specific phospholipase  $C-\delta_1$ 

Activation of alpha-2-adrenoceptors results in an increase in F-actin formation in HIT-T15 pancreatic B-cells

KY. Tserng, LS. Chen and SJ. Jin	23–28
CY. Hung, YG. Ko and G.A. Thompson, Jr.	107–113
YG. Ko, CY. Hung and G.A. Thompson, Jr.	115–121
A. Larnkjær, A. Nykjær, G. Olivecrona, H. Thøgersen and P.B. Østergaard	205–214

N.J. Dusetti, JM. Frigerio, C. Szpirer, JC. Dagorn and J.L. Iovanna	9—16
H. Escrivá, A. Pierce, B. Coddeville, F. González, M. Benaissa, D. Léger, JM. Wieruszeski, G. Spik and M. Pamblanco	47–55
J.K. Heath, J. Southby, S. Fukumoto, L.M. O'Keeffe, T.J. Martin and M.T. Gillespie	159–167
M. Bielinska and D.B. Wilson	183–189
C.H. de Moor, M. Jansen, E.J. Bonte, A.A.M. Thomas, J.S. Sussenbach and J.L. van den Brande	225–231

0.0.	Cussonbuon und C.E. van den Brande	
J.W.	Choi and D.M. Peffley	233–238

M.C.M. Vissers and C.C. Winterbourn	5762
PE. Olsson, P. Kling, C. Petterson and C. Silversand	197–203

E.J. GIIIIIIIIS aliu A.P. Halesuap	93-90
AL. Nieminen, A.K. Saylor, S.A. Tesfai, B. Herman and J.J. Lemasters	99–106
C. Elsing, A. Hirlinger, E.L. Renner, B.H. Lauterburg, P.J. Meier and J. Reichen	175–181
P. Muñoz, M. Rosemblatt, X. Testar, M. Palacín and A. Zorzano	273–280

03...09

E | Griffithe and A P Halestran

W.H. Waterman and R.I. Sha'afi	3 <del>9</del> –45
R.J. McAnulty, R.C. Chambers and G.J. Laurent	63–68
M.V. Ellis, S. U. and M. Katan	6 <del>9</del> –75
H.C. Cable, A. El-Mansoury and N.G. Morgan	169-174

۷

The membrane immunoglobulin receptor utilizes a Shc/Grb2/hSOS complex for activation of the mitogen-activated protein kinase cascade in a B-cell line	G. Kumar, S. Wang, S. Gupta and A. Nel	215–223
A role for protein kinase C-mediated phosphorylation in eliciting glucagon desensitization in rat hepatocytes	A. Savage, L. Zeng and M.D. Houslay	281–285

Interleukin 1-induced phosphorylation of MAD3, the major inhibitor of nuclear factor  $\kappa$ B of HeLa cells. Interference in signalling by the proteinase inhibitors 2,4-dichloroisocoumarin and tosylphenylalanyl chloromethylketone

 A. Savage, L. Zeng and W.D. Housiay
 281–203

 F. Guesdon, T. Ikebe, E. Stylianou, J. Warwick-Davies,
 287–295

 S. Haskill and J. Saklatvala
 287–295