

Review

Transcriptional regulation of genes for ornithine cycle enzymes
by M. Takiguchi and M. Mori

649–659

Research Communications

Phospholipase C δ_1 requires a pleckstrin homology domain for interaction with the plasma membrane

H.F. Paterson, J.W. Savopoulos, O. Perisic, R. Cheung, M.V. Ellis, R.L. Williams and M. Katan **661–666**

Human papillomavirus type 6 E7 protein is a substrate *in vitro* of protein kinase C

D.J. Armstrong and A. Roman **667–670**

Research Papers**Proteins**

Albumin binding of insulins acylated with fatty acids: characterization of the ligand–protein interaction and correlation between binding affinity and timing of the insulin effect *in vivo*

P. Kurtzhals, S. Havelund, I. Jonassen, B. Kiehr, U.D. Larsen, U. Ribel and J. Markussen **725–731**

Lactoferrin–lipopolysaccharide interaction: involvement of the 28–34 loop region of human lactoferrin in the high-affinity binding to *Escherichia coli* O55B5 lipopolysaccharide

E. Elass-Rochard, A. Roseanu, D. Legrand, M. Trif, V. Salmon, C. Motas, J. Montreuil and G. Spik **839–845**

Biosynthesis of recombinant human pro- $\alpha 1$ (III) chains in a baculovirus expression system: production of disulphide-bonded and non-disulphide-bonded species containing full-length triple helices

M. Tomita, N. Ohkura, M. Ito, T. Kato, P.M. Royce and T. Kitajima **847–853**

Enzymes

Bacterial morphinone reductase is related to Old Yellow Enzyme
Structure of the quinoprotein glucose dehydrogenase of *Escherichia coli* modelled on that of methanol dehydrogenase from *Methylobacterium extorquens*

C.E. French and N.C. Bruce **671–678**
G.E. Cozier and C. Anthony **679–685**

Identification on melanoma cells of p39, a cysteine proteinase that cleaves C3, the third component of complement: amino-acid-sequence identities with procathepsin L

D. Jean, J. Hermann, F. Rodrigues-Lima, M. Barel, M. Balbo and R. Frade **961–969**

Catalytic consequences of experimental evolution: catalysis by a 'third-generation' evolvant of the second β -galactosidase of *Escherichia coli*, *ebg^{abcde}*, and *ebg^{abcd}*, a 'second-generation' evolvant containing two supposedly 'kinetically silent' mutations

S. Krishnan, B.G. Hall and M.L. Sinnott **971–977**

Investigation of the active site of oligosaccharyltransferase from pig liver using synthetic tripeptides as tools

E. Bause, W. Breuer and S. Peters **979–985**

Carbohydrates and lipids

Partial characterization of regulation of biliary lecithin hydrophobicity: association with organic anion-induced solute cholestasis in rats

H. Miura, S. Tazuma and G. Kajiyama **795–797**

Gene structure and expression

Identification of polymorphism at the glutathione S-transferase, GSTM3 locus: evidence for linkage with *GSTM1**A

A. Inskip, J. Elexperu-Camiruaga, N. Buxton, P.S. Dias, J. Macintosh, D. Campbell, P.W. Jones, L. Yengi, J.A. Talbot, R.C. Strange and A.A. Fryer **713–716**

Polymorphism of the yeast pyruvate carboxylase 2 gene and protein: effects on protein biotinylation

D.L. Val, A. Chapman-Smith, M.E. Walker, J.E. Cronan, Jr and J.C. Wallace **817–825**

DNA elements with AT-rich core sequences direct pituitary cell-specific expression of the pro-opiomelanocortin gene in transgenic mice

B. Liu, M. Mortrud and M.J. Low **827–832**

DNA binding and methyl transfer catalysed by mouse DNA methyltransferase

A. Reale, H. Lindsay, H.P. Saluz, S. Pradhan, R.L.P. Adams, J.-P. Jost and R. Strom **855–861**

Analysis of the mitochondrial ATP synthase β -subunit gene in <i>Drosophilidae</i> : structure, transcriptional regulatory features and developmental pattern of expression in <i>Drosophila melanogaster</i>	P. Peña, C. Uglade, M. Calleja and R. Garesse	887–897
Direct activation and anti-repression functions of GAL4–VP16 use distinct molecular mechanisms	J.G. Lyons and P. Chambon	899–905
Cloning of the <i>Schizosaccharomyces pombe</i> gene encoding diadenosine 5',5'''-P ¹ ,P ⁴ -tetrphosphate (Ap ₄ A) asymmetrical hydrolase: sequence similarity with the histidine triad (HIT) protein family	Y. Huang, P.N. Garrison and L.D. Barnes	925–932
Spermine uptake is necessary to induce haemoglobin synthesis in murine erythroleukaemia cells	S. Clément, J.-G. Delcros and B.G. Feuerstein	933–938
Regulation of metabolism		
Urea synthesis in enterocytes of developing pigs	G. Wu	717–723
Expression of phosphatidylethanolamine <i>N</i> -methyltransferase-2 in McArdle-RH7777 hepatoma cells inhibits the CDP-choline pathway for phosphatidylcholine biosynthesis via decreased gene expression of CTP:phosphocholine cytidyltransferase	Z. Cui, M. Houweling and D.E. Vance	939–945
The suppression of the N-nitrosating reaction by chlorogenic acid	Y. Kono, H. Shibata, Y. Kodama and Y. Sawa	947–953
Membranes and bioenergetics		
Functional expression and characterization of the <i>Trypanosoma brucei</i> procyclic glucose transporter, THT2	M.P. Barrett, E. Tetaud, A. Seyfang, F. Bringaud and T. Baltz	687–691
Ethanol has different effects on Ca ²⁺ -transport ATPases of muscle, brain and blood platelets	F. Mitidieri and L. de Meis	733–737
The first putative transmembrane helix of the 16 kDa proteolipid lines a pore in the V _o sector of the vacuolar H ⁺ -ATPase	P.C. Jones, M.A. Harrison, Y.-I. Kim, M.E. Finbow and J.B.C. Findlay	739–747
Stable intracellular acidification upon polyamine depletion induced by α -difluoromethylornithine or N ¹ ,N ¹² -bis(ethyl)spermine in L1210 leukaemia cells	R. Poulin and A.E. Pegg	749–756
Sugar-dependent expression of the fructose transporter GLUT5 in Caco-2 cells	J. Mesonero, M. Matosin, D. Cambier, M.-J. Rodriguez-Yoldi and E. Brot-Laroche	757–762
Temperature-dependent changes in plasma-membrane lipid order and the phagocytotic activity of the amoeba <i>Acanthamoeba castellanii</i> are closely correlated	S.V. Avery, D. Lloyd and J.L. Harwood	811–816
The 4F2hc surface antigen is necessary for expression of system L-like neutral amino acid-transport activity in C6-BU-1 rat glioma cells: evidence from expression studies in <i>Xenopus laevis</i> oocytes	S. Bröer, A. Bröer and B. Hamprecht	863–870
Zn ²⁺ depletion blocks endosome fusion	A. Aballay, M.N. Sarrouf, M.I. Colombo, P.D. Stahl and L.S. Mayorga	919–923
Receptors and signal transduction		
Cross-talk between glucagon- and adenosine-mediated signalling systems in rat hepatocytes: effects on cyclic AMP-phosphodiesterase activity	M. Robles-Flores, G. Allende, E. Piña and J.A. García-Sáinz	763–767
Insulin and vasopressin elicit inhibition of cholera-toxin-stimulated adenylate cyclase activity in both hepatocytes and the P9 immortalized hepatocyte cell line through an action involving protein kinase C	L. Zeng and M.D. Houslay	769–774
The human platelet ADP receptor activates G ₁₂ proteins	P. Ohlmann, K.-L. Laugwitz, B. Nürnberg, K. Spicher, G. Schultz, J.-P. Cazenave and C. Gachet	775–779
Early alterations in the brown adipose tissue adenylate cyclase system of pre-obese Zucker rat <i>fa/fa</i> pups: decreased G-proteins and β 3-adrenoceptor activities	C. Charon, S. Krief, F. Diot-Dupuy, A.D. Strosberg, L.J. Emorine and R. Bazin	781–788
Quantal responses to inositol 1,4,5-trisphosphate are not a consequence of Ca ²⁺ regulation of inositol 1,4,5-trisphosphate receptors	S. Patel and C.W. Taylor	789–794

Potentiated bradykinin-induced increase of 1,2-diacylglycerol generation and phospholipase D activity in human senescent fibroblasts	E. Meacci, V. Vasta, P. Faraoni, M. Farnararo and P. Bruni	799–803
Evidence for receptor and G-protein regulation of a phosphatidylethanolamine-hydrolysing phospholipase A ₁ in guinea-pig heart microsomes: stimulation of phospholipase A ₁ activity by DL-isoprenaline and guanine nucleotides	K. Badiani and G. Arthur	805–809
Metabolization of iron by plant cells using O-Trensox, a high-affinity abiotic iron-chelating agent	C. Caris, P. Baret, C. Béguin, G. Serratrice, J.-L. Pierre and J.-P. Laulhère	879–885
Stereospecificity of inositol hexakisphosphate dephosphorylation by <i>Paramecium</i> phytase	J. Van der Kaay and P.J.M. Van Haastert	907–910
Nucleus-associated phosphorylation of Ins(1,4,5)P ₃ to InsP ₆ in <i>Dictyostelium</i>	J. Van der Kaay, J. Wesseling and P.J.M. Van Haastert	911–917
Ca ²⁺ release triggered by nicotinate adenine dinucleotide phosphate in intact sea urchin eggs	C.M. Perez-Terzic, E.N. Chini, S.S. Shen, T.P. Dousa and D.E. Clapham	955–959
Cell biology and development		
Differential regulation of cyclin A, cyclin B and p21 concentrations in a growth-restricted human fibroblast cell line	Y.-P. Tsao, S.-W. Kuo, S.-F. Li, J.-C. Liu, S.-Z. Lin, K.-Y. Chen and S.-L. Chen	693–698
Early events in erythroid differentiation: accumulation of the acidic peroxidoxin (PRP/TSA/NKEF-B)	T. Rabilloud, R. Berthier, M. Vinçon, D. Ferbus, G. Goubin and J.-J. Lawrence	699–705
Modulatory role of platelet-derived growth factor on cytokine-induced nerve growth factor synthesis in rat glomerular mesangial cells	K.M.A. Plüss, J. Pfeilschifter, H. Mühl, A. Huwiler, C. Boeckh and U. Otten	707–711
Constitutive nuclear NFκB/rel DNA-binding activity of rat thymocytes is increased by stimuli that promote apoptosis, but not inhibited by pyrrolidine dithiocarbamate	A.F.G. Slater, M. Kimland, S.A. Jiang and S. Orrenius	833–838
Protein 4.1 is a component of the nuclear matrix of mammalian cells	G. De Cárcer, M.-J. Lallena and I. Correas	871–877
BJ Letters		
Inhibition of autophagic proteolysis by cell swelling in hepatocytes	A.J. Meijer	987–988
Cell hydration and proteolysis control in liver	S. vom Dahl and D. Häussinger	988–989
Corrections		
Molecular cloning of a novel splice variant of human type IV _A (PDE-IV _A) cyclic AMP phosphodiesterase and localization of the gene to the p13.1–q12 region of human chromosome 19 (Volume 308, pages 683–691, 1995) by Y.M. Horton, M. Sullivan and M.D. Houslay		991
The role of the second growth-factor domain of human factor IXa in binding to platelets and in factor-X activation (Volume 310, pages 427–431, 1995) by S.S. Ahmad, R. Rawala, W.-F. Cheung, D.W. Stafford and P.N. Walsh		991