

**Review**

Cellular consequences of thrombin-receptor activation  
by R.J.A. Grand, A.S. Turnell and P.W. Grabham

353–368

**Research Communications**

A cytosolic sperm factor triggers calcium oscillations in rat hepatocytes

C.P. Berrie, K.S.R. Cuthbertson, J. Parrington, F.A. Lai and K. Swann

369–372

Relationship of human liver dihydrodiol dehydrogenases to hepatic bile-acid-binding protein and an oxidoreductase of human colon cells

A. Hara, K. Matsuura, Y. Tamada, K. Sato, Y. Miyabe, Y. Deyashiki and N. Ishida

373–376

**Research Papers****Proteins**

Mucins in airway secretions from healthy and chronic bronchitic subjects

J.R. Davies, H.W. Hovenberg, C.-J. Lindén, R. Howard, P.S. Richardson, J.K. Sheehan and I. Carlstedt

431–439

Molecular mechanisms of activated protein C resistance. Properties of factor V isolated from an individual with homozygosity for the Arg<sup>506</sup> to Gln mutation in the factor V gene

C. Aparicio and B. Dahlbäck

467–472

Human ficolin: cDNA cloning, demonstration of peripheral blood leucocytes as the major site of synthesis and assignment of the gene to chromosome 9

J. Lu, P.N. Tay, O.L. Kon and K.B.M. Reid

473–478

Two-domain haemoglobin of the blood clam *Barbatia lima* resulted from the recent gene duplication of the single-domain  $\delta$  chain

T. Suzuki, Y. Kawasaki, T. Arita and A. Nakamura

561–566

Amyloid  $\beta$  1–42 deposits do not lead to Alzheimer's neuritic plaques in aged dogs

T. Wisniewski, M. Lalowski, M. Bobik, M. Russell, J. Strosznajder and B. Frangione

575–580

Purification by cobalamin–Sepharose affinity chromatography and intrinsic factor-binding activity of an extramembrane proteolytic product from pig ileal mucosa

A. Yerima, A. Safi, I. Gastin, J.-C. Michalski, M. Saunier and J.-L. Gueant

675–681

**Enzymes**

Microsomal formation of S-nitrosoglutathione from organic nitrites: possible role of membrane-bound glutathione transferase

Y. Ji, T.P.M. Akerboom and H. Sies

377–380

Phosphorylation of recombinant human phenylalanine hydroxylase: effect on catalytic activity, substrate activation and protection against non-specific cleavage of the fusion protein by restriction protease

A.P. Døskeland, A. Martinez, P.M. Knappskog and T. Flatmark

409–414

Evidence for a covalent intermediate in the S-adenosyl-L-methionine-dependent transmethylation reaction catalysed by sirohaem synthase

S.C. Woodcock and M.J. Warren

415–421

Proteases of germinating winged-bean (*Psophocarpus tetragonolobus*) seeds: purification and characterization of an acidic protease

R. Usha and M. Singh

423–429

Molecular mechanism for catalysis by a new zinc-enzyme, dopachrome tautomerase

F. Solano, C. Jiménez-Cervantes, J.H. Martínez-Liarte, J.C. García-Borrón, J.R. Jara and J.A. Lozano

447–453

Antigenicity and conformational analysis of the Zn<sup>2+</sup>-binding sites of two Zn<sup>2+</sup>-metalloproteases: *Leishmania* gp63 and mammalian endopeptidase-24.11

K.P. Soteriadou, A.K. Tzinia, E. Panou-Pamonis, V. Tsikaris, M. Sakarellos-Daitsiotis, C. Sakarellos, Y. Papapoulou and R. Matsas

455–466

Spermine suppresses the activation of human neutrophil NADPH oxidase in cell-free and semi-recombinant systems

K. Ogata, N. Nishimoto, D.J. Uhlinger, K. Igarashi, M. Takeshita and M. Tamura

549–554

Inhibition of human pancreatic proteinases by mucus proteinase inhibitor, eglin c and aprotinin

D. Belorgey, S. Dirrig, M. Amouric, C. Figarella and J.G. Bieth

555–560

Effects of lipids on nucleotide inhibition of wheat-germ aspartate transcarbamoylase: evidence of an additional level of control?

A. Khan, B.Z. Chowdhry and R.J. Yon

669–673

Comparison of lipid aggregation and self-aggregation activities of pulmonary surfactant-associated protein A

M.L.F. Ruano, E. Miguel, J. Perez-Gil and C. Casals

683–689

**Carbohydrates and lipids**

Defructosylated <i>Escherichia coli</i> K4 capsular polysaccharide as a substrate for the D-glucuronyl C-5 epimerase, and an indication of a two-base reaction mechanism	H.H. Hannesson, Å. Hagner-McWhirter, K. Tiedemann, U. Lindahl and A. Malmström	<b>589–596</b>
Occurrence of a cytosolic neutral chitobiase activity involved in oligomannoside degradation: a study with Madin–Darby bovine kidney (MDBK) cells	R. Cacan, C. Dengremont, O. Labiau, D. Kmiécik, A.-M. Mir and A. Verbert	<b>597–602</b>

**Gene structure and expression**

Cloning, structure and mRNA expression of human Cctg, which encodes the chaperonin subunit CCT $\gamma$	N.A. Walkley, A.G. Demaine and A.N. Malik	<b>381–389</b>
Insulin upstream factor 1 and a novel ubiquitous factor bind to the human islet amyloid polypeptide/amylin gene promoter	D. Bretherton-Watt, N. Gore and D.S.W. Boam	<b>495–502</b>
Analysis of amplicons containing the esterase genes responsible for insecticide resistance in the peach-potato aphid <i>Myzus persicae</i> (Sulzer)	L.M. Field, A.L. Devonshire and C. Tyler-Smith	<b>543–547</b>
Structural organization of the rat branched-chain 2-oxo-acid dehydrogenase kinase gene and partial characterization of the promoter-regulatory region	Y.-s. Huang and D.T. Chuang	<b>603–609</b>
Differential transcription of the human spermidine/spermine N <sup>1</sup> -acetyltransferase (SSAT) gene in human lung carcinoma cells	L. Xiao and R.A. Casero, Jr.	<b>691–696</b>

**Regulation of metabolism**

Induction, not associated with host-cell re-activation of damaged plasmid DNA, of damaged-DNA-recognition proteins by retinoic acid and dibutyryl cyclic AMP in mammalian cells	N.-K. Sun, S.-L. Huang, S. Lin-Chao and C.C.-K. Chao	<b>441–445</b>
Administration of <i>Escherichia coli</i> endotoxin to rat increases liver mass and hepatocyte volume <i>in vivo</i>	D. Qian and J.T. Brosnan	<b>479–486</b>
The effect of intracellular pH on long-chain fatty acid uptake in 3T3-L1 adipocytes: evidence that uptake involves the passive diffusion of protonated long-chain fatty acids across the plasma membrane	B.L. Trigatti and G.E. Gerber	<b>487–494</b>
Insulin-mediated inhibition of apolipoprotein B secretion requires an intracellular trafficking event and phosphatidylinositol 3-kinase activation: studies with brefeldin A and wortmannin in primary cultures of rat hepatocytes	J.D. Sparks, T.L. Phung, M. Bolognino and C.E. Sparks	<b>567–574</b>
Reduction pathway of <i>cis</i> -5 unsaturated fatty acids in intact rat-liver and rat-heart mitochondria: assessment with stable-isotope-labelled substrates	K.-Y. Tsering, S.-J. Jin and L.-S. Chen	<b>581–588</b>

**Receptors and signal transduction**

The phospholipase C/protein kinase C pathway is involved in cathepsin G-induced human platelet activation: comparison with thrombin	M. Si-Tahar, P. Renesto, H. Falet, F. Rendu and M. Chignard	<b>401–408</b>
Granulocyte–macrophage colony-stimulating factor (GM-CSF) promotes phosphorylation and an increase in the activity of cytosolic phospholipase A <sub>2</sub> in human neutrophils	N. Nahas, W.H. Waterman and R.I. Sha'afi	<b>503–508</b>
Asymmetric signal transduction in polarized ileal Na <sup>+</sup> -absorbing cells: carbachol activates brush-border but not basolateral-membrane PIP <sub>2</sub> –PLC and translocates PLC- $\gamma$ <sub>1</sub> only to the brush border	S. Khurana, S. Kreydiyyeh, A. Aronzon, W.A. Hoogerwerf, S.G. Rhee, M. Donowitz and M.E. Cohen	<b>509–518</b>
Differential induction of the mitogen-activated protein kinase pathway by bacterial lipopolysaccharide in cultured monocytes and astrocytes	S.A. Willis and P.D. Nisen	<b>519–524</b>
Bovine growth hormone induces oscillations in cytosolic free Ca <sup>2+</sup> in single rat hepatocytes	I. Marrero, A.K. Green, P.H. Cobbold and C.J. Dixon	<b>525–528</b>
Phospholipase D activation by P <sub>2Z</sub> -purinoceptor agonists in human lymphocytes is dependent on bivalent cation influx	C.E. Gargett, E.J. Cornish and J.S. Wiley	<b>529–535</b>
Hepoxilin A <sub>3</sub> -specific binding in human neutrophils	D. Reynaud, P. Demin and C.R. Pace-Asciak	<b>537–541</b>

Properties of the human arginine vasopressin V2 receptor after site-directed mutagenesis of its putative palmitoylation site	R. Schülein, U. Liebenhoff, H. Müller, M. Birnbaumer and W. Rosenthal	<b>611–616</b>
Effect of cyclic AMP and prostaglandin E <sub>2</sub> on the induction of nitric oxide- and prostanoid-forming pathways in cultured rat mesangial cells	R.M. Nüsing, T. Klein, J. Pfeilschifter and V. Ullrich	<b>617–623</b>
Granulocyte/macrophage colony-stimulating factor is an intrinsic keratinocyte-derived growth factor for human melanocytes in UVA-induced melanosis	G. Imokawa, Y. Yada, M. Kimura and N. Morisaki	<b>625–631</b>
<b>Cell biology and development</b>		
Blocking intracellular degradation of the erythropoietin and asialoglycoprotein receptors by calpain inhibitors does not result in the same increase in the levels of their membrane and secreted forms	D. Neumann, M. Huam Yuk, H.F. Lodish and G.Z. Lederkremer	<b>391–399</b>
Site-directed mutagenesis of monocyte chemoattractant protein-1 identifies two regions of the polypeptide essential for biological activity	C.J. Beall, S. Mahajan, D.E. Kuhn and P.E. Kolattukudy	<b>633–640</b>
Interleukin-13 inhibits inducible nitric oxide synthase expression in human mesangial cells	M. Saura, R. Martínez-Dalmau, A. Minty, D. Pérez-Sala and S. Lamas	<b>641–646</b>
Ability of methotrexate to inhibit translocation to the cytosol of dihydrofolate reductase fused to diphtheria toxin	O. Klingenberg and S. Olsnes	<b>647–653</b>
Acidocalcisomes in <i>Toxoplasma gondii</i> tachyzoites	S.N.J. Moreno and L. Zhong	<b>655–659</b>
Calmidazolium leads to an increase in the cytosolic Ca <sup>2+</sup> concentration in <i>Dictyostelium discoideum</i> by induction of Ca <sup>2+</sup> release from intracellular stores and influx of extracellular Ca <sup>2+</sup>	C. Schlatterer and R. Schaloske	<b>661–667</b>