

Review

The denaturation and degradation of stable enzymes at high temperatures

by R.M. Daniel, M. Dines and H.H. Petach

1–11

Research Communications

Copper-1,10-phenanthroline induces internucleosomal DNA fragmentation in HepG2 cells, resulting from direct oxidation by the hydroxyl radical

S.Y. Tsang, S.C. Tam, I. Bremner and M.J. Burkitt

13–16

Oxidative denitrication of *N*^ω-hydroxy-L-arginine by the superoxide radical anion

S.A. Everett, M.F. Dennis, K.B. Patel, M.R.L. Stratford and P. Wardman

17–22

Research Papers**Proteins**

Molecular cloning of MADM: a catalytically active mammalian disintegrin–metalloprotease expressed in various cell types

L. Howard, X. Lu, S. Mitchell, S. Griffiths and P. Glynn

45–50

Nucleation and inhibition of hydroxyapatite formation by mineralized tissue proteins

G.K. Hunter, P.V. Hauschka, A.R. Poole, L.C. Rosenberg and H.A. Goldberg

59–64

Chemical cross-linking of pleckstrin in human platelets: evidence for oligomerization of the protein and its dissociation by protein kinase C

A.M. McDermott and R.J. Haslam

119–124

Brefeldin A enables synthesis of active lipoprotein lipase in *cd1/cd1* and castanospermine-treated mouse brown adipocytes via translocation of Golgi components to endoplasmic reticulum

J.-W. Park, E.J. Blanchette-Mackie and R.O. Scow

125–134

Evidence that filaggrin is a component of cornified cell envelopes in human planter epidermis

M. Simon, M. Haftek, M. Sebbag, M. Montézin, E. Girbal-Neuhauser, D. Schmitt and G. Serre

173–177

Type-III procollagen assembly in semi-intact cells: chain association, nucleation and triple-helix folding do not require formation of inter-chain disulphide bonds but triple-helix nucleation does require hydroxylation

N.J. Bulleid, R. Wilson and J.F. Lees

195–202

Enzymes

Determination of the ionization state of the active-site histidine in a subtilisin–(chloromethane inhibitor) derivative by ¹³C-NMR

T.P. O'Connell and J.P.G. Malthouse

35–40

Human extracellular superoxide dismutase is a tetramer composed of two disulphide-linked dimers: a simplified, high-yield purification of extracellular superoxide dismutase

T.D. Oury, J.D. Crapo, Z. Valnickova and J.J. Enghild

51–57

Flavodoxin 1 of *Azotobacter vinelandii*: characterization and role in electron donation to purified assimilatory nitrate reductase

R. Gangeswaran and R.R. Eady

103–108

Panagrellus redivivus ornithine decarboxylase: structure of the gene, expression in *Escherichia coli* and characterization of the recombinant protein

G. Niemann, H. von Besser and R.D. Walter

135–140

Probing the *S*-adenosylmethionine-binding site of rat guanidinoacetate methyltransferase. Effect of site-directed mutagenesis of residues that are conserved across mammalian non-nucleic acid methyltransferases

A. Hamahata, Y. Takata, T. Gomi and M. Fujioka

141–145

Purification and characterization of assimilatory nitrite reductase from *Candida utilis*

S. Sengupta, M.S. Shaila and G.R. Rao

147–155

N-Acetyl-D-neuraminic acid lyase generates the sialic acid for colominic acid biosynthesis in *Escherichia coli* K1

M.A. Ferrero, A. Reglero, M. Fernandez-Lopez, R. Ordas and L.B. Rodriguez-Aparicio

157–165

Purification and characterization of cysteine-S-conjugate *N*-acetyltransferase from pig kidney

A. Aigner, M. Jäger, R. Pasternack, P. Weber, D. Wienke and S. Wolf

213–218

Biosynthesis of lipophosphoglycan from *Leishmania major*: solubilization and characterization of a (β 1-3)-galactosyltransferase

K. Ng, E. Handman and A. Bacic

247–255

Flavinylation in wild-type trimethylamine dehydrogenase and differentially charged mutant enzymes: a study of the protein environment around the N1 of the flavin isoalloxazine	M. Mewies, L.C. Packman, F.S. Mathews and N.S. Scrutton	267–272
Firefly luciferase can use L-luciferin to produce light	N. Lambert	273–277
Affinity purification of 5-methylthioadenosine kinase and 5-methylthioribose/S-adenosylhomocysteine nucleosidase from <i>Klebsiella pneumoniae</i>	K.A. Cornell, R.W. Winter, P.A. Tower and M.K. Riscoe	285–290
Protein kinase C in rod outer segments: effects of phosphorylation of the phosphodiesterase inhibitory subunit	I.P. Udovichenko, J. Cunnick, K. Gonzalez, A. Yakhnin and D.J. Takemoto	291–295
Carbohydrates and lipids		
Proteoglycan synthesis in human and murine haematopoietic progenitor cell lines: isolation and characterization of a heparan sulphate proteoglycan as a major proteoglycan from the human haematopoietic cell line TF-1	G. Stöcker, Z. Drzeniek, U. Just, W. Ostertag, B. Siebertz, H. Greiling and H.-D. Haubeck	203–212
Gene structure and expression		
Molecular cloning of Δ^9 fatty acid desaturase from the protozoan <i>Tetrahymena thermophila</i> and its mRNA expression during thermal membrane adaptation	S. Nakashima, Y. Zhao and Y. Nozawa	29–34
Overexpression of human glucocerebrosidase containing different-sized leaders	M. Pasmanik-Chor, O. Elroy-Stein, H. Aerts, V. Agmon, S. Gatt and M. Horowitz	81–88
The genes <i>YNI1</i> and <i>YNR1</i> , encoding nitrite reductase and nitrate reductase respectively in the yeast <i>Hansenula polymorpha</i> , are clustered and co-ordinately regulated	N. Brito, J. Avila, M.D. Perez, C. Gonzalez and J.M. Siverio	89–95
Cloning and biochemical characterization of the cyclophilin homologues from the free-living nematode <i>Caenorhabditis elegans</i>	A.P. Page, K. MacNiven and M.O. Hengartner	179–185
Identification of two cDNA clones encoding small proline-rich proteins expressed in sheep ruminal epithelium	L. Wang, R.L. Baldwin, IV and B.W. Jesse	225–233
Tetrameric malate dehydrogenase from a thermophilic <i>Bacillus</i> : cloning, sequence and overexpression of the gene encoding the enzyme and isolation and characterization of the recombinant enzyme	S.A. Wynne, D.J. Nicholls, M.D. Scawen and T.K. Sundaram	235–245
Transcriptional regulation of the rat fatty acid synthase gene: identification and functional analysis of positive and negative effectors of basal transcription	B. Oskouian, V.S. Rangan and S. Smith	257–265
Temperature-dependence of open-complex formation at two <i>Escherichia coli</i> promoters with extended –10 sequences	H.D. Burns, T.A. Belyaeva, S.J.W. Busby and S.D. Minchin	305–311
Regulation of metabolism		
Proteasome pathway operates for the degradation of ornithine decarboxylase in intact cells	Y. Murakami, N. Tanahashi, K. Tanaka, S. Ōmura and S.-i. Hayashi	77–80
Testosterone-dependent induction of metallothionein in genital organs of male rats	C. Tohyama, J.S. Suzuki, S. Homma, M. Karasawa, T. Kuroki, H. Nishimura and N. Nishimura	97–102
Membranes and bioenergetics		
The plasma membrane Ca^{2+} pump mutant lysine ⁵⁹¹ → arginine retains some activity, but is still inactivated by fluorescein isothiocyanate	H.P. Adamo, A.G. Filoteo and J.T. Penniston	41–44
Kinetic analysis of the mitochondrial quinol-oxidizing enzymes during development of thermogenesis in <i>Arum maculatum</i> L	G.R. Leach, K. Krab, D.G. Whitehouse and A.L. Moore	313–319
Receptors and signal transduction		
Membrane receptor for odour-binding proteins	M. Boudjelal, A. Sivaprasadarao and J.B.C. Findlay	23–27
Stimulation of phosphatidylinositol hydrolysis, protein kinase C translocation, and mitogen-activated protein kinase activity by bradykinin in rat ventricular myocytes: dissociation from the hypertrophic response	A. Clerk, J. Gillespie-Brown, S.J. Fuller and P.H. Sugden	109–118
Muscarinic activation of Ca^{2+} /calmodulin-dependent protein kinase II in pancreatic islets. Temporal dissociation of kinase activation and insulin secretion	E.L. Babb, J. Tarpley, M. Landt and R.A. Easom	167–172

The variable subunit associated with protein phosphatase 2A ₀ defines a novel multimember family of regulatory subunits	S. Zolnierowicz, C. Van Hoof, N. Andjelković, P. Cron, I. Stevens, W. Merlevede, J. Goris and B.A. Hemmings	187–194
Phosphorylation of GAP-43 (growth-associated protein of 43 kDa) by conventional, novel and atypical isoforms of the protein kinase C gene family: differences between oligopeptide and polypeptide phosphorylation	S.A. Oehrlein, P.J. Parker and T. Herget	219–224
Ligand selectivity of 105 kDa and 130 kDa lipoprotein-binding proteins in vascular-smooth-muscle-cell membranes is unique	V.N. Bochkov, V.A. Tkachuk, M.P. Philippova, D.V. Stambolsky, F.R. Bühler and T.J. Resink	297–304
Cell biology and development		
Protein phosphatase and kinase activities possibly involved in exocytosis regulation in <i>Paramecium tetraurelia</i>	R. Kissmehl, T. Treptau, H.W. Hofer and H. Plattner	65–76
Intestinal HT-29 cells with dysfunction of E-cadherin show increased pp60src activity and tyrosine phosphorylation of p120-catenin	A. Skoudy, M.d.M. Llosas and A. García de Herreros	279–284
Decreased accumulation and dephosphorylation of the mitosis-specific form of nucleophosmin/B23 in staurosporine-induced chromosome decondensation	Y.-Y. Lu, C.-Y. Lam and B.Y.-M. Yung	321–327