

Review

CD28: a signalling perspective
by S.G. Ward

361–377

Research Communications

Regulation of reactive-oxygen-species generation in fibroblasts by Rac1

M. Sundaresan, Z.-X. Yu, V.J. Ferrans, D.J. Sulciner, J.S. Gutkind, K. Irani, P.J. Goldschmidt-Clermont and T. Finkel

379–382

Recombinant apoaequorin acting as a pseudo-luciferase reports micromolar changes in the endoplasmic reticulum free Ca²⁺ of intact cells

J.M. Kendall, M.N. Badminton, G.B. Sala-Newby, A.K. Campbell and C.M. Rembold

383–387

Research Papers**Proteins**

Cross-link analysis of the C-telopeptide domain from type III collagen

W. Henkel

497–503

The α -helical neck region of human lung surfactant protein D is essential for the binding of the carbohydrate recognition domains to lipopolysaccharides and phospholipids

U. Kishore, J.-Y. Wang, H.-J. Hoppe and K.B.M. Reid

505–511

Structural and functional analysis of the spontaneous reformation of the thiol ester bond in human α_2 -macroglobulin, rat α_1 -inhibitor-3 and chemically modified derivatives

H. Grøn, I.B. Thøgersen, J.J. Enghild and S.V. Pizzo

539–545

Intracellular single-chain antibody inhibits integrin VLA-4 maturation and function

Q. Yuan, K.L. Strauch, R.R. Lobb and M.E. Hemler

591–596

Affinity purification and characterization of protein gene product 9.5 (PGP9.5) from retina

M. Piccinini, A. Merighi, R. Bruno, P. Cascio, M. Curto, S. Mioletti, C. Ceruti and M.T. Rinaudo

711–716

Enzymes

Biotin-labelled peptidyl diazomethane inhibitors derived from the substrate-like sequence of cystatin: targeting of the active site of cruzipain, the major cysteine proteinase of *Trypanosoma cruzi*

G. Lalmanach, R. Mayer, C. Serveau, J. Scharfstein and F. Gauthier

395–399

Isothiazolones interfere with normal matrix metalloproteinase activation and inhibit cartilage proteoglycan degradation

E.C. Arner, M.A. Pratta, B. Freimark, M. Lischwe, J.M. Trzaskos, R.L. Magolda and S.W. Wright

417–424

Phosphodiesterase 4 in macrophages: relationship between cAMP accumulation, suppression of cAMP hydrolysis and inhibition of [³H]R-(–)-rolipram binding by selective inhibitors

J.J. Kelly, P.J. Barnes and M.A. Giembycz

425–436

In vivo and *in vitro* folding of a recombinant metalloenzyme, phosphomannose isomerase

A.E.I. Proudfoot, L. Goffin, M.A. Payton, T.N.C. Wells and A.R. Bernard

437–442

Cloning of a novel membrane-linked metalloproteinase from human myeloma cells

N. McKie, D.J. Dallas, T. Edwards, J.F. Apperley, R.G.G. Russell and P.I. Croucher

459–462

Functional molecular mass of rat hepatic lipase in liver, adrenal gland and ovary is different

K. Schoonderwoerd, M.L. Hom, L.H. Luthjens, D. Vieira van Bruggen and H. Jansen

463–467

The C-terminal part of diacylglycerol kinase α lacking zinc fingers serves as a catalytic domain

F. Sakane, M. Kai, I. Wada, S.-I. Imai and H. Kanoh

583–596

Interleukin 1 β and cAMP trigger the expression of GTP cyclohydrolase I in rat renal mesangial cells

C. Plüss, E.R. Werner, N. Blau, H. Wachter and J. Pfeilschifter

665–671

Characterization of a novel methanol dehydrogenase containing a Ba²⁺ ion at the active site

M.G. Goodwin and C. Anthony

673–679

Carbohydrates and lipids

Sulphatide binds to human and animal influenza A viruses, and inhibits the viral infection

T. Suzuki, A. Sometani, Y. Yamazaki, G. Horiike, Y. Mizutani, H. Masuda, M. Yamada, H. Tahara, G. Xu, D. Miyamoto, N. Oku, S. Okada, M. Kiso, A. Hasegawa, T. Ito, Y. Kawaoka and Y. Suzuki

389–393

Peripheral α -linked <i>N</i> -acetylglucosamine on the carbohydrate moiety of mucin derived from mammalian gastric gland mucous cells: epitope recognized by a newly characterized monoclonal antibody	K. Ishihara, M. Kurihara, Y. Goso, T. Urata, H. Ota, T. Katsuyama and K. Hotta	409–416
Determination of the primary target for isoniazid in mycobacterial mycolic acid biosynthesis with <i>Mycobacterium aurum</i> A ⁺	P.R. Wheeler and P.M. Anderson	451–457
Lipid metabolism in <i>Trypanosoma brucei</i> : utilization of myristate and myristoyllysophosphatidylcholine for myristoylation of glycosyl phosphatidylinositols	K.A. Werbovetz and P.T. Englund	575–581
Glycosylation of multiple extracytosolic loops in Band 3, a model polytopic membrane protein	L.Y. Tam, C. Landolt-Marticorena and R.A.F. Reithmeier	645–648
Release of secretory phospholipase A ₂ from rat neuronal cells and its possible function in the regulation of catecholamine secretion	A. Matsuzawa, M. Murakami, G.-I. Atsumi, K. Imai, P. Prados, K. Inoue and I. Kudo	701–709
Gene structure and expression		
Location of essential sequence elements at the <i>Escherichia coli melAB</i> promoter	J. Keen, J. Williams and S. Busby	443–449
Comparison of the mRNA sequences for Pi class glutathione transferases in different hamster species and the corresponding enzyme activities with <i>anti</i> -benzo[<i>a</i>]pyrene-7,8-dihydrodiol 9,10-epoxide	S. Swedmark, B. Jernström and D. Jenssen	533–538
Two regulatory elements of similar structure and placed in tandem account for the repressive activity of the first intron of the human apolipoprotein A-II gene	J.-P. Bossu, F.L. Chartier, J.-C. Fruchart, J. Auwerx, B. Staels and B. Laine	547–553
Induction of calreticulin expression in HeLa cells by depletion of the endoplasmic reticulum Ca ²⁺ store and inhibition of N-linked glycosylation	D.H. Llewellyn, J.M. Kendall, F.N. Sheikh and A.K. Campbell	555–560
Changes associated with aging and replicative senescence in the regulation of transcription factor nuclear factor- κ B	M. Helenius, M. Hänninen, S.K. Lehtinen and A. Salminen	603–608
Cloning of cDNA for the γ -subunit of mammalian translation initiation factor 2B, the guanine nucleotide-exchange factor for eukaryotic initiation factor 2	N.T. Price, S.R. Kimball, L.S. Jefferson and C.G. Proud	631–636
eIF2B, the guanine nucleotide-exchange factor for eukaryotic initiation factor 2. Sequence conservation between the α , β and δ subunits of eIF2B from mammals and yeast	N.T. Price, H. Mellor, B.L. Craddock, K.M. Flowers, S.R. Kimball, T. Wilmer, L.S. Jefferson and C.G. Proud	637–643
The proximal element of the human apolipoprotein A-II promoter increases the enhancer activity of the distal region	J.-M. Lacorte, E. Fourniat, D. Pastier, J. Chambaz, A. Ribeiro and P. Cardot	681–688
cDNA cloning, expression and chromosomal localization of the human sarco/endoplasmic reticulum Ca ²⁺ -ATPase 3 gene	L. Dode, F. Wuytack, P.F.J. Kools, F. Baba-Aissa, L. Raeymaekers, F. Brik, W.J.M. Van De Ven and R. Casteels	689–699
Regulation of metabolism		
Hepatic regeneration induces changes in lipoprotein lipase activity in several tissues and its re-expression in the liver	R. Sabugal, M.Q. Robert, J. Julve, J. Auwerx, M. Llobera and J. Peinado-Onsurbe	597–602
Regulation of pancreatic β -cell mitochondrial metabolism: influence of Ca ²⁺ , substrate and ADP	V.N. Civelek, J.T. Deeney, N.J. Shalovsky, K. Tornheim, R.G. Hansford, M. Prentki and B.E. Corkey	615–621
Receptors and signal transduction		
Separate upstream and convergent downstream pathways of G-protein- and phorbol ester-mediated Ca ²⁺ sensitization of myosin light chain phosphorylation in smooth muscle	P.E. Jensen, M.C. Gong, A. V. Somlyo and A.P. Somlyo	469–475
The human cardiac muscle ryanodine receptor–calcium release channel: identification, primary structure and topological analysis	R.E.A. Tunwell, C. Wickenden, B.M.A. Bertrand, V.I. Shevchenko, M.B. Walsh, P.D. Allen and F.A. Lai	477–487
Mediation of interleukin-11-dependent biological responses by a soluble form of the interleukin-11 receptor	J. Karow, K. R. Hudson, M.A. Hall, A.B. Vernallis, J.A. Taylor, A. Gossler and J.K. Heath	489–495
A type 2A phosphatase-sensitive phosphorylation site controls modal gating of L-type Ca ²⁺ channels in human vascular smooth-muscle cells	K. Groschner, K. Schuhmann, G. Mieskes, W. Baumgartner and C. Romanin	513–517
The co-mitogenic combination of transforming growth factor β ₁ and bombesin protects protein kinase C- δ from late-phase down-regulation, despite synergy in diacylglycerol accumulation	A.R. Olivier, G. Hansra, T.R. Pettitt, M.J.O. Wakelam and P.J. Parker	519–525

Vav in natural killer cells is tyrosine phosphorylated upon cross-linking of FcγRIIIA and is constitutively associated with a serine/threonine kinase	X. Xu and A.S.-F. Chong	527–532
Localization of a high-affinity inositol 1,4,5-trisphosphate/inositol 1,4,5,6-tetrakisphosphate binding domain to the pleckstrin homology module of a new 130 kDa protein: characterization of the determinants of structural specificity	H. Takeuchi, T. Kanematsu, Y. Misumi, H.B. Yaakob, H. Yagisawa, Y. Ikehara, Y. Watanabe, Z. Tan, S.B. Shears and M. Hirata	561–568
Dual mechanism for cAMP-dependent modulation of Ca ²⁺ signalling in articular chondrocytes	P. D'Andrea, V. Paschini and F. Vittur	569–573
Insulin-induced tyrosine dephosphorylation of paxillin and focal adhesion kinase requires active phosphotyrosine phosphatase 1D	D.M. Ouwens, H.M.M. Mikkers, G.C.M. van der Zon, M. Stein-Gerlach, A. Ullrich and J.A. Maassen	609–614
Insulin and secretagogues differentially regulate fluid-phase pinocytosis in insulin-secreting β-cells	G. Xu, J. Howland and P.L. Rothenberg	623–629
Regulation of inositol trisphosphate-induced membrane currents in <i>Xenopus</i> oocytes by a Jurkat cell calcium influx factor	D. Thomas, H.Y. Kim and M.R. Hanley	649–656
Efficacy of agonist-stimulated MEK activation determines the susceptibility of mitogen-activated protein (MAP) kinase to inhibition in rat aortic smooth muscle cells	R. Plevin, P.H. Scott, C.J.M. Robinson and G.W. Gould	657–663
Species- and tissue-dependent diversity of G-protein β subunit phosphorylation: evidence for a cofactor	B. Nürnberg, R. Harhammer, T. Exner, R.A. Schulze and T. Wieland	717–722
Purinergic stimulation of rat cardiomyocytes induces tyrosine phosphorylation and membrane association of phospholipase Cγ: a major mechanism for InsP ₃ generation	M. Puceat and G. Vassort	723–728
Cell biology and development		
Altered mitochondrial function in fibroblasts containing MELAS or MERRF mitochondrial DNA mutations	A.M. James, Y.-H. Wei, C.-Y. Pang and M.P. Murphy	401–407