

**Research Communications**

- Improvements on the purification of mannan-binding lectin and demonstration of its Ca<sup>2+</sup>-independent association with a C1s-like serine protease  
S.M. Tan, M.C.M. Chung, O.L. Kon, S. Thiel, S.H. Lee and J. Lu **329–332**
- Evidence from kinetic isotope studies for an enolate intermediate in the mechanism of type II dehydroquinases  
J.M. Harris, C. Gonzalez-Bello, C. Kleanthous, A.R. Hawkins, J.R. Coggins and C. Abell **333–336**

**Research Papers****Proteins**

- Association of the two lobes of ovotransferrin is a prerequisite for receptor recognition. Studies with recombinant ovotransferrins  
A.B. Mason, R.C. Woodworth, R.W.A. Oliver, B.N. Green, L.-N. Lin, J.F. Brandts, K.J. Savage, B.M. Tam and R.T.A. MacGillivray **361–368**
- Nitric oxide-dependent NAD linkage to glyceraldehyde-3-phosphate dehydrogenase: possible involvement of a cysteine thiol radical intermediate  
M. Minetti, D. Pietraforte, A.M.M. Di Stasi and C. Mallozzi **369–375**
- Conformational analysis of retinoids and restriction of their dynamics by retinoid-binding proteins  
D.M.F. van Aalten, B.L. de Groot, H.J.C. Berendsen and J.B.C. Findlay **543–550**
- Inhibition by calponin of isometric force in demembrated vascular smooth muscle strips: the critical role of serine-175  
Y. Uyama, Y. Imaizumi, M. Watanabe and M.P. Walsh **551–558**

**Enzymes**

- Improved thermostability of the North American firefly luciferase: saturation mutagenesis at position 354  
P.J. White, D.J. Squirrell, P. Arnaud, C.R. Lowe and J.A.H. Murray **343–350**
- The folding and activity of the extracellular lipase of *Rhizopus oryzae* are modulated by a prosequence  
H.-D. Beer, G. Wohlfahrt, R.D. Schmid and J.E.G. McCarthy **351–359**
- Protein C activation on endothelial cells by prothrombin activation products generated *in situ*: meizothrombin is a better protein C activator than  $\alpha$ -thrombin  
T.M. Hackeng, G. Tans, S.J. Koppelman, P.G. de Groot, J. Rosing and B.N. Bouma **399–405**
- Electron transfer in zinc-reconstituted nitrite reductase from *Pseudomonas aeruginosa*  
A. Bellelli, P. Brzezinski, M. Arese, F. Cutruzzola, M.C. Silvestrini and M. Brunori **407–410**
- Domain-structure analysis of recombinant rat hormone-sensitive lipase  
T. Østerlund, B. Danielsson, E. Degerman, J.A. Contreras, G. Edgren, R.C. Davis, M.C. Schotz and C. Holm **411–420**
- Purification and characterization of two components of epoxypropane isomerase/carboxylase from *Xanthobacter* Py2  
C.K.N. Chan Kwo Chion and D.J. Leak **499–506**
- Polynucleotide:adenosine glycosidase activity of saporin-L1: effect on DNA, RNA and poly(A)  
L. Barbieri, P. Valbonesi, P. Gorini, A. Pession and F. Stirpe **507–513**
- Evidence that linker sequences and cellulose-binding domains enhance the activity of hemicellulases against complex substrates  
G.W. Black, J.E. Rixon, J.H. Clarke, G.P. Hazlewood, M.K. Theodorou, P. Morris and H.J. Gilbert **515–520**
- Interaction of aspartic acid-104 and proline-287 with the active site of m-calpain  
J.S.C. Arthur and J.S. Elce **535–541**
- Mechanism of polyoxometalate-mediated inactivation of DNA polymerases: an analysis with HIV-1 reverse transcriptase indicates specificity for the DNA-binding cleft  
S.G. Sarafianos, U. Kortz, M.T. Pope and M.J. Modak **619–626**

**Carbohydrates and lipids**

- Increased selective uptake *in vivo* and *in vitro* of oxidized cholesteryl esters from high-density lipoprotein by rat liver parenchymal cells  
K. Fluiter, H. Vietsch, E.A.L. Biessen, G.M. Kostner, T.J.C. van Berkel and W. Sattler **471–476**

**Gene structure and expression**

- Expression of the human spermidine/spermine N<sup>1</sup>-acetyltransferase in spermidine acetylation-deficient *Escherichia coli*  
N.A. Ignatenko, J.L. Fish, L.R. Shassetz, D. P. Woolridge and E.W. Gerner **435–440**

Structural and functional analysis of a promoter of the human granulin/epithelin gene	V. Bhandari, R. Daniel, P.S. Lim and A. Bateman	441–447
Up-regulation of the expression of the gene for liver fatty acid-binding protein by long-chain fatty acids	C. Meunier-Durmort, H. Poirier, I. Niot, C. Forest and P. Besnard	483–487
Quantification of aggrecan and link-protein mRNA in human articular cartilage of different ages by competitive reverse transcriptase–PCR	M.C. Bolton, J. Dudhia and M.T. Bayliss	489–498
Isoforms of endoplasmic reticulum Ca <sup>2+</sup> -ATPase are differentially expressed in normal and diabetic islets of Langerhans	A. Váradi, E. Molnár, C.-G. Östenson and S.J.H. Ashcroft	521–527
Cloning, sequencing, expression, purification and preliminary characterization of a type II dehydroquinase from <i>Helicobacter pylori</i>	J.R. Bottomley, C.L. Clayton, P.A. Chalk and C. Kleanthous	559–565
Cloning, sequencing and overexpression in <i>Escherichia coli</i> of the alginate-lyase-encoding <i>aly</i> gene of <i>Pseudomonas alginovora</i> : identification of three classes of alginate lyases	F. Chavagnat, C. Duez, M. Guinand, P. Potin, T. Barbeyron, B. Henrissat, J. Wallach and J.-M. Ghuyssen	575–583
Structural specificity effects of trivalent polyamine analogues on the stabilization and conformational plasticity of triplex DNA	T.J. Thomas, G.D. Kulkarni, N.J. Greenfield, A. Shirahata and T. Thomas	591–599
Activation of heat-shock transcription factor 1 by hypertonic shock in 3T3 cells	R. Alfieri, P.G. Petronini, S. Urbani and A.F. Borghetti	601–606
Nucleosome core particles inhibit DNA triple helix formation	P.M. Brown and K.R. Fox	607–611
Insulin-like growth factor I and insulin induce adipogenic-related gene expression in fetal brown adipocyte primary cultures	T. Teruel, A.M. Valverde, M. Benito and M. Lorenzo	627–632
<b>Regulation of metabolism</b>		
A method for determination <i>in situ</i> of variations within the hepatic lobule of hepatocyte function and metabolite concentrations	S.P. Burns, R.D. Cohen, R.A. Iles, J.P. Germain, T.C.H. Going, S.J.W. Evans and P. Royston	377–383
Vitamin E potentiates arachidonate release and phospholipase A <sub>2</sub> activity in rat heart myoblastic cells	K. Tran, J.T. Wong, E. Lee, A.C. Chan and P.C. Choy	385–391
Flux control exerted by overt carnitine palmitoyltransferase over palmitoyl-CoA oxidation and ketogenesis is lower in suckling than in adult rats	S. Krauss, C.V. Lascelles, V.A. Zammit and P.A. Quant	427–433
Insulin-like growth factor I stimulates degradation of an mRNA transcript encoding the 14 kDa ubiquitin-conjugating enzyme	S.S. Wing and N. Bedard	455–461
Evidence for rapid consumption of millimolar concentrations of cytoplasmic ATP during rigor-contracture of metabolically compromised single cardiomyocytes	I. Allue, O. Gandelman, E. Dementieva, N. Ugarova and P. Cobbold	463–469
Rat C6 glioma cell growth is related to glucose transport and metabolism	S. Nagamatsu, Y. Nakamichi, N. Inoue, M. Inoue, H. Nishino and H. Sawa	477–482
Changes induced by fasting and dietetic obesity in thermogenic parameters of rat brown adipose tissue mitochondrial subpopulations	J.C. Matamala, M. Gianotti, J. Pericás, S. Quevedo, P. Roca, A. Palou and F.J. García-Palmer	529–534
The effect of respiratory chain impairment on $\beta$ -oxidation in rat heart mitochondria	S. Eaton, M. Pourfarzam and K. Bartlett	633–640
<b>Membranes and bioenergetics</b>		
Regulation of Na <sup>+</sup> ,K <sup>+</sup> -ATPase and the Na <sup>+</sup> /K <sup>+</sup> /Cl <sup>-</sup> co-transporter in the renal epithelial cell line NBL-1 under osmotic stress	A. Ferrer-Martinez, F.J. Casado, A. Felipe and M. Pastor-Anglada	337–342
Structural changes in photosystem II after treatment with the zero-length bifunctional cross-linker 1-ethyl-3-(3-dimethylaminopropyl)carbodi-imide: an electron microscopic study	R.F. Collins, T.D. Flint, A. Holzenburg and R.C. Ford	585–589
<b>Receptors and signal transduction</b>		
Lysophosphatidic acid-sensitive intracellular Ca <sup>2+</sup> store does not regulate Ca <sup>2+</sup> entry at plasma membrane in Jurkat human T-cells	H. Takemura, K. Imoto, S. Sakano, M. Kaneko and H. Ohshika	393–397
Calmodulin sensitivity of the sarcoplasmic reticulum ryanodine receptor from normal and malignant-hyperthermia-susceptible muscle	S. O'Driscoll, T.V. McCarthy, H.M. Eichinger, W. Erhardt, F. Lehmann-Horn and A. Herrmann-Frank	421–426
Identification and function of type-2 and type-3 ryanodine receptors in gut epithelial cells	V. Verma, C. Carter, S. Keable, D. Bennett and P. Thorn	449–454

---

Arachidonic acid activates a proton conductance pathway and the Na <sup>+</sup> /H <sup>+</sup> exchanger in platelets	L. Cavallini, M. Coassin, A. Borean and A. Alexandre	<b>567–574</b>
Nicotinamide inhibits cyclic ADP-ribose-mediated calcium signalling in sea urchin eggs	J.K. Sethi, R.M. Empson and A. Galione	<b>613–617</b>
Phorbol 12-myristate 13-acetate inhibits epidermal growth factor signalling in human keratinocytes, leading to decreased ornithine decarboxylase activity	G.Z. Xue, Z.S. Zheng, R.Z. Chen, M.B. Lloyd and J.H. Prystowsky	<b>641–648</b>
Bradykinin B <sub>2</sub> receptor-induced and inositol tetrakisphosphate-evoked Ca <sup>2+</sup> entry is sensitive to a protein tyrosine phosphorylation inhibitor in <i>ras</i> -transformed NIH/3T3 fibroblasts	M. Hashii, S. Nakashima, S. Yokoyama, K. Enomoto, Y. Minabe, Y. Nozawa and H. Higashida	<b>649–656</b>