

Review

Mammalian mitochondrial β -oxidation
by S. Eaton, K. Bartlett and M. Pourfarzam

345–357

Research Communications

Two differentially expressed interleukin-11 receptor genes in the mouse genome

P. Bilinski, M.A. Hall, H. Neuhaus, C. Gissel, J.K. Heath and A. Gossler **359–363**

Experimental evidence for structure–activity features in common between mammalian histidine decarboxylase and ornithine decarboxylase

N. Engel, M.T. Olmo, C.S. Coleman, M.A. Medina, A.E. Pegg and F. Sánchez-Jiménez **365–368**

Anionic tobacco peroxidase is active at extremely low pH: veratryl alcohol oxidation with a pH optimum of 1.8

I.G. Gazarian, L.M. Lagrimini, S.J. George and R.N.F. Thorneley **369–372**

Research Papers**Proteins**

Immunochemical detection of CoA-modified mitochondrial matrix proteins

W. Huth, C. Pauli and U. Möller **451–457**

Partial characterization of the C-terminal non-collagenous domain (NC1) of collagen type X

R.E. Barber and A.P.L. Kwan **479–485**

Proteinases are isoform-specific regulators of the binding of transforming growth factor β to α_2 -macroglobulin

D.J. Webb, A.M. Weaver, T.L. Atkins-Brady and S.L. Gonias **551–555**

Investigations into the molecular size and shape of tomato extensin

M.D. Brownleader, O. Byron, A. Rowe, M. Trevan, K. Welham and P.M. Dey **577–583**

p30, a novel protein target of mouse calcyclin (S100A6)

A. Filipek and U. Wojda **585–587**

Enzymes

Purification and properties of cystathionine β -lyase from *Arabidopsis thaliana* overexpressed in *Escherichia coli*

S. Ravanel, D. Job and R. Douce **383–392**

Comparative studies on the 5-aminolaevulinic acid dehydratases from *Pisum sativum*, *Escherichia coli* and *Saccharomyces cerevisiae*

N.M. Senior, K. Brocklehurst, J.B. Cooper, S.P. Wood, P. Erskine, P.M. Shoolingin-Jordan, P.G. Thomas and M.J. Warren **401–412**

Evidence for the involvement of 3-oxo- Δ^4 intermediates in ecdysteroid biosynthesis

C. Blais, C. Dauphin-Villemant, N. Kovganko, J.-P. Girault, C. Descoins Jr and R. Lafont **413–419**

A novel *trans*-spliced mRNA from *Onchocerca volvulus* encodes a functional S-adenosylmethionine decarboxylase

A.A. Da'dara, K. Henkle-Dührsen and R.D. Walter **519–530**

Structure–activity relationships for chemical and glutathione S-transferase-catalysed glutathione conjugation reactions of a series of 2-substituted 1-chloro-4-nitrobenzenes

E.M. Van der Aar, T. Bouwman, J.N.M. Commandeur and N.P.E. Vermeulen **531–540**

Glutamate-1-semialdehyde aminotransferase from *Sulfolobus solfataricus*

G. Palmieri, M. Di Palo, A. Scaloni, S. Orrù, G. Marino and G. Sanna **541–545**

Identification of phosphorylation sites in keratinocyte transglutaminase

R.H. Rice, M. Mehrpouyan, Q. Qin, M.A. Phillips and Y.M. Lee **547–550**

Higher-plant medium- and short-chain acyl-CoA oxidases: identification, purification and characterization of two novel enzymes of eukaryotic peroxisomal β -oxidation

M.A. Hooks, K. Bode and I. Couée **607–614**

Bile pigments as HIV-1 protease inhibitors and their effects on HIV-1 viral maturation and infectivity *in vitro*

F. McPhee, P.S. Caldera, G.W. Bemis, A.F. McDonagh, I.D. Kuntz and C.S. Craik **681–686**

The cytotoxic activity of *Bacillus anthracis* lethal factor is inhibited by leukotriene A₄ hydrolase and metallopeptidase inhibitors

A. Ménard, E. Papini, M. Mock and C. Montecucco **687–691**

Carbohydrates and lipids

The effects of ascorbate and dehydroascorbate on the oxidation of low-density lipoprotein

S.E. Stait and D.S. Leake **373–381**

Evidence for the presence of a large keratan sulphate proteoglycan in the human uterine cervix

D.-C. Fischer, A. Henning, M. Winkler, W. Rath, H.-D. Haubeck and H. Greiling **393–399**

Role for L-selectin in lipopolysaccharide-induced activation of neutrophils	R. Malhotra, R. Priest and M.I. Bird	589–593
Gene structure and expression		
Spreading of methylation along DNA	H. Lindsay and R.L.P. Adams	473–478
Cloning and characterization of a 92 kDa soluble phosphatidylinositol 4-kinase	T. Nakagawa, K. Goto and H. Kondo	643–649
Regulation of metabolism		
Heparin–decasaccharides impair the catabolism of chylomicrons	O. Chevreuil, M. Hultin, P. Østergaard and T. Olivecrona	437–444
Characterization of transgenic potato (<i>Solanum tuberosum</i>) tubers with increased ADPglucose pyrophosphorylase	L.J. Sweetlove, M.M. Burrell and T. ap Rees	487–492
Starch metabolism in tubers of transgenic potato (<i>Solanum tuberosum</i>) with increased ADPglucose pyrophosphorylase	L.J. Sweetlove, M.M. Burrell and T. ap Rees	493–498
Human microglia convert L-tryptophan into the neurotoxin quinolinic acid	M.P. Heyes, C.L. Achim, C.A. Wiley, E.O. Major, K. Saito and S.P. Markey	595–597
Locally formed 5-hydroxytryptamine stimulates phosphate transport in cultured opossum kidney cells and in rat kidney	Z. Hafdi, S. Couette, E. Comoy, D. Prie, C. Amiel and G. Friedlander	615–621
Origin of hepatic very-low-density lipoprotein triacylglycerol: the contribution of cellular phospholipid	D. Wiggins and G.F. Gibbons	673–679
Membranes and bioenergetics		
Synthetic hydrophobic peptides are substrates for P-glycoprotein and stimulate drug transport	F.J. Sharom, X. Yu, G. DiDiodato and J.W.K. Chu	421–428
Tyrosine phosphorylation of band 3 protein in Ca ²⁺ /A23187-treated human erythrocytes	G. Minetti, G. Piccinini, C. Balduini, C. Seppi and A. Brovelli	445–450
Fatty acids as modulators of cytochrome c oxidase in proteoliposomes	M. Sharpe, I. Perin, J. Wrigglesworth and P. Nicholls	557–561
F ₁ F ₀ -ATPase, early target of the radical initiator 2,2'-azobis-(2-amidinopropane) dihydrochloride in rat liver mitochondria <i>in vitro</i>	F. Beauseigneur, M. Gubern, M.-F. Chapey, J. Gresti, C. Vergely, M. Tsoko, J. Demarquoy, L. Rochette and P. Clouet	571–576
Surface properties, morphology and protein composition of pulmonary surfactant subtypes	E. Putman, L.A.J.M. Creuwels, L.M.G. van Golde and H.P. Haagsman	599–605
Receptors and signal transduction		
Characterization of heterotrimeric G-proteins in adult <i>Acanthocheilonema viteae</i>	K.R. Grant, M.M. Harnett, G. Milligan and W. Harnett	459–466
Proliferative effect of ammodytin L from the venom of <i>Vipera ammodytes</i> on 208F rat fibroblasts in culture	S. Rufini, M.P. Cesaroni, N. Balestro and P. Luly	467–472
Role of P2-purinergic receptors in rat Leydig cell steroidogenesis	C. Foresta, M. Rossato, A. Nogara, F. Gottardello, P. Bordon and F. Di Virgilio	499–504
Ca ²⁺ influx does more than provide releasable Ca ²⁺ to maintain repetitive spiking in human umbilical vein endothelial cells	A.J. Morgan and R. Jacob	505–517
Activation effects of a prion protein fragment [PrP-(106–126)] on human leucocytes	L. Diomede, S. Sozzani, W. Luini, M. Algeri, L. De Gioia, R. Chiesa, P.M.J. Lievens, O. Bugiani, G. Forloni, F. Tagliavini and M. Salmona	563–570
Evidence for a Ca ²⁺ pool associated with secretory granules in rat submandibular acinar cells	J.R. Martinez, S. Willis, S. Puente, J. Wells, R. Helmke and G.H. Zhang	627–634
Inhibition of collagen-induced platelet aggregation as the result of cleavage of $\alpha_2\beta_1$ -integrin by the snake venom metalloproteinase jararhagin	A.S. Kamiguti, C.R.M. Hay and M. Zuzel	635–641
Extracellular <i>in vitro</i> and <i>in vivo</i> metabolism of cADP-ribose in cerebellum	A. De Flora, L. Guida, L. Franco, E. Zocchi, M. Pestarino, C. Usai, C. Marchetti, E. Fedele, G. Fontana and M. Raiteri	665–672
Cell biology and development		
Identification of SNAP receptors in rat adipose cell membrane fractions and in SNARE complexes co-immunoprecipitated with epitope-tagged <i>N</i> -ethylmaleimide-sensitive fusion protein	K.I. Timmers, A.E. Clark, M. Omatsu-Kanbe, S.W. Whiteheart, M.K. Bennett, G.D. Holman and S.W. Cushman	429–436

Effect of all- <i>trans</i> -retinoic acid and phorbol 12-myristate 13-acetate on the activity of human hepatocellular carcinoma cell-surface β -1,4-galactosyltransferase	D. Zhou, S. Jiang, Z. Shen and J. Gu	623–625
Protein kinase C bound to the Golgi apparatus supports the formation of constitutive transport vesicles	P. Westermann, M. Knoblich, O. Maier, C. Lindschau and H. Haller	651–658
Regulation of the expression of stromelysin-2 by growth factors in keratinocytes: implications for normal and impaired wound healing	M. Madlener, C. Mauch, W. Conca, M. Brauchle, W.C. Parks and S. Werner	659–664
BJ Letters		
3'-Flanking region of a family 1 β -glucosidase gene	A. Rojas and A. Romeu	693–694
<i>Caenorhabditis elegans</i> LIN-2A and mammalian neuronal CASK are prototypical members of a subfamily of MAGUKs (membrane-associated guanylate kinases) characterized by a common kinase-like domain and a guanylate kinase domain predicted to bind ATP	A.J. Baines	694–696