

Review

Quinoprotein-catalysed reactions
by C. Anthony

697–711

Research Communications

The Cu,Zn superoxide dismutase from *Escherichia coli* retains monomeric structure at high protein concentration. Evidence for altered subunit interaction in all the bacteriocupreins

A. Battistoni, S. Folcarelli, R. Gabbianelli, C. Capo and G. Rotilio **713–716**

Histamine reduces ZO-1 tight-junction protein expression in cultured retinal microvascular endothelial cells

T.W. Gardner, T. Leshner, S. Khin, C. Vu, A.J. Barber and W.A. Brennan, Jr. **717–721**

Research Papers**Proteins**

Structural elucidation of XR586, a peptaibol-like antibiotic from *Acremonium persicinum*

G.J. Sharman, A.C. Try, D.H. Williams, A.M. Ainsworth, R. Beneyto, T.M. Gibson, C. McNicholas, D.V. Renno, N. Robinson, K.A. Wood and S.K. Wrigley **723–728**

Recognition of subsets of the mammalian A/B-type core heterogeneous nuclear ribonucleoprotein polypeptides by novel autoantibodies

A. Dangli, A. Plomaritoglou, E. Boutou, N. Vassiliadou, H.M. Moutsopoulos and A. Guialis **761–767**

Evidence for regulated dimerization of cell–cell adhesion molecule (C-CAM) in epithelial cells

I. Hunter, H. Sawa, M. Edlund and B. Öbrink **847–853**

Post-translational peptide bond formation during concanavalin A processing *in vitro*

P.S. Sheldon, J.N. Keen and D.J. Bowles **865–870**

Lactoferrin regulates the activity of heparin proteoglycan-bound mast cell chymase: characterization of the binding of heparin to lactoferrin

G. Pejler **897–903**

High-affinity binding of laurate to naturally occurring mutants of human serum albumin and proalbumin

U. Kragh-Hansen, A.O. Pedersen, M. Galliano, L. Minchiotti, S.O. Brennan, A.L. Tárnoky, M.H.L.P. Franco and F.M. Salzano **911–916**

The cytochrome c_3 superfamily: amino acid sequence of a dimeric octahaem cytochrome c_3 (M_r 26000) isolated from *Desulfovibrio gigas*

M. Bruschi, G. Leroy, J. Bonicel, D. Campese and A. Dolla **933–938**

Enzymes

Lactase phlorhizin hydrolase turnover *in vivo* in water-fed and colostrum-fed newborn pigs

M.A. Dudley, D.G. Burrin, A. Quaroni, J. Rosenberger, G. Cook, B.L. Nichols and P.J. Reeds **735–743**

Feedback repression of ornithine decarboxylase synthesis mediated by antizyme

J.L.A. Mitchell, C.-y. Choe and G.G. Judd **755–760**

Anabaena flos-aquae and other cyanobacteria possess diadenosine 5',5'''- P^1, P^4 -tetraphosphate (Ap_4A) phosphorylase activity

A.G. McLennan, E. Mayers and D.G. Adams **795–800**

Biochemical characterization and deletion analysis of recombinant human protein phosphatase 2C α

A.E. Marley, J.E. Sullivan, D. Carling, W.M. Abbott, G.J. Smith, I.W.F. Taylor, F. Carey and R.K. Beri **801–806**

Adenosylcobalamin-dependent glutamate mutase: properties of a fusion protein in which the cobalamin-binding subunit is linked to the catalytic subunit

D.E. Holloway, S.E. Harding and E.N.G. Marsh **825–830**

Competitive inhibition of calcineurin phosphatase activity by its autoinhibitory domain

J.K. Sagoo, D.A. Fruman, S. Wesselborg, C.T. Walsh and B.E. Bierer **879–884**

Influence of metal ions on substrate binding and catalytic activity of mammalian protein geranylgeranyltransferase type-I

F.L. Zhang and P.J. Casey **925–932**

Carbohydrates and lipids

The binding of cholesterol and bile salts to recombinant rat liver fatty acid-binding protein

A.E.A. Thumser and D.C. Wilton **729–733**

Interactions between organic anions, micelles and vesicles in model bile systems	H.J. Verkade, M.A.C. de Bruijn, M.A. Brink, H. Talsma, R.J. Vonk, F. Kuipers and A.K. Groen	917–924
Cross-linking of the high-affinity IgE receptor induces the expression of cyclo-oxygenase 2 and attendant prostaglandin generation requiring interleukin 10 and interleukin 1 β in mouse cultured mast cells	M. Ashraf, M. Murakami and I. Kudo	965–973
Gene structure and expression		
Regulation of tyrosine aminotransferase gene expression by glucocorticoids in quiescent and regenerating liver	L. Baki and M.N. Alexis	745–753
2-Mercaptoethanol restores the ability of nuclear factor κ B (NF κ B) to bind DNA in nuclear extracts from interleukin 1-treated cells incubated with pyrrolidine dithiocarbamate (PDTC). Evidence for oxidation of glutathione in the mechanism of inhibition of NF κ B by PDTC	P. Brennan and L.A.J. O'Neill	975–981
Thiol regulation of endotoxin-induced release of tumour necrosis factor α from isolated rat Kupffer cells	B.A. Neuschwander-Tetri, J.M. Bellezzo, R.S. Britton, B.R. Bacon and E.S. Fox	1005–1010
Regulation of metabolism		
Role of the 3' untranslated region in the regulation of cytosolic glutathione peroxidase and phospholipid-hydroperoxide glutathione peroxidase gene expression by selenium supply	G. Bermano, J.R. Arthur and J.E. Hesketh	891–895
Overexpression of phosphatidylethanolamine <i>N</i> -methyltransferase 2 in CHO-K1 cells does not attenuate the activity of the CDP-choline pathway for phosphatidylcholine biosynthesis	M.W. Lee, M. Bakovic and D.E. Vance	905–910
Membranes and bioenergetics		
Subunit VII of ubiquinol:cytochrome-c oxidoreductase from <i>Neurospora crassa</i> is functional in yeast and has an N-terminal extension that is not essential for mitochondrial targeting	G. Lobo-Hajdu, H.-P. Braun, N. Romp, L.A. Grivell, J.A. Berden and U.K. Schmitz	769–775
Studies of the membrane topology of the rat erythrocyte H ⁺ /lactate cotransporter (MCT1)	R.C. Poole, C.E. Sansom and A.P. Halestrap	817–824
The effect of chloroform on mitochondrial energy transduction	L.-F. Chien and M.D. Brand	837–845
Tamoxifen inhibits nitrobenzylthioinosine-sensitive equilibrative uridine transport in human MCF-7 breast cancer cells	J. Cai and C.W. Lee	991–995
Increase of particulate nitric oxide synthase activity and peroxynitrite synthesis in UVB-irradiated keratinocyte membranes	G. Deliconstantinos, V. Villiotou and J.C. Stavrides	997–1003
Receptors and signal transduction		
ADP-ribosylation factor 1-regulated phospholipase D activity is localized at the plasma membrane and intracellular organelles in HL60 cells	J. Whatmore, C.P. Morgan, E. Cunningham, K.S. Collison, K.R. Willison and S. Cockcroft	785–794
Point mutations in bovine opsin can be classified in four groups with respect to their effect on the biosynthetic pathway of opsin	G.L.J. DeCaluw and W.J. DeGrip	807–815
Protein kinase C in cultured human placental trophoblasts: identification of isoforms and role in cAMP signalling	P.I. Karl and A. Divald	831–836
Insulin action in cultured human myoblasts: contribution of different signalling pathways to regulation of glycogen synthesis	S.J. Hurel, J.J. Rochford, A.C. Borthwick, A.M. Wells, J.R. Vandenheede, D.M. Turnbull and S.J. Yeaman	871–877
Phorbol ester-sensitive phospholipase D is mainly localized in the endoplasmic reticulum of BHK cells	C. Decker, M.J. Miro Obradors, D.J. Sillence and D. Allan	885–890
Trypsin stimulates proteinase-activated receptor-2-dependent and -independent activation of mitogen-activated protein kinases	C.M. Belham, R.J. Tate, P.H. Scott, A.D. Pemberton, H.R.P. Miller, R.M. Wadsworth, G.W. Gould and R. Plevin	939–946
The characterization of endosomal insulin degradation intermediates and their sequence of production	P.J. Seabright and G.D. Smith	947–956
Elevated intracellular calcium concentration increases secretory processing of the amyloid precursor protein by a tyrosine phosphorylation-dependent mechanism	M.A. Petryniak, R.J. Wurtman and B.E. Slack	957–963
Differences in the kinetics of activation of protein kinases and extracellular signal-related protein kinase 1 in colony-stimulating factor 1-stimulated and lipopolysaccharide-stimulated macrophages	A. Jaworowski, E. Christy, P. Yusoff, R. Byrne and J.A. Hamilton	1011–1016

Progesterone and the zona pellucida activate different transducing pathways in the sequence of events leading to diacylglycerol generation during mouse sperm acrosomal exocytosis	T. Murase and E.R.S. Roldan	1017–1023
Cell biology and development		
Modulation of neutral protease expression in human mesangial cells by hyperglycaemic culture	N. Abdel Wahab and R.M. Mason	777–783
Reducing sugars trigger oxidative modification and apoptosis in pancreatic β -cells by provoking oxidative stress through the glycation reaction	H. Kaneto, J. Fujii, T. Myint, N. Miyazawa, K.N. Islam, Y. Kawasaki, K. Suzuki, M. Nakamura, H. Tatsumi, Y. Yamasaki and N. Taniguchi	855–863
Phosphorylation site specificity of the CDC2-related kinase PITALRE	J. Garriga, E. Segura, X. Mayol, C. Grubmeyer and X. Graña	983–989
Adipocyte differentiation-related protein is secreted into milk as a constituent of milk lipid globule membrane	H.W. Heid, M. Schnölzer and T.W. Keenan	1025–1030
Correction		
Nitric oxide-induced apoptosis: p53-dependent and p53-independent signalling pathways by U.K. Messmer and B. Brüne (volume 319, pages 299–305, 1996)		1031