

Biochemical Journal
Volume 322, part 2
1 March 1997

Proteins

- | | | |
|--|---|----------------|
| Modification of the erythrocyte surface in rats bearing Yoshida ascites sarcoma is brought about by a tumour variant of α_2 -macroglobulin | A. Sanjay, R.D. Kalraiyia and N.G. Mehta | 379–384 |
| Effects of modifications near the 2-, 3- and 4-fold symmetry axes on human ferritin renaturation | P. Santambrogio, P. Pinto, S. Levi, A. Cozzi, E. Rovida, A. Albertini, P. Artymiuk, P.M. Harrison and P. Arosio | 461–468 |
| Metal substitution of tetanus neurotoxin | F. Tonello, G. Schiavo and C. Montecucco | 507–510 |
| Chemistry of collagen cross-linking: biochemical changes in collagen during the partial mineralization of turkey leg tendon | L. Knott, J.F. Tarlton and A.J. Bailey | 535–542 |
| Formation of peroxide- and globin-derived radicals from the reaction of methaemoglobin and metmyoglobin with t-butyl hydroperoxide: an ESR spin-trapping investigation | J. Van der Zee | 633–639 |
| Identification of sequence similarity between 60 kDa and 70 kDa molecular chaperones: evidence for a common evolutionary background? | A.I. Flores and J.M. Cuevza | 641–647 |

Enzymes

- | | | |
|---|--|----------------|
| Molecular cloning and characterization of the thiolesterase glyoxalase II from <i>Arabidopsis thaliana</i> | M. Ridderström and B. Mannervik | 449–454 |
| A potent and highly selective peptide substrate for protein kinase C assay | R. Toomik and P. Ek | 455–460 |
| Photoaffinity labelling of human poly(ADP-ribose) polymerase catalytic domain | H. Kim, M.K. Jacobson, V. Rolli, J. Ménissier-de Murcia, J. Reinbolt, F. Simonin, A. Ruf, G. Schulz and G. de Murcia | 469–475 |
| Identification of homologues of the mammalian intestinal lactase gene in non-mammals (birds and molluscs) | J.-N. Freund, B. Jost, O. Lorentz and I. Duluc | 491–498 |
| Expression, purification and kinetic characterization of wild-type human ornithine transcarbamylase and a recurrent mutant that produces 'late onset' hyperammonaemia | H. Morizono, M. Tuchman, B.S. Rajagopal, M.T. McCann, C.D. Listrom, X. Yuan, D. Venugopal, G. Barany and N.M. Allewell | 625–631 |
| Comparison of long-chain fatty acyl-CoA synthetases from rabbit heart and liver: substrate preferences and effects of Mg ²⁺ | M.T. Weis and A. Bercute | 649–654 |

Carbohydrates and lipids

- | | | |
|---|--|----------------|
| Reduction of Cu(II) by lipid hydroperoxides: implications for the copper-dependent oxidation of low-density lipoprotein | R.P. Patel, D. Svistunenko, M.T. Wilson and V.M. Darley-Usmar | 425–433 |
| Structural differences and the presence of unsubstituted amino groups in heparan sulphates from different tissues and species | T. Toida, H. Yoshida, H. Toyoda, I. Koshishi, T. Imanari, R.E. Hileman, J.R. Fromm and R.J. Linhardt | 499–506 |
| Demonstration of a peptide:N-glycosidase in the endoplasmic reticulum of rat liver | S. Weng and R.G. Spiro | 655–661 |
| Biosynthesis, release and degradation of the novel endogenous cannabinomimetic metabolite 2-arachidonoylglycerol in mouse neuroblastoma cells | T. Bisogno, N. Sepe, D. Melck, S. Maurelli, L. de Petrocellis and V. Di Marzo | 671–677 |

Gene structure and expression

- | | | |
|--|---|----------------|
| Protein-tyrosine-kinase-dependent expression of cyclo-oxygenase-1 and -2 mRNAs in human endothelial cells | K. Hirai, H. Takayama, K. Tomo and M. Okuma | 373–377 |
| Regulation of the rat cardiac troponin I gene by the transcription factor GATA-4 | A.M. Murphy, W.R. Thompson, L.F. Peng and L. Jones II | 393–401 |
| Cloning and characterization of murine carnitine acetyltransferase: evidence for a requirement during cell cycle progression | S. Brunner, K. Kramar, D.T. Denhardt and R. Hofbauer | 403–410 |
| Cloning and characterization of a cDNA encoding a maize seedling phytase | S. Maugenest, I. Martinez and A.-M. Lescure | 511–517 |

Regulation of platelet-activating factor receptor gene expression <i>in vivo</i> by endotoxin, platelet-activating factor and endogenous tumour necrosis factor	H. Wang, X.-d. Tan, H. Chang, F. Gonzalez-Crussi, D.G. Remick and W. Hsueh	603–608
Nitric oxide regulates nitric oxide synthase-2 gene expression by inhibiting NF- κ B binding to DNA	S.K. Park, H.L. Lin and S. Murphy	609–613
cAMP prevents the glucose-mediated stimulated of GLUT2 gene transcription in hepatocytes	F. Rencurel, G. Waeber, C. Bonny, B. Antoine, P. Maulard, J. Girard and A. Leturque	441–448
Induction of nitric oxide synthesis in J774 cells lowers intracellular glutathione: effect of modulated glutathione redox status on nitric oxide synthase induction	J.S. Hothersall, F.Q. Cunha, G.H. Neild and A.A. Norohna-Dutra	477–481
Selective mobilization of fatty acids from white fat cells: evidence for a relationship to the polarity of triacylglycerols	T. Raclot	483–489
Unsaturated fatty acids enhance cell yields and perturb the energy metabolism of an antibody-secreting hybridoma	M. Butler, N. Huzel and N. Barnabé	615–623
Differential plasma clearance of murine acute-phase serum amyloid proteins SAA1 and SAA2	B. Kluwe-Beckerman, T. Yamada, J. Hardwick, J.J. Liepnieks and M.D. Benson	663–669

Membranes and bioenergetics

Effect of membrane environment on the activity and inhibitability by malonyl-CoA of the carnitine acyltransferase of hepatic microsomal membranes	N.M. Broadway and E.D. Saggerson	435–440
Identification and partial characterization of a novel membrane glycoprotein induced by amino acid deprivation in renal epithelial cells	J. Burston and J. McGivan	551–555

Receptors and signal transduction

Induction of cytosolic phospholipase A ₂ activity by phosphatidic acid and diglycerides in permeabilized human neutrophils: interrelationship between phospholipases D and A ₂	S.A. Bauldry and R.E. Wooten	353–363
Dominant negative mutant of ionotropic glutamate receptor subunit GluR3: implications for the role of a cysteine residue for its channel activity and pharmacological properties	K. Watase, M. Sekiguchi, T.-A. Matsui, Y. Tagawa and K. Wada	385–391
Characterization of a receptor for oxidized low-density lipoproteins on rat Kupffer cells: similarity to macrosialin	A.G. Van Velzen, R.P. Da Silva, S. Gordon and T. J. C. Van Berkem	411–415
Differential regulation of the expression of α_1 -adrenergic receptor subtype genes in brown adipose tissue	K. Kikuchi-Utsumi, M. Kikuchi-Utsumi, B. Cannon and J. Nedergaard	417–424
Activation of phospholipase D by growth factors and oncogenes in murine fibroblasts follow alternative but cross-talking pathways	L. del Peso, L. Lucas, P. Esteve and J.C. Lacal	519–528
Purification and characterization of sn-1-stearoyl-2-arachidonoylglycerol kinase from pig testes	M.N. Hodgkin, S.D. Gardner, S. Rose, A. Paterson, A. Martin and M.J.O. Wakelam	529–534
Isoform diversity of the inositol trisphosphate receptor in cell types of mouse origin	H. De Smedt, L. Missiaen, J.B. Parys, R.H. Henning, I. Sienraert, S. Vanlingen, A. Gijsens, B. Himpe and R. Casteels	575–583
Structural analysis of natriuretic peptide receptor-C by truncation and site-directed mutagenesis	M. Itakura, H. Suzuki and S. Hirose	585–590
Ca ²⁺ differentially regulates the ligand-affinity states of type 1 and type 3 inositol 1,4,5-trisphosphate receptors	H. Yoneshima, T. Miyawaki, T. Michikawa, T. Furuichi and K. Mikoshiba	591–596
Functional interaction of the carboxylic acid group of agonists and the arginine residue of the seventh transmembrane domain of prostaglandin E receptor EP3 subtype	C.-s. Chang, M. Negishi, N. Nishigaki and A. Ichikawa	597–601

Cell biology and development

Cell cycle and post-transcriptional regulation of annexin expression in IMR-90 human fibroblasts	P. Raynal, H.B. Pollard and M. Srivastava	365–371
Release of calreticulin from neutrophils may alter C1q-mediated immune functions	U. Kishore, R.D. Sontheimer, K.N. Sastry, K.S. Zaner, E.G. Zappi, G.R.V. Hughes, M.A. Khamashta, P. Strong, K.B.M. Reid and P. Eggleton	543–550

mRNA encoding the β -subunit of the mitochondrial F ₁ -ATPase complex is a localized mRNA in rat hepatocytes	G. Egea, J.M. Izquierdo, J. Ricart, C. San Martín and J.M. Cuevva	557–565
Advanced glycation end products are eliminated by scavenger-receptor-mediated endocytosis in hepatic sinusoidal Kupffer and endothelial cells	B. Smedsrød, J. Melkko, N. Araki, H. Sano and S. Horiuchi	567–573

BJ Letters

Amphibian embryo glutathione transferase: amino acid sequence and structural properties	P. Sacchetta, R. Petruzzelli, S. Melino, T. Bucciarelli, A. Pennelli, F. Amicarelli, M. Miranda and C. Di Ilio	679–680
---	---	----------------