

Review

- Interactions of polyamines with ion channels** **289–297**
 by K. Williams

Research Communications

- Co-operation of phosphatidylinositol transfer protein with phosphoinositide 3-kinase γ in the formylmethionyl-leucylphenylalanine-dependent production of phosphatidylinositol 3,4,5-trisphosphate in human neutrophils **299–301**
 G. Kular, M. Loubtchenkov, P. Swigart, J. Whatmore, A. Ball, S. Cockcroft and R. Wetzker
- Platelet-derived growth factor activation of mitogen-activated protein kinase depends on the sequential activation of phosphatidylcholine-specific phospholipase C, protein kinase C- ζ and Raf-1 **303–307**
 M.C. van Dijk, H. Hilkmann and W.J. van Blitterswijk
- The peptide LSARLAF causes platelet secretion and aggregation by directly activating the integrin $\alpha_{IIb}\beta_3$ **309–313**
 J.M. Derrick, D.B. Taylor, R.G. Loudon and T.K. Gartner
- Bcl-x_L* overexpression attenuates glutathione depletion in FL5.12 cells following interleukin-3 withdrawal **315–319**
 H.K. Bojes, K. Datta, J. Xu, A. Chin, P. Simonian, G. Nuñez and J.P. Kehrer
- The study of cell-death proteins in the outer mitochondrial membrane by chemical cross-linking **321–324**
 S.T. Ali, J.R. Coggins and H.T. Jacobs

Research Papers

Proteins

- The cluster of basic amino acids in vitronectin contributes to its binding of plasminogen activator inhibitor-1: evidence from thrombin-, elastase- and plasmin-cleaved vitronectins and anti-peptide antibodies **339–349**
 Z. Gechtman, A. Belleli, S. Lechpammer and S. Shaltiel
- Asymmetry adjacent to the collagen-like domain in rat liver mannose-binding protein **391–400**
 R. Wallis and K. Drickamer
- Synthetic putative transmembrane region of minimal potassium channel protein (minK) adopts an α -helical conformation in phospholipid membranes **475–479**
 E.A.J. Mercer, G.W. Abbott, S.P. Brazier, B. Ramesh, P.I. Haris and S.K.S. Srani
- Evidence for interaction of the fusion protein α -SNAP with membrane lipid **511–518**
 G.J. Steel, G. Buchheim, J.M. Edwardson and P.G. Woodman
- Purification and characterization of three distinct types of phospholipase A₂ inhibitors from the blood plasma of the Chinese mamushi, *Agkistrodon blomhoffii siniticus* **527–531**
 N. Ohkura, H. Okuhara, S. Inoue, K. Ikeda and K. Hayashi

Enzymes

- New de-ubiquitinating enzyme, ubiquitin C-terminal hydrolase 8, in chick skeletal muscle **325–330**
 S.H. Baek, S.K. Woo, J.I. Lee, Y.J. Yoo, C.M. Cho, M.-S. Kang, K. Tanaka and C.H. Chung
- Co-amplification explains linkage disequilibrium of two mosquito esterase genes in insecticide-resistant *Culex quinquefasciatus* **359–365**
 A. Vaughan, N. Hawkes and J. Hemingway
- Description of a novel eukaryotic deoxyuridine 5'-triphosphate nucleotidohydrolase in *Leishmania major* **441–447**
 A. Camacho, R. Arrebola, J. Peña-Díaz, L.M. Ruiz-Pérez and D. González-Pacanowska
- Rabbit DNase I: purification from urine, immunological and proteochemical characterization, nucleotide sequence, expression in tissues, relationships with other mammalian DNases I and phylogenetic analysis **465–473**
 T. Yasuda, H. Takeshita, T. Nakajima, O. Hosomi, Y. Nakashima and K. Kishi
- Subunit diversity and tissue distribution of human glutathione S-transferases: interpretations based on electrospray ionization-MS and peptide sequence-specific antisera **481–486**
 J.D. Rowe, E. Nieves and I. Listowsky

Preservation of the native structure and function of Ca ²⁺ -ATPase from sarcoplasmic reticulum: Solubilization and reconstitution by new short-chain phospholipid detergent 1,2-diheptanoyl- <i>sn</i> -phosphatidylcholine	B.D. Shivanna and E.S. Rowe	533–542
Regulation by phosphorylation of <i>Xenopus laevis</i> poly(ADP-ribose) polymerase enzyme activity during oocyte maturation	S. Aoufouchi and S. Shall	543–551
Carbohydrates and lipids		
Evidence that multifunctional protein 2, and not multifunctional protein 1, is involved in the peroxisomal β -oxidation of pristanic acid	M. Dieuaide-Noubhani, S. Asselberghs, G.P. Mannaerts and P.P. van Veldhoven	367–373
Stimulation of DNA synthesis by natural ceramide 1-phosphate	A. Gomez-Muñoz, L.M. Frago, L. Alvarez and I. Varela-Nieto	435–440
Gene structure and expression		
Localization of human heparan glucosaminyl N-deacetylase/N-sulphotransferase to the trans-Golgi network	D.E. Humphries, B.M. Sullivan, M.D. Aleixo and J.L. Stow	351–357
Influence of systematic error on the shape of the Scatchard plot of tRNA ^{Phe} binding to eukaryotic ribosomes	S.A. Nekhai, V.E. Beletzkij and D.M. Graifer	401–404
Regulation of metabolism		
Overexpression of arginine decarboxylase in transgenic plants	D. Burtin and A.J. Michael	331–337
Glutathione conjugation of chlorambucil: measurement and modulation by plant polyphenols	K. Zhang and K.P. Wong	417–422
Perfluorodecanoic acid enhances the formation of oleic acid in rat liver	A. Yamamoto and Y. Kawashima	429–434
Cytokines modulate glucose transport in skeletal muscle by inducing the expression of inducible nitric oxide synthase	S. Bédard, B. Marcotte and A. Marette	487–493
Low concentrations of lipid hydroperoxides prime human platelet aggregation specifically via cyclo-oxygenase activation	C. Calzada, E. Vericel and M. Lagarde	495–500
Inhibition of glycerol metabolism in hepatocytes isolated from endotoxic rats	P. Leclercq, C. Filippi, B. Sibille, S. Hamant, C. Keriel and X.M. Leverve	519–525
Membranes and bioenergetics		
Activation of sea-urchin sperm motility is accompanied by an increase in the creatine kinase exchange flux	F.A. van Dorsten, M. Wyss, T. Wallimann and K. Nicolay	411–416
Receptors and signal transduction		
Adhesion of fibroblasts to fibronectin stimulates both serine and tyrosine phosphorylation of paxillin	S.L. Bellis, J.A. Perrotta, M.S. Curtis and C.E. Turner	375–381
Ca ²⁺ and protein kinase C-dependent mechanisms involved in gastrin-induced Shc/Grb2 complex formation and P44-mitogen-activated protein kinase activation	L. Daulhac, A. Kowalski-Chauvel, L. Pradayrol, N. Vaysse and C. Seva	383–389
Multiple C-terminal serine phosphorylation accompanies both protein kinase C-dependent and -independent activation of cytosolic 85 kDa phospholipase A ₂ in macrophages	J. Wijkander, K. Gewert, U. Svensson, E. Holst and R. Sundler	405–410
Fatty acyl-CoA–acyl-CoA-binding protein complexes activate the Ca ²⁺ release channel of skeletal muscle sarcoplasmic reticulum	R. Fulceri, J. Knudsen, R. Giunti, P. Volpe, A. Nori and A. Benedetti	423–428
Angiotensin II type 2 receptors mediate inhibition of mitogen-activated protein kinase cascade and functional activation of SHP-1 tyrosine phosphatase	K. Bedecs, N. Elbaz, M. Sutren, M. Masson, C. Susini, A.D. Strosberg and C. Nahmias	449–454
Electrogenic H ⁺ pathway contributes to stimulus-induced changes of internal pH and membrane potential in intact neutrophils: role of cytoplasmic phospholipase A ₂	K. Suszták, A. Mócsai, E. Ligeti and A. Kapus	501–510
<i>n</i> –6 and <i>n</i> –3 Polyunsaturated fatty acids stimulate translocation of protein kinase C α , - β I, - β II and - ϵ and enhance agonist-induced NADPH oxidase in macrophages	Z.H. Huang, C.S.T. Hii, D.A. Rathjen, A. Poulos, A.W. Murray and A. Ferrante	553–557

Cell biology and development

Ca²⁺-dependent interaction of the growth-associated protein GAP-43 with the synaptic core complex

T. Haruta, N. Takami, M. Ohmura, Y. Misumi and Y. Ikehara

455–463

Two Rab proteins, vesicle-associated membrane protein 2 (VAMP-2) and secretory carrier membrane proteins (SCAMPs), are present on immunisolated parietal cell tubulovesicles

B.C. Calhoun and J.R. Goldenring

559–564

BJ Letters

Competitive reverse-transcriptase PCR: a useful alternative to Northern blotting for quantitative estimation of relative abundances of specific mRNAs in precious samples

V. Gattei, M. Degan, A. de Iulii, F.M. Rossi, D. Aldinucci and A. Pinto

565–567