

Review

- The extended protein kinase C superfamily** **281–292**
 by H. Mellor and P.J. Parker

Research Communications

- Control of androgen biosynthesis in the human through the interaction of Arg³⁴⁷ and Arg³⁵⁸ of CYP17 with cytochrome *b*₅ **293–296**
 P. Lee-Robichaud, M.E. Akhtar and M. Akhtar
- A novel transforming growth factor β_2 antisense transcript in mammalian lung **297–301**
 R.K. Coker, G.J. Laurent, K. Dabbagh, J. Dawson and R.J. McAnulty

Research Papers

Proteins

- Mapping the epitope of a functional P-selectin monoclonal antibody (LYP20) to a short complement-like repeat (SCR 4) domain: use of human/mouse chimaera and homologue-replacement mutagenesis **309–314**
 M.-H. Ruchaud-Sparagano, E. Malaud, O. Gayet, E. Chignier, R. Buckland and J.L. McGregor
- Characterization of the functional properties of smooth muscle caldesmon domain 4a: evidence for an independent inhibitory actin–tropomyosin binding domain **395–401**
 M. El-Mezgueldi, O. Copeland, I.D.C. Fraser, S.B. Marston and P.A.J. Huber
- Electron donation to the flavoprotein NifL, a redox-sensing transcriptional regulator **413–419**
 P. Macheroux, S. Hill, S. Austin, T. Eydmann, T. Jones, S.-O. Kim, R. Poole and R. Dixon
- N*^ε,*N*^ε-Dimethyl-lysine cytochrome *c* as an NMR probe for lysine involvement in protein–protein complex formation **439–449**
 G.R. Moore, M.C. Cox, D. Crowe, M.J. Osborne, F.I. Rosell, J. Bujons, P.D. Barker, M.R. Mauk and A.G. Mauk
- Identification of glycinin *in vivo* as a polyamine-conjugated protein via a γ -glutamyl linkage **467–473**
 H. Kang, S.G. Lee and Y.D. Cho
- Cadmium-induced differential accumulation of metallothionein isoforms in the Antarctic icefish, which exhibits no basal metallothionein protein but high endogenous mRNA levels **475–481**
 V. Carginale, R. Scudiero, C. Capasso, A. Capasso, P. Kille, G. di Prisco and E. Parisi
- BeWo choriocarcinoma cells produce laminin 10 **491–498**
 H.J. Church and J.D. Aplin
- Structure and topography of the membrane-binding C2 domain of factor VIII in the presence of dodecylphosphocholine micelles **549–555**
 S. Veeraraghavan, J.D. Baleja and G.E. Gilbert

Enzymes

- Purification and characterization of a novel chitinase–lysozyme, of another chitinase, both hydrolysing *Rhizobium meliloti* Nod factors, and of a pathogenesis-related protein from *Medicago sativa* roots **329–335**
 Z. Minic, S. Brown, Y. De Kouchkovsky, M. Schultze and C. Staehelin
- Haem insertion, dimerization and reactivation of haem-free rat neuronal nitric oxide synthase **337–342**
 B. Hemmens, A.C.F. Gorren, K. Schmidt, E.R. Werner and B. Mayer
- Salicortin: a repeat-attack new-mechanism-based *Agrobacterium faecalis* β -glucosidase inhibitor **367–371**
 J. Zhu, S.G. Withers, P.B. Reichardt, E. Treadwell and T.P. Clausen
- Intermediates in the catalytic cycle of lentil (*Lens esculenta*) seedling copper-containing amine oxidase **431–437**
 R. Medda, A. Padiglia, A. Bellelli, P. Sarti, S. Santanchè, A. Finazzi Agrò and G. Floris
- Quantification of cathepsins B and L in cells **499–505**
 R. Xing, A.K. Addington and R.W. Mason
- Characterization of sphingosine kinase (SK) activity in *Saccharomyces cerevisiae* and isolation of SK-deficient mutants **525–531**
 M.M. Lanterman and J.D. Saba

Purification and characterization of a 100 kDa DNA polymerase from cauliflower inflorescence	H. Seto, M. Hatanaka, S. Kimura, M. Oshige, Y. Tsuya, Y. Mizushima, T. Sawado, N. Aoyagi, T. Matsumoto, J. Hashimoto and K. Sakaguchi	557–563
Carbohydrates and lipids		
Quantitative assessment of comparative potencies of cholesterol-crystal-promoting factors: relation to mechanistic characterization	T. Nishioka, S. Tazuma, G. Yamashita and G. Kajiyama	343–350
Oxidative scission of plant cell wall polysaccharides by ascorbate-induced hydroxyl radicals	S.C. Fry	507–515
Gene structure and expression		
cDNA cloning, genomic organization and chromosomal localization of human heparan glucosaminyl N-deacetylase/N-sulphotransferase-2	D.E. Humphries, J. Lanciotti and J.B. Karlinsky	303–307
Overlapping antioxidant response element and response element sequences mediate basal and β -naphthoflavone-induced expression of the human γ -glutamylcysteine synthetase catalytic subunit gene	A.C. Wild, J.J. Gipp and R.T. Mulcahy	373–381
Isolation and characterization of the human aldehyde oxidase gene: conservation of intron/exon boundaries with the xanthine oxidoreductase gene indicates a common origin	M. Terao, M. Kurosaki, S. Demontis, S. Zanotta and E. Garattini	383–393
Regulation of the human protein C inhibitor gene expression in HepG2 cells: role of Sp1 and AP2	T. Hayashi, M. Usui, J. Nishioka, Z.X. Zhang and K. Suzuki	573–582
Regulation of metabolism		
Functional expression in yeast and characterization of a clofibrate-inducible plant cytochrome <i>P</i> -450 (CYP94A1) involved in cutin monomers synthesis	N. Tijet, C. Helvig, F. Pinot, R. Le Bouquin, A. Lesot, F. Durst, J.-P. Salaün and I. Benveniste	583–589
Membranes and bioenergetics		
Two oligopeptide transporters from <i>Caenorhabditis elegans</i> : molecular cloning and functional expression	Y.-J. Fei, T. Fujita, D.F. Lapp, V. Ganapathy and F.H. Leibach	565–572
Receptors and signal transduction		
Overexpression of myristoylated alanine-rich C-kinase substrate enhances activation of phospholipase D by protein kinase C in SK-N-MC human neuroblastoma cells	S.C. Morash, S.D. Ros, D.M. Byers, N.D. Ridgway and H.W. Cook	321–327
Effect of tri-iodothyronine on leptin release and leptin mRNA accumulation in rat adipose tissue	J.N. Fain and S.W. Bahouth	361–366
Uptake and metabolic fate of [His^{A8} , His^{B4} , Glu^{B10} , His^{B27}]insulin in rat liver <i>in vivo</i>	F. Authier, G.M. Di Guglielmo, G.M. Danielsen and J.J.M. Bergeron	421–430
Activation of mitogen-activated protein kinases (p38-MAPKs, SAPKs/JNKs and ERKs) by the G-protein-coupled receptor agonist phenylephrine in the perfused rat heart	A. Lazou, P.H. Sugden and A. Clerk	459–465
Hormonal regulation of focal adhesions in bovine adrenocortical cells: induction of paxillin dephosphorylation by adrenocorticotrophic hormone	I. Vilgrain, A. Chinn, I. Gaillard, E.M. Chambaz and J.-J. Feige	533–540
Fatty acids induce release of Ca^{2+} from acidosomal stores and activate capacitance Ca^{2+} entry in <i>Dictyostelium discoideum</i>	R. Schaloske, J. Sonnemann, D. Malchow and C. Schlatterer	541–548
Cell biology and development		
Proteasome activities decrease during dexamethasone-induced apoptosis of thymocytes	J. Beyeete, G.G.F. Mason, R.Z. Murray, G.M. Cohen and A.J. Rivett	315–320
Rabbit cardiac and skeletal myocytes differ in constitutive and inducible expression of the glucose-regulated protein GRP94	M. Vitadello, P. Colpo and L. Gorza	351–359
Three different prohormones yield a variety of Hydra-RFamide (Arg-Phe-NH_2) neuropeptides in <i>Hydra magnipapillata</i>	D. Darmer, F. Hauser, H.-P. Nothacker, T.C.G. Bosch, M. Williamson and C.J.P. Grimmelikhuijzen	403–412

Direct observation of lipoprotein cholesterol ester degradation in lysosomes	S. Lusa, K. Tanhuanpää, T. Ezra and P. Somerharju	451–457
Translated anti-sense product of the Na/phosphate co-transporter (NaPi-II)	B. Huelseweh, B. Kohl, H. Hentschel, R.K.H. Kinne and A. Werner	483–489
Resistance to the apoptotic effect of aggregated amyloid- β peptide in several different cell types including neuronal- and hepatoma-derived cell lines	M. Mazziotti and D.H. Perlmutter	517–524
BJ Letters		
A hypothesis on the catalytic mechanism of the selenoenzyme thioredoxin reductase	S. Gromer, J. Wissing, D. Behne, K. Ashman, R.H. Schirmer, L. Flohé and K. Becker	591–592