

**Review**

- Extracellular matrix and integrin signalling: the shape of things to come** 481–488  
by N.J. Boudreau and P.L. Jones

**Research Papers****Proteins**

- Resistance of small leucine-rich repeat proteoglycans to proteolytic degradation during interleukin-1-stimulated cartilage catabolism R. Sztrolovics, R.J. White, A.R. Poole, J.S. Mort and P.J. Roughley 571–577
- Thermodynamic and kinetic analysis of the *Escherichia coli* thioredoxin-C' fragment complementation system A.K. Ghoshal, C.P. Swaminathan, C.J. Thomas, A. Surolija and R. Varadarajan 721–727

**Enzymes**

- Aminopeptidase B is structurally related to leukotriene-A<sub>4</sub> hydrolase but is not a bifunctional enzyme with epoxide hydrolase activity K.M. Fukasawa, K. Fukasawa, M. Harada, J. Hirose, T. Izumi and T. Shimizu 497–502
- MgATP-independent hydrogen evolution catalysed by nitrogenase: an explanation for the missing electron(s) in the MgADP–AlF<sub>4</sub> transition-state complex F.K. Yousafzai and R.R. Eady 511–515
- Light-dependent changes in redox status of the plastidic acetyl-CoA carboxylase and its regulatory component A. Kozaki and Y. Sasaki 541–546
- Molecular and enzymic properties of recombinant 1,2- $\alpha$ -mannosidase from *Aspergillus saitoi* overexpressed in *Aspergillus oryzae* cells E. Ichishima, N. Taya, M. Ikeguchi, Y. Chiba, M. Nakamura, C. Kawabata, T. Inoue, K. Takahashi, T. Minetoki, K. Ozeki, C. Kumagai, K. Gomi, T. Yoshida and T. Nakajima 589–597
- Kinetic basis for selective inhibition of cyclo-oxygenases J.K. Gierse, C.M. Koboldt, M.C. Walker, K. Seibert and P.C. Isakson 607–614
- Endoprotease PACE4 is Ca<sup>2+</sup>-dependent and temperature-sensitive and can partly rescue the phenotype of a furin-deficient cell strain J.F. Sucic, J.M. Moehring, N.M. Inocencio, J.W. Luchini and T.J. Moehring 639–647
- Extrahepatic synthesis of plasminogen in the human cornea is up-regulated by interleukins-1 $\alpha$  and -1 $\beta$  S.S. Twining, P.M. Wilson and C. Ngamkitidechakul 705–712
- Purification, characterization and cDNA cloning of an endo-exonuclease from the basidiomycete fungus *Armillaria mellea* V. Healy, S. Doonan and T.V. McCarthy 713–720
- Pig kidney legumain: an asparaginyl endopeptidase with restricted specificity P.M. Dando, M. Fortunato, L. Smith, C.G. Knight, J.E. McKendrick and A.J. Barrett 743–749

**Carbohydrates and lipids**

- Secondary radicals derived from chloramines of apolipoprotein B-100 contribute to HOCl-induced lipid peroxidation of low-density lipoproteins L.J. Hazell, M.J. Davies and R. Stocker 489–495
- Pancreatic lipase/colipase-mediated triacylglycerol hydrolysis is required for cholesterol transport from lipid emulsions to intestinal cells S.C. Young and D.Y. Hui 615–620

Sequence analysis of heparan sulphate and heparin oligosaccharides	R.R. Vives, D.A. Pye, M. Salmivirta, J.J. Hopwood, U. Lindahl and J.T. Gallagher	<b>767–773</b>
<b>Gene structure and expression</b>		
Down-regulation of rat mitochondrial branched-chain 2-oxoacid dehydrogenase kinase gene expression by glucocorticoids	Y.-S. Huang and D.T. Chuang	<b>503–510</b>
Structural characterization of DNA and RNA sequences recognized by the gene 5 protein of bacteriophage fd	A.W. Oliver and G.G. Kneale	<b>525–531</b>
Inhibition of gene expression by anti-sense C-5 propyne oligonucleotides detected by a reporter enzyme	Y. Hamel, J. Lacoste, C. Frayssinet, A. Sarasin, T. Garestier, J.-C. François and C. Hélène	<b>547–553</b>
Identification of an oxygen-response element in the 5'-flanking sequence of the rat cytosolic phosphoenolpyruvate carboxykinase-1 gene, modulating its glucagon-dependent activation	J. Bratke, T. Kietzmann and K. Jungermann	<b>563–569</b>
Structural organization and splice variants of the <i>POLE1</i> gene encoding the catalytic subunit of human DNA polymerase $\epsilon$	D. Huang, H. Pospiech, T. Kesti and J.E. Syväoja	<b>657–665</b>
Molecular cloning and expression of adenosine kinase from <i>Leishmania donovani</i> : identification of unconventional P-loop motif	K.M. Sinha, M. Ghosh, I. Das and A.K. Datta	<b>667–673</b>
Genomic cloning and characterization of the rat glutathione S-transferase-A3-subunit gene	N. Fotouhi-Ardakani and G. Batist	<b>685–693</b>
Analysis of RNA–protein interactions of mouse liver cytochrome P4502A5 mRNA	A. Tilloy-Ellul, F. Raffalli-Mathieu and M.A. Lang	<b>695–703</b>
Relationship between amount of esterase and gene copy number in insecticide-resistant <i>Myzus persicae</i> (Sulzer)	L.M. Field, R.L. Blackman, C. Tyler-Smith and A.L. Devonshire	<b>737–742</b>
Transcriptional autorepression of <i>Msx1</i> gene is mediated by interactions of <i>Msx1</i> protein with a multi-protein transcriptional complex containing TATA-binding protein, Sp1 and cAMP-response-element-binding protein-binding protein (CBP/p300)	S. Shetty, T. Takahashi, H. Matsui, R. Ayengar and R. Raghov	<b>751–758</b>
Nerve growth factor and epidermal growth factor stimulate clusterin gene expression in PC12 cells	C. Gutacker, G. Klock, P. Diel and C. Koch-Brandt	<b>759–766</b>
<b>Regulation of metabolism</b>		
1-[ <i>N,O</i> -bis-(5-isoquinolinesulphonyl)- <i>N</i> -methyl-L-tyrosyl]-4-phenylpiperazine (KN-62), an inhibitor of calcium-dependent camodulin protein kinase II, inhibits both insulin- and hypoxia-stimulated glucose transport in skeletal muscle	J.T. Brozinick, Jr., T.H. Reynolds, D. Dean, G. Cartee and S.W. Cushman	<b>533–540</b>
<b>Membranes and bioenergetics</b>		
Identification of protein components of the microsomal glucose 6-phosphate transporter by photoaffinity labelling	W. Kramer, H.-J. Burger, W.J. Arion, D. Corsiero, F. Girbig, C. Weyland, H. Hemmerle, S. Petry, P. Habermann and A. Herling	<b>629–638</b>
Identification of the amine–polyamine–choline transporter superfamily 'consensus amphipathic region' as the target for inactivation of the <i>Escherichia coli</i> GABA transporter GabP by thiol modification reagents. Role of Cys-300 in restoring thiol sensitivity to GabP lacking Cys	L.A. Hu and S.C. King	<b>649–655</b>
<b>Receptors and signal transduction</b>		
Extracellular heavy-metal ions stimulate $\text{Ca}^{2+}$ mobilization in hepatocytes	T.J. McNulty and C.W. Taylor	<b>555–561</b>

---

Expression of normal and truncated forms of human endoglin	U. Raab, B. Velasco, P. Lastres, A. Letamendía, C. Calés, C. Langa, E. Tapia, J.P. López-Bote, E. Páez and C. Bernabéu	579–588
Redox modulation of intracellular free calcium concentration in thyroid FRTL-5 cells: evidence for an enhanced extrusion of calcium	K. Törnquist, P. Vainio, A. Titievsky, B. Dugué and R. Tuominen	621–628
Timing-dependence of insulin-receptor mitogenic versus metabolic signalling: a plausible model based on coincidence of hormone and effector binding	R.M. Shymko, E. Dumont, P. de Meyts and J.E. Dumont	675–683
<b>Cell biology and development</b>		
Protein phosphatase 2A is expressed in response to colony-stimulating factor 1 in macrophages and is required for cell cycle progression independently of extracellular signal-regulated protein kinase activity	N.J. Wilson, S.T. Moss, X.F. Csar, A.C. Ward and J.A. Hamilton	517–524
Arrest of endosome acidification by bafilomycin A <sub>1</sub> mimics insulin action on GLUT4 translocation in 3T3-L1 adipocytes	S.R. Chinni and A. Shisheva	599–606
Peroxynitrite induces haem oxygenase-1 in vascular endothelial cells: a link to apoptosis	R. Foresti, P. Sarathchandra, J.E. Clark, C.J. Green and R. Motterlini	729–736
<b>Corrections</b>		
Mechanism for basal expression of rat mitochondrial branched-chain-2-oxo-acid dehydrogenase kinase by Y.-S. Huang and D.T. Chuang (volume 334, pages 713–722, 1998)		775
Incorporation of iron by the unusual dodecameric ferritin from <i>Listeria innocua</i> by S. Stefanini, S. Cavallo, B. Montagnini and E. Chiancone (volume 338, pages 71–75, 1999)		775