

**Review Article****Structure, function and regulation of pyruvate carboxylase**

by S.J. Jitrapakdee and J.C. Wallace

1–16

**Research Papers****Proteins**

- Microheterogeneity of beta-2 glycoprotein I: implications for binding to anionic phospholipids T.A. Brighton, Y.-P. Dai, P.J. Hogg and C.N. Chesterman 59–67
- Angiostatin inhibits endothelial and melanoma cellular invasion by blocking matrix-enhanced plasminogen activation M.S. Stack, S. Gately, L.M. Bafetti, J.J. Enghild and G.A. Soff 77–84
- Fibrillin degradation by matrix metalloproteinases: implications for connective tissue remodelling J.L. Ashworth, G. Murphy, M.J. Rock, M.J. Sherratt, S.D. Shapiro, C.A. Shuttleworth and C.M. Kielty 171–181
- Interactions between a single immunoglobulin-binding domain of protein L from *Peptostreptococcus magnus* and a human  $\kappa$  light chain J.A. Beckingham, S.P. Bottomley, R. Hinton, B.J. Sutton and M.G. Gore 193–199
- Inhibition of fibril formation in  $\beta$ -amyloid peptide by a novel series of benzofurans D.R. Howlett, A.E. Perry, F. Godfrey, J.E. Swatton, K.H. Jennings, C. Spitzfaden H. Wadsworth, S.J. Wood and R.E. Markwell 283–289
- Isolation, characterization, molecular cloning and molecular modelling of two lectins of different specificities from bluebell (*Scilla campanulata*) bulbs L.M. Wright, E.J.M. van Damme, A. Barre, A.K. Allen, F. van Leuven, C.D. Reynolds, P. Rouge and W.J. Peumans 299–308
- Sequence-divergent units of the ABA-1 polyprotein array of the nematode *Ascaris suum* have similar fatty-acid- and retinol-binding properties but different binding-site environments J. Moore, L. McDermott, N.C. Price, S.M. Kelly, A. Cooper and M.W. Kennedy 337–343
- Oxidative refolding of recombinant prochymosin C. Wei, B. Tang, Y. Zhang and K. Yang 345–351
- Enzymes**
- Expression and alteration of the S<sub>2</sub> subsite of the *Leishmania major* cathepsin B-like cysteine protease V.J. Chan, P.M. Selzer, J.H. McKerrow and J.A. Sakanari 113–117
- Granule-bound starch synthase I in isolated starch granules elongates malto-oligosaccharides processively K. Denyer, D. Waite, S. Motawia, B.L. Møller and A.M. Smith 183–191
- Purification of xyloglucan endotransglycosylases (XETs): a generally applicable and simple method based on reversible formation of an enzyme–substrate complex N.M. Steele and S.C. Fry 207–211
- Inhibition of ATPase, GTPase and adenylate kinase activities of the second nucleotide-binding fold of the cystic fibrosis transmembrane conductance regulator by genistein C. Randak, E.A. Auerswald, I. Assfalg-Machleidt, W.W. Reenstra and W. Machleidt 227–235
- Enhancing activity and phospholipase A<sub>2</sub> activity: two independent activities present in the enhancing factor molecule S. Kadam and R. Mulherkar 237–243
- Complex formation between deoxyhypusine synthase and its protein substrate, the eukaryotic translation initiation factor 5A (eIF5A) precursor Y.B. Lee, Y.A. Joe, E.C. Wolff, E.K. Dimitriadis and M.H. Park 273–281

Alteration of substrate specificity by a naturally-occurring aldolase B mutation (Ala <sup>337</sup> → Val) in fructose intolerance	P. Rellos, M. Ali, M. Vidailhet, J. Sygusch and T.M. Cox	321–327
Kinetic evidence for the formation of a Michaelis–Menten-like complex between horseradish peroxidase compound II and di-( <i>N</i> -acetyl-L-tyrosine)	W. Wang, S. Noël, M. Desmadril, J. Guéguen and T. Michon	329–336
<b>Carbohydrates and lipids</b>		
Inositol acylation of glycosylphosphatidylinositols in the pathogenic fungus <i>Cryptococcus neoformans</i> and the model yeast <i>Saccharomyces cerevisiae</i>	S.P. Franzot and T.L. Doering	25–32
When and why a water-soluble antioxidant becomes pro-oxidant during copper-induced low-density lipoprotein oxidation: a study using uric acid	M. Bagnati, C. Perugini, C. Cau, R. Bordone, E. Albano and G. Bellomo	143–152
<b>Gene structure and expression</b>		
Efficient transcription of the human angiotensin II type 2 receptor gene requires intronic sequence elements	C. Warnecke, T. Willich, J. Holzmeister, S.P. Bottari, E. Fleck and V. Regitz-Zagrosek	17–24
Glucocorticoid inhibition of human SP-A1 promoter activity in NCI-H441 cells	R.R. Hoover, K.H. Thomas and J. Floros	69–76
Structure, alternative splicing and chromosomal localization of the cystatin-related epididymal spermatogenic gene	G.A. Cornwall, N. Hsia and H.G. Sutton	85–93
<i>CLN3</i> expression is sufficient to restore G <sub>1</sub> -to-S-phase progression in <i>Saccharomyces cerevisiae</i> mutants defective in translation initiation factor eIF4E	P. Danaie, M. Altmann, M.N. Hall, H. Trachsel and S.B. Helliwell	135–141
Fish macrophages express a cyclo-oxygenase-2 homologue after activation	J. Zou, N.F. Neumann, J.W. Holland, M. Belosevic, C. Cunningham, C.J. Secombes and A.F. Rowley	153–159
Inhibition of interleukin-6 promoter activity by the 24 kDa isoform of fibroblast growth factor-2 in HeLa cells	I. Delrieu, J.-C. Faye, F. Bayard and A. Maret	201–206
Human stearoyl-CoA desaturase: alternative transcripts generated from a single gene by usage of tandem polyadenylation sites	L. Zhang, L. Ge, S. Parimoo, K. Stenn and S.M. Prouty	255–264
Inducible gene expression of moricin, a unique antibacterial peptide from the silkworm ( <i>Bombyx mori</i> )	S. Furukawa, H. Tanaka, H. Nakazawa, J. Ishibashi, T. Shono and M. Yamakawa	265–271
<b>Regulation of metabolism</b>		
Energy metabolism and protein phosphorylation during apoptosis: a phosphorylation study of tau and high-molecular-weight tau in differentiated PC12 cells	P.K. Davis and G.V.W. Johnson	51–58
Cloning and expression of rat pancreatic $\beta$ -cell malonyl-CoA decarboxylase	N. Voilley, R. Roudit, R. Vicaretti, C. Bonny, G. Waeber, J.R.B. Dyck, G.D. Lopaschuk and M. Prentki	213–217
<b>Receptors and signal transduction</b>		
Ligand-specific, transient interaction between integrins and calreticulin during cell adhesion to extracellular matrix proteins is dependent upon phosphorylation/dephosphorylation events	M.G. Coppolino and S. Dedhar	41–50
Phospholipase D-derived phosphatidic acid is involved in the activation of the CD11b/CD18 integrin in human eosinophils	A.T.J. Tool, M. Blom, D. Roos and A.J. Verhoeven	95–101
The activity of the activation function 2 of the human hepatocyte nuclear factor 4 (HNF-4 $\alpha$ ) is differently modulated by F domains from various origins	L. Suaud, P. Formstecher and B. Laine	161–169

---

Mode of regulation of the extracellular signal-regulated kinases in the pancreatic $\beta$ -cell line MIN6 and their implication in the regulation of insulin gene transcription	C. Benes, V. Poitout, J.-C. Marie, J. Martin-Perez, M.-P. Roisin and R. Fagard	219–225
Inhibition of human platelet adenylate cyclase activity by adrenaline, thrombin and collagen: analysis and reinterpretation of experimental data	A. Juška and R.W. Farndale	245–253
<b>Cell biology and development</b>		
Reactive oxygen species activate a $\text{Ca}^{2+}$ -dependent cell death pathway in the unicellular organism <i>Trypanosoma brucei brucei</i>	E.L. Ridgley, Z. Xiong and L. Ruben	33–40
Selective tetraspan–integrin complexes (CD81/ $\alpha 4\beta 1$ , CD151/ $\alpha 3\beta 1$ , CD151/ $\alpha 6\beta 1$ ) under conditions disrupting tetraspan interactions	V. Serru, F. Le Naour, M. Billard, D.O. Azorsa, F. Lanza, C. Boucheix and E. Rubinstein	103–111
An IKLLI-containing peptide derived from the laminin $\alpha 1$ chain mediating heparin-binding, cell adhesion, neurite outgrowth and proliferation, represents a binding site for integrin $\alpha 3\beta 1$ and heparan sulphate proteoglycan	K. Tashiro, A. Monji, I. Yoshida, Y. Hayashi, K. Matsuda, N. Tashiro and Y. Mitsuyama	119–126
Inhibition of ubiquitin-proteasome pathway activates a caspase-3-like protease and induces Bcl-2 cleavage in human M-07e leukaemic cells	X. Zhang, H. Lin, C. Chen and B. D.-M. Chen	127–133
Protection against hydrogen peroxide cytotoxicity in Rat-1 fibroblasts provided by the oncoprotein Bcl-2: maintenance of calcium homeostasis is secondary to the effect of Bcl-2 on cellular glutathione	M.M. Rimpler, U. Rauen, T. Schmidt, T. Möröy and H. de Groot	291–297
Secretion of glutathion S-transferase isoforms in the seminiferous tubular fluid, tissue distribution and sex steroid binding by rat GSTM1	S.B. Mukherjee, S. Aravinda, B. Gopalakrishnan, S. Nagpal, D.M. Salunke and C. Shaha	309–320