

**Research Communication**

- Effect of CWG methylation on expression of plant genes S. Pradhan, N.A.R. Urwin, G.I. Jenkins and R.L.P. Adams 473–476

**Research Papers****Proteins**

- Structure and organization of the human antimicrobial peptide LL-37 in phospholipid membranes: relevance to the molecular basis for its non-cell-selective activity Z. Oren, J.C. Lerman, G.H. Gudmundsson, B. Agerberth and Y. Shai 501–513
- The cartilage-specific (V+C)<sup>-</sup> fibronectin isoform exists primarily in homodimeric and monomeric configurations N. Burton-Wurster, R. Gendelman, H. Chen, D.-N. Gu, J.W. Tetreault, G. Lust, J.E. Schwarzbauer and J.N. Macleod 555–561
- Roles of calreticulin and calnexin during mucin synthesis in LS180 and HT29/A1 human colonic adenocarcinoma cells D.J. McCool, Y. Okada, J.F. Forstner and G.G. Forstner 593–600
- Oligomeric self-association of basic fibroblast growth factor in the absence of heparin-like glycosaminoglycans J.C. Davis, G. Venkataraman, Z. Shriver, P.A. Raj and R. Sasisekharan 613–620
- Cloning of a galactose-binding lectin from the venom of *Trimeresurus stejnegeri* Q. Xu, X.-F. Wu, Q.-C. Xia and K.-Y. Wang 733–737
- Autocrine regulation of growth stimulation in human epithelial ovarian carcinoma by serine-proteinase-catalysed release of the urinary-type-plasminogen-activator N-terminal fragment D.A. Fishman, A. Kearns, S. Larsh, J.J. Enghild and M.S. Stack 765–769
- Solution structure of a defensin-like peptide from platypus venom A.M. Torres, X. Wang, J.I. Fletcher, D.D. Alewood, P.F. Alewood, R. Smith, R.J. Simpson, G.M. Nicholson, S.K. Sutherland, C.H. Gallagher, G.F. King and P.W. Kuchel 785–794
- Molecular and functional analysis of mouse decay accelerating factor (CD55) C.L. Harris, N.K. Rushmere and B.P. Morgan 821–829

**Enzymes**

- Sequencing and functional expression of the malonyl-CoA-sensitive carnitine palmitoyltransferase from *Drosophila melanogaster* V.N. Jackson, J.M. Cameron, V.A. Zammit and N.T. Price 483–489
- Adenylosuccinate synthase from *Saccharomyces cerevisiae*: homologous overexpression, purification and characterization of the recombinant protein G. Lipps and G. Krauss 537–543
- Influence of substrates on *in vitro* dephosphorylation of glycogen phosphorylase *a* by protein phosphatase-1 Z.-X. Wang 545–554
- Role of lipid packing in the activity of phospholipase C- $\delta_1$  as determined by hydrostatic pressure measurements M. Rebecchi, M. Bonhomme and S. Scarlata 571–576
- Two moles of O<sub>2</sub> consumption and one mole of H<sub>2</sub>O<sub>2</sub> formation during cholesterol peroxidation with cholesterol oxidase from *Pseudomonas* sp. strain ST-200 N. Doukyu and R. Aono 621–627
- Protein and gene structure of a blue laccase from *Pleurotus ostreatus* P. Giardina, G. Palmieri, A. Scaloni, B. Fontanella, V. Faraco, G. Cennamo and G. Sannia 655–663
- The final step of pantothenate biosynthesis in higher plants: cloning and characterization of pantothenate synthetase from *Lotus japonicus* and *Oryza sativum* (rice) U. Genschel, C.A. Powell, C. Abell and A.G. Smith 669–678
- Characterization of a human MHC class III region gene product with S-thioesterase activity B. Aguado and R.D. Campbell 679–689
- An unusual case of 'uncompetitive activation' by ascorbic acid: purification and kinetic properties of a myrosinase from *Raphanus sativus* seedlings M. Shikita, J.W. Fahey, T.R. Golden, W.D. Holtzclaw and P. Talalay 725–732
- Spectral characterization and chemical modification of FMN-containing ascorbyl free-radical reductase from *Pleurotus ostreatus* S.-W. Yu, Y.-R. Kim and S.-O. Kang 755–763
- Cytological evidence that the C-terminus of carnitine palmitoyltransferase I is on the cytosolic face of the mitochondrial outer membrane F.R. van der Leij, A.M. Kram, B. Bartelds, H. Roelofsen, G.B. Smid, J. Takens, V.A. Zammit and J.R.G. Kuipers 777–784

Characterization of homogeneous recombinant rat ovarian 20 $\alpha$ -hydroxysteroid dehydrogenase: fluorescent properties and inhibition profile	H. Ma and T.M. Penning	853–859
<b>Gene structure and expression</b>		
Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p	F.-Z. Idrissi and B. Piña	477–482
Factors involved in the duodenal expression of the human calbindin-D9k gene	N.F. Barley, S.R. Prathalingam, P. Zhi, S. Legon, A. Howard and J.R.F. Walters	491–500
Differential DNA binding by the androgen and glucocorticoid receptors involves the second Zn-finger and a C-terminal extension of the DNA-binding domains	E. Schoenmakers, P. Alen, G. Verrijdt, B. Peeters, G. Verhoeven, W. Rombauts and F. Claessens	515–521
Analysis of DNase-I-hypersensitive sites at the 3' end of the cystic fibrosis transmembrane conductance regulator gene ( <i>CFTR</i> )	H.N. Nuthall, D.S. Moulin, C. Huxley and A. Harris	601–611
Identification and characterization of an intracellular protein complex that binds fibroblast growth factor-2 in bovine brain	E. Chevet, G. Lemaître, K. Cailleret, S. Dahan, J.J.M. Bergeron and M.D. Katinka	713–723
Multiple forms of a p55PIK, a regulatory subunit of phosphoinositide 3-kinase, are generated by alternative initiation of translation	X. Xia and G. Serrero	831–837
Novel cell lines for the analysis of preprotachykinin A gene expression identify a repressor domain 3' of the major transcriptional start site	C.E. Fiskerstrand, P. Newey, B. Ebrahimi, L. Gerrard, P. Harrison, G.P. McGregor and J.P. Quinn	847–852
<b>Regulation of metabolism</b>		
Functional co-operation between the subunits in heterodimeric platelet-derived growth factor receptor complexes	M. Emaduddin, S. Ekman, L. Rönstrand and C.-H. Heldin	523–528
Stimulation of glycosylphosphatidylinositol biosynthesis in mammalian cell-free systems by GTP hydrolysis: evidence for the involvement of membrane fusion	V.L. Stevens, H. Zhang and E.S. Kristyanne	577–584
Apolipoprotein B mRNA and lipoprotein secretion are increased in McArdle RH-7777 cells by expression of betaine-homocysteine S-methyltransferase	M.P. Sowden, H.L. Collins, H.C. Smith, T.A. Garrow, J.D. Sparks and C.E. Sparks	639–645
<b>Membranes and bioenergetics</b>		
Characterization of the high-affinity monocarboxylate transporter MCT2 in <i>Xenopus laevis</i> oocytes	S. Bröer, A. Bröer, H.-P. Schneider, C. Stegen, A.P. Halestrap and J.W. Deitmer	529–535
The purified and reconstituted ornithine/citrulline carrier from rat liver mitochondria catalyses a second transport mode: ornithine <sup>+</sup> /H <sup>+</sup> exchange	C. Indiveri, A. Tonazzi, I. Stipani and F. Palmieri	705–711
<b>Receptors and signal transduction</b>		
Secretagogue-dependent phosphorylation of phogrin, an insulin granule membrane protein tyrosine phosphatase homologue	C. Wasmeier and J.C. Hutton	563–569
Comparative inhibition by hard and soft metal ions of steroid-binding capacity of renal mineralocorticoid receptor cross-linked to the 90-kDa heat-shock protein heterocomplex	M.D. Galigniana and G. Piwien-Pilipuk	585–592
APS, an adapter protein with a PH and SH2 domain, is a substrate for the insulin receptor kinase	Z. Ahmed, B.J. Smith, K. Kotani, P. Wilden and T.S. Pillay	665–668
Extracellular signal-regulated protein kinase (ERK)-dependent and ERK-independent pathways target STAT3 on serine-727 in human neutrophils stimulated by chemotactic factors and cytokines	M. Kuroki and J.T. O'Flaherty	691–696
Regulation of cerebellar Ins(1,4,5)P <sub>3</sub> receptor by interaction between Ins(1,4,5)P <sub>3</sub> and Ca <sup>2+</sup>	J.-F. Coquil, L. Picard and J.-P. Mauger	697–704
Fibrinogen up-regulates the expression of monocyte chemoattractant protein 1 in human saphenous vein endothelial cells	S.L. Harley and J.T. Powell	739–744
Measurement of perimitochondrial Ca <sup>2+</sup> concentration in bovine adrenal glomerulosa cells with aequorin targeted to the outer mitochondrial membrane	Y. Brandenburger, J.-F. Arrighi, M.F. Rossier, A. Maturana, M.B. Vallotton and A.M. Capponi	745–753

Co-expression of metabotropic glutamate receptor type 1 $\alpha$ with Homer-1a/Vesl-1S increases the cell surface expression of the receptor	F. Ciruela, M.M. Soloviev and R.A.J. McIlhinney	795–803
Aldolase A Ins(1,4,5)P <sub>3</sub> -binding domains as determined by site-directed mutagenesis	C.B. Baron, D.R. Tolan, K.H. Choi and R.F. Coburn	805–812
Enhanced purinoceptor-mediated Ca <sup>2+</sup> signalling in L-fibroblasts overexpressing type 1 inositol 1,4,5-trisphosphate receptors	R.J. Davis, R.A.J. Challiss and S.R. Nahorski	813–820
Phosphorylation and activation of phosphodiesterase type 3B (PDE3B) in adipocytes in response to serine/threonine phosphatase inhibitors: deactivation of PDE3B <i>in vitro</i> by protein phosphatase type 2A	S. Resjö, A. Oknianska, S. Zolnierowicz, V. Manganiello and E. Degerman	839–845

### Cell biology and development

Active isoprenoid pathway in the intra-erythrocytic stages of <i>Plasmodium falciparum</i> : presence of dolichols 11 and 12 isoprene units	A.S. Couto, E.A. Kimura, V.J. Peres, M.L. Uhrig and A.M. Katzin	629–637
Specific inhibition of skeletal alpha-actin gene transcription by applied mechanical forces through integrins and actin	A.M. Lew, M. Glogauer and C.A.G. McCulloch	647–653
Transcripts encoding the sperm surface protein tMDC II are non-functional in the human	J. Frayne, E.A.C. Dimsey, J.A. Jury and L. Hall	771–775

### Corrections

Interaction of platelet-derived growth factor with thrombospondin 1 by P.J. Hogg, K.A. Hotchkiss, B.M. Jiménez, P. Stathkis and C.N. Chesterman (volume 326, pages 709–716, 1997)		861
Actin filaments participate in the relocalization of phosphatidylinositol 3-kinase to glucose transporter containing compartments and in the stimulation of glucose uptake in 3T3-L1 adipocytes by Q. Wang, P.J. Bilan, T. Tsakiridis, A. Hinek and A. Klip (volume 331, pages 917–928, 1998)		861
Molecular characterization and expression of the gene for mouse NAD <sup>+</sup> :arginine ecto-mono(ADP-ribosyl)transferase, <i>Art1</i> by R. Braren, G. Glowacki, M. Nissen, F. Haag and F. Koch-Nolte (volume 336, pages 561–568, 1998)		862
Transcriptional autorepression of Msx1 gene is mediated by interactions of Msx1 protein with a multi-protein complex containing TATA-binding protein, Sp1 and cAMP-response-element-binding protein-binding protein (CBP/p300) by S. Shetty, T. Takahashi, H. Matsui, R. Iyengar and R. Raghov (volume 339, pages 751–758, 1999)		862
Purification of xyloglucan endotransglycosylases (XETs): a generally applicable and simple method based on reversible formation of an enzyme–substrate complex by N.M. Steele and S.C. Fry (volume 340, pages 207–211, 1999)		862
Structural elements within the methylation loop (residues 112–117) and EF hands III and IV of calmodulin are required for Lys <sup>115</sup> trimethylation by J.A. Cobb, C.-H. Han, D.M. Wills and D.M. Roberts (volume 340, pages 417–424, 1999)		863