

Review**Poly(ADP-ribosyl)ation reactions in the regulation of nuclear functions**

by D. D'Amours, S. Desnoyers, I. D'Silva and G. G. Poirier

249–268

Research Communication

Effects of photoreleased cADP-ribose on calcium transients and calcium sparks in myocytes isolated from guinea-pig and rat ventricle

Y. Cui, A. Galione and D. A. Terrar

269–273

Research Papers**Proteins**Characterization of a flavocytochrome that is induced during the anaerobic respiration of Fe³⁺ by *Shewanella frigidimarina* NCIMB400

P.S. Dobbin, J.N. Butt, A.K. Powell, G.A. Reid and D.J. Richardson

439–448

EnzymesLysine mutagenesis identifies cationic charges of human CYP17 that interact with cytochrome *b*₅ to promote male sex-hormone biosynthesis

P. Lee-Robichaud, M.E. Akhtar and M. Akhtar

309–312

Evidence that platelet and tumour heparanases are similar enzymes

C. Freeman, A.M. Browne and C.R. Parish

361–368

Processing and functional display of the 86 kDa heterodimeric penicillin G acylase on the surface of phage fd

R.M.D. Verhaert, J. Van Duin and W.J. Quax

415–422

Overexpression of the FAD-binding domain of the sulphite reductase flavoprotein component from *Escherichia coli* and its inhibition by iodonium diphenyl chloride

J. Covès, C. Lebrun, G. Gervasi, P. Dalbon and M. Fontecave

465–472

The type II and X cellulose-binding domains of *Pseudomonas* xylanase A potentiate catalytic activity against complex substrates by a common mechanism

J. Gill, J.E. Rixon, D.N. Bolam, S. McQueen-Mason, P.J. Simpson, M.P. Williamson, G.P. Hazlewood and H.J. Gilbert

473–480

Carbohydrates and lipidsProtective role for proteoglycans against cationic lipid cytotoxicity allowing optimal transfection efficiency *in vitro*

M. Belting and P. Petersson

281–286

Elucidation of carbon sources used for the biosynthesis of fatty acids and sterols in the trypanosomatid *Leishmania mexicana*

M.L. Ginger, M.L. Chance and L.J. Goad

397–405

Regulation of metabolism*In vitro* analysis of the glucose-transport system in GLUT4-null skeletal muscle

J.W. Ryder, Y. Kawano, A.V. Chibalin, J. Rincón, T.-S. Tsao, A.E. Stenbit, T. Combatsiaris, J. Yang, G.D. Holman, M.J. Charron and J.R. Zierath

321–328

Cell-biological assessment of human glucokinase mutants causing maturity-onset diabetes of the young type 2 (MODY-2) or glucokinase-linked hyperinsulinaemia (GK-HI)

C.V. Burke, C.W. Buettger, E.A. Davis, S.J. McClane, F.M. Matschinsky and S.E. Raper

345–352

Membranes and bioenergetics

- Anionic phospholipids decrease the rate of slippage on the Ca²⁺-ATPase of sarcoplasmic reticulum K.A. Dalton, J.D. Pilot, S. Mall, J.M. East and A.G. Lee **431–438**
- Inwardly rectifying K⁺ channel Kir7.1 is highly expressed in thyroid follicular cells, intestinal epithelial cells and choroid plexus epithelial cells: implication for a functional coupling with Na⁺,K⁺-ATPase N. Nakamura, Y. Suzuki, H. Sakuta, K. Ookata, K. Kawahara and S. Hirose **329–336**

Receptors and signal transduction

- Glucose enhances insulin promoter activity in MIN6 β -cells independently of changes in intracellular Ca²⁺ concentration and insulin secretion H.J. Kennedy, I. Rafiq, A.E. Pouli and G.A. Rutter **275–280**
- Phosphorylation of Ser-241 is essential for the activity of 3-phosphoinositide-dependent protein kinase-1: identification of five sites of phosphorylation *in vivo* A. Casamayor, N.A. Morrice and D.R. Alessi **287–292**
- Large-scale production and purification of functional recombinant bovine rhodopsin with the use of the baculovirus expression system C.H.W. Klaassen, P.H.M. Bovee-Geurts, G.L.J. DeCaluwé and W.J. DeGrip **293–300**
- Activation of TrkA by nerve growth factor upregulates expression of the cholinergic gene locus but attenuates the response to ciliary neurotrophic growth factor B. Berse, I. Lopez-Coviella and J.K. Blusztajn **301–308**
- Multisite dephosphorylation and desensitization of conventional protein kinase C isotypes G. Hansra, P. Garcia-Paramio, C. Prevostel, R.D.H. Whelan, F. Bornancin and P.J. Parker **337–344**
- Ethanol and acetaldehyde elevate intracellular [Ca²⁺] and stimulate microneme discharge in *Toxoplasma gondii* V.B. Carruthers, S.N.J. Moreno and L.D. Sibley **379–386**
- Palmitoylation of the recombinant human A₁ adenosine receptor: enhanced proteolysis of palmitoylation-deficient mutant receptors Z. Gao, Y. Ni, G. Szabo and J. Linden **387–395**
- Differential regulation of extracellular signal-regulated protein kinases (ERKs) 1 and 2 by cAMP and dissociation of ERK inhibition from anti-mitogenic effects in rabbit vascular smooth muscle cells R. Cospedal, M. Lobo and I. Zachary **407–414**
- Phosphotyrosine protein of molecular mass 30 kDa binds specifically to the positively charged region of the pleckstrin N-terminal pleckstrin homology domain L. Liu and M. Makowske **423–430**
- Analysis of agonist function at fusion proteins between the IP prostanoid receptor and cognate, unnatural and chimaeric G-proteins C.W. Fong and G. Milligan **457–463**

Cell biology and development

- Structural requirement of the calcium-channel subunit $\alpha_2\delta$ for gabapentin binding M. Wang, J. Offord, D.L. Oxender and T.-Z. Su **313–320**
- Rab6 is phosphorylated in thrombin-activated platelets by a protein kinase C-dependent mechanism: effects on GTP/GDP binding and cellular distribution M.L. Fitzgerald and G.L. Reed **353–360**
- cAMP induces co-translational modification of proteins in IPC-81 cells R. Hovland, A.P. Døskeland, T.S. Eikhom, B. Robaye and S.O. Døskeland **369–377**
- Intracellular cleavage of glycosylphosphatidylinositol by phospholipase D induces activation of protein kinase C α H. Tsujioka, N. Takami, Y. Misumi and Y. Ikehara **449–455**