

**Review**

- The uncoupling protein homologues: UCP1, UCP2, UCP3, StUCP and AtUCP** 161–179  
by D. Ricquier and F. Bouillaud

**Research Communication**

- Identification of structurally important domains of lipid phosphate phosphatase-1: implications for its sites of action Q.-X. Zhang, C.S. Pilquill, J. Dewald, L.G. Berthiaume and D.N. Brindley 181–184

**Research papers****Proteins**

- Inclusion of a furin-sensitive spacer enhances the cytotoxicity of ribotoxin restrictocin containing recombinant single-chain immunotoxins A. Goyal and J.K. Batra 247–254
- Proteins isolated from lucerne roots by affinity chromatography with sugars analogous to Nod factor moieties Z. Minic, L. Leproust-Lecoester, J. Laporte, Y. de Kouchkovsky and S.C. Brown 255–262
- Bax oligomerization is required for channel-forming activity in liposomes and to trigger cytochrome c release from mitochondria B. Antonsson, S. Montessuit, S. Lauper, R. Eskes and J.-C. Martinou 271–278

**Enzymes**

- Efficient solubilization and purification of the gastric H<sup>+</sup>,K<sup>+</sup>-ATPase for functional and structural studies J.-J. Lacapère, J.-C. Robert and A. Thomas-Soumarmon 239–245
- Hydrolyses of  $\alpha$ - and  $\beta$ -cellobiosyl fluorides by Cel6A (cellobiohydrolase II) of *Trichoderma reesei* and *Humicola insolens* D. Becker, K.S.H. Johnson, A. Koivula, M. Schülein and M.L. Sinnott 315–319
- A change of the metal-specific activity of a cambialistic superoxide dismutase from *Porphyromonas gingivalis* by a double mutation of Gln-70 to Gly and Ala-142 to Gln B.Y. Hiraoka, F. Yamakura, S. Sugio and K. Nakayama 345–350
- Development and characterization of novel potent and stable inhibitors of endopeptidase EC 3.4.24.15 C.N. Shrimpton, G. Abbenante, R.A. Lew and A.I. Smith 351–356
- Molecular cloning, sequencing and expression studies of the human breast cancer cell glutaminase P.M. Gómez-Fabre, J.C. Aledo, A. del Castillo-Olivares, F.J. Alonso, I. Núñez de Castro, J.A. Campos and J. Márquez 365–375
- Initial-rate kinetics of the flavin reductase reaction catalysed by human biliverdin-IX $\beta$  reductase (BVR-B) O. Cunningham, M.G. Gore and T.J. Mantle 393–399

**Gene structure and expression**

- Mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase promoter contains a CREB binding site that regulates cAMP action in Caco-2 cells A. Eggers, C. Caudevilla, G. Asins, F.G. Hegardt and D. Serra 201–206
- Platelet-derived growth factor is a principal inductive factor modulating mannose 6-phosphate/insulin-like growth factor-II receptor gene expression via a distal E-box in activated hepatic stellate cells J.A. Weiner, A. Chen and B.H. Davis 225–231

Distinct signalling pathways mediate the cAMP response element (CRE)-dependent activation of the calcitonin gene-related peptide gene promoter by cAMP and nerve growth factor	K. Freeland, Y.-Z. Liu and D.S. Latchman	233–238
The winged-helix/forkhead protein myocyte nuclear factor $\beta$ (MNF- $\beta$ ) forms a co-repressor complex with mammalian Sin3B	Q. Yang, Y. Kong, B. Rothermel, D.J. Garry, R. Bassel-Duby and R.S. Williams	335–343
Lack of a phenotype in transgenic mice aberrantly expressing COL2A1 mRNA because of highly selective post-transcriptional down-regulation	C.M. Yuan, L. Ala-Kokko, D. Le Guellec, S. Franc, A. Fertala, J.S. Khillan, B.P. Sokolov and D.J. Prockop	377–384
<b>Regulation of metabolism</b>		
Effect of cellular interaction on glycolytic oscillations in yeast: a theoretical investigation	J. Wolf and R. Heinrich	321–334
<b>Membranes and bioenergetics</b>		
Interaction of respiratory burst and uptake of dehydroascorbic acid in differentiated HL-60 cells	H. Laggner and H. Goldenberg	195–200
<b>Receptors and signal transduction</b>		
cADP-ribose potentiates cytosolic $\text{Ca}^{2+}$ elevation and $\text{Ca}^{2+}$ entry via L-type voltage-activated $\text{Ca}^{2+}$ channels in NG108-15 neuronal cells	M. Hashii, Y. Minabe and H. Higashida	207–215
The platelet-derived-growth-factor receptor, not the epidermal-growth-factor receptor, is used by lysophosphatidic acid to activate p42/44 mitogen-activated protein kinase and to induce prostaglandin G/H synthase-2 in mesangial cells	M. Goppelt-Struebe, S. Fickel and C. O. A. Reiser	217–224
Modulation of tau phosphorylation and intracellular localization by cellular stress	S.M. Jenkins, M. Zinnerman, C. Garner and G.V.W. Johnson	263–270
Biphasic modulation of ryanodine binding to sarcoplasmic reticulum vesicles of skeletal muscle by $\text{Zn}^{2+}$ ions	R.-H. Xia, X.-Y. Cheng, H. Wang, K.-Y. Chen, Q.-Q. Wei, X.-H. Zhang and P.-H. Zhu	279–286
14-3-3 Isotypes facilitate coupling of protein kinase C- $\zeta$ to Raf-1: negative regulation by 14-3-3 phosphorylation	P.C.J. van der Hoeven, J. C. M. van der Wal, P. Ruurs, M.C.M. van Dijk and W.J. van Blitterswijk	297–306
Geldanamycin disrupts platelet-membrane structure, leading to membrane permeabilization and inhibition of platelet aggregation	S. Suttitanamongkol, A.R.L. Gear and R. Polanowska-Grabowska	307–314
$\text{Ca}^{2+}$ -calmodulin inhibits $\text{Ca}^{2+}$ release mediated by type-1, -2 and -3 inositol trisphosphate receptors	C.E. Adkins, S.A. Morris, H. De Smedt, I. Sienaert, K. Török and C.W. Taylor	357–363
Role of phosphoinositide 3-kinase and the Cbl adaptor protein in coupling the $\alpha 4\beta 1$ integrin to mitogen-activated protein kinase signalling	L.D. Finkelstein and Y. Shimizu	385–392
<b>Cell biology and development</b>		
<i>In vivo</i> dynamics of the F-actin-binding protein neurabin-II	D.J. Stephens and G. Banting	185–194
Endolyn is a mucin-like type I membrane protein targeted to lysosomes by its cytoplasmic tail	G. Ihrke, S.R. Gray and J.P. Luzio	287–296

