

Biochemical Journal**Volume 346, part 1****15 February 2000**First published on the Internet
8 February 2000**Review**

- Thioredoxin reductase**
by D. Mustacich and G. Powis

1–8

Research Papers**Proteins**

- Dye-ligand chromatographic purification of intact multisubunit membrane protein complexes: application to the chloroplast H⁺-F_oF₁-ATP synthase
- Interactions between β-enolase and creatine kinase in the cytosol of skeletal muscle cells
- Purification and inhibitory profile of phospholipase A₂ inhibitors from Australian elapid sera
- Expression and characterization of novel thrombospondin 1 type I repeat fusion proteins
- Adult and fetal haemoglobin J-Sardegna [α50(CE8)His→Asp]: functional and molecular modelling studies
- Structure-function studies of tryptophan mutants of equinatoxin II, a sea anemone pore-forming protein

- H. Seelert, A. Poetsch, M. Rohlfs and N.A. Dencher **41–44**
- G. Foucault, M. Vacher, S. Cribier and M. Arrio-Dupont **127–131**
- P.G. Hains and K.W. Broady **139–146**
- A.N. Qabar, J. Bullock, L. Matej and P. Polverini **147–153**
- M. Corda, M.C. De Rosa, M.G. Pellegrini, M.T. Sanna, A. Olianas, A. Fais, L. Manca, B. Masala, B. Zappacosta, S. Ficarra, M. Castagnola and B. Giardina **193–199**
- P. Malovrh, A. Barlic, Z. Podlesek, P. Maček, G. Menestrina and G. Anderluh **223–232**

Enzymes

- Purification, characterization and gene cloning of two α-L-arabinofuranosidases from *Streptomyces chartreusis* GS901
- Rat liver nucleotide pyrophosphatase/phosphodiesterase is an efficient adenylyl transferase
- Inactivation of cysteine proteases by peptidyl epoxides: characterization of the alkylation sites on the enzyme and the inactivator
- A general kinetic approach to investigation of active-site availability in macromolecular catalysts
- Endoproteolytic processing of integrin pro-α subunits involves the redundant function of furin and proprotein convertase (PC) 5A, but not paired basic amino acid converting enzyme (PACE) 4, PC5B or PC7
- Subcellular localization of proteasomes and their regulatory complexes in mammalian cells
- Properties of *Leishmania major* dUTP nucleotidohydrolase, a distinct nucleotide-hydrolysing enzyme in kinetoplastids

- N. Matsuo, S. Kaneko, A. Kuno, H. Kobayashi and I. Kusakabe **9–15**
- J.M. Ribeiro, J. López-Gómez, J.M. Vergeles, M.J. Costas, M. García-Díaz, A. Fernández, A. Flores and J.C. Cameselle **25–31**
- A. Albeck and S. Kliper **71–76**
- M. Resmini, S. Gul, S. Carter, S. Sonkaria, C.M. Topham, G. Gallacher and K. Brocklehurst **117–125**
- J.-C. Lissitzky, J. Luis, J.S. Munzer, S. Benjannet, F. Parat, M. Chrétien, J. Marvaldi and N.G. Seidah **133–138**
- P. Brooks, G. Fuertes, R.Z. Murray, S. Bose, E. Knecht, M.C. Rechsteiner, K.B. Hendil, K. Tanaka, J. Dyson and A.J. Rivett **155–161**
- A. Camacho, F. Hidalgo-Zarco, V. Bernier-Villamor, L.M. Ruiz-Pérez and D. González-Pacanowska **163–168**

Crystal structures of human pancreatic α -amylase in complex with carbohydrate and proteinaceous inhibitors

V. Nahoum, G. Roux, V. Anton, P. Rougé, A. Puigserver, H. Bischoff, B. Henrissat and F. Payan

201–208

Gene structure and expression

Quantitative analysis of gene amplification in insecticide-resistant *Culex* mosquitoes

M.G. Paton, S.H.P.P. Karunaratne, E. Giakoumaki, N. Roberts and J. Hemingway

17–24

A novel principle for conferring selectivity to poly(A)-binding proteins: interdependence of two ATP synthase β -subunit mRNA-binding proteins

U. Andersson, H. Antonicka, J. Houstek and B. Cannon

33–39

Genomic organization, chromosomal mapping and promoter analysis of the mouse selenocysteine tRNA gene transcription-activating factor (*mStaf*) gene

K. Adachi, M. Katsuyama, S. Song and T. Oka

45–51

Human *N*-benzoyl-L-tyrosyl-*p*-aminobenzoic acid hydrolase (human meprin): genomic structure of the α and β subunits

D. Hahn, R. Illisson, A. Metspalu and E.E. Sterchi

83–91

Sp1 and chromatin environmental are important contributors to the formation of repressive chromatin structures on the transfected human adenine nucleotide translocase-2 promoter

Z. Hodny, R. Li, P. Barath and B.D. Nelson

93–97

Histone synthesis in *Leishmania infantum* is tightly linked to DNA replication by a translational control

M. Soto, L. Quijada, C. Alonso and J.M. Requena

99–105

Export and transport of tRNA are coupled to a multi-protein complex

C. Kruse, D.K. Willkomm, A. Grünweller, T. Vollbrandt, S. Sommer, S. Busch, T. Pfeiffer, J. Brinkmann, R.K. Hartmann and P.K. Müller

107–115

Cloning and characterization of mouse extracellular-signal-regulated protein kinase 3 as a unique gene product of 100 kDa

B. Turgeon, M.K. Saba-El-Leil and S. Meloche

169–175

Changes in gene expression in response to polyamine depletion indicates selective stabilization of mRNAs

I. Veress, S. Haghghi, A. Pulkka and A. Pajunen

185–191

Regulation of the juvenile hormone esterase gene by a composite core promoter

G. Jones, Y.X. Chu, D. Schelling, D. Jones

233–240

Membranes and bioenergetics

A pyruvate–proton symport and an H⁺-ATPase regulate the intracellular pH of *Trypanosoma brucei* at different stages of its life cycle

N. Vanderheyden, J. Wong and R. Docampo

53–62

Receptors and signal transduction

Activation of exocytosis by cross-linking of the IgE receptor is dependent on ADP-ribosylation factor 1-regulated phospholipase D in RBL-2H3 mast cells: evidence that the mechanism of activation is via regulation of phosphatidylinositol 4,5-bisphosphate synthesis

G. Way, N. O'Luanaigh and S. Cockcroft

63–70

Mutations of the serine phosphorylated in the protein phosphatase-1-binding motif in the skeletal muscle glycogen-targeting subunit

J. Liu, J. Wu, C. Oliver, S. Shenolikar and D.L. Brautigan

77–82

Vascular endothelial growth factor stimulates dephosphorylation of the catenins p120 and p100 in endothelial cells

E.Y.M. Wong, L. Morgan, C. Smales, P. Lang, S.E. Gubby and J.M. Staddon

209–216

Mechanisms of cGMP-dependent mesangial-cell relaxation: a role for myosin light-chain phosphatase activation

G. Torrecillas, M.L. Díez-Marqués, C. García-Escribano, R.J. Bosch, D. Rodríguez-Puyol and M. Rodríguez-Puyol

217–222

Ethanol, Zn²⁺ and insulin interact as progression factors to enhance DNA synthesis synergistically in the presence of Ca²⁺ and other cell cycle initiators in fibroblasts

J.-S. Huang, Q.-B. She, K.S. Crilly and Z. Kiss

241–247

Cell biology and development

Tetratricopeptide repeat domain of *Yarrowia lipolytica* Pex5p is essential for recognition of the type 1 peroxisomal targeting signal but does not confer full biological activity on Pex5p

R.K. Szilard and R.A. Rachubinski

177–184