

**Review**

- Regulation of cytochrome P450 (CYP) genes by nuclear receptors** 321–337  
*by P. Honkakoski and M. Negishi*

**Research Papers****Proteins**

- Thrombospondin-1 binds to polyhistidine with high affinity and specificity V.K. Vanguri, S. Wang, S. Godyna, S. Ranganathan and G. Liao 469–473
- The poly(A) tail length of casein mRNA in the lactating mammary gland changes depending upon the accumulation and removal of milk T. Kuraishi, Y. Sun, F. Aoki, K. Imakawa and S. Sakai 579–583

**Enzymes**

- 27-Oxygenation of C<sub>27</sub>-sterols and 25-hydroxylation of vitamin D<sub>3</sub> in kidney: cloning, structure and expression of pig kidney CYP27A H. Postlind, F. Hosseinpour, M. Norlin and K. Wikvall 349–356
- Expression and characterization of a recombinant cysteine proteinase of *Leishmania mexicana* S.J. Sanderson, K.G.J. Pollock, J.D. Hilley, M. Meldal, P. St Hilaire, M.A. Juliano, L. Juliano, J.C. Mottram and G.H. Coombs 383–388
- Molecular cloning and biochemical characterization of a new mouse testis soluble-zinc-metalloproteinase of the neprilysin family G. Ghaddar, A.F. Ruchon, M. Carpentier, M. Marcinkiewicz, N.G. Seidah, P. Crine, L. Desgroseillers and G. Boileau 419–429
- Purification and characterization of secretory phospholipase B, lysophospholipase and lysophospholipase/transacylase from a virulent strain of the pathogenic fungus *Cryptococcus neoformans* S.C.A. Chen, L.C. Wright, J.C. Golding and T.C. Sorrell 431–439
- N- and C-termini modulate the effects of pH and phosphorylation on hepatic 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase I.J. Kurland, B. Chapman and M.R. El-Maghrabi 459–467
- Nitric oxide-induced autoinhibition of neuronal nitric oxide synthase in the presence of the autoxidation-resistant pteridine 5-methyltetrahydrobiopterin A.C.F. Gorren, A. Schrammel, C. Riethmüller, K. Schmidt, D. Koesling, E.R. Werner and B. Mayer 475–484
- Point mutations at multiple sites including highly conserved amino acids maintain activity, but render O<sup>6</sup>-alkylguanine–DNA alkyltransferase insensitive to O<sup>6</sup>-benzylguanine M. Xu-Welliver and A.E. Pegg 519–526
- Conserved residue lysine<sup>165</sup> is essential for the ability of O<sup>6</sup>-alkylguanine–DNA alkyltransferase to react with O<sup>6</sup>-benzylguanine M. Xu-Welliver, S. Kanugula, N.A. Loktionova, T.M. Crone and A.E. Pegg 527–534
- Conserved arginine-516 of *Penicillium amagasakiense* glucose oxidase is essential for the efficient binding of β-D-glucose S. Witt, G. Wohlfahrt, D. Schomburg, H.-J. Hecht and H.M. Kalisz 553–559
- Lignin peroxidase initiates O<sub>2</sub>-dependent self-propagating chemical reactions which accelerate the consumption of 1-(3',4'-dimethoxyphenyl)propene R. ten Have, M.C.R. Franssen and J.A. Field 585–591

**Carbohydrates and lipids**

- Increased incidence of unsulphated and 4-sulphated residues in the chondroitin sulphate linkage region observed by high-pH anion-exchange chromatography R.M. Lauder, T.N. Huckerby and I.A. Nieduszynski **339–348**
- Regulation of expression of the human  $\beta$ -1,2-*N*-acetylglucosaminyl transferase II gene (*MGAT2*) by Ets transcription factors W. Zhang, L. Revers, M. Pierce and H. Schachter **511–518**
- Order and maximum incorporation of *N*-acetyl-D-galactosamine into threonine residues of MUC2 core peptide with microsome fraction of human-colon-carcinoma LS174T cells S.-i. Iida, H. Takeuchi, K. Kato, K. Yamamoto and T. Irimura **535–542**

**Gene structure and expression**

- Yeast cell-free system that catalyses joint-molecule formation in a Rad51p- and Rad52p-dependent fashion V. Nagaraj and D. Norris **363–368**
- Post-translational modification of the myxoma-virus anti-inflammatory serpin SERP-1 by a virally encoded sialyltransferase P. Nash, M. Barry, B.T. Seet, K. Veugelers, S. Hota, J. Heger, C. Hodgkinson, K. Graham, R.J. Jackson and G. McFadden **375–382**
- Involvement of activator protein 1 complexes in the epithelium-specific activation of the laminin  $\gamma$ 2-chain gene promoter by hepatocyte growth factor (scatter factor) J. Olsen, O. Lefebvre, C. Fritsch, J.T. Troelsen, V. Orian-Rousseau, M. Kedingler and P. Simon-Assmann **407–417**
- Glucocorticoid regulation of branched-chain  $\alpha$ -ketoacid dehydrogenase E2 subunit gene expression P.A. Costeas and J.M. Chinsky **449–457**
- Characterization of a chicken retinoid X receptor- $\gamma$  gene promoter and identification of sequences that direct expression in retinal cells C. Ameixa and P.M. Brickell **485–490**
- Regional evolution of venom-gland phospholipase  $A_2$  isoenzymes of *Trimeresurus flavoviridis* snakes in the southwestern islands of Japan T. Chijiwa, M. Deshimaru, I. Nobuhisa, M. Nakai, T. Ogawa, N. Oda, K.-i. Nakashima, Y. Fukumaki, Y. Shimohigashi, S. Hattori and M. Ohno **491–499**

**Regulation of metabolism**

- Very-low-density lipoprotein binding to the apolipoprotein E receptor 2 is enhanced by lipoprotein lipase, and does not require apolipoprotein E P.J. Tacke, F. de Beer, L.O. van Vark, L.M. Havekes, M.H. Hofker and K. Willems van Dijk **357–361**

**Receptors and signal transduction**

- The CB<sub>1</sub> cannabinoid receptor is coupled to the activation of protein kinase B/Akt T. Gómez del Pulgar, G. Velasco and M. Guzmán **369–373**
- Among translational effectors, p70<sup>S6k</sup> is uniquely sensitive to inhibition by glucocorticoids O.J. Shah, S.R. Kimball and L.S. Jefferson **389–397**
- Glucose and amino acids modulate translation factor activation by growth factors in PC12 cells M. Kleijn and C.G. Proud **399–406**
- Protein-tyrosine-phosphatase-mediated epidermal growth factor (EGF) receptor transinactivation and EGF receptor-independent stimulation of mitogen-activated protein kinase by bradykinin in A431 cells A. Graness, S. Hanke, F.D. Boehmer, P. Presek and C. Liebmann **441–447**
- The Shc-related adaptor protein, Sck, forms a complex with the vascular-endothelial-growth-factor receptor KDR in transfected cells A.J. Warner, J. Lopez-Dee, E.L. Knight, J.R. Feramisco and S.A. Prigent **501–509**
- Involvement of proline-rich tyrosine kinase 2 in platelet activation: tyrosine phosphorylation mostly dependent on  $\alpha$ IIb $\beta$ 3 integrin and protein kinase C, translocation to the cytoskeleton and association with Shc through Grb2 T. Ohmori, Y. Yatomi, N. Asazuma, K. Satoh and Y. Ozaki **561–569**

---

Action of rolipram on specific PDE4 cAMP phosphodiesterase isoforms and on the phosphorylation of cAMP-response-element-binding protein (CREB) and p38 mitogen-activated protein (MAP) kinase in U937 monocytic cells	S.J. MacKenzie and M.D. Houslay	<b>571–578</b>
Inositol 1,4,5-trisphosphate-induced Ca <sup>2+</sup> release is inhibited by mitochondrial depolarization	T.J. Collins, P. Lipp, M.J. Berridge, W. Li and M.D. Bootman	<b>593–600</b>
<b>Cell biology and development</b>		
Apoptosis or senescence-like growth arrest: influence of cell-cycle position, p53, p21 and bax in H <sub>2</sub> O <sub>2</sub> response of normal human fibroblasts	Q.M. Chen, J. Liu and J.B. Merrett	<b>543–551</b>