

**Review**

- DNA replication and damage checkpoints and meiotic cell cycle controls in the fission and budding yeasts** 1–12  
*by H. Murakami and P. Nurse*

**Research Communication**

- Regulation of sterol regulatory-element binding protein 1 gene expression in liver: role of insulin and protein kinase B/cAkt M. Fleischmann and P.B. Iynedjian 13–17

**Research Papers**

- Activation of extracellular signal-regulated protein kinase1,2 results in down-regulation of decorin expression in fibroblasts P. Laine, N. Reunanen, L. Ravanti, M. Foschi, M. Santra, R.V. Iozzo and V.-M. Kähäri 19–25
- Characterization and regulation of *Leishmania major* 3-hydroxy-3-methylglutaryl-CoA reductase A. Montalvetti, J. Peña-Díaz, R. Hurtado, L.M. Ruiz-Pérez and D. González-Pacanoska 27–34
- Oxidation of ubiquinol by peroxynitrite: implications for protection of mitochondria against nitrosative damage F. Schöpfer, N. Riobó, M.C. Carreras, B. Alvarez, R. Radi, A. Boveris, E. Cadenas and J.J. Poderoso 35–42
- Acylphosphatase possesses nucleoside triphosphatase and nucleoside diphosphatase activities P. Paoli, G. Camici, G. Manao, E. Giannoni and G. Ramponi 43–49
- Processing of N-linked oligosaccharide depends on its location in the anion exchanger, AE1, membrane glycoprotein J. Li, J. Quilty, M. Popov and R.A.F. Reithmeier 51–57
- Activation of phosphatidylinositol 3-kinase is required for transcriptional activity of F-type 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase: assessment of the role of protein kinase B and p70 S6 kinase S.F. Fernández de Mattos, E. de los Pinos, M. Joaquin and A. Tauler 59–65
- Identification of a nucleoside/nucleobase transporter from *Plasmodium falciparum*, a novel target for anti-malarial chemotherapy M.D. Parker, R.J. Hyde, S.Y.M. Yao, L. McRobert, C.E. Cass, J.D. Cass, J.D. Young, G.A. McConkey and S.A. Baldwin 67–75
- Apolipoprotein E includes a binding site which is recognized by several amyloidogenic polypeptides M.H. Baumann, J. Kallijärvi, H. Lankinen, C. Soto and M. Haltia 77–84
- Redox equilibria of manganese peroxidase from *Phanerochaetes chrysosporium*: functional role of residues on the proximal side of the haem pocket R. Santucci, C. Bongiovanni, S. Marini, R. Del Conte, M. Tien, L. Banci and M. Coletta 85–90
- Glucocorticoids induce a near-total suppression of hyaluronan synthase mRNA in dermal fibroblasts and in osteoblasts: a molecular mechanism contributing to organ atrophy W. Zhang, C.E. Watson, C. Liu, K.J. Williams and V.P. Werth 91–97
- Indirect induction of suppressor of cytokine signalling-1 in macrophages stimulated with bacterial lipopolysaccharide: partial role of autocrine/paracrine interferon- $\alpha/\beta$  A. Crespo, M.B. Filla, S.W. Russell and W.J. Murphy 99–104
- Characterization of the actin filament capping state in human erythrocyte ghost and cytoskeletal preparations P.A. Kuhlman 105–111

p40 <sup>phox</sup> participates in the activation of NADPH oxidase by increasing the affinity of p47 <sup>phox</sup> for flavocytochrome <i>b</i> <sub>558</sub>	A.R. Cross	113–117
Mitochondrial ATP production is necessary for activation of the extracellular-signal-regulated kinases during ischaemia/reperfusion in rat myocyte-derived H9c2 cells	L. Abas, M.A. Bogoyevitch and M. Guppy	119–126
The role of phosphatidylcholine in fatty acid exchange and desaturation in <i>Brassica napus</i> L. leaves	J.P. Williams, V. Imperial, M.U. Khan and J.N. Hodson	127–133
The short prodomain influences caspase-3 activation in HeLa cells	T. Meergans, A.-K. Hildebrandt, D. Horak, C. Haenisch and A. Wendel	135–140
Expression, purification and characterization of recombinant human choline acetyltransferase: phosphorylation of the enzyme regulates catalytic activity	T. Dobransky, W.L. Davis, G.-H. Xiao and R.J. Rylett	141–151
Identification and characterization of a novel cytochrome <i>c</i> <sub>3</sub> from <i>Shewanella frigidimarina</i> that is involved in Fe(III) respiration	E.H.J. Gordon, A.D. Pike, A.E. Hill, P.M. Cuthbertson, S.K. Chapman and G.A. Reid	153–158
Identification of three human type-II classic cadherins and frequent heterophilic interactions between different subclasses of type-II classic cadherins	Y. Shimoyama, G. Tsujimoto, M. Kitajima and M. Natori	159–167
The pepsin residue glycine-76 contributes to active-site loop flexibility and participates in catalysis	M. Okoniewska, T. Tanaka and R.Y. Yada	169–177
Reconstitution of purified, active and malonyl-CoA-sensitive rat liver carnitine palmitoyltransferase I: relationship between membrane environment and malonyl-CoA sensitivity	J.D. McGarry and N.F. Brown	179–187
Lithocholic acid and sulphated lithocholic acid differ in the ability to promote matrix metalloproteinase secretion in the human colon cancer cell line CaCo-2	B. Halvorsen, A.C. Staff, S. Ligaarden, K. Prydz and S.O. Kolset	189–193
Pyruvate dehydrogenase kinase from <i>Arabidopsis thaliana</i> : a protein histidine kinase that phosphorylates serine residues	J.J. Thelen, J.A. Miernyk and D.D. Randall	195–201
Unifying mechanism for <i>Aplysia</i> ADP-ribosyl cyclase and CD38/NAD <sup>+</sup> glycohydrolases	C. Cakir-Kiefer, H. Muller-Steffner and F. Schuber	203–210
Investigation of the slow inhibition of almond $\beta$ -glucosidase and yeast isomaltase by 1-azasugar inhibitors: evidence for the 'direct binding' model	A. Lohse, T. Hardlei, A. Jensen, I.W. Plesner and M. Bols	211–215
Interaction of C3b <sub>2</sub> -IgG complexes with complement proteins properdin, factor B and factor H: implications for amplification	E. Jelezarova, A. Vogt and H.U. Lutz	217–223
Epidermal growth factor regulation of glutathione S-transferase gene expression in the rat is mediated by class Pi glutathione S-transferase enhancer I	M. Matsumoto, M. Imagawa and Y. Aoki	225–230
Low-density lipoprotein activates the small GTPases Rap1 and RAI in human platelets	C.M. Hackeng, B. Franke, I.A.M. Relou, G. Gorter, J.L. Bos, H.J.M. van Rijn and J.-W.N. Akkerman	231–238
Regulation of ecdysteroid signalling: molecular cloning, characterization and expression of 3-dehydroecdysone 3 $\alpha$ -reductase, a novel eukaryotic member of the short-chain dehydrogenases/reductases superfamily from the cotton leafworm, <i>Spodoptera littoralis</i>	H. Takeuchi, J.-H. Chen, D.R. O'Reilly, H.H. Rees and P.C. Turner	239–245
Definition of Munc13-homology-domains and characterization of a novel ubiquitously expressed Munc13 isoform	H. Koch, K. Hofmann and N. Brose	247–253
FM1-43 reports plasma membrane phospholipid scrambling in T-lymphocytes	A. Zweifach	255–260

A single amino acid substitution (Trp <sup>666</sup> →Ala) in the interbox1/2 region of the interleukin-6 signal transducer gp130 abrogates binding of JAK1, and dominantly impairs signal transduction	C. Haan, H.M. Hermanns, P.C. Heinrich and I. Behrmann	<b>261–266</b>
Non-linear antigenic regions in epidermal growth factor (EGF) and transforming growth factor (TGF $\alpha$ ) studied by EGF–TGF $\alpha$ —chimaeras	M.L.M. van de Poll, W. van Rotterdam, M.M. Gadellaa, C. Stortelers, M.J.H. van Vugt and E.J.J. van Zoelen	<b>267–274</b>
Kinetic properties of missense mutations in patients with glutathione synthetase deficiency	R. Njålsson, K. Carlsson, B. Olin, B. Carlsson, L. Whitbread, G. Polekhina, M.W. Parker, S. Norgren, B. Mannervik, P.G. Board and A. Larsson	<b>275–279</b>
Targeting motifs and functional parameters governing the assembly of connexins into gap junctions	P.E.M. Martin, J. Steggles, C. Wilson, S. Ahmad and W.H. Evans	<b>281–287</b>
Heterologous expression, functional characterization and localization of two isoforms of the monkey iron transporter Nramp2	L. Zhang, T. Lee, Y. Wang, T.W. Soong	<b>289–297</b>
Oligomerization of $\beta$ -amyloid of the Alzheimer's and the Dutch-cerebral-haemorrhage types	A.K. Sian, E.R. Frears, O.M.A. El-Agnaf, B.P. Patel, M.F. Manca, G. Siligardi, R. Hussain and B.M. Austen	<b>299–308</b>
Oxalate oxidases and differentiation surface structure in wheat: germins	B.G. Lane	<b>309–321</b>
Ca <sup>2+</sup> signals mediated by Ins(1,4,5)P <sub>3</sub> -gated channels in rat ureteric myocytes	F.-X. Boittin, F. Coussin, J.-L. Morel, G. Halet, N. Macrez and J. Mironneau	<b>323–332</b>
Molecular modelling and site-directed mutagenesis of the inositol 1,3,4,5-tetrakisphosphate-binding pleckstrin homology domain from the Ras GTPase-activating protein GAP1 <sup>1P4BP</sup>	G. Cozier, R. Sessions, J.R. Bottomley, J.S. Reynolds and P.J. Cullen	<b>333–342</b>
Identification and expression of NEU3, a novel human sialidase associated to the plasma membrane	E. Monti, M.T. Bassi, N. Papini, M. Riboni, M. Manzoni, B. Venerando, G. Croci, A. Preti, A. Ballabio, G. Tettamanti and G. Borsani	<b>343–351</b>
Impaired nitric oxide production in coronary endothelial cells of the spontaneously diabetic BB rat is due to tetrahydrobiopterin deficiency	C.J. Meininger, R.S. Marinos, K. Hatakeyama, R. Martinez-Zaguilan, J.D. Rojas, K.A. Kelly and G. Wu	<b>353–356</b>
Inhibition of Ca <sup>2+</sup> signalling by p130, a phospholipase-C-related catalytically inactive protein: critical role of the p130 pleckstrin homology domain	H. Takeuchi, M. Oike, H.F. Paterson, V. Allen, T. Kanematsu, Y. Ito, C. Erneux, M. Katan and M. Hirata	<b>357–368</b>
Deactivation of neutrophil NADPH oxidase by actin-depolymerizing agents in a cell-free system	M. Tamura, M. Kanno and Y. Endo	<b>369–375</b>
Sj-FABPc fatty-acid-binding protein of the human blood fluke <i>Schistosoma japonicum</i> : structural and functional characterization and unusual solvent exposure of a portal-proximal tryptophan residue	M.W. Kennedy, J.C. Scott, S. Lo, J. Beauchamp and D.P. McManus	<b>377–384</b>

