

Review

- Amino-acid-dependent signal transduction** 545–550
by D.A. van Sluijters, P.F. Dubbelhuis,
E.F.C. Blommaart and A.J. Meijer

Research Communication

- Multitasking in signal transduction by a
promiscuous human Ins(3,4,5,6) P_4
1-kinase/Ins(1,3,4) P_3 5/6-kinase X. Yang and S.B. Shears 551–555

Research Papers

- Identification of multiple proteins expressed in
murine embryos as binding partners for the WW
domains of the ubiquitin-protein ligase Nedd4 C.N. Jolliffe, K.F. Harvey, B.P. Haines, G. Parasivam
and S. Kumar 557–565
- An examination of how structural changes can
affect the rate of electron transfer in a mutated
bacterial photoreaction centre J.P. Ridge, P.K. Fyfe, K.E. McAuley, M.E. van Brederode,
B. Robert, R. van Grondelle, N.W. Isaacs, R.J. Cogdell
and M.R. Jones 567–578
- Stichopus japonicus* arginine kinase: gene
structure and unique substrate recognition system T. Suzuki, Y. Yamamoto and M. Umekawa 579–585
- Aberrant phosphorylation of dentatorubral-
pallidoluysian atrophy (DRPLA) protein complex in
brain tissue I. Yazawa 587–593
- The pH dependence of naturally occurring low-
spin forms of methaemoglobin and metmyoglobin:
an EPR study D.A. Svistunenko, M.A. Sharpe, P. Nicholls, C. Blenkinsop,
N.A. Davies, J. Dunne, M.T. Wilson and C.E. Cooper 595–605
- Transmembrane and cytoplasmic domains of
syndecan mediate a multi-step endocytic pathway
involving detergent-insoluble membrane rafts I.V. Fuki, M.E. Meyer and K.J. Williams 607–612
- Insulin-induced phospholipase D1 and
phospholipase D2 activity in human embryonic
kidney-293 cells mediated by the phospholipase C γ
and protein kinase C α signalling cascade R. Slaaby, G. Du, Y.M. Altschuller, M.A. Frohman
and K. Seedorf 613–619
- Activation of protein kinase B/cAkt in hepatocytes
is sufficient for the induction of expression of the
gene encoding glucokinase P.B. Iynedjian, R.A. Roth, M. Fleischmann and A. Gjinovci 621–627
- Specific interactions among transmembrane 4
superfamily (TM4SF) proteins and phosphoinositide
4-kinase R.L. Yauch and M.E. Hemler 629–637
- Sequencing, functional expression and
characterization of rat NTPDase6, a nucleoside
diphosphatase and novel member of the ecto-
nucleoside triphosphate diphosphohydrolase family N. Braun, S. Fengler, C. Ebeling, J. Servos
and H. Zimmermann 639–647
- Role of non-covalent enzyme–substrate interactions
in the reaction catalysed by cellobiose
phosphorylase from *Cellulomonas uda* B. Nidetzky, C. Eis and M. Albert 649–659
- Characterization of the mouse dynamin I gene
promoter and identification of sequences that
direct expression in neuronal cells J. Yoo, S.S. Lee, M.-J. Jeong, K.I. Lee, B.-M. Kwon,
S.-H. Kim, Y.-M. Park and M.Y. Han 661–668
- Platelet α IIb- β 3 integrin engagement induces the
tyrosine phosphorylation of Cbl and its association
with phosphoinositide 3-kinase and Syk A. Saci, F. Rendu and C. Bachelot-Loza 669–676

Cysteine residues in the C-terminus of the neutral- and basic-amino-acid transporter heavy-chain subunit contribute to functional properties of the system b ⁰⁺ -type amino acid transporter	G.J. Peter, T.B. Panova, G.R. Christie and P.M. Taylor	677–682
Different receptors use inositol trisphosphate to mobilize Ca ²⁺ from different intracellular pools	A.D. Short, G.P. Winston and C.W. Taylor	683–686
Regulation of Nramp1 mRNA stability by oxidants and protein kinase C in RAW264.7 macrophages expressing <i>Nramp1</i> ^{Gly169}	W.P. Lafuse, G.R. Alvarez and B.S. Zwilling	687–696
Analysis of a nucleotide-binding site of 5-lipoxygenase by affinity labelling: binding characteristics and amino acid sequences	Y.-Y. Zhang, T. Hammarberg, O. Radmark, B. Samuelsson, C.F. Ng, C.D. Funk and J. Loscalzo	697–707
Negative regulation of cytosolic phospholipase A ₂ by melatonin in the rat pineal gland	B. Li, H. Zhang, M. Akbar and H.-Y. Kim	709–716
Soluble GPI8 restores glycosylphosphatidylinositol anchoring in a trypanosome cell-free system depleted of luminal endoplasmic reticulum proteins	D.K. Sharma, J.D. Hilley, J.D. Bangs, G.H. Coombs, J.C. Mottram and A.K. Menon	717–722
Ionization characteristics and chemical influences of aspartic acid residue 158 of papain and caricain determined by structure-related kinetic and computational techniques: multiple electrostatic modulators of active-centre chemistry	M.A. Noble, S. Gul, C.S. Verma and K. Brocklehurst	723–733
Cloning and expression of the human transient receptor potential 4 (TRP4) gene: localization and functional expression of human TRP4 and TRP3	R.R. McKay, C.L. Szymeczek-Seay, J.-P. Lievreumont, G. St. J. Bird, C. Zitt, E. Jüngling, A. Lückhoff and J.W. Putney, Jr	735–746
The effect of peroxisome-proliferator-activated receptor- α on the activity of the cholesterol 7 α -hydroxylase gene	D.D. Patel, B.L. Knight, A.K. Soutar, G.F. Gibbons and D.P. Wade	747–753
Gene expression of the dibasic-pair cleaving enzyme NRD convertase (<i>N</i> -arginine dibasic convertase) is differentially regulated in the GH3 pituitary and Mat-Lu prostate cell lines	A.G. Winter and A.R. Pierotti	755–764
Novel consensus sequence for the Golgi apparatus casein kinase, revealed using proline-rich protein-1 (PRP1)-derived peptide substrates	A.M. Brunati, O. Marin, A. Bisinella, A. Salviati and L.A. Pinna	765–768
Histone carbonylation <i>in vivo</i> and <i>in vitro</i>	G.T. Wondrak, D. Cervantes-Laurean, E.L. Jacobson and M.K. Jacobson	769–777
Very low surfactant protein C contents in newborn Belgian White and Blue calves with respiratory distress syndrome	F. Danlois, S. Zaltash, J. Johansson, B. Robertson, H.P. Haagsman, M. van Eijk, M.F. Beers, F. Rollin, J.-M. Ruyschaert and G. Vandenbussche	779–787
Time-dependent activation of the semicarbazide-sensitive amine oxidase (SSAO) from ox lung microsomes	J.M. Lizcano, K.F. Tipton and M. Unzeta	789–794
Bis(monoacylglycerol) phosphate in rat uterine stromal cells: structural characterization and specific esterification of docosahexaenoic acid	C. Luquain, R. Dolmazon, J.-M. Enderlin, C. Laugier, M. Lagarde and J.-F. Pageaux	795–804
Endurance training increases stimulation of uncoupling of skeletal muscle mitochondria in humans by non-esterified fatty acids: an uncoupling-protein-mediated effect?	M. Tonkonogi, A. Krook, B. Walsh and K. Sahlin	805–810
Shared control of hepatic glycogen synthesis by glycogen synthase and glucokinase	R.R. Gomis, J.C. Ferrer and J.J. Guinovart	811–816
<i>N</i> -acyl-dopamines: novel synthetic CB ₁ cannabinoid-receptor ligands and inhibitors of anandamide inactivation with cannabimimetic activity <i>in vitro</i> and <i>in vivo</i>	T. Bisogno, D. Melck, M.Y. Bobrov, N.M. Gretskaya, V.V. Bezuglov, L. De Petrocellis and V. Di Marzo	817–824
Expression of maize eukaryotic initiation factor (eIF) iso4E is regulated at the translational level	T.D. Dinkova, R. Aguilar and E. Sánchez de Jiménez	825–831

Identification of Glu-519 as the catalytic nucleophile in β -mannosidase 2A from <i>Cellulomonas fimi</i>	D. Stoll, S. He, S.G. Withers and R.A.J. Warren	833–838
Corrections		
RGS14 is a novel Rap effector that preferentially regulates the GTPase activity of $G\alpha_0$ by S. Traver, C. Bidot, N. Spassky, T. Baltauss, M.-F. de Tand, J.-L. Thomas, B. Zalc, I. Janoueix-Lerosey and J. de Gunzburg (volume 350, pages 19–29, 2000)		839
The influence of secretory-protein charge on late stages of secretion from the Gram-positive bacterium <i>Bacillus subtilis</i> by K. Stephenson, C.L. Jensen, S.T. Jørgensen, J.H. Lakey and C.R. Harwood (volume 350, pages 31–39, 2000)		839
Band 3 mutations, renal tubular acidosis and South-East Asian ovalocytosis in Malaysia and Papua New Guinea: loss of up to 95% band 3 transport in red cells by L.J. Bruce, O. Wrong, A.M. Toye, M.T. Young, G. Ogle, Z. Ismail, A.K. Sinha, P. McMaster, I. Hwaihwanje, G.B. Nash, S. Hart, E. Lavu, R. Palmer, A. Othman, R.J. Unwin and M.J.A. Tanner (volume 350, pages 41–51, 2000)		839