

Review

- The latent transforming growth factor β binding protein (LTBP) family** 601–609
by R. Öklü and R. Hesketh

Research Communications

- Association of immunoproteasomes with the endoplasmic reticulum P. Brooks, R.Z. Murray, G.G.F. Mason, K.B. Hendil and A.J. Rivett 611–615
- A role for the actin cytoskeleton in the hormonal and growth-factor-mediated activation of protein kinase B K. Peyrollier, E. Hajdich, A. Gray, G.J. Litherland, A.R. Prescott, N.R. Leslie and H.S. Hundal 617–622

Research Papers

- Analysis of *myo*-inositol hexakisphosphate hydrolysis by *Bacillus* phytase: indication of a novel reaction mechanism J. Kerovuo, J. Rouvinen and F. Hatzack 623–628
- Organization, chromosomal localization and promoter analysis of the gene encoding human acidic fibroblast growth factor intracellular binding protein E. Kolpakova, E. Frengen, T. Stokke and S. Olsnes 629–635
- Purification, characterization and sequence analysis of Omp50, a new porin isolated from *Campylobacter jejuni* J.M. Bolla, E. Dé, A. Dorez and J.M. Pagès 637–643
- p67 isoform of mouse disabled 2 protein acts as a transcriptional activator during the differentiation of F9 cells S.Y. Cho, J.W. Jeon, S.H. Lee and S.S. Park 645–650
- The C-terminus of NIPP1 (nuclear inhibitor of protein phosphatase-1) contains a novel binding site for protein phosphatase-1 that is controlled by tyrosine phosphorylation and RNA binding M. Beullens, V. Vulsteke, A. Van Eynde, I. Jagiello, W. Stalmans and M. Bollen 651–658
- Characterization of the unique function of a reduced amide bond in a cytolytic peptide that acts on phospholipid membranes J.-E. Oh and K.-H. Lee 659–666
- In vitro*-selected RNA cleaving DNA enzymes from a combinatorial library are potent inhibitors of HIV-1 gene expression B. Sriram and A.C. Banerjee 667–673
- Steady-state kinetic mechanism of the NAD⁺- and NAD⁺-dependent reactions catalysed by betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa* R. Velasco-García, L. González-Segura and R.A. Muñoz-Clares 675–683
- Kinetic alteration of a human dihydrodiol/3 α -hydroxysteroid dehydrogenase isoenzyme, AKR1C4, by replacement of histidine-216 with tyrosine or phenylalanine T. Ohta, S. Ishikura, S. Shintani, N. Usami and A. Hara 685–691
- Elevated levels of protein-bound *p*-hydroxyphenyl-acetaldehyde, an amino-acid-derived aldehyde generated by myeloperoxidase, are present in human fatty streaks, intermediate lesions and advanced atherosclerotic lesions S.L. Hazen, J.P. Gaut, J.R. Crowley, F.F. Hsu and J.W. Heinecke 693–699

Compartment-specific regulation of extracellular signal-regulated kinase (ERK) and c-Jun N-terminal kinase (JNK) mitogen-activated protein kinases (MAPKs) by ERK-dependent and non-ERK-dependent inductions of MAPK phosphatase (MKP)-3 and MKP-1 in differentiating P19 cells	S. Reffas and W. Schlegel	701–708
Effects of elevated expression of inositol 1,4,5-trisphosphate 3-kinase B on Ca ²⁺ homeostasis in HeLa cells	T.H. Millard, P.J. Cullen and G. Banting	709–715
Conversion of <i>Escherichia coli</i> pyruvate oxidase to an 'α-ketobutyrate oxidase'	Y.-Y. Chang and J.E. Cronan, Jr	717–724
Unique kinetics of nicotinic acid–adenine dinucleotide phosphate (NAADP) binding enhance the sensitivity of NAADP receptors for their ligand	S. Patel, G.C. Churchill and A. Galione	725–729
Expression and regulation of pyruvate dehydrogenase kinase isoforms in the developing rat heart and in adulthood: role of thyroid hormone status and lipid supply	M.C. Sugden, M.L. Langdown, R.A. Harris and M.J. Holness	731–738
Susceptibility of mitogen-activated protein kinase kinase family members to proteolysis by anthrax lethal factor	G. Vitale, L. Bernardi, G. Napolitani, M. Mock and C. Montecucco	739–745
Specific induction of RGS16 (regulation of G-protein signalling 16) mRNA by protein kinase C in CEM leukaemia cells is mediated via tumour necrosis factor α in a calcium-sensitive manner	C.W. Fong, Y. Zhang, S.Y. Neo and S.-C. Lin	747–753
Biochemical characterization of a trypanosome enzyme with glutathione-dependent peroxidase activity	S.R. Wilkinson, D.J. Meyer and J.M. Kelly	755–761
Nuclear receptors modulate the interaction of Sp1 and GC-rich DNA via ternary complex formation	M. Husmann, Y. Dragneva, E. Romahn and P. Jehnichen	763–772
Autophagosome-associated variant isoforms of cytosolic enzymes	M. Fengsrud, C. Raiborg, T.O. Berg, P.E. Strømhaug, T. Ueno, E.S. Erichsen and P.O. Seglen	773–781
Inverse regulation of F ₁ -ATPase activity by a mutation at the regulatory region on the γ subunit of chloroplast ATP synthase	H. Konno, M. Yodogawa, M.T. Stumpp, P. Kroth, H. Strotmann, K. Motohashi, T. Amano and T. Hisabori	783–788
Chloride channel activity of CIC-2 is modified by the actin cytoskeleton	N. Ahmed, M. Ramjeesingh, S. Wong, A. Varga, E. Garami and C.E. Bear	789–794
Interaction between DNA-damage protein GADD34 and a new member of the Hsp40 family of heat shock proteins that is induced by a DNA-damaging reagent	T. Hasegawa, H. Xiao, F. Hamajima and K.-i. Isobe	795–800
Phosphorylation of methylated-DNA–protein-cysteine S-methyltransferase at serine-204 significantly increases its resistance to proteolytic digestion	I.K. Lim, T.J. Park and W.K. Paik	801–808
Interaction of sphingosine 1-phosphate with plasma components, including lipoproteins, regulates the lipid receptor-mediated actions	N. Murata, K. Sato, J. Kon, H. Tomura, M. Yanagita, A. Kuwabara, M. Ui and F. Okajima	809–815
Homocysteine stimulates nuclear factor κB activity and monocyte chemoattractant protein-1 expression in vascular smooth-muscle cells: a possible role for protein kinase C	G. Wang, Y.L. Siow and K. O	817–826
Dynamic palmitoylation of lymphoma proprotein convertase prolongs its half-life, but is not essential for <i>trans</i> -Golgi network localization	J.-W.H.P. van de Loo, M. Teuchert, I. Pauli, E. Plets, W.J.M. Van de Ven and J.W.M. Creemers	827–833
Conversion of a synthetic fructosamine into its 3-phospho derivative in human erythrocytes	G. Delpierre, F. Vanstapel, V. Stroobant and E. Van Schaffingen	835–839
Size of the ligand complex between the N-terminal domain of the gene III coat protein and the non-infectious phage strongly influences the usefulness of <i>in vitro</i> selective infective phage technology	R. Cèbe and M. Geiser	841–849

Human deoxyhypusine synthase: interrelationship between binding of NAD and substrates	C.H. Lee and M.H. Park	851–857
Thiocyanate binding to the molybdenum centre of the periplasmic nitrate reductase from <i>Paracoccus pantotrophus</i>	C.S. Butler, J.M. Charnock, C.D. Garner, A.J. Thomson, S.J. Ferguson, B.C. Berks and D.J. Richardson	859–864
Control of pancreatic bile-salt-dependent-lipase secretion by the glucose-regulated protein of 94 kDa (Grp94)	A. Nganga, N. Bruneau, V. Sbarra, D. Lombardo and J. Le Petit-Thevenin	865–874
Purification and characterization of cytosolic pyruvate kinase from banana fruit	W.L. Turner and W.C. Plaxton	875–882
Metalloprotease–disintegrin ADAM 12 binds to the SH3 domain of Src and activates Src tyrosine kinase in C2C12 cells	Q. Kang, Y. Cao and A. Zolkiewska	883–892
A carbon-source-responsive element is required for regulation of the hypoxic ADP/ATP carrier (AAC3) isoform in <i>Saccharomyces cerevisiae</i>	B. Sokolíková, L. Šabová, I. Kiššová and J. Kolarov	893–898
Use of α -toxin from <i>Staphylococcus aureus</i> to test for channelling of intermediates of glycolysis between glucokinase and aldolase in hepatocytes	M. Cascante, J.J. Centelles and L. Agius	899–905
Coexpression of α and β subunits of prolyl 4-hydroxylase stabilizes the triple helix of recombinant human type X collagen	K. Wagner, E. Pöschl, J. Turnay, J.-m. Baik, T. Pihlajaniemi, S. Frischholz and K. von der Mark	907–911
Cross-talk between interleukin β (IL-1 β) and IL-6 signalling pathways: IL-1 β selectively inhibits IL-6-activated signal transducer and activator of transcription factor 1 (STAT1) by a proteasome-dependent mechanism	X. Shen, Z. Tian, M.J. Holtzman and B. Gao	913–919
Effects of overexpression of the liver subunit of 6-phosphofructo-1-kinase on the metabolism of a cultured mammalian cell line	A.M. Urbano, H. Gillham, Y. Groner and K.M. Brindle	921–927
Rapid activation and partial inactivation of inositol trisphosphate receptors by adenophostin A	C.E. Adkins, F. Wissing, B.V.L. Potter and C.W. Taylor	929–933
Correction		
Tetrahydrofolate and tetrahydromethanopterin compared: functionally distinct carriers in C_1 metabolism by B.E.H. Maden (volume 350, pages 609–629, 2000)		935–936