

**Biochemical Journal**  
**Volume 355, part 3**  
**1 May 2001**

First published on the Internet  
24 April 2001  
<http://www.BiochemJ.org>

**Subscribing organizations are encouraged to copy and distribute this table of contents for non-commercial purposes**

**Review**

- Electrospray and tandem mass spectrometry in biochemistry** 545–561  
*by W.J. Griffiths, A.P. Jonsson, S. Liu, D.K. Rai and Y. Wang*

**Research Communication**

- Subcellular localization and adaptive up-regulation of the System A (SAT2) amino acid transporter in skeletal-muscle cells and adipocytes 563–568  
R. Hyde, G.R. Christie, G.J. Litherland, E. Hajduch, P.M. Taylor and H.S. Hundal

**Research Papers**

- Controlled protonation of iron–molybdenum cofactor by nitrogenase: a structural and theoretical analysis 569–576  
M.C. Durrant
- Murine fibromodulin: cDNA and genomic structure, and age-related expression and distribution in the knee joint 577–585  
A.-M.K. Säämänen, H.J. Salminen, A.J. Rantakokko, D. Heinegård and E.I. Vuorio
- Expression of P-170 glycoprotein sensitizes lymphoblastoid CEM cells to mitochondria-mediated apoptosis 587–595  
P. Matarrese, U. Testa, R. Cauda, S. Vella, L. Gambardella and W. Malorni
- The kinase DYRK1A phosphorylates the transcription factor FKHR at Ser<sup>329</sup> *in vitro*, a novel *in vivo* phosphorylation site 597–607  
Y.L. Woods, G. Rena, N. Morrice, A. Barthel, W. Becker, S. Guo, T.G. Unterman and P. Cohen
- The kinase DYRK phosphorylates protein-synthesis initiation factor eIF2Bε at Ser<sup>539</sup> and the microtubule-associated protein tau at Thr<sup>212</sup>: potential role for DYRK as a glycogen synthase kinase 3-priming kinase 609–615  
Y.L. Woods, P. Cohen, W. Becker, R. Jakes, M. Goedert, X. Wang and C.G. Proud
- Differential effects of mitomycin C and doxorubicin on P-glycoprotein expression 617–624  
R. Maitra, P.A. Halpin, K.H. Karlson, R.L. Page, D.Y. Paik, M.O. Leavitt, B.D. Moyer, B.A. Stanton and J.W. Hamilton
- The hexokinase 2 protein regulates the expression of the GLK1, HXK1 and HXK2 genes of *Saccharomyces cerevisiae* 625–631  
A. Rodríguez, T. de la Cera, P. Herrero and F. Moreno
- Evaluation of the role of proline residues flanking the RGD motif of dendroaspin, an inhibitor of platelet aggregation and cell adhesion 633–638  
X. Lu, Y. Sun, D. Shang, B. Wattam, S. Egglezou, T. Hughes, E. Hyde, M. Scully and V. Kakkar
- Plasmin-dependent elimination of the growth-factor-like domain in urokinase causes its rapid cellular uptake and degradation 639–645  
A. Poliakov, V. Tkachuk, T. Ovchinnikova, N. Potapenko, S. Bagryantsev and V. Stepanova
- Tissue-specific activity of lipoprotein lipase in skeletal muscle regulates the expression of uncoupling protein 3 in transgenic mouse models 647–652  
D. Kratky, J.G. Strauss and R. Zechner
- Reactive oxygen species involved in trichosanthin-induced apoptosis of human choriocarcinoma cells 653–661  
C.-y. Zhang, Y.-x. Gong, H. Ma, C.-c. An and D.-y. Chen
- The transient receptor potential, TRP4, cation channel is a novel member of the family of calmodulin binding proteins 663–670  
C. Trost, C. Bergs, N. Himmerkus and V. Flockerzi
- Ten isoenzymes of xyloglucan endotransglycosylase from plant cell walls select and cleave the donor substrate stochastically 671–679  
N.M. Steele, Z. Sulová, P. Campbell, J. Braam, V. Farkaš and S.C. Fry

---

Phosphate-binding loop and Rab GTPase function: mutations at Ser <sup>29</sup> and Ala <sup>30</sup> of Rab5 lead to loss-of-function as well as gain-of-function phenotype	G. Li and Z. Liang	<b>681–689</b>
Involvement of Hic-5 in platelet activation: integrin $\alpha IIb\beta 3$ -dependent tyrosine phosphorylation and association with proline-rich tyrosine kinase 2	M. Osada, T. Ohmori, Y. Yatomi, K. Satoh, S. Hosogaya and Y. Ozaki	<b>691–697</b>
Cytoplasmic interactions between phospholamban residues 1–20 and the calcium-activated ATPase of the sarcoplasmic reticulum	P. Sharma, V.B. Patchell, Y. Gao, J.S. Evans and B.A. Levine	<b>699–706</b>
Characterization of PHEX endopeptidase catalytic activity: identification of parathyroid-hormone-related peptide <sub>107–139</sub> as a substrate and osteocalcin, PP <sub>i</sub> and phosphate as inhibitors	G. Boileau, H.S. Tenenhouse, L. DesGroseillers and P. Crine	<b>707–713</b>
Cloning, expression and localization of human BM88 shows that it maps to chromosome 11p15.5, a region implicated in Beckwith–Wiedemann syndrome and tumorigenesis	M. Gaitanou, P. Buanne, C. Pappa, N. Georgopoulou, A. Mamalaki, F. Tirone and R. Matsas	<b>715–724</b>
Association of 4F2hc with light chains LAT1, LAT2 or y <sup>+</sup> LAT2 requires different domains	A. Bröer, B. Friedrich, C.A. Wagner, S. Fillon, V. Ganapathy, F. Lang and S. Bröer	<b>725–731</b>
Transport of lactate and pyruvate in the intraerythrocytic malaria parasite, <i>Plasmodium falciparum</i>	J.L. Elliott, K.J. Saliba and K. Kirk	<b>733–739</b>
Agonist-promoted trafficking of human bradykinin receptors: arrestin- and dynamin-independent sequestration of the B <sub>2</sub> receptor and bradykinin in HEK293 cells	M.E. Lamb, W.F.C. de Weerd and L.M.F. Leeb-Lundberg	<b>741–750</b>
Monocyte chemoattractant protein 1 causes differential signalling mediated by proline-rich tyrosine kinase 2 in THP-1 cells	M. Yamasaki, H. Arai, N. Ashida, K. Ishii and T. Kita	<b>751–756</b>
Oxidative stress impairs insulin but not platelet-derived growth factor signalling in 3T3-L1 adipocytes	A. Tiros, A. Rudich, R. Potashnik and N. Bashan	<b>757–763</b>
Lysosomal phospholipase A <sub>i</sub> in <i>Trypanosoma cruzi</i> : an enzyme with a possible role in the pathogenesis of Chagas' disease	M. Wainszelbaum, E. Isola, S. Wilkowsky, J.J.B. Cannata, J. Florin-Christensen and M. Florin-Christensen	<b>765–770</b>
Sound attenuation of polymerizing actin reflects supramolecular structures: viscoelastic properties of actin gels modified by cytochalasin D, profilin and $\alpha$ -actinin	O. Wagner, H. Schüler, P. Hofmann, D. Langer, P. Dancker and J. Bereiter-Hahn	<b>771–778</b>
Determination of interaction sites of phospholipase D <sub>1</sub> for RhoA	S. Cai and J.H. Exton	<b>779–785</b>
Occurrence of paradoxical or sustained control by an enzyme when overexpressed: necessary conditions and experimental evidence with regard to hepatic glucokinase	P. de Atauri, L. Acerenza, B.N. Kholodenko, N. de la Iglesia, J.J. Guinovart, L. Agius and M. Cascante	<b>787–793</b>
Involvement of mitogen-activated protein kinase activation in the signal-transduction pathways of the soya bean oxidative burst	A.T.S. Taylor, J. Kim and P.S. Low	<b>795–803</b>
Mammalian inositol polyphosphate 5-phosphatase II can compensate for the absence of all three yeast Sac1-like-domain-containing 5-phosphatases	C.J. O'Malley, B.K. McColl, A.M. Kong, S.L. Ellis, A.P.W. Wijayaratnam, J. Sambrook and C.A. Mitchell	<b>805–817</b>
Rat peptide methionine sulphoxide reductase: cloning of the cDNA, and down-regulation of gene expression and enzyme activity during aging	I. Petropoulos, J. Mary, M. Perichon and B. Friguet	<b>819–825</b>
Suramin and the suramin analogue NF307 discriminate among calmodulin-binding sites	M. Klinger, E. Bofill-Cardona, B. Mayer, C. Nanoff, M. Freissmuth and M. Hohenegger	<b>827–833</b>
Catalytic mechanism of a family 3 $\beta$ -glucosidase and mutagenesis study on residue Asp-247	Y.-K. Li, J. Chir and F.-Y. Chen	<b>835–840</b>

---

Structure-function studies of human deoxyhypusine synthase: identification of amino acid residues critical for the binding of spermidine and NAD	C.H. Lee, P.Y. Um and M.H. Park	841–849
Characterization of membrane-localized and cytosolic Rac-GTPase-activating proteins in human neutrophil granulocytes: contribution to the regulation of NADPH oxidase	M. Geiszt, M.-C. Dagher, G. Molnár, A. Havasi, J. Faure, M.-H. Paclet, F. Morel and E. Ligeti	851–858
A neutral sphingomyelinase resides in sphingolipid-enriched microdomains and is inhibited by the caveolin-scaffolding domain: potential implications in tumour necrosis factor signalling	R.J. Veldman, N. Maestre, O.M. Aduib, J.A. Medin, R. Salvayre and T. Levade	859–868
<i>In vitro</i> studies of amyloid $\beta$ -protein fibril assembly and toxicity provide clues to the aetiology of Flemish variant ( $\text{Ala}^{692} \rightarrow \text{Gly}$ ) Alzheimer's disease	D.M. Walsh, D.M. Hartley, M.M. Condron, D.J. Selkoe and D.B. Teplow	869–877

### Correction

A new phosphospecific cell-based ELISA for p42/p44 mitogen-activated protein kinase (MAPK), p38 MAPK, protein kinase B and cAMP-response-element-binding protein by H.H. Versteeg, E. Nijhuis, G.R. van den Brink, M. Evertzen, G.N. Pynaert, S.J.H. van Deventer, P.J. Coffer and M.P. Peppelenbosch (volume 350, pages 717–722, 2000)	879
--	-----