

Review Article

- Nitric oxide synthases: structure, function and inhibition** 593–615
 by W.K. Alderton, C.E. Cooper and R.G. Knowles

Research Communication

- Isolation and characterization of two novel A20-like proteins P.C. Evans, E.R. Taylor, J. Coadwell, K. Heynink, R. Beyaert and P.J. Kilshaw 617–623

Research Papers

- Cysteine residues of SNAP-25 are required for SNARE disassembly and exocytosis, but not for membrane targeting P. Washbourne, V. Cansino, J.R. Mathews, M. Graham, R.D. Burgoyne and M.C. Wilson 625–634
- Identification of PEX5p-related novel peroxisome-targeting signal 1 (PTS1)-binding proteins in mammals L. Amery, H. Sano, G.P. Mannaerts, J. Snider, J. Van Looy, M. Fransen and P.P. Van Veldhoven 635–646
- Molecular modelling and experimental studies of mutation and cell-adhesion sites in the fibronectin type III and whey acidic protein domains of human anosmin-1 A. Robertson, G.S. MacColl, J.A.B. Nash, M.K. Boehm, S.J. Perkins and P.-M.G. Bouloux 647–659
- Phosphorylation is a regulatory mechanism in apolipoprotein B mRNA editing Z. Chen, T.L. Eggerman and A.P. Patterson 661–672
- Identification and characterization of the STIM (stromal interaction molecule) gene family: coding for a novel class of transmembrane proteins R.T. Williams, S.S.M. Manji, N.J. Parker, M.S. Hancock, L. Van Stekelenburg, J.-P. Eid, P.V. Senior, J.S. Kazenwadel, T. Shandala, R. Saint, P.J. Smith and M.A. Dziadek 673–685
- Measurement of proteases using chemiluminescence-resonance-energy-transfer chimaeras between green fluorescent protein and aequorin J.P. Waud, A. Bermúdez Fajardo, T. Sudhaharan, A.R. Trimby, J. Jeffery, A. Jones and A.K. Campbell 687–697
- Two splice variants of Golgi-microtubule-associated protein of 210 kDa (GMAP-210) differ in their binding to the *cis*-Golgi network F. Ramos-Morales, C. Vime, M. Bornens, C. Fedriani and R.M. Rios 699–708
- A three-step kinetic mechanism for selective inhibition of cyclo-oxygenase-2 by diarylheterocyclic inhibitors M.C. Walker, R.G. Kurumbail, J.R. Kiefer, K.T. Moreland, C.M. Koboldt, P.C. Isakson, K. Seibert and J.K. Gierse 709–718
- Purification, molecular cloning and mechanism of action of graminelysin I, a snake-venom-derived metalloproteinase that induces apoptosis of human endothelial cells W.B. Wu, S.C. Chang, M.-Y. Liao and T.-F. Huang 719–728
- Fingerprinting of polysaccharides attacked by hydroxyl radicals *in vitro* and in the cell walls of ripening pear fruit S.C. Fry, J.C. Dumville and J.G. Miller 729–737
- Folding of β pep-4 β -sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface A. Cox, M.M. Arroyo and K.H. Mayo 739–747
- Regulation of yeast acetohydroxyacid synthase by valine and ATP S.S. Pang and R.G. Duggleby 749–757

Phosphorylation-mimicking glutamate clusters in the proline-rich region are sufficient to simulate the functional deficiencies of hyperphosphorylated tau protein	J. Eidenmüller, T. Fath, T. Maas, M. Pool, E. Sontag and R. Brandt	759-767
Effect of angiotensin II and ethanol on the expression of connexin 43 in WB rat liver epithelial cells	S. Bokkala, H.M. Reis, E. Rubin and S.K. Joseph	769-777
Continuous affinity-based selection: rapid screening and simultaneous amplification of bacterial surface-display libraries	D. Patel, S. Vitovski, H.J. Senior, M.D. Edge, R.C. Hockney, M.J. Dempsey and J.R. Sayers	779-785
Constitutive shedding of the amyloid precursor protein ectodomain is up-regulated by tumour necrosis factor- α converting enzyme	B.E. Slack, L.K. Ma and C.C. Seah	787-794
Effect of chemical modification of recombinant human acetylcholinesterase by polyethylene glycol on its circulatory longevity	O. Cohen, C. Kronman, T. Chitlaru, A. Ordentlich, B. Velan and A. Shafferman	795-802
Localization, purification and specificity of the full-length membrane-bound form of human recombinant α 1,3/4-fucosyltransferase from BHK-21B cells	V.L. Sousa, M.T. Costa, A.S. Palma, F. Enguita and J. Costa	803-810
Increase in class 2 aldehyde dehydrogenase expression by arachidonic acid in rat hepatoma cells	R.A. Canuto, M. Ferro, R.A. Salvo, A.M. Bassi, A. Trombetta, M. Maggiora, G. Martinasso, R. Lindahl and G. Muzio	811-818
Possible mechanisms involved in the down-regulation of translation during transient global ischaemia in the rat brain	C. Martín de la Vega, J. Burda, M. Nemethova, C. Quevedo, A. Alcázar, M.E. Martín, V. Danielisova, J.L. Fando and M. Salinas	819-826
Knockout of mouse β 1,4-galactosyltransferase-1 gene results in a dramatic shift of outer chain moieties of N-glycans from type 2 to type 1 chains in hepatic membrane and plasma glycoproteins	N. Kotani, M. Asano, Y. Iwakura and S. Takasaki	827-834
Effect of 'binary mitochondrial heteroplasmy' on respiration and ATP synthesis: implications for mitochondrial diseases	B. Korzeniewski, M. Malgat, T. Letellier and J.-P. Mazat	835-842
Ca ²⁺ /calmodulin-dependent protein kinase mediates the phosphorylation of CD44 required for cell migration on hyaluronan	C.A. Lewis, P.A. Townsend and C.M. Isacke	843-850
Selenium regulation of transcript abundance and translational efficiency of glutathione peroxidase-1 and -4 in rat liver	S. Weiss Sachdev and R.A. Sunde	851-858
Multidrug-resistance P-glycoprotein (MDR1) secretes platelet-activating factor	R.J. Raggars, I. Vogels and G. van Meer	859-865
Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression	D. Schmoll, R. Grempler, A. Barthel, H.-G. Joost and R. Walther	867-873
Type-1 ribosome-inactivating protein from iris (<i>Iris hollandica</i> var. Professor Blaauw) binds specific genomic DNA fragments	Q. Hao, W.J. Peumans and E.J.M. Van Damme	875-880
Treatment of PC12 cells with nerve growth factor increases iron uptake	J. Mwanjewe, B.K. Hui, M.D. Coughlin and A.K. Grover	881-886
Sensitivity of respiratory chain activities to lipid peroxidation: effect of vitamin E deficiency	R. Rafique, A.H.V. Schapira and J.M. Cooper	887-892
Ca ²⁺ stabilizes the semiquinone radical of pyrroloquinoline quinone	A. Sato, K. Takagi, K. Kano, N. Kato, J.A. Duine and T. Ikeda	893-898
Angiotensin II-responsive element is the insulin-responsive element in the adipocyte fatty acid synthase gene: role of adipocyte determination and differentiation factor 1/sterol-regulatory-element-binding protein 1c	S. Kim, I. Dugail, M. Standridge, K. Claycombe, J. Chun and N. Moustaid-Moussa	899-904

Inositol lipids are regulated during cell cycle progression in the nuclei of murine erythroleukaemia cells	J.H. Clarke, A.J. Letcher, C.S. D'Santos, J.R. Halstead, R.F. Irvine and N. Divecha	905–910
Corrections		
Inverse regulation of F ₁ -ATPase activity by a mutation at the regulatory region on the γ subunit of chloroplast ATP synthase <i>by</i> H. Konno, M. Yodogawa, M.T. Stumpp, P. Kroth, H. Strotmann, K. Motohashi, T. Amano and T. Hisabori (volume 352, pages 783–788, 2000)		911–912
Detection of phospholipid oxidation in oxidatively stressed cells by reversed-phase HPLC coupled with positive-ionization electrospray MS <i>by</i> C.M. Spickett, N. Rennie, H. Winter, L. Zambonin, L. Landi, A. Jerlich, R.J. Schaur and A.R. Pitt (volume 355, pages 449–457, 2001)		911–912
Chimaeras reveal the role of the catalytic core in the activation of the plasma membrane Ca ²⁺ pump <i>by</i> W. Ba-Thein, A.J. Caride, Á. Enyedi, K. Pászty, C.L. Croy, A.G. Filoteo and J.T. Penniston (volume 356, pages 241–245, 2001)		911–912
Triacylglycerol-rich lipoproteins alter the secretion, and the cholesterol-effluxing function, of apolipoprotein E-containing lipoprotein particles from human (THP-1) macrophages <i>by</i> E.M. Lindholm, A.M. Palmer and A. Graham (volume 356, pages 515–523, 2001)		911–912