

Review

- Endolysosomal proteolysis and its regulation** 417–429
by C.S. Pillay, E. Elliot and C. Dennison

Research Communication

- Ferritin expression modulates cell cycle dynamics and cell responsiveness to H-ras-induced growth via expansion of the labile iron pool O. Kakhlon, Y. Gruenbaum and Z.I. Cabantchik 431–436

Research Papers

- Characterization of a putative α -mannosyltransferase involved in phosphatidylinositol trimannoside biosynthesis in *Mycobacterium tuberculosis* L. Kremer, S.S. Gurcha, P. Bifani, P.G. Hitchen, A. Baulard, H.R. Morris, A. Dell, P.J. Brennan and G.S. Besra 437–447
- Expression of the two mRNA isoforms of the iron transporter Nramp2/DMTI in mice and function of the iron responsive element D. Tchernitchko, M. Bourgeois, M.-E. Martin and C. Beaumont 449–455
- Species specificity of O-linked carbohydrate chains of the oviducal mucins in amphibians: structural analysis of neutral oligosaccharide alditols released by reductive β -elimination from the egg-jelly coats of *Rana clamitans* F. Delplace, E. Maes, J. Lemoine and G. Strecker 457–472
- Association of thrombospondin-1 with the actin cytoskeleton of human thrombin-activated platelets through an α IIb β ₃- or CD36-independent mechanism A. Saumet, N. de Jesus, C. Legrand and V. Dubernard 473–482
- Sensitive and real-time determination of H₂O₂ release from intact peroxisomes S. Mueller, A. Weber, R. Fritz, S. Mütze, D. Rost, H. Walczak, A. Völkl and W. Stremmel 483–491
- Modulation of the electrostatic charge at the active site of foot-and-mouth-disease-virus leader proteinase, an unusual papain-like enzyme P. Schlick, J. Kronovetr, B. Hampoelz and T. Skern 493–501
- A novel TATA-box-binding factor from the silk glands of the mulberry silkworm, *Bombyx mori* L. Srinivasan and K.P. Gopinathan 503–513
- Gal3p and Gal1p interact with the transcriptional repressor Gal80p to form a complex of 1:1 stoichiometry D.J. Timson, H.C. Ross and R.J. Reece 515–520
- Alteration of pore properties of *Escherichia coli* OmpF induced by mutation of key residues in anti-loop 3 region J. Bredin, N. Saint, M. Malléa, E. Dé, G. Molle, J.-M. Pagès and V. Simonet 521–528
- Stimulation of erythroleukaemia cell differentiation by extracellular high-mobility group-box protein 1 is independent of the receptor for advanced glycation end-products B. Sparatore, M. Pedrazzi, M. Passalacqua, D. Gaggero, M. Patrone, S. Pontremoli and E. Melloni 529–535
- Regulation of novel protein kinase C ϵ by phosphorylation V. Cenni, H. Döppler, E.D. Sonnenburg, N. Maraldi, A.C. Newton and A. Toker 537–545
- Bid induces cytochrome c-impermeable Bax channels in liposomes X. Roucou, T. Rostovtseva, S. Montessuit, J.-C. Martinou and B. Antonsson 547–552
- The solution structure of ribosomal protein L18 from *Thermus thermophilus* reveals a conserved RNA-binding fold E.A. Woestenenk, G.M. Gongadze, D.V. Shcherbakov, A.V. Rak, M.B. Garber, T. Härd and H. Berglund 553–561

Type II α phosphatidylinositol phosphate kinase associates with the plasma membrane via interaction with type I isoforms	K.A. Hinchliffe, M.L. Giudici, A.J. Letcher and R.F. Irvine	563–570
Spectroscopic characterization of mutations at the Phe ⁴¹ position in the distal haem pocket of horseradish peroxidase C: structural and functional consequences	H.A. Heering, A.T. Smith and G. Smulevich	571–579
Enzymic degradation of plasma arginine using arginine deiminase inhibits nitric oxide production and protects mice from the lethal effects of tumour necrosis factor α and endotoxin	J.B. Thomas, F.W. Holtsberg, C.M. Ensor, J.S. Bomalaski and M.A. Clark	581–587
The mouse <i>Muc5b</i> mucin gene: cDNA and genomic structures, chromosomal localization and expression	F. Escande, N. Porchet, J.-P. Aubert and M.-P. Buisine	589–598
Identification of Ca ²⁺ -dependent binding partners for the neuronal calcium sensor protein neurocalcin δ : interaction with actin, clathrin and tubulin	L. Ivings, S.R. Pennington, R. Jenkins, J.L. Weiss and R.D. Burgoyne	599–608
Chicken avidin-related proteins show altered biotin-binding and physico-chemical properties as compared with avidin	O.H. Laitinen, V.P. Hytönen, M.K. Ahlroth, O.T. Pentikäinen, C. Gallagher, H.R. Nordlund, V. Ovod, A.T. Marttila, E. Porkka, S. Heino, M.S. Johnson, K.J. Airene and M.S. Kulomaa	609–617
Overloading and removal of N-glycosylation targets on human acetylcholinesterase: effects on glycan composition and circulatory residence time	T. Chitlaru, C. Kronman, B. Velan and A. Shafferman	619–631
The <i>Drosophila odz/ten-m</i> gene encodes a type I, multiply cleaved heterodimeric transmembrane protein	O. Dgany and R. Wides	633–643
Metabolic labelling of membrane microdomains/rafts in Jurkat cells indicates the presence of glycerophospholipids implicated in signal transduction by the CD3 T-cell receptor	A.K. Rouquette-Jazdanian, C. Pelassy, J.-P. Breittmayer, J.-L. Cousin and C. Aussel	645–655
Subcellular localization of phosphatidylinositol 4,5-bisphosphate using the pleckstrin homology domain of phospholipase C δ_1	S.A. Watt, G. Kular, I.N. Fleming, C.P. Downes and J.M. Lucocq	657–666
Interaction of the 1 α ,25-dihydroxyvitamin D3 receptor at the distal promoter region of the bone-specific osteocalcin gene requires nucleosomal remodelling	R. Paredes, J. Gutiérrez, S. Gutierrez, L. Allison, M. Puchi, M. Imschenetzky, A. van Wijnen, J. Lian, G. Stein, J. Stein and M. Montecino	667–676
A continuous-wave electron–nuclear double resonance (X-band) study of the Cu ²⁺ sites of particulate methane mono-oxygenase of <i>Methylococcus capsulatus</i> (strain M) in membrane and pure dopamine β -mono-oxygenase of the adrenal medulla	B. Katterle, R.I. Gvozdev, N. Abudu, T. Ljones and K.K. Andersson	677–686
Mutational analysis of the two zinc-binding sites of the <i>Bacillus cereus</i> 565/H/9 metallo- β -lactamase	D. de Seny, C. Prosperi-Meys, C. Bebrone, G.M. Rossolini, M.I. Page, P. Noel, J.-M. Frère and M. Galleni	687–696
Cell-specific activity of neprilysin 2 isoforms and enzymic specificity compared with neprilysin	C. Rose, S. Voisin, C. Gros, J.-C. Schwartz and T. Ouimet	697–705
Molecular and immunological characterization and IgE epitope mapping of Pen n 18, a major allergen of <i>Penicillium notatum</i>	C.-J. Yu, Y.-M. Chen, S.-N. Su, F. Forouhar, S.-H. Lee and L.-P. Chow	707–715
Differential effect of the inhibition of Grb2–SH3 interactions in platelet activation induced by thrombin and by Fc receptor engagement	A. Saci, W.-Q. Liu, M. Vidal, C. Garbay, F. Rendu and C. Bachelot-Loza	717–725
Characterization of a novel inhibitor of cytosolic phospholipase A ₂ α , pyrrophenone	T. Ono, K. Yamada, Y. Chikazawa, M. Ueno, S. Nakamoto, T. Okuno and K. Seno	727–735
Utilization of green fluorescent protein as a marker for studying the expression and turnover of the monocarboxylate permease Jen1p of <i>Saccharomyces cerevisiae</i>	S. Paiva, A.L. Kruckeberg and M. Casal	737–744

Threonine-124 and phenylalanine-448 in <i>Citrobacter freundii</i> tyrosine phenol-lyase are necessary for activity with L-tyrosine	T.V. Demidkina, M.V. Barbolina, N.G. Faleev, B. Sundararaju, P.D. Gollnick and R.S. Phillips	745–752
Oxidized lipid accumulates in the presence of α -tocopherol in atherosclerosis	J.M. Upston, A.C. Terentis, K. Morris, J.F. Keaney, Jr and R. Stocker	753–760
Inhibition of cell growth through inactivation of eukaryotic translation initiation factor 5A (eIF5A) by deoxyspergualin	K. Nishimura, Y. Ohki, T. Fukuchi-Shimogori, K. Sakata, K. Saiga, T. Beppu, A. Shirahata, K. Kashiwagi and K. Igarashi	761–768
Inhibition effects of furfural on alcohol dehydrogenase, aldehyde dehydrogenase and pyruvate dehydrogenase	T. Modig, G. Lidén and M.J. Taherzadeh	769–776
Expression and characterization of the active molecular forms of choline/ethanolamine kinase- α and - β in mouse tissues, including carbon tetrachloride-induced liver	C. Aoyama, A. Ohtani and K. Ishidate	777–784
Mutation of conserved active-site threonine residues in creatine kinase affects autophosphorylation and enzyme kinetics	M. Stolz, T. Hornemann, U. Schlattner and T. Wallimann	785–792
Association of the 72/74-kDa proteins, members of the heterogeneous nuclear ribonucleoprotein M group, with the pre-mRNA at early stages of spliceosome assembly	P. Kafasla, M. Patrino-Georgoula, J.D. Lewis and A. Guialis	793–799
The role of α -methylacyl-CoA racemase in bile acid synthesis	D.A. Cuebas, C. Phillips, W. Schmitz, E. Conzelmann and D.K. Novikov	801–807
Stopped-flow kinetic analysis of long-chain fatty acid dissociation from bovine serum albumin	E.J.F. Demant, G.V. Richieri and A.M. Kleinfeld	809–815
Mo(V) co-ordination in the periplasmic nitrate reductase from <i>Paracoccus pantotrophus</i> probed by electron nuclear double resonance (ENDOR) spectroscopy	C.S. Butler, S.A. Fairhurst, S.J. Ferguson, A.J. Thomson, B.C. Berks, D.J. Richardson and D.J. Lowe	817–823
Characterization of <i>Streptococcus pneumoniae</i> thymidylate kinase: steady-state kinetics of the forward reaction and isothermal titration calorimetry	C.M. Petit and K.K. Koretke	825–831
Glutathione synthetase from <i>Plasmodium falciparum</i>	S. Meierjohann, R.D. Walter and S. Müller	833–838
Correction		
Nitric oxide inactivation in brain by a novel O ₂ -dependent mechanism resulting in the formation of nitrate ions by C. Griffiths, B. Yamini, C. Hall and J. Garthwaite (volume 362, pp. 459–464, 2002)		839–839