

Review**Structure and function of steroid receptor AF1 transactivation domains: induction of active conformations**

*Published on the Internet 25 October 2005,
doi:10.1042/BJ20050872*

D.N. Lavery and I.J. McEwan

449–464

Online Commentary

New insights into the families of PLC enzymes:
looking back and going forward

*Published on the Internet 25 October 2005,
doi:10.1042/BJ20051506*

(see accompanying paper pp. 667–676)

M. Katan

e7–e9

Research Papers

Defective insulin receptor activation and altered
lipid rafts in Niemann–Pick type C disease
hepatocytes

*Published as BJ Immediate Publication 9 June 2005,
doi:10.1042/BJ20050460*

S. Vainio, I. Bykov, M. Hermansson, E. Jokitalo,
P. Somerharju and E. Ikonen

465–472

Preferential localization of hyperphosphorylated
replication protein A to double-strand break
repair and checkpoint complexes upon
DNA damage

*Published as BJ Immediate Publication 2 June 2005,
doi:10.1042/BJ20050379*

X. Wu, Z. Yang, Y. Liu and Y. Zou

473–480

Attempts to characterize the NBD heterodimer
of MRP1: transient complex formation involves
Gly⁷⁷¹ of the ABC signature sequence but
does not enhance the intrinsic ATPase
activity

*Published as BJ Immediate Publication 14 July 2005,
doi:10.1042/BJ20050897*

O. Ramaen, C. Sizun, O. Pamard, E. Jacquet and
J.-Y. Lallemand

481–490

N-glycans of core2 $\beta(1,6)$ -N-
acetylglucosaminyltransferase-I (C2GnT-I) but not
those of $\alpha(1,3)$ -fucosyltransferase-VII (FucT-VII)
are required for the synthesis of functional
P-selectin glycoprotein ligand-1 (PSGL-1):
effects on P-, L- and E-selectin binding

*Published as BJ Immediate Publication 1 June 2005,
doi:10.1042/BJ20050344*

M. Prorok-Hamon, F. Notel, S. Mathieu, C. Langlet,
M. Fukuda and A. El-Battari

491–502

Cancer cells activate p53 in response to
10-formyltetrahydrofolate dehydrogenase
expression

*Published as BJ Immediate Publication 14 July 2005,
doi:10.1042/BJ20050533*

N.V. Oleinik, N.I. Krupenko, D.G. Priest and S.A. Krupenko

503–511

Ubiquilin regulates presenilin endoproteolysis
and modulates γ -secretase components,
Pen-2 and nicastrin

*Published as BJ Immediate Publication 24 June 2005,
doi:10.1042/BJ20050491*

L.K. Massey, A.L. Mah and M.J. Monteiro

513–525

Mn ²⁺ -adenosine nucleotide complexes in the presence of the nitrogenase iron-protein: detection of conformational rearrangements directly at the nucleotide binding site by EPR and 2D-ESEEM (two-dimensional electron spin-echo envelope modulation spectroscopy) <i>Published as BJ Immediate Publication 21 June 2005,</i> <i>doi:10.1042/BJ20050226</i>	J. Petersen, C. Gessner, K. Fisher, C.J. Mitchell, D.J. Lowe and W. Lubitz		527–539
Nitric oxide formation in acutely rejecting cardiac allografts correlates with GTP cyclohydrolase I activity <i>Published as BJ Immediate Publication 7 July 2005,</i> <i>doi:10.1042/BJ20050575</i>	G.M. Pieper, V. Nilakantan, N.L.N. Halligan, A.K. Khanna, G. Hilton and J. Vásquez-Vívar		541–547
Liver fatty-acid-binding protein (L-FABP) gene ablation alters liver bile acid metabolism in male mice <i>Published as BJ Immediate Publication 21 June 2005,</i> <i>doi:10.1042/BJ20050296</i>	G.G. Martin, B.P. Atshaves, A.L. McIntosh, J.T. Mackie, A.B. Kier and F. Schroeder		549–560
Cyclo-oxygenase-2 contributes to constitutive prostanoid production in rat kidney and brain <i>Published as BJ Immediate Publication 12 July 2005,</i> <i>doi:10.1042/BJ20050451</i>	P.-O. Héту and D. Riendeau		561–566
Diversification in substrate usage by glutathione synthetases from soya bean (<i>Glycine max</i>), wheat (<i>Triticum aestivum</i>) and maize (<i>Zea mays</i>) <i>Published as BJ Immediate Publication 11 July 2005,</i> <i>doi:10.1042/BJ20050718</i>	M. Skipsey, B.G. Davis and R. Edwards		567–574
Lipopolysaccharide rapidly modifies adenosine receptor transcripts in murine and human macrophages: role of NF- κ B in A _{2A} adenosine receptor induction <i>Published as BJ Immediate Publication 15 July 2005,</i> <i>doi:10.1042/BJ20050888</i>	L.J. Murphree, G.W. Sullivan, M.A. Marshall and J. Linden		575–580
Weaning induces NOS-2 expression through NF- κ B modulation in the lactating mammary gland: importance of GSH <i>Published as BJ Immediate Publication 15 June 2005,</i> <i>doi:10.1042/BJ20050507</i>	R. Zaragoza, V.J. Miralles, A.D. Rus, C. García, R. Carmena, E.R. García-Trevijano, T. Barber, F.V. Pallardó, L. Torres and J.R. Viña		581–588
Rat liver betaine-homocysteine S-methyltransferase equilibrium unfolding: insights into intermediate structure through tryptophan substitutions <i>Published as BJ Immediate Publication 8 June 2005,</i> <i>doi:10.1042/BJ20050505</i>	F. Garrido, M. Gasset, J. Sanz-Aparicio, C. Alfonso and M.A. Pajares		589–599
Conformational changes in dynamin on GTP binding and oligomerization reported by intrinsic and extrinsic fluorescence <i>Published as BJ Immediate Publication 15 June 2005,</i> <i>doi:10.1042/BJ20050707</i>	E. Solomaha and H.C. Palfrey		601–611
Functional analysis of the promoter of the mitochondrial phosphate carrier human gene: identification of activator and repressor elements and their transcription factors <i>Published as BJ Immediate Publication 29 June 2005,</i> <i>doi:10.1042/BJ20050776</i>	V. Iacobazzi, V. Infantino, P. Costanzo, P. Izzo and F. Palmieri		613–621
FoxO6 transcriptional activity is regulated by Thr ²⁶ and Ser ¹⁸⁴ , independent of nucleocytoplasmic shuttling <i>Published as BJ Immediate Publication 29 June 2005,</i> <i>doi:10.1042/BJ20050525</i>	L.P. van der Heide, F.M.J. Jacobs, J.P.H. Burbach, M.F.M. Hoekman and M.P. Smidt		623–629
Characterization of a c-Jun-responsive module in the 5'-flank of the human <i>CYP2J2</i> gene that regulates transactivation <i>Published as BJ Immediate Publication 12 July 2005,</i> <i>doi:10.1042/BJ20050798</i>	N.Y. Marden and M. Murray		631–640

Kinetic probes for inter-domain co-operation in human somatic angiotensin-converting enzyme <i>Published as BJ Immediate Publication 20 July 2005, doi:10.1042/BJ20050702</i>	O.E. Skirgello, P.V. Binevski, V.F. Pozdnev and O.A. Kost	641–647
Amino-acid limitation induces transcription from the human <i>C/EBPβ</i> gene via an enhancer activity located downstream of the protein coding sequence <i>Published as BJ Immediate Publication 18 July 2005, doi:10.1042/BJ20050882</i>	C. Chen, E. Dudenhausen, H. Chen, Y.-X. Pan, A. Gjymishka and M.S. Kilberg	649–658
Synaptic vesicle chips to assay botulinum neurotoxins <i>Published as BJ Immediate Publication 13 July 2005, doi:10.1042/BJ20050855</i>	G. Ferracci, R. Miquelis, S. Kozaki, M. Seagar and C. Lévêque	659–666
Molecular cloning and characterization of PLC- η 2 <i>Published as BJ Immediate Publication 18 August 2005, doi:10.1042/BJ20050839</i>	Y. Zhou, M.R. Wing, J. Sondek and T.K. Harden	667–676
The penta-EF-hand protein ALG-2 interacts directly with the ESCRT-I component TSG101, and Ca ²⁺ -dependently co-localizes to aberrant endosomes with dominant-negative AAA ATPase SKD1/Vps4B <i>Published as BJ Immediate Publication 8 July 2005, doi:10.1042/BJ20050398</i>	K. Katoh, H. Suzuki, Y. Terasawa, T. Mizuno, J. Yasuda, H. Shibata and M. Maki	677–685
The caspase-3 cleavage product of the plasma membrane Ca ²⁺ -ATPase 4b is activated and appropriately targeted <i>Published as BJ Immediate Publication 4 August 2005, doi:10.1042/BJ20051012</i>	K. Pászty, G. Antalffy, A.R. Penheiter, L. Homolya, R. Pádányi, A. Iliás, A.G. Filoteo, J.T. Penniston and Á. Enyedi	687–692
Role of peroxisome proliferator-activated receptor γ in amyloid precursor protein processing and amyloid β -mediated cell death <i>Published as BJ Immediate Publication 9 June 2005, doi:10.1042/BJ20050560</i>	C. d'Abramo, S. Massone, J.-M. Zingg, A. Pizzuti, P. Marambaud, B. Dalla Piccola, A. Azzi, U.M. Marinari, M.A. Pronzato and R. Ricciarelli	693–698
The Rab27a-binding protein, JFC1, regulates androgen-dependent secretion of prostate-specific antigen and prostatic-specific acid phosphatase <i>Published as BJ Immediate Publication 8 July 2005, doi:10.1042/BJ20050380</i>	J.L. Johnson, B.A. Ellis, D. Noack, M.C. Seabra and S.D. Catz	699–710
Corrections		
Examination of mitochondrial protein targeting of haem synthetic enzymes: <i>in vivo</i> identification of three functional haem-responsive motifs in 5-aminolaevulinate synthase (Volume 386, pp. 381–386, 2005)	T.A. Dailey, J.H. Woodruff and H.A. Dailey	711
Roles of 14-3-3 and calmodulin binding in subcellular localization and function of the small G-protein Rem2 (Volume 390, pp. 67–75, 2005)	P. Béguin, R.N. Mahalakshmi, K. Nagashima, D.H.K. Cher, N. Kuwamura, Y. Yamada, Y. Seino and W. Hunziker	712



commentary



online data