

## Reviews

### **Diacylglycerol kinases: at the hub of cell signalling**

Published on the Internet 11 December 2007,  
doi:10.1042/BJ20071040

I. Mérida, A. Ávila-Flores and E. Merino



1–18

### **Mitochondria and cellular oxygen sensing in the HIF pathway**

Published on the Internet 11 December 2007,  
doi:10.1042/BJ20071249

C.T. Taylor

19–26

### **Getting to grips with the plant metabolic network**

Published on the Internet 11 December 2007,  
doi:10.1042/BJ20071115

L.J. Sweetlove, D. Fell and A.R. Fernie

27–41

## Accelerated Publication

The IRAK-catalysed activation of the E3 ligase function of Pellino isoforms induces the Lys<sup>63</sup>-linked polyubiquitination of IRAK1

Published as BJ Immediate Publication 12 November 2007,  
doi:10.1042/BJ20071365

A. Ordureau, H. Smith, M. Windheim, M. Peggie,  
E. Carrick, N. Morrice and P. Cohen

43–52

## Research Papers

Mutational analysis of the FXNPXY motif within LDL receptor-related protein 1 (LRP1) reveals the functional importance of the tyrosine residues in cell growth regulation and signal transduction

Published as BJ Immediate Publication 1 October 2007,  
doi:10.1042/BJ20071127

H. Zhang, J.M. Lee, Y. Wang, L. Dong, K.W.S. Ko,  
L. Pelletier and Z. Yao

53–64

Annexins sense changes in intracellular pH during hypoxia

Published as BJ Immediate Publication 10 September 2007,  
doi:10.1042/BJ20071116

K. Monastyrskaya, F. Tschumi, E.B. Babiychuk, D. Stroka  
and A. Draeger



65–75

Structure of the A20 OTU domain and mechanistic insights into deubiquitination

Published as BJ Immediate Publication 26 October 2007,  
doi:10.1042/BJ20071399

D. Komander and D. Barford



77–85

Developmentally regulated association of plastid division protein FtsZ1 with thylakoid membranes in *Arabidopsis thaliana*

Published as BJ Immediate Publication 28 August 2007,  
doi:10.1042/BJ20070543

E.-S. El-Kafafi, M. Karamoko, I. Pignot-Paintrand,  
D. Grunwald, P. Mandaron, S. Lerbs-Mache and  
D. Falconet



87–94

Phorbol ester and hydrogen peroxide synergistically induce the interaction of diacylglycerol kinase  $\gamma$  with the Src homology 2 and C1 domains of  $\beta$ 2-chimaerin

Published as BJ Immediate Publication 6 September 2007,  
doi:10.1042/BJ20070848

S. Yasuda, M. Kai, S.-i. Imai, H. Kanoh and F. Sakane



95–106

Hetero-oligomerization of the P2Y<sub>11</sub> receptor with the P2Y<sub>1</sub> receptor controls the internalization and ligand selectivity of the P2Y<sub>11</sub> receptor

Published as BJ Immediate Publication 7 September 2007,  
doi:10.1042/BJ20070671

D. Ecke, T. Hanck, M.E. Tulapurkar, R. Schäfer,  
M. Kassack, R. Stricker and G. Reiser



107–116

Characterization of a new family of protein kinases from <i>Arabidopsis</i> containing phosphoinositide 3/4-kinase and ubiquitin-like domains <i>Published as BJ Immediate Publication</i> 20 September 2007, doi:10.1042/BJ20070959	R.M. Galvão, U. Kota, E.J. Soderblom, M.B. Goshe and W.F. Boss	117–127
		
Leber hereditary optic neuropathy mutations in the ND6 subunit of mitochondrial complex I affect ubiquinone reduction kinetics in a bacterial model of the enzyme <i>Published as BJ Immediate Publication</i> 26 September 2007, doi:10.1042/BJ20070866	J. Pätsi, M. Kervinen, M. Finel and I.E. Hassinen	129–137
		
Genomic location of the human RNA polymerase II general machinery: evidence for a role of TFIIF and Rpb7 at both early and late stages of transcription <i>Published as BJ Immediate Publication</i> 12 September 2007, doi:10.1042/BJ20070751	M. Cojocaru, C. Jeronimo, D. Forget, A. Bouchard, D. Bergeron, P. Côte, G.G. Poirier, J. Greenblatt and B. Coulombe	139–147
		
Different glycoforms of prostate-specific membrane antigen are intracellularly transported through their association with distinct detergent-resistant membranes <i>Published as BJ Immediate Publication</i> 12 October 2007, doi:10.1042/BJ20070396	D. Castelletti, M. Alfalah, M. Heine, Z. Hein, R. Schmitte, G. Fracasso, M. Colombatti and H.Y. Naim	149–157
		
Voltammetric characterization of the aerobic energy-dissipating nitrate reductase of <i>Paracoccus pantotrophus</i> : exploring the activity of a redox-balancing enzyme as a function of electrochemical potential <i>Published as BJ Immediate Publication</i> 27 September 2007, doi:10.1042/BJ20071088	A.J. Gates, D.J. Richardson and J.N. Butt	159–168
		
Characterization of the interaction between the human DNA topoisomerase II $\beta$ -binding protein 1 (TopBP1) and the cell division cycle 45 (Cdc45) protein <i>Published as BJ Immediate Publication</i> 21 September 2007, doi:10.1042/BJ20070872	U. Schmidt, Y. Wollmann, C. Franke, F. Grosse, H.-P. Saluz and F. Hänel	169–177
		
MAPK-induced Ser <sup>727</sup> phosphorylation promotes SUMOylation of STAT1 <i>Published as BJ Immediate Publication</i> 26 September 2007, doi:10.1042/BJ20070620	S. Vanhatupa, D. Ungureanu, M. Paakkunainen and O. Silvennoinen	179–185
		
Human ornithine decarboxylase parologue (ODCp) is an antizyme inhibitor but not an arginine decarboxylase <i>Published as BJ Immediate Publication</i> 27 September 2007, doi:10.1042/BJ20071004	K. Kanerva, L.T. Mäkitie, A. Pelander, M. Heiskala and L.C. Andersson	187–192
		
<i>Lactococcus lactis</i> as expression host for the biosynthetic incorporation of tryptophan analogues into recombinant proteins <i>Published as BJ Immediate Publication</i> 2 October 2007, doi:10.1042/BJ20070909	M. El Khattabi, M.L. van Roosmalen, D. Jager, H. Metselaar, H. Permentier, K. Leenhouts and J. Broos	193–198
		
Uncoupling protein-2 contributes significantly to high mitochondrial proton leak in INS-1E insulinoma cells and attenuates glucose-stimulated insulin secretion <i>Published as BJ Immediate Publication</i> 10 September 2007, doi:10.1042/BJ20070954	C. Affourtit and M.D. Brand	199–204
		
Proteasomal dysfunction activates the transcription factor SKN-1 and produces a selective oxidative-stress response in <i>Caenorhabditis elegans</i> <i>Published as BJ Immediate Publication</i> 23 August 2007, doi:10.1042/BJ20070521	N.W. Kahn, S.L. Rea, S. Moyle, A. Kell and T.E. Johnson	205–213
		
Selective inhibition of binding of <i>Bacillus thuringiensis</i> Cry1Ab toxin to cadherin-like and aminopeptidase proteins in brush-border membranes and dissociated epithelial cells from <i>Bombyx mori</i> <i>Published as BJ Immediate Publication</i> 28 August 2007, doi:10.1042/BJ20070956	M.S. Ibiza-Palacios, J. Ferré, S. Higurashi, K. Miyamoto, R. Sato and B. Escriche	215–221

The N-terminal region of ABC50 interacts with eukaryotic initiation factor eIF2 and is a target for regulatory phosphorylation by CK2  
*Published as BJ Immediate Publication 26 September 2007,  
doi:10.1042/BJ20070811*

Hypoxia, via stabilization of the hypoxia-inducible factor HIF-1 $\alpha$ , is a direct and sufficient stimulus for brain-type natriuretic peptide induction  
*Published as BJ Immediate Publication 7 September 2007,  
doi:10.1042/BJ20070629*

The far and distal enhancers in the CYP3A4 gene co-ordinate the proximal promoter in responding similarly to the pregnane X receptor but differentially to hepatocyte nuclear factor-4 $\alpha$   
*Published as BJ Immediate Publication 3 September 2007,  
doi:10.1042/BJ20070613*

Functional complementation of high-efficiency resonance energy transfer: a new tool for the study of protein binding interactions in living cells  
*Published as BJ Immediate Publication 17 September 2007,  
doi:10.1042/BJ20070803*

Kinetic and biochemical characterization of *Plasmodium falciparum* GMP synthetase  
*Published as BJ Immediate Publication 17 September 2007,  
doi:10.1042/BJ20070996*

The covalent modification and regulation of TLR8 in HEK-293 cells stimulated with imidazoquinoline agonists  
*Published as BJ Immediate Publication 14 September 2007,  
doi:10.1042/BJ20070519*

The essential role for c-Ski in mediating TGF- $\beta$ 1-induced bi-directional effects on skin fibroblast proliferation through a feedback loop  
*Published as BJ Immediate Publication 28 August 2007,  
doi:10.1042/BJ20070545*

SFH2 regulates fatty acid synthase activity in the yeast *Saccharomyces cerevisiae* and is critical to prevent saturated fatty acid accumulation in response to haem and oleic acid depletion  
*Published as BJ Immediate Publication 6 September 2007,  
doi:10.1042/BJ20071028*

Kinetic analysis of butyrate transport in human colon adenocarcinoma cells reveals two different carrier-mediated mechanisms  
*Published as BJ Immediate Publication 31 August 2007,  
doi:10.1042/BJ20070374*

S. Paytubi, N.A. Morrice, J. Boudeau and C.G. Proud

223–231

A. Weidemann, B. Klanke, M. Wagner, T. Volk, C. Willam, M.S. Wiesener, K.-U. Eckardt and C. Warnecke

233–242



F.-J. Liu, X. Song, D. Yang, R. Deng and B. Yan

243–250

P. Molinari, I. Casella and T. Costa

251–261

J.Y. Bhat, B.G. Shastri and H. Balaram

263–273



R. Rajagopal, A.S. Waller, J.D. Mendoza and P.D. Wightman

275–287

X. Liu, P. Li, P. Liu, R. Xiong, E. Zhang, X. Chen, D. Gu, Y. Zhao, Z. Wang and Y. Zhou

289–297



T. Desfougères, T. Ferreira, T. Bergès and M. Régnacq

299–309

E. Lecona, N. Olmo, J. Turnay, A. Santiago-Gómez, I. López De Silanes, M. Gorospe and M.A. Lizarbe

311–320