


# BIOCHEMICAL SOCIETY TRANSACTIONS



London: The Biochemical Society © 1985

Managing Editor D. C. WATTS

Book Reviews Editor B. MORELAND

---

## Contents Volume 13, Part 4, August 1985

---

### 612th MEETING, LONDON

#### Colloquium: Mitochondrial Myopathies

|  |   |     |
|--|---|-----|
| Carnitine palmitoyltransferase deficiencies  | H. R. SCHOLTE, W. C. HÜLSMANN,<br>I. E. M. LUYT-HOUWEN, J. T. STINIS &<br>F. G. I. JENNEKENS  | 643 |
| Mitochondrial myopathies: defects in $\beta$ -oxidation  | D. M. TURNBULL & H. S. A. SHERRATT  | 645 |
| Mitochondrial myopathies: deficiencies localized to complex I and complex III of the mitochondrial respiratory chain | J. A. MORGAN-HUGHES, D. J. HAYES,<br>M. COOPER & J. B. CLARK                                  | 648 |
| Cytochrome c oxidase deficiency  | S. DIMAURO, M. ZEVIANI, E. BONILLA,<br>N. BRESOLIN, M. NAKAGAWA, A. F. MIRANDA &<br>M. MOGGIO | 651 |
| Investigation of human mitochondrial myopathies by phosphorus magnetic resonance spectroscopy                        | G. K. RADDA, D. J. TAYLOR & D. L. ARNOLD  | 654 |

#### Colloquium: Hormonal Regulation of Mitochondrial Metabolism

|   |   |     |
|---|---|-----|
| Intramitochondrial loci for the hormonal regulation of hepatic gluconeogenesis                                | R. C. HAYNES  | 655 |
| On the question of stable activation by glucagon of mitochondrial functions                                   | E. A. SIESS, R. I. KIENTSCH-ENGEL & F. M. FAHIMI                | 657 |
| Mechanisms involved in hormone signal transduction across the mitochondrial membrane                          | A. P. HALESTRAP, P. T. QUINLAN,<br>A. E. ARMSTON & D. E. WHIPPS | 659 |
| Hormonal control of intramitochondrial $\text{Ca}^{2+}$ -sensitive enzymes in heart, liver and adipose tissue | J. G. McCORMACK & R. M. DENTON                                  | 664 |
| On the hormonal control of heart mitochondrial $\text{Ca}^{2+}$   | M. CROMPTON & I. ROOS   | 667 |

#### Colloquium: Effect of Small Molecules on Gene Expression

|   |  |     |
|---|--|-----|
| The role of guanine nucleotides in translational control by protein phosphorylation | J. SIEKIERKA, T. M. MARIANO, S. OCHOA,<br>P. REICHEL & M. B. MATHEWS | 671 |
|---|--|-----|

|   |  |            |
|---|--|------------|
| Control of polypeptide chain initiation by sugar phosphates                                     | R. J. JACKSON & E. M. HARDON                               | 673        |
| Translational control by amino acids and aminoacyl-tRNA synthetases in cultured mammalian cells | M. J. CLEMENS, S. A. AUSTIN, A. R. GALPINE & J. W. POLLARD | 676        |
| <b>COMMUNICATIONS</b>   |  | <b>679</b> |
| <b>BIOCHEMICAL REVIEW</b>   |  |            |
| Computer graphics of large macromolecules   | E. J. MILNER-WHITE & R. R. W. POET                         | 793        |
| <b>BOOK REVIEWS</b>   |  | <b>797</b> |

## COMMUNICATIONS

|  |  |     |
|--|--|-----|
| $\text{Ca}^{2+}$ -sensitive pore-formation by myxoviruses  | K. PATEL, J. S. OXFORD & C. A. PASTERNAK                       | 679 |
| Further evidence that $\text{Zn}^{2+}$ blocks voltage-dependent $\text{Ca}^{2+}$ channels in the mouse pancreatic $\beta$ -cell  | R. FERRER, S. SALA, J. V. SANCHEZ-ANDRES & B. SORIA            |     |
| $\text{Na}^+$ -dependence of thiamin transport across human buccal mucosa <i>in vivo</i>   | D. F. EVERED & C. F. E. MOOR                                   | 681 |
| Mucosal dipeptidase activity and dipeptide transport across human buccal mucosa <i>in vivo</i>   | D. F. EVERED, M. K. HUNJAN & G. LONG                           | 682 |
| Studies on the molecular basis of $\text{H}^+$ transfer through phospholipid membranes   | P. S. O'SHEA, M. THELEN & A. AZZI                              | 682 |
| The structure of the human erythrocyte glucose transporter: an investigation by infrared spectroscopy  | D. C. LEE, D. A. ELLIOT, S. A. BALDWIN & D. CHAPMAN            | 684 |
| Criteria for the measurement of proton translocation by reconstituted membrane proteins: cytochrome <i>c</i> oxidase   | P. S. O'SHEA, M. THELEN & A. AZZI                              | 685 |
| Taurine transport in fish erythrocytes   | D. A. FINCHAM, M. W. WOLOWYK & J. D. YOUNG                     | 686 |
| Extracellular pH and the uptake of cystine by normal and cystinotic fibroblasts  | C. J. DANPURE, D. A. FYFE & P. R. JENNINGS                     | 687 |
| Pathways of $\text{Ca}^{2+}$ efflux from liver and heart mitochondria  | M. D. BRAND  | 688 |
| The transport of hexoses across the apical membrane of the mammary gland of the goat   | A. FAULKNER, D. R. BLATCHFORD & H. T. POLLOCK                  | 689 |
| Studies on the location of the membrane-bound glyceraldehyde-3-phosphate dehydrogenase   | R. J. MOORE & R. B. BEECHEY                                    | 690 |
| $\text{Ca}^{2+}$ fluxes and cytosolic $\text{Ca}^{2+}$ concentrations in normal and in cholesterol-depleted erythrocytes measured with permeant $\text{Ca}^{2+}$ chelators | F. ROSIER & F. GIRAUD  | 691 |
| Respiratory control in the mitochondrial $bc_1$ complex  | G. C. BROWN & M. D. BRAND                                      | 693 |
| Transport of the aromatic amino acids into isolated rat liver cells by a 'T' system  | M. SALTER, R. G. KNOWLES & C. I. POGSON                        | 693 |
| Inhibition of lactose synthetase activity by tunicamycin   | D. W. WEST   | 694 |
| Apparent variation in mitochondrial $\text{H}^+/2e$ caused by $\text{Mg}^{2+}$   | B. D. PRICE & M. D. BRAND                                      | 695 |
| Hexose uptake after herpes simplex virus infection   | M. H. JAMES & C. A. PASTERNAK                                  | 696 |
| Estimation of the permeability parameter ( $C$ ) for the flux of a charged molecule across the Gram-negative bacterial outer membrane                                      | W. W. NICHOLS, R. G. HEWINSON, M. P. E. SLACK & H. L. WALMSLEY |     |
| Steps in quinol oxidation by the chloroplast cytochrome <i>b/f</i> complex   | R. W. JONES & J. WHITMARSH                                     | 698 |
| Use of non-specific immunoglobulin to accumulate liposomes in lymph nodes  | S. MANGAT & H. M. PATEL  | 699 |
| Location of thiol groups associated with the glycine transporter in human erythrocyte membranes  | M. A. BACHER & K. P. WHEELER                                   | 700 |
| Hormonal control of hepatic phosphate transport  | J. A. ILLINGWORTH & W. J. O'REILLY                             | 701 |
| Effect of intracellular $\text{Na}^+$ on L-phenylalanine efflux in cultured fibroblasts  | S. A. GANDOLFI, P. G. PETRONINI & A. F. BORGHETTI              | 702 |
| Anthroylcholine bromide reveals two muscarinic binding sites in rat brain cortex membranes   | C. RIPOLL & B. SORIA   | 703 |
| Biochemical studies and subcellular fractionation of the midgut of the lepidopteran larva <i>Manduca sexta</i>   | R. A. KEIGHLEY, K. J. CATTELL & J. F. DONNELLAN                | 704 |
| Genetic deficiency of D- $\beta$ -aminoisobutyrate: pyruvate aminotransferase in human leucocytes  | D. F. EVERED, A. MORTANASSIS, E. C. CRUTCHER & S. S. LALLY     | 705 |
| Chemiluminescence induced by myxoviruses   | S. MEHTA & C. A. PASTERNAK                                     | 706 |
| Common features of pore-formation by viruses, toxins and complement  | C. L. BASHFORD, G. M. ALDER & C. A. PASTERNAK                  | 707 |
| Monoclonal antibodies that interact with human erythrocyte nucleoside and glucose transporters   | S. M. JARVIS, A. R. P. PATERSON, A. H. GOOD & C. C. CASS       | 708 |
| Purification of chromaffin granule membrane glycoproteins by affinity chromatography on lectin columns   | S. L. WOOD, D. K. APPS & J. H. PHILLIPS                        | 710 |
| Preparation and characterization of a $\text{K}^+$ -stimulated adenosine triphosphatase from the midgut of <i>Manduca sexta</i>  | R. A. KEIGHLEY, K. J. CATTELL & J. F. DONNELLAN                | 711 |
| Putative precursors of rat liver cytosolic and mitochondrial fumarases   | B. T. KINSELLA & S. DOONAN                                     | 712 |
| The possible glycoprotein nature of the mitochondrial antigens of primary biliary cirrhosis  | I. GHADIMINEJAD & H. BAUM                                      | 713 |

|  |   |     |
|--|---|-----|
| The mitochondrial membrane antigens of primary biliary cirrhosis are proteins transported from the cytoplasm   | I. GHADIMINEJAD & H. BAUM   | 713 |
| Insect ganglia contain [ <sup>3</sup> H]flunitrazepam-binding sites  | T. N. ROBINSON, G. G. LUNT, M. K. BATTENBY, S. N. IRVING & R. W. OLSEN                            | 716 |
| The erythrocyte nucleotide transporter is a glycoprotein   | F. Y. P. KWONG, S. A. BALDWIN, P. R. SCUDDER & J. D. YOUNG  | 717 |
| Treatment of the human erythrocyte glucose-transport protein with <i>N</i> -ethylmaleimide   | D. A. ELLIOT & S. A. BALDWIN  | 719 |
| Erythrocyte morphology and cholesterol transfer  | J. E. MURGATROYD, S. A. WHARTON & C. GREEN  | 720 |
| Enzyme topology in native, intact endoplasmic reticulum of permeabilized isolated hepatocytes  | D. BROWN & T. HALLINAN  | 721 |
| 2-Chloroadenosine inhibits complement-induced reactive oxygen metabolite production and recovery of human polymorphonuclear leucocytes attacked by complement                                    | P. A. ROBERTS, B. P. MORGAN, A. C. NEWBY, M. B. HALLETT & A. K. CAMPBELL                          | 722 |
| Cultured CHO-K <sub>1</sub> cells: growth parameters and phosphoinositide metabolism   | N. A. SHARIF, D. J. STEVENSON & J. N. HAWTHORNE   | 723 |
| Identification of signal binding proteins in the endoplasmic reticulum membrane  | A. ROBINSON, M. A. KADERBHAI & B. M. AUSTEN   | 724 |
| Comparisons of pancreatic rough microsomal membranes prepared from guinea pigs with and without cholecystokinin stimulation  | A. ROBINSON, M. A. KADERBHAI, J. HERMON-TAYLOR & B. M. AUSTEN                                     | 726 |
| The effect of hydrophobic bis(D-mannose) derivatives on the rat adipocyte sugar-transport system   | B. A. PARKAR, P. J. W. MIDGLEY & G. D. HOLMAN   | 728 |
| Immunocytochemical studies of cytochrome oxidase deficiencies in human skeletal muscle   | M. A. JOHNSON, B. KADENBACH, L. KUHN-NENTWIG, J. J. FULTHORPE, H. S. A. SHERRATT & D. M. TURNBULL | 729 |
| The cytochemical determination of enzyme activities in single skeletal-muscle fibres from patients with a partial deficiency of cytochrome oxidase   | H. REICHMANN, M. A. JOHNSON, D. M. TURNBULL & H. S. A. SHERRATT                                   |     |
| Selective deficiency of some subunits of mitochondrial NADH dehydrogenase in an infant with congenital lactic acidosis   | M. W. J. CLEETER, C. I. RAGAN, R. W. MOREADITH & A. L. LEHNINGER                                  | 731 |
| The role of glutathione in t-butylhydroperoxide-induced Ca <sup>2+</sup> efflux from rat liver mitochondria  | M. C. BEATRICE & S. SOOUDI  | 732 |
| Working capacity and mitochondrial enzyme activities in muscle of hyperthyroid patients before and after 3 months of treatment   | L. SESTOFT & B. SALTIN  | 733 |
| Insulin-activated acetyl-CoA carboxylase kinase in Triton extracts of human placenta membranes   | J. M. TAVARE, J. E. SMYTH, A. C. BORTHWICK, R. W. BROWNSEY & R. M. DENTON                         | 734 |
| Vasopressin and glucagon activate key oxidative enzymes in rat liver by increasing intramitochondrial [Ca <sup>2+</sup> ]  | J. G. McCORMACK & F. F. ASSIMACOPOULOS-JEANNET  | 735 |
| Hormonal regulation of liver mitochondrial glutaminase   | J. D. McGIVEN & N. M. BRADFORD  | 737 |
| Chemical modification of the uncoupling protein from brown adipose tissue mitochondria   | E. RIAL & D. G. NICHOLLS  | 738 |
| Fatty acids as second messengers for noradrenaline-induced uncoupling of intact isolated brown adipocytes  | S. A. CUNNINGHAM & D. G. NICHOLLS   | 739 |
| The measurement of liver mitochondrial electrochemical potential <i>in situ</i> and the effects of glucagon  | S. B. SHEARS, C. J. KIRK & M. A. TITHERADGE   | 741 |
| Evidence indicating that ATP addition to rat hepatocytes causes increases in cytoplasmic free Ca <sup>2+</sup> and oxoglutarate dehydrogenase activity: comparison with the effects of adenosine | J. M. STADDON & J. D. McGIVAN   | 742 |
| Decreased urea synthesis in cafeteria diet-induced hyperphagia   | T. BARBER, J. R. VIÑA, J. VIÑA & J. CABO  | 743 |
| Stimulation of the protonmotive force and pyruvate uptake in mitochondria after dexamethasone treatment of rats  | A. D. MARTIN & M. A. TITHERADGE   | 744 |
| Control of branched-chain 2-oxo acid dehydrogenase complex by reversible phosphorylation   | A. P. BRADFORD, K. G. COOK & S. J. YEAMAN   | 745 |
| The rapid physiological control of rat liver oxidative phosphorylation by tri-iodo-L-thyronine   | J. MOWBRAY & A. CRESPO-ARMAS  | 746 |
| Interactions of branched-chain oxo acids with pyruvate metabolism in rat hepatocytes   | L. AGIUS & K. BARTLETT  | 747 |
| Protein inhibitors of the mitochondrial ATPase from mammalian tissues  | D. A. HARRIS, P. J. JACKSON & M. A. HOOPER  | 748 |

## CONTENTS

v

|   |  |     |
|---|--|-----|
| Hormonal stimulation of glutamine degradation in rat hepatocytes  | J. M. ESTRELA, A. J. VERHOEVEN & A. J. MEIJER                                | 750 |
| Stress proteins are induced by hyperosmolarity in chick embryo fibroblasts  | P. G. PETRONINI, M. TRAMACERE,<br>G. PIEDIMONTE & A. F. BORGHETTI            | 751 |
| Pyrophosphate analogues as inhibitors of viral polymerases  | D. W. HUTCHINSON, M. NAYLOR, G. SEMPLE &<br>P. A. CLOAD                      | 752 |
| The major $P^1, P^4$ -bis-(5'-adenosyl)-tetraphosphate-binding protein in <i>Artemia</i> is a protein kinase            | M. PRESCOTT & A. G. McLENNAN   | 753 |
| The role of an upstream sequence in the transcription of a human transfer RNA gene                                      | J. P. GODDARD, A. McLAREN, T. CARR,<br>M. BIENZ & J. D. SMITH                | 754 |
| Initiation of protein synthesis in rat skeletal muscle  | S. COX & C. G. PROUD   | 755 |
| Structural and functional properties of protein synthesis initiation factors eIF-2 and eIF-2B from rat liver            | D. R. COLTHURST & C. G. PROUD  | 756 |
| Optimal litter size is required for postnatal development studies   | F. VITIELLO, J. CLOS, G. VINCEDON & G. GOMBOS                                | 757 |
| Preferential effect of early undernutrition on rat cerebellar cholesterol and phospholipids                             | F. VITIELLO, C. DI BENEDETTO & G. GOMBOS                                     | 758 |
| Comparison of the effect of early undernutrition imposed by two different methods on rat cerebellar development         | F. VITIELLO, J. LEGRAND, L. CIOFFI & G. GOMBOS                               | 759 |
| Hepatic protein biosynthesis: model systems for studying hepatotoxins   | H. M. HUGHES, G. M. POWELL & C. G. CURTIS                                    | 760 |
| Inhibition by cigarette smoke and acrolein of pulmonary protein biosynthesis  | K. H. HELLSTERN, C. G. CURTIS,<br>D. G. UPSHALL & G. M. POWELL               | 761 |
| DNA hybridization of cervical scrapes   | C. WICKENDEN, A. D. B. MALCOLM &<br>D. V. COLEMAN                            | 761 |
| Substrate cycles: do they really cause amplification?   | D. A. FELL & H. M. SAURO   | 762 |
| Iron absorption and plasma and mucosal transferrins in hypoxic rats   | K. OSTERLOH, R. J. SIMPSON, K. RAJA,<br>S. SNAPE & T. J. PETERS              | 763 |
| Decreased erythrocyte membrane fluidity in peripheral vascular disease: an electron-spin-resonance study                | T. KAMALATI, A. K. AH-SEE, J. BROOM &<br>A. BULLOCK                          | 765 |
| Nuclear kinase 1 activity in partially hepatectomized rat livers  | D. V. E. CUMMING, M. G. ORD & L. A. STOCKEN                                  | 765 |
| A low-temperature mechanistic study of the zinc-metallo $\beta$ -lactamase from <i>Bacillus cereus</i>                  | R. BICKNELL & S. G. WALEY  | 766 |
| The effects of metal ions on the oxidase activity of caeruloplasmin   | M. K. YOUNIS & N. J. BIRCH   | 768 |
| Combination of cytochrome c oxidase preparations with catalase  | J. M. WRIGGLESWORTH, J. ELSDEN & H. BAUM                                     | 768 |
| Structural studies on K1 $\beta$ -lactamase from <i>Klebsiella aerogenes</i>  | E. L. EMANUEL, J. GAGNON & S. G. WALEY                                       | 769 |
| Phosphodiesterases of human spleen  | A. MULLETT & M. CARROLL  | 771 |
| A photochemical reaction between N-terminal valine dipeptides and ninhydrin   | E. NEUZIL & Y. VIDAL   | 771 |
| Properties of chick kidney alkaline phosphatase   | J. MUSSARAT & P. J. BUTTERWORTH  | 773 |
| Fluorescence polarization studies of the thrombin/anti-thrombin reactions   | J. R. N. EVINGTON, P. A. FELDMAN,<br>M. LUSCOMBE & J. J. HOLBROOK            | 773 |
| The specific release of tubulin from the pellicular microtubules of <i>Trypanosoma brucei</i> is initiated by $Ca^{2+}$ | M. T. DOLAN & H. P. VOORHEIS   | 775 |
| Characterization of apolipoprotein B by sodium dodecyl sulphate gel electrophoresis and immunoblotting                  | S. GRIFFIN & P. KNOX   | 775 |
| Dependence of erythrocyte shape on membrane properties  | S. C. OMORPHOS, C. M. HAWKEY &<br>C. RICE-EVANS                              | 776 |
| An improved assay method for cholesterol-7 $\alpha$ -hydroxylase  | A. WALKER & D. J. WILLIAMS   | 778 |
| Partial purification of a major ricin 120 receptor from rat spleen  | B. K. GROEGER, D. S. O'DELL & D. J. WILLIAMS                                 | 779 |
| Changes in gene expression during foetal development of the guinea-pig small intestine                                  | N. MIAN, G. McALLISTER, D. O. ROBINSON,<br>K. A. CHRISTIANSON & D. S. BAILEY | 779 |
| The luminal surface membrane of the guinea-pig small intestine and colon  | D. S. BAILEY, K. A. CHRISTIANSON & T. M. SMITH                               | 780 |
| Enterokinase is bound to the asialoglycoprotein receptor on rat hepatocytes   | D. GRANT   | 782 |

|  |   |     |
|--|---|-----|
| Applications of $k_e$ , the endocytotic rate constant, to the measurement of asialoglycoprotein uptake by rat hepatocytes                          | R. SHARMA & D. GRANT  | 784 |
| The possible role for the Golgi in the transcellular transport of enterokinase   | D. GRANT, S. SIDDIQUI & J. GRAHAM   | 785 |
| Phorbol ester-induced inhibition of vasoactive intestinal polypeptide-stimulated cyclic AMP accumulation in GH <sub>3</sub> pituitary tumour cells | L. A. QUILLIAM, P. R. M. DOBSON & B. L. BROWN   | 786 |
| The effects of long-term ovariectomy on the Harderian gland of the female golden hamster   | R. C. SPIKE, J. McGADEY, H. S. JOHNSTON,<br>A. P. PAYNE, G. G. THOMPSON & M. R. MOORE | 787 |
| Interactions of aminophosphonates with rat liver phosphoserine phosphatase   | Y. VIDAL, A. CASSAIGNE & E. NEUZIL  | 788 |
| Prediction of potential restriction sites from protein sequences: a computer program   | P. A. NORTH & A. D. B. MALCOLM  | 789 |