


BIOCHEMICAL SOCIETY TRANSACTIONS



London: The Biochemical Society © 1989

Managing Editor
Catherine RICE-EVANS

Contents Volume 17, Part 4, August 1989

629th MEETING, LONDON

Colloquium: Biomembranes, Receptors and Disease Processes

| | | |
|---|---|-----|
| Investigation of membrane protein structure using Fourier transform infrared spectroscopy | D. CHAPMAN, M. JACKSON & P. I. HARIS | 617 |
| Liver plasma membrane domains and endocytic trafficking | W. H. EVANS & C. ENRICH | 619 |
| Osmotic phenomena in membrane fusion | J. A. LUCY | 623 |
| Hydrophobic modifications of membrane proteins by palmitoylation <i>in vitro</i> | M. F. G. SCHMIDT & G. R. BURNS | 625 |
| Guanine nucleotide regulatory proteins in insulin's action and in diabetes | M. D. HOUSLAY, N. J. PYNE, R. M. O'BRIEN, K. SIDDLER, D. STRASSEIM, T. PALMER, S. SPENCE, M. WOODS, A. WILSON, B. LAVAN, G. J. MURPHY, M. SAVILLE, M.-A. MCGREGOR, E. KILGOUR, N. ANDERSON, J. T. KNOWLER, S. GRIFFITHS & G. MILLIGAN | 627 |
| Mitogenic signalling in murine 3T3 cells: the cyclic AMP pathway | E. ROZENGURT & S. S. OBER | 629 |
| Mechanisms of hormone-induced desensitization of adenylate cyclase | B. A. COOKE, E. A. PLATTS, D. R. E. ABAYASEKERA & M. P. ROSE | 633 |
| Myasthenia gravis: nicotinic acetylcholine receptors as targets for autoimmune attack | J. NEWSOM-DAVIS, G. HARCOURT & D. BEESON | 635 |
| Naturally occurring autoantibodies to cholesterol in humans | C. R. ALVING, G. M. SWARTZ, JR & N. M. WASSEF | 637 |
| Lipoprotein receptors and atherosclerosis | G. M. KOSTNER | 639 |
| The biological significance of nitric oxide formation from L-arginine | S. MONCADA, R. M. J. PALMER & E. A. HIGGS | 642 |
| The CD4 receptor for the AIDS virus | R. A. WEISS, P. R. CLAPHAM, M. MCCLURE & M. MARSH | 644 |

COMMUNICATIONS

649

676

F. I. CAMPOY, M. D. CANOVAZ-MUNOS & C. I. VIDAL

Acetylcholinesterase from muscle microsomes: molecular forms obtained by solubilization with Triton X-100 and trypsin

677

M. D. CANOVAZ-MUNOS & C. I. VIDAL

Acetylcholinesterase from muscle microsomes: interaction with lectins

skeletal muscle

COMMUNICATIONS

| | | |
|--|--|-----|
| Drug targeting to a cell-surface tumour-associated proteinase employing an affinity probe | F. S. STEVEN, M. M. GRIFFIN, L. A. WILLIAMS & H. JACKSON | 649 |
| Correlation of immunofluorescence staining and a new islet cell surface antibody for the detection of islet cell antibodies | M. DE SILVA, K. TAN, S. MOYLE, L. PEPPERELL & V. MARKS | 650 |
| Glomerulonephritis induced by cationic bovine serum albumin: influence of change in charge and secondary structure | P. S. BASS, A. F. DRAKE, Y. WANG, M. J. P. HIGGINS, J. H. THOMAS & D. R. DAVIES | 651 |
| Distribution and subunit structure of insulin receptors in rat renal glomeruli | D. C. W. MURRAY, D. BRANDENBURG & J. H. THOMAS | 652 |
| Cholesterol metabolism in the lactating rat mammary gland | S. G. TAWIL, J. H. SHAND & D. W. WEST | 653 |
| Cholesterol ester hydrolase activity in the lactating rat mammary gland | S. G. TAWIL, J. H. SHAND & D. W. WEST | 653 |
| Control of renal gluconeogenesis: a role for protein kinase C | T. NAKAGAWA & P. J. BUTTERWORTH | 654 |
| Characterization of an enterocyte basolateral membrane iron binding site | S. SNAPE, R. J. SIMPSON & T. J. PETERS | 655 |
| The possible role of G _{M1} -ganglioside as a modulator of events during cell spreading | S. J. HERBERT & C. H. WYNN | 656 |
| Proinsulin conversion in electrically permeabilized rat islets of Langerhans | D. J. SLEE, P. M. JONES & S. L. HOWELL | 657 |
| Effect of calcium on the binding of α -bungarotoxin to isolated sarcolemmal membranes | M. E. SMITH & A. J. HARBORNE | 658 |
| Wool cuticular cell envelope studied using differential scanning calorimetry | C. F. ALLEN, J. S. CRIGHTON & P. T. SPEAKMAN | 659 |
| Characterization and isolation of the membrane anchor of angiotensin-converting enzyme | N. M. HOOPER & A. J. TURNER | 660 |
| Glucagon desensitization in hepatocytes: a cyclic AMP-independent process linked to activation of protein kinase C which does not involve G _i | G. J. MURPHY & M. D. HOUSLAY | 661 |
| Picomolar ¹²⁵ I-W-conotoxin binding to brain and spinal N-type Ca ²⁺ -channels: effects of cations and endothelin and visualization by autoradiography | N. A. SHARIF, A. D. MICHEL & R. L. WHITING | 662 |
| Inositol phosphate release in human platelets stimulated by low-density lipoproteins | P. R. TRANTER, J.-C. SULPICE, F. GIRAUD & K. R. BRUCKDORFER | 664 |
| Alterations in plasma and hepatic enzymes during oestrogen-induced cholestasis in rats | J. A. QUAYLE, A. I. MORRIS & D. BILLINGTON | 665 |
| Proteolysis of the 52 kDa, insulin-stimulated, peripheral, plasma-membrane cyclic AMP-specific phosphodiesterase | N. J. PYNE, R. STEVENS & M. D. HOUSLAY | 666 |
| Expression of G-protein β -subunit in lean and obese Zucker rats and streptozotocin-induced diabetic and normal rats | N. J. PYNE, G. MILLIGAN & M. D. HOUSLAY | 667 |
| Secretion of very-low-density lipoprotein from cultured hepatocytes isolated from diabetic rats | J. M. DUERDEN, S. M. BARTLETT & G. F. GIBBONS | 668 |
| Comparison of the regional distribution of transferrin receptors and aluminium in the forebrain of chronic renal dialysis patients | J. M. CANDY, C. M. MORRIS, A. E. OAKLEY, G. A. TAYLOR, S. A. MOUNTFORT, P. R. CHALKER, H. E. BISHOP, M. K. WARD, C. A. BLOXHAM & J. A. EDWARDSON | 669 |
| Rapid purification of plasma membranes in high yield from HTC cells | R. MANNING, J. CHAMBERS, S. LADHA, C. A. KINGSTON & K. BOWLER | 670 |
| Effect of anti-Ca ²⁺ -dependent ATPase sera on the Ca ²⁺ -dependent ATPase activity of rabbit skeletal muscle sarcoplasmic reticulum | K. OHLENDIECK & N. M. RYAN | 671 |
| Immunocytochemical localization of Ca ²⁺ -dependent ATPase in rabbit fast-twitch skeletal muscle | K. OHLENDIECK & N. M. RYAN | 673 |
| Immunofluorescence localization of 5'-nucleotidase in rat skeletal muscle | K. OHLENDIECK & N. M. RYAN | 674 |
| Acetylcholinesterase from muscle microsomes: molecular forms obtained by solubilization with Triton X-100 and trypsin | F. J. CAMPOY, M. D. CÁNOVAS-MUÑOZ & C. J. VIDAL | 676 |
| Acetylcholinesterase from muscle microsomes: interaction with lectins | M. D. CÁNOVAS-MUÑOZ & C. J. VIDAL | 677 |

| | | |
|---|--|-----|
| Isomeric <i>cis</i> and <i>trans</i> fatty acids and arachidonic acid metabolism in porcine platelet phospholipids | L. I. L. PEACOCK & K. W. J. WAHLE | 679 |
| Synchrotron X-ray and neutron solution scattering studies of structural changes in low-density lipoproteins | M. F. BELLAMY, A. S. NEALIS, J. AITKEN, K. R. BRUCKDORFER & S. J. PERKINS | 680 |
| Displaying enzyme-substrate interactions | E. J. MILNER-WHITE | 681 |
| A new class of highly abundant apolipoproteins involved in lipid storage in oilseeds | D. J. MURPHY & D. M. Y. AU | 682 |
| Partial purification and properties of a microsomal lysophosphatidic acid acyltransferase from oilseed rape | E. W. EDWARDS & D. J. MURPHY | 684 |
| Are the promoter regions of seed storage protein genes suitable for the expression of genes involved in storage lipid synthesis? | D. J. MURPHY | 685 |
| β -Ketoacyl-acyl-carrier protein synthase from developing seeds of oilseed rape (<i>Brassica napus</i>) | R. W. MACKINTOSH, D. G. HARDIE & A. R. SLABAS | 686 |
| Solubilization and studies of cereal lipases | J. O'CONNOR, H. J. PERRY & J. L. HARWOOD | 687 |
| Fat synthesis in cacao (<i>Theobroma cacao</i>) | G. GRIFFITHS & J. L. HARWOOD | 688 |
| Changes in fatty acid synthesis during temperature adaptation in <i>Rhodobacter sphaeroides</i> | G. GOGEL, N. J. RUSSELL & J. L. HARWOOD | 689 |
| Effect of positive charge of liposomes on their clearance from the blood and its relation to vesicle lipid composition | L. TAN & G. GREGORIADIS | 690 |
| Relative affinity of a series of charged dipeptides for the peptide carrier of rabbit intestinal brush-border membranes | R. WOOTTON & R. HAZELWOOD | 691 |
| Kinetic studies of the inhibition of thrombin by synthetic peptide fragments of hirudin | J. R. BAILIE & B. WALKER | 692 |
| Effect of interleukin-2 on the immunoadjuvant action of liposomes | L. TAN & G. GREGORIADIS | 693 |
| Immunoadjuvant action of liposomes for entrapped poliovirus peptide | Q. XIAO, G. GREGORIADIS & M. FERGUSON | 695 |
| Iron overload, tocopherol levels and susceptibility to oxidative damage | P. T. MCCARTHY, C. RICE-EVANS, T. HALLINAN, J. GOR, N. GREEN & A. T. DIPLOCK | 696 |
| Quantification of non-transferrin-bound iron in thalassaemic plasma | S. SINGH, R. C. HIDER & J. B. PORTER | 697 |
| Calcium uptake by sarcoplasmic reticulum and changes in membrane fluidity during free radical exposure | D. K. DAS, M. BAGCHI, M. R. PRASAD & R. M. ENGLEMAN | 698 |
| Antioxidant enzyme activities in organ cultures of human fetal lung | M. C. McELROY, F. J. KELLY & A. D. POSTLE | 699 |
| Are oxygen-radicals implicated in the calcium-paradox? | S. DANIELS & C. J. DUNCAN | 700 |
| Investigation of basal metabolic rates, iron status, erythrocyte antioxidant enzyme profiles and lipid peroxidation <i>in vivo</i> | G. W. MOORE, J. J. STRAIN, G. B. NEVIN, M. B. E. LIVINGSTONE, B. M. HANNIGAN & P. G. MCKENNA | 701 |
| A comparison of the effects of Drabkin's reagent and mercaptosuccinate on the assay of erythrocyte glutathione peroxidase | G. EIRIKSDÓTTIR & B. SÍMONARSON | 702 |
| Hydrogen peroxide cytotoxicity in a system <i>in vitro</i> | E. M. LINK | 704 |
| Do thyroid hormones play a role in the regulation of pulmonary antioxidant development? | V. P. RUSSELL & F. J. KELLY | 704 |
| Pholasin: a novel bioluminescent probe for monitoring oxidative stress in single cardiomyocytes | B. COTTON, A. ALLSHIRE, P. H. COBBOLD, T. MÜLLER & A. K. CAMPBELL | 705 |
| Effect of oxygen free radicals on myocardial microsomal membrane integrity | R. PRASAD & D. K. DAS | 706 |
| Use of anti-peptide antibodies to study the transmembranous topography and structure-activity relationships of (Ca ²⁺ -Mg ²⁺)-ATPase | I. MATTHEWS, J. COLYER, A. M. MATA, A. G. LEE, N. M. GREEN & J. M. EAST | 708 |
| Inositol phosphate formation in chemotactic peptide-activated neutrophils obtained from normal and schizophrenic subjects | I. DAS, J. DE BELLEROCHE, A. G. JOLLEY, M. A. ESSALI & S. R. HIRSCH | 709 |
| A novel superoxide-generating system | S. S. SANDHU, A. BAND, D. R. E. ABAYASEKERA, C. RICE-EVANS & B. A. COOKE | 710 |
| Phosphatidylinositol is broken down by phospholipase C in synaptosomes | K. WEAVER & M. BOONME | 711 |
| Down-modulation of protein kinase C in Swiss 3T3 fibroblasts potentiates the calcium response to bombesin | A. N. GOEPS, T. R. CHEEK, R. B. MORETON, M. J. BERRIDGE & K. D. BROWN | 712 |
| Stability of liposomes composed of polymerizable and/or natural phospholipids | D. E. DAVIES, D. GRAINGER, H. RINGDORF & J. B. LLOYD | 712 |

| | | |
|--|--|-----|
| Transglutaminase activity, tumour growth and metastasis | M. GRIFFIN, R. C. KNIGHT, R. C. REES & B. M. ELLIOTT | 714 |
| Excitotoxins induce ornithine decarboxylase activity in the rat central nervous system | L. J. REED & J. DE BELLEROCHE | 715 |
| Polyphosphoinositide localization in human erythrocyte membranes | P. GASCARD, J. C. SULPICE & F. GIRAUD | 717 |
| Effect of non-ionic detergent on the activity of dog heart cyclic-nucleotide phosphodiesterases | J. C. CLAPHAM, S. J. PRICE & A. F. WILDERSPIN | 718 |
| Construction of an <i>Escherichia coli</i> secretion vector for a human proinsulin analogue | S. E. LAWLER & J. E. PITTS | 719 |
| Characterization of two forms of protein kinase C from the leukaemia cell line K562 | R. HOFFMAN, A. FREEMAN & E. S. NEWLANDS | 720 |
| The inhibition of lipid methyltransferase by linear alcohols and dispropol | A. N. FONTEH, K. MCBRIDE & W. A. GIBBONS | 721 |
| New criteria for, and a biochemical theory of, both general and local anaesthetics | W. A. GIBBONS, A. N. FONTEH & K. MCBRIDE | 722 |
| ¹ H n.m.r. studies of phospholipid vesicles: interactions with n-alcohols | M. KASZUBA & G. R. A. HUNT | 723 |
| Activation of human synoviocytes by sub-lytic complement attack | R. H. DANIELS, W. A. J. HOUSTON, B. D. WILLIAMS, M. M. PETERSON, & B. P. MORGAN | 724 |
| Presence of a membrane attack complex inhibiting protein in biological fluids | M. J. WATTS, J. R. DANKERT & B. P. MORGAN | 725 |
| Purification of S protein (vitronectin) by a one-step immuno-affinity chromatography procedure | J. HODGETTS & B. P. MORGAN | 726 |
| Regulation of bovine DNA polymerase α activity in MDBK cells | M. R. CAIRD, H. M. KEIR & W. T. MELVIN | 727 |
| Human mast cell tryptase: a biochemical marker for mast cell degranulation | A. F. WALLS, A. R. BENNETT, H. M. MCBRIDE, M. J. GLENNIE, S. T. HOLGATE & M. K. CHURCH | 728 |
| Developmental changes in individual molecular species of phosphatidylcholine from fetal lungs of rat, guinea-pig and man | A. N. HUNT, F. J. KELLY & A. D. POSTLE | 729 |
| Effect of fatty acid supplementation on phosphatidylcholine synthesis by organ cultures of human fetal lung | P. A. CAESAR & A. D. POSTLE | 730 |
| Biological activity of some synthetic analogues of neurokinin A on tracheal smooth muscle from guinea-pig | A. A. A. SHANAB, J. M. ALLEN, D. J. S. GUTHRIE, G. B. IRVINE & R. F. MURPHY | 731 |
| Determination of creatine kinase levels in pleural effusions | S. YENICE, G. GÜNER, M. GIN & A. AKKOÇLU | 732 |
| Effect of interferon inducers on carbon tetrachloride toxicity in congenic strains of mice | M. JAHANSHAHI & N. J. GOODERHAM | 733 |
| Activation of the food carcinogen 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline by hepatocytes | N. J. GOODERHAM, J. C. RICE, P. NASSERI-SINA, A. R. BOOBIS & D. S. DAVIES | 734 |
| Ovine monoclonal antibody to <i>Ostertagia circumcincta</i> | D. V. ANDERSON, S. C. DIXON, R. B. GRAHAM, W. D. SMITH & E. M. TUCKER | 736 |
| Deglycosylation of glycoproteins with trifluoromethane-sulphonic acid: use of water-soluble scavengers | J. FORBES & J. G. BEELEY | 737 |
| Influence of dietary protein, energy and corticosterone on the hormonal stimulation of muscle and bone growth | Z. A. H. YAHYA, P. C. BATES, J. O. TIRAPEGUI & D. J. MILLWARD | 738 |
| Effect of dietary calcium carbonate on the faecal calcium concentration | F. FERNANDEZ & M. J. HILL | 739 |
| D-Amino acids in the parasitic lungworm <i>Dictyocaulus viviparus</i> | M. S. L. LIM & W. A. GIBBONS | 740 |
| Functional recovery in human and rodent retinas <i>in vitro</i> | M. J. VOADEN, J. C. HUANG, N. J. WILLMOTT & A. A. HUSSAIN | 741 |
| A pathway linking NAD degradation and hypoxanthine formation associated with the tegument of the rat tapeworm <i>Hymenolepis diminuta</i> | M. ALSHARIF, W. J. D. WHISH, C. J. B. WHITE & R. V. BRUNT | 742 |
| Characterization of polyclonal antibodies against the human erythrocyte nucleoside transporter | F. Y. P. KWONG, H. E. FINCHAM, J. D. YOUNG & S. A. BALDWIN | 743 |
| Incorporation of 9-amino-[³ H]acetylneuraminic acid and 9-[¹⁴ C]acetamidoacetylneuraminic acid into glycoconjugates of rat hepatoma cells (H35) and hepatocytes <i>in vitro</i> and rat liver <i>in vivo</i> | W. FERWERDA, C. M. BLOK, H. J. GROSS, W. R. P. RIJCKEN, U. ROSE & R. BROSSMER | 744 |
| Detection of multiple β -galactosidase activities with β -1-4 and β -1-4 specific substrates | L. C. HUSSEIN | 745 |
| Biosynthesis of the glycoprotein membrane anchor of <i>Trypanosoma brucei</i> variant surface glycoproteins: involvement of Dol-P-Man | R. P. SCHWARZ, S. MAJOR, A. K. MASON & G. A. M. CROSS | 746 |

| | | |
|---|--|-----|
| Effect of animal age on porcine testicular production of 16-androstenes and androgens <i>in vitro</i> | D. B. GOWER, I. LOUVEAU & M. BONNEAU | 748 |
| Odorless androst-16-enes and other C ₁₉ steroids in human semen | T. K. KWAN, D. J. H. TRAFFORD, H. L. J. MAKIN & D. B. GOWER | 749 |
| Differential effects of protein kinase C activators on receptor-operated ⁴⁵ Ca ²⁺ influx in pituitary tissue | R. MITCHELL, M. JOHNSON & L. DOUGAN | 750 |
| Phorbol ester-induced release of luteinizing hormone and growth hormone from rat anterior pituitary are differentially inhibited by the protein kinase C antagonists H7 and staurosporine | M. S. JOHNSON & R. MITCHELL | 751 |
| Incorporation of arachidonic acid and its release from rat Leydig cells | L. CHAUDRY, D. SCHULSTER & B. A. COOKE | 752 |
| Tumour necrosis factor augments leukotriene B ₄ production by human neutrophils in response to unopsonized zymosan | M. PETERSEN, R. STEADMAN, N. MATTHEWS & J. D. WILLIAMS | 753 |
| Generation of eicosanoids by human peritoneal macrophages in response to stimulation with the calcium ionophore A23187 | R. K. MACKENZIE, G. A. COLES, M. PETERSEN & J. D. WILLIAMS | 754 |
| Gene expression in human neutrophils | R. MACLEOD & S. W. EDWARDS | 755 |
| The role of encapsulation in the activation of human neutrophils by strains of <i>Escherichia coli</i> | R. STEADMAN, J. M. KNOWLDEN & J. D. WILLIAMS | 756 |
| Effect of azacytidine upon protein synthesis in human neutrophils | J. M. HUMPHREYS, C. A. HART & S. W. EDWARDS | 757 |
| Expression of <i>Bacteroides fragilis</i> fimbrial antigen <i>in vitro</i> and <i>in vivo</i> | D. LUTTON, S. PATRICK, J. VAN DOORN, M. EMMERSON & G. CLARKE | 758 |
| Functional heterogeneity in human neutrophils detected by continuous flow electrophoresis and counter current distribution in aqueous polymer two-phase systems | P. EGGLETON, N. CRAWFORD & D. FISHER | 759 |
| Effects of temperature on the kinetic properties of phosphofructokinase from <i>Escherichia coli</i> | N. J. KRUGER | 760 |
| Double regulation by UTP of the mammalian carbamoyl phosphate synthase II activity | E. A. CARREY | 761 |
| Modification of the pH profile of chymosin using site-directed mutagenesis | D. MANTAFOUNIS & J. E. PITTS | 763 |
| Construction of an ompA-prochymosin signal fusion in pIN-III-ompA ₂ | G. S. ELLIOTT, A. F. WILDERSPIN & J. E. PITTS | 764 |
| Adrenorphin in ovine adrenal medulla | N. TEZAPSIDIS & D. C. PARISH | 765 |
| Purification of secretory vesicles from ovine neurointermediate pituitaries by agarose gel electrophoresis | S. J. EATON & D. C. PARISH | 766 |
| Detection of distinct α -like subunits of the γ -aminobutyrate/benzodiazepine receptor using anti-peptide antibodies | E. F. KIRKNESS & A. J. TURNER | 767 |
| Binding properties of reconstituted muscarinic receptors in the absence of G-proteins | D. POYNER, S. BANSAL, N. J. M. BRIDSALL, C. CURTIS, E. C. HULME & E. K. PEDDER | 768 |
| Identification of the α_3 subunit in the γ -aminobutyric acid _A receptor purified from bovine brain | M. J. DUGGAN, S. O. CASALOTTI & F. A. STEPHENSON | 769 |
| Expression of two synapse-enriched glycoproteins, gp65 and gp55, during rat brain development | I. HILL, T. WILLMOTT, I. SKITSA, C. SELKIRK, S. MURPHY, P. GORDON-WEEKS & P. BEESLEY | 770 |
| Characterization of a synaptic membrane glycoprotein, gp85, with a monoclonal antibody | T. WILLMOTT, N. EKINS, I. SKITSA, C. P. SELKIRK & P. W. BEESLEY | 771 |
| Isolation of a synaptosomal subpopulation bearing [³ H]-nicotine receptors by an immunoaffinity technique | J. IRONS, H. S. LOTWICK, G. G. LUNT, S. WONNACOTT, P. WHITING & J. M. LINDSTROM | 773 |
| Role of protein kinase C in the regulation of prolactin and growth hormone release | R. S. BOYD & M. WALLIS | 774 |
| Solubilization of the D ₁ -dopamine receptor from the caudate nucleus of bovine brain | C. M. HOLLIS & P. G. STRANGE | 774 |
| Isolation of catecholaminergic synaptosomes from mammalian brain | M. DOCHERTY, H. F. BRADFORD & T. H. JOH | 775 |
| Nutritional and mild stress effects on mammary lactose and fatty acid synthesis in intact lactating mice | N. J. KUHN & C. FISHER | 777 |
| Cloning and restriction mapping of adenylate cyclase from <i>Brevibacterium liquifaciens</i> | E. PETERS, A. WILDERSPIN, O. SEZER & A. DANCHIN | 778 |
| A new chemiluminogenic assay for horseradish peroxidase | R. HAGGART & D. H. LEABACK | 779 |
| Fructose 1,6-bisphosphate aldolases from guinea-pig cerebral cortex: Do the isoenzymes show deviations from Michaelis-Menten kinetic behaviour? | P. C. NICHOLAS | 781 |

| | | |
|--|---|-----|
| Inhibition of kidney prolidase by phosphonic compounds | A.-M. LACOSTE & E. NEUZIL | 782 |
| Functional arginine residues in leech hyaluronidase (Orgelase) | J. A. D. HIPKIN, P. GACESA, A. H. OLAVESSEN & R. T. SAWYER | 784 |
| Neuronal protein B-50: a proton nuclear-magnetic-resonance study | P. J. COGGINS, D. D. MCINTYRE, H. J. VOGEL & H. ZWIERS | 785 |
| Smooth muscle calponin | S. J. WINDER & M. P. WALSH | 786 |
| Catalytic properties and specificity of phosphoserine aminotransferase from beef liver | M.-J. BASURKO, M. MARCHE, M. DARRIET & A. CASSAIGNE | 787 |
| Evidence for modifiers of cytosolic protein tyrosyl kinase activity from rat adipose tissue | D. MANGNALL & M. ROGERS | 788 |
| Modulation of rat liver cytosol protein tyrosyl kinase activity | D. MANGNALL & J. BERESFORD | 789 |
| Iron binding and uptake by the brush border membrane of newborn and adult guinea-pig | G. CHOWRIMOOTOO, E. S. DEBNAM, O. EPSTEIN & S. K. S. SRAI | 790 |
| Papillomavirus detection using the polymerase chain reaction | P. J. NICHOLLS, A. D. B. MALCOLM, P. WARD, D. V. COLEMAN & G. C. N. PARRY | 791 |
| Changes in lipid fluidity and composition of lamellar bodies in respiratory distress induced by oleic acid | C. CASALS, L. HERRERA, E. MIGUEL, P. GARCIA-BARRENO & A. M. MUNICIO | 792 |
| Studies on the developmental expression of superoxide dismutase in human tissues | A. A. FRYER, W. COTTON, J. BELL, R. HUME & R. C. STRANGE | 794 |