


BIOCHEMICAL SOCIETY TRANSACTIONS



London: The Biochemical Society © 1990

Managing Editor
Catherine RICE-EVANS

Contents Volume 18, Part 3, June 1990

SIXTH MORTON LECTURE

- The Golgi apparatus: insights from lipid biochemistry R. E. PAGANO 361

SIXTH JUBILEE LECTURE

- Lysosomal enzyme targeting S. KORNFELD 367

633rd MEETING, LONDON

Colloquium: Neurochemical Group Open Meeting

- The relationship between cytoplasmic free Ca^{2+} and the release of glutamate from synaptosomes H. T. McMAHON & D. G. NICHOLLS 375

- Excitatory-sulphur-amino-acid-evoked neurotransmitter release from synaptosomes and primary neuronal cultures J. DUNLOP & R. GRIFFITHS 378

- Reconstitution of neurotransmitter carriers from synaptic vesicles P. R. MAYCOX & R. JAHN 381

- FMRFamide and related peptides modulate the actions of 5-hydroxytryptamine and proctolin on the foregut of the locust, *Schistocerca gregaria* S. J. WOOD, R. H. OSBORNE, K. J. CATELL & S. E. BANNER 384

- Characterization of novel post-synaptic-density-enriched glycoproteins gp130 and gp117 with a monoclonal antibody T. WILLMOTT, C. P. SELKIRK, R. B. HAWKES & P. W. BEESLEY 385

- Dystrophin and dystrophin-like proteins in muscle and brain of normal and mdx mice A. CLERK, F. MUNTONI & P. STRONG 388

- Glutamatergic neurotransmission in Alzheimer's disease R. F. COWBURN, J. A. HARDY & P. J. ROBERTS 390

- Uptake of aluminium by human neuroblastoma cells S. P. GUY, P. J. SEABRIGHT, J. P. DAY & R. F. ITZHAKI 392

- γ -Radiation induced chromosome aberrations in Alzheimer lymphocytes S. E. TOBI, J. E. MOQUET, A. A. EDWARDS, D. C. LLOYD & R. F. ITZHAKI 393

- Identification of differentially expressed central nervous system transcripts K. P. CLANCY, C. A. L. S. COLACO & P. J. RICHARDSON 394

- Induction of ornithine decarboxylase mRNA in cerebral cortex in response to lesion of nucleus basalis H. WOOD & J. DE BELLEROCHIE 395

- Identification and analysis of two distinct isoforms of the guanine nucleotide-binding protein G_o in NG108-15 cells I. MULLANEY & G. MILLIGAN 396

- Do vasopressin receptors have a significant role in the hormonal regulation of human liver function? J. HOWL, T. ISMAIL, A. STRAIN & M. WHEATLEY 399

- Kainate and quisqualate binding sites are co-purified from *Xenopus* central nervous system A. AMBROSINI, J. H. HENLEY & E. A. BARNARD 401

- The β -agonist, isoprenaline, stimulates renin release from cultured neuroblastoma cells A. M. DEVLIN & B. J. LECKIE 402

| | | |
|---|---|-----|
| Role of excitatory amino acids on somatostatin production in the central nervous system | C. RICKARDS, J. HAM, R. FITZGERALD & M. F. SCANLON | 405 |
| Presence of neural cell adhesion molecule on human embryonic and brain tumours | K. PATEL, S. BOURNE, B. PHIMISTER, H. COAKHAM & J. T. KEMSHEAD | 408 |
| Characterization of a regulatory region within the human neural cell adhesion molecule gene | D. A. MANN, C. H. BARTON & F. S. WALSH | 410 |
| Intercellular adhesion mediated by neural cell adhesion molecules in transfected 3T3 fibroblasts | L. H. ROWETT, J. A. PIZZEY & F. S. WALSH | 412 |

COMMUNICATIONS

| | | |
|---|---|-----|
| Thermodynamic characteristics of brain monoamine oxidase in ethanol-tolerant mice | A. MORINAN | 415 |
| Role of reactive oxygen species in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity | M. LAI & H. R. GRIFFITHS | 416 |
| Effect of 2-deoxy-D-galactose on fucose incorporation into brain glycoproteins | M. R. ZAMANI & S. BULLOCK | 417 |
| Effect of phenylalanine, <i>p</i> -chlorophenylalanine and α -methylphenylalanine on glucose uptake <i>in vitro</i> by the brain of young rats | N. R. RODRIGUES, C. M. D. WANNMACHER, C. S. DUTRA-FILHO, R. F. PIRES, P. R. FAGAN & M. WAJNER | 419 |
| Glutamate-receptor-mediated regulation of the cytoplasmic free calcium level in cultured cerebellar granule cells | M. J. COURTNEY, J. J. LAMBERT & D. G. NICHOLLS | 420 |
| Influence of methylmalonate on the uptake of ketone bodies <i>in vitro</i> by the brain of young rats | J. C. DUTRA, M. WAJNER, C. S. DUTRA-FILHO, C. F. MANNMACHER & C. M. D. WANNMACHER | 421 |
| 5-Hydroxytryptamine and dopamine in pre-senile and senile Alzheimer-type dementia | C. M. YATES, J. SIMPSON & A. GORDON | 422 |
| Characterization of β -adrenoceptors in synaptoneuroosomes from rat brain: [3 H]dihydroalprenolol versus [3 H]CGP 12177 | A. GUYARD, A. COURY & J.-F. RUMIGNY | 423 |
| Preferential binding of a chick brain tau isoform to microtubules assembled in the presence of aluminium fluoride | R. G. BURNS | 424 |
| Characterization of cysteine sulphate transport by intact rat brain cerebrocortical synaptosome fractions | A. GRIEVE, D. CAMERON & R. GRIFFITHS | 426 |
| Increased levels of a 230 kDa synaptic antigen after long-term potentiation | A. SCHOLEY, S. BULLOCK & B. LÖSSNER | 427 |
| Effect of oxygen and substrate availability on synaptosomal function | P. BOAKYE, E. J. WHITE & J. B. CLARK | 428 |
| Characterization of synaptic components in rat hippocampal slices using whole cell patch clamp techniques | A. D. RANDALL, J. G. SCHOFIELD & G. L. COLLINGRIDGE | 430 |
| Characterization of D ₂ -dopamine receptor-G-protein interaction in solubilized preparations | J. A. CHAZOT & P. G. STRANGE | 431 |
| Comparison of purified D ₂ -dopamine receptor from bovine brain and pituitary gland | P. L. CHAZOT & P. G. STRANGE | 432 |
| Arachidonic acid acts through protein kinase C to inhibit depolarization-induced $^{45}\text{Ca}^{2+}$ influx | D. MACEWAN & R. MITCHELL | 432 |
| Biological activity of some thyrotrophin-releasing hormone analogues substituted at the 2 position | R. MITCHELL, D. MACEWAN, M. JOHNSON, L. DOUGAN & C. BLADON | 433 |
| Pyroglutamylpeptide amides in rat central nervous system: possible new class of neurotransmitter | J. DEL RIO-GARCIA & D. G. SMYTH | 434 |
| Effects of ischaemic conditions on the uptake of catecholamine and amino acid neurotransmitters | C. M. O'NEILL, S. G. BALL & P. F. T. VAUGHAN | 435 |
| Potassium- and carbachol-evoked release of [3 H]noradrenaline from human neuroblastoma cells, SH-SY5Y | N. P. MURPHY, S. G. BALL & P. F. T. VAUGHAN | 436 |
| Isolation and characterization of the 5' end of the chicken γ -aminobutyric acid _A receptor α 1-subunit gene | A. ULTSCH, A. N. BATESON & M. G. DARLISON | 437 |
| Cloning of genomic and cDNA sequences encoding an invertebrate γ -aminobutyric acid _A receptor subunit | R. J. HARVEY, E. VREUGDENHIL, E. A. BARNARD & M. G. DARLISON | 438 |
| Sudden infant death syndrome: pH and lactate in brain | J. BUTTERWORTH & M. C. TENNANT | 439 |
| Blockade of muscarinic receptors by alkylating agonist analogues | E. C. HULME, T. A. SPALDING, C. A. M. CURTIS N. J. M. BIRDSALL & J. E. T. CORRIE | 440 |
| Evidence of cell-type differences in the regulation of neuronal expression of Thy-1 | G.-P. XUE & R. J. MORRIS | 441 |
| The putative disulphide bond in muscarinic receptors | E. KURTENBACH, E. K. PEDDER, C. A. M. CURTIS & E. C. HULME | 442 |
| Glutamic acid concentration in brains of patients with Alzheimer's disease | S. L. LOWE & D. M. BOWEN | 443 |
| A novel approach to reduce background colour development by diaminobenzidine in peroxidase-based assays | V. A. C. INZANI | 445 |
| Epidermal growth factor: lysosomal degradation is not involved in the initial mitogenic signal to the nucleus | V. A. C. INZANI | 446 |
| Studies on phosphorylation of calcineurin | M. M. C. PEREIRA, D. K. SHORI, R. L. DORMER & M. A. MCPHERSON | 447 |

| | | |
|---|--|-----|
| Electrolyte concentrations in control and cystic fibrosis submandibular saliva | H. DAVIES, J. BAGG, S. MUXWORTHY, M. C. GOODCHILD & M. A. MCPHERSON | 447 |
| Intracellular Ca^{2+} trigger mucin release from rat submandibular acini | C. LLOYD MILLS, R. L. DORMER & M. A. MCPHERSON | 448 |
| Biochemical studies of dystrophic retinas in cats | N. G. HOLMES & R. CURTIS | 449 |
| Phosphatidylinositol-3-phosphate and inositol phosphates in mitogenesis | D. POYNER, P. HAWKINS & M. HANLEY | 450 |
| Early effects of the immunosuppressive drug FK-506 on signal transduction in lymphocytes | S. E. A. DOE, C. R. BENZIE & J. E. KAY | 451 |
| Guanosine-5'-[3-O-thio]triphosphate inhibits secretion from bovine chromaffin cells | C. M. ATHAYDE | 452 |
| Endotoxin-stimulated generation of inositol trisphosphate in human promyelocytic leukaemic (HL-60) cells | J. QU, H. A. LEAVER, P. YAP & A. HOWIE | 453 |
| Lithium potentiates vasopressin-, angiotensin II- and noradrenaline-induced DNA synthesis in rat hepatocytes | A. J. STRAIN & D. ANDERSON | 455 |
| Regulation of the phosphorylation state of G_i2 in intact rat hepatocytes | M. BUSHFIELD & M. D. HOUSLAY | 456 |
| A novel plasma factor that potentiates prophenoloxidase activation in the immune response of <i>Blaberus discoidalis</i> | Q. JAVED, R. P. NEWTON & N. A. RATCLIFFE | 457 |
| A possible role for GTP-binding and <i>ras</i> -related proteins in endocytic trafficking in liver | N. ALI & W. H. EVANS | 458 |
| Production of translatable firefly luciferase mRNA <i>in vitro</i> from cloned cDNA | G. SALA-NEWBY, N. KALSHEKER & A. K. CAMPBELL | 459 |
| Inositol hexakisphosphate biosynthesis in mammalian brain: identification of a novel inositol pentakisphosphate kinase | A. F. STANLEY, P. T. HAWKINS, & M. R. HANLEY | 460 |
| Modulation of the β - and α_2 -adrenergic systems of sheep adipose tissue by dexamethasone | E. FINLEY, S. LINDSAY & R. G. VERNON | 461 |
| Does increased hydrostatic pressure enhance ionomycin-protein binding? | D. M. PICKLES, D. OGSTON & A. G. MACDONALD | 462 |
| Measurement of protein phosphorylation by covalent modification of firefly luciferase | T. M. JENKINS, G. SALA-NEWBY & A. K. CAMPBELL | 463 |
| Calmodulin involvement in Ca^{2+} -induced insulin release from electroporabilized islets of Langerhans | P. A. SMETHURST, P. J. BUNGAY, S. E. MIREYLEES & M. GRIFFIN | 464 |
| Identification of the endogenous substrates of the pancreatic islet transglutaminase | M. LINDSAY, P. J. BUNGAY & M. GRIFFIN | 465 |
| Guanine nucleotides enhance Ca^{2+} -driven protein storage granule secretion from electroporabilized human platelets | K. PEITOLA & M. C. SCRUTTON | 466 |
| Role of protein kinase C in the regulation of phospholipase A ₂ activity in human platelets | C. P. D. WHEELER-JONES, Y. PATEL, V. V. KAKKAR & S. KRISHNAMURTHI | 467 |
| Nitroprusside inhibits platelet function primarily by inhibiting Ca^{2+} mobilization | S. KRISHNAMURTHI, C. P. D. WHEELER-JONES, Y. PATEL, K. SADOWSKA, V. V. KAKKAR & G. H. R. RAO | 468 |
| Effects of the calpain inhibitor E64-d on platelet activation responses | Y. PATEL, C. P. D. WHEELER-JONES, K. SADOWSKA, V. V. KAKKAR & S. KRISHNAMURTHI | 470 |
| Purification and partial characterization of human platelet calcium-binding proteins | F. M. MUNKONGE, P. PANTELIDIS, V. V. KAKKAR & S. KRISHNAMURTHI | 471 |
| Regulation of adenylate cyclase in rat and ovine anterior pituitary cells | R. S. BOYD & M. WALLIS | 472 |
| Evidence of the compartmentation of the enzymes of cyclic AMP metabolism | P. R. KEMP, I. A. BAILEY, G. K. RADDIA & A.-M. L. SEYMOUR | 473 |
| Internalization of hepatic glucagon receptors is not accompanied by a significant movement of $\text{G}_s\alpha$ | K. POLLOCK, R. FORDER, J. CREBA, P. BEVAN & G. SMITH | 474 |
| G-protein α -subunit mRNAs in diabetic rat tissues | S. L. GRIFFITHS & M. D. HOUSLAY | 475 |
| Effects of capsaicin on glucose metabolism in isolated incubated skeletal muscle <i>in vitro</i> | B. LEIGHTON & E. FOOT | 476 |
| Inhibition of platelet membrane hormone-transducing GTPases by cyclic GMP-dependent protein kinase | A. C. NEWBY, R. O. MORGAN & L. M. BLAYNEY | 477 |
| Inhibition by cyclic GMP-dependent protein kinase of a histamine- and guanyl nucleotide-induced calcium permeability in pig aortic microsomes | L. M. BLAYNEY, P. W. GAPPER & A. C. NEWBY | 479 |
| Sodium fluoride acts as a stimulator and inhibitor of phosphoinositide hydrolysis in permeabilized rat hepatocytes | R. A. PITTMER & J. N. FAIN | 480 |
| Effect of muscle cell differentiation upon G-protein levels | C. A. EVANS, G. MILLIGAN & M. J. O. WAKELAM | 481 |

| | | |
|---|---|-----|
| Endothelin stimulates phosphatidylinositol 4,5-bisphosphate and phosphatidylcholine hydrolysis in Rat-1 cells | E. E. MACNULTY, R. PLEVIN & M. J. O. WAKELAM | 482 |
| Bombesin and platelet-derived growth factor stimulate phosphatidylcholine breakdown by a common mechanism | S. J. COOK, R. PLEVIN, S. PALMER & M. J. O. WAKELAM | 484 |
| Evidence for the presence of low molecular mass GTP-binding proteins in rat islets of Langerhans | N. S. BERROW & N. G. MORGAN | 485 |
| Effects of growth hormone on the β -adrenergic receptor number of rat adipocyte membranes | P. W. WATT, R. J. MADON, D. J. FLINT & R. G. VERNON | 486 |
| Down-regulation of the α -subunits of G _i subtypes by prolonged incubation of adipocytes with <i>N</i> ⁶ -phenylisopropyl adenosine | A. GREEN, J. L. JOHNSON & G. MILLIGAN | 487 |
| Glycoproteins of cultured cerebellar explants: effect of inhibitors of <i>N</i> -linked glycosylation | M. CARROLL & M. M. BIRD | 488 |
| Altered plasma and tissue fucosyltransferase activities in hepatocellular carcinoma | M.-Q. DU, W. L. HUTCHINSON, P. J. JOHNSON & R. WILLIAMS | 489 |
| Proteoglycan-collagen interactions and sub-fibrillar structure in collagen fibrils: implications in the development and remodelling of connective tissues | J. E. SCOTT | 489 |
| Lysosomal accumulation of intravenously administered hyaluronidase | D. LACE, P. GACESA, A. C. HANN & A. H. OLAVESSEN | 490 |
| Characterization of the β -adrenergic receptors of sheep adipocytes | W. P. BOWEN, D. J. FLINT & R. G. VERNON | 491 |
| Factors controlling insulin resistance in white adipose tissue of lactating rats | M. E. GRAHAM, E. FINLEY & R. G. VERNON | 492 |
| Different expression of heparin-binding proteins in the low and high metastatic variant of rat rhabdomyosarcoma cells | D. RAULAIIS, M. MOCZAR, M.-F. POUPEL, Y. COURTOIS & E. MOCZAR | 493 |
| Phorbol ester-induced downregulation of protein kinase C potentiates insulin receptor tyrosine autophosphorylation: evidence for a major constitutive role in insulin receptor regulation | T. S. PILLAY, J. WHITTAKER & K. SIDDLE | 494 |
| Heparin-binding proteins from human melanoma cells | J. TIMAR, A. LADANYI, M. MOCZAR, K. LAPIS & E. MOCZAR | 495 |
| Interaction of ram and boar proacrosin with ¹²⁵ I-fucoidan | R. M. WILLIAMS & R. JONES | 496 |
| Characterization of receptors for sulphated polysaccharides on guinea-pig spermatozoa | R. JONES & R. M. WILLIAMS | 497 |
| Dexamethasone inhibits sugar incorporation into glycolipids in cultured rat hepatocytes | A. J. WHATMORE, L. JARETT & A. J. DICKSON | 498 |
| Co-ordination chromophore-apoprotein synthesis in the developing leaf of <i>Avena sativa</i> L. | A. P. BENNETT, T. G. E. DAVIES, H. THOMAS & L. J. ROGERS | 499 |
| An improved purification procedure for uroporphyrinogen III synthase from <i>Euglena gracilis</i> | N. J. GUMPEL & A. G. SMITH | 500 |
| Defibrotide, a profibrinolytic drug, reduces damage due to post-ischaemic reperfusion in rats | M. E. FERRERO, A. MARNI & G. GAJA | 501 |