

BIOCHEMICAL SOCIETY TRANSACTIONS



London: The Biochemical Society © 1990

Managing Editor
Catherine RICE-EVANS

Contents Volume 18, Part 4, August 1990

THUDICHUM LECTURE

- Receptor-mediated activation of phospholipase A₂ and arachidonic acid release in signal transduction J. AXELROD 503

633rd MEETING, LONDON

Colloquium: Biogenesis and Assembly of the Mitochondrial Respiratory Chain: Structural, Genetic and Pathological Aspects

- Regulation of mitochondrial gene expression in mammalian cells G. ATTARDI, A. CHOMYN, M. P. KING, B. KRUSE, P. L. POLOSA & N. N. MURDTER 509
- A mitochondrial machinery for membrane translocation of precursor proteins N. PFANNER & W. NEUPERT 513
- Structure and function of an archetypal respiratory chain complex: NADH-ubiquinone reductase C. I. RAGAN 515
- Biochemical and molecular aspects of human mitochondrial respiratory chain disorders J. M. COOPER, A. H. V. SCHAPIRA, I. J. HOLT, A. TOSCANO, A. E. HARDING, J. A. MORGAN-HUGHES & J. B. CLARK 517
- Mitochondrial myopathies: genetic defects A. E. HARDING, I. J. HOLT, J. M. COOPER, A. H. V. SCHAPIRA, M. SWEENEY, J. B. CLARK & J. A. MORGAN-HUGHES 519
- Mitochondrial myopathies: clinical defects J. A. MORGAN-HUGHES, J. M. COOPER, I. J. HOLT, A. E. HARDING, A. H. V. SCHAPIRA & J. B. CLARK 523
- Hypoxia-reoxygenation induced damage in the myocardium: V. M. DARLEY-USMAR, D. R. SMITH, V. J. O'LEARY, D. STONE, D. L. HARDY & J. B. CLARK 526

Colloquium: Coping with Crisis

- Shifting the balance of public funding of higher education to fees H. BAUM 529
- Future funding policies from non-Government sources: The Wellcome Trust M. J. MORGAN 531
- Closer university-industry links G. HUMPHREYS 533
- The demand for higher education in the 1990s P. R. A. HINDE 535
- The future of higher education and research in the U.K. A. G. THOMAS 538

Colloquium: Glycoprotein Receptors and Cell Triggering

- Mechanisms involved in adrenergic receptor desensitization S. COLLINS, M. BOUVIER, M. J. LOHSE, J. L. BENOVIC, M. G. CARON & R. J. LEFKOWITZ 541
- Concanavalin A receptor-associated GTP-binding proteins T. OSAWA 544

COMMUNICATIONS

| | |
|---|--|
| Biogenesis and assembly of the mitochondrial respiratory chain: structural, genetic and pathological aspects | |
| A dot immunobinding assay for the rapid quantification of uncoupling protein in brown adipose tissue mitochondria | R. E. MILNER, A. GÉLOËN & P. TRAYHURN 547 |
| Mitochondrial damage during cardiac ischaemia and reperfusion: the role of oxygen | K. VEITCH, D. CAUCHETEUX, A. HOMBROECKX & L. HUE 548 |
| Reoxygenation of the hypoxic myocardium causes a mitochondrial complex I defect | D. L. HARDY, J. B. CLARK, V. M. DARLEY-USMAR & D. R. SMITH 549 |
| The metabolism of an entirely new cellular nucleotide derivative: phosphoglyceroyl-ATP | B. PATEL & J. MOWBRAY 550 |
| Diagnosis of respiratory chain defects using ¹ H n.m.r. spectroscopy <i>in vitro</i> | J. E. M. RAFTER, R. A. CHALMERS, A. JOHNSON & R. A. ILES 551 |
| Development of rat liver mitochondrial populations during the perinatal period | C. LÓPEZ-MEDIAVILLA & J. M. MEDINA 552 |
| Intracellular calcium as a regulator of the mitochondrial ATP synthase in cultured cardiomyocytes | A. M. DAS & D. A. HARRIS 554 |
| | |
| Hormonal control of transcription | |
| A T-cell protein which recognizes a palindromic DNA sequence in the negative regulatory element of the HIV-1 long terminal repeat with homology to steroid/thyroid hormone receptor binding sites | K. ORCHARD, N. PERKINS, C. CHAPMAN, J. HARRIS, V. EMERY, G. GOODWIN, D. LATCHMAN & M. COLLINS 555 |
| Influence of okadaic acid on the control of liver mRNA levels | A. J. BATE, S. M. WARD, A. J. WHATMORE & A. J. DICKSON 556 |
| Protection by glutathione against one component of the bi-modal inhibition of growth by tamoxifen in <i>Saccharomyces cerevisiae</i> | H. WISEMAN, M. CANNON & H. R. V. ARNSTEIN 557 |
| Autoantibodies to the thyrotrophin receptor mimic thyrotrophin in stimulating both thyroglobulin and thyroid peroxidase mRNA transcription in human thyroid cells | K. S. COLLISON, J. P. BANGA, P. S. BARNETT, G. C. HUANG & A. M. McGREGOR 559 |
| Intronic steroid response elements in prostate binding protein genes | N. K. RUSHMORE, F. CLAESSENS, B. PEETERS, W. ROMBAUTS & P. DAVIES 560 |
| Functional characterization of an androgen response element | F. CLAESSENS, N. RUSHMORE, L. CELIS, B. PEETERS, P. DAVIES & W. ROMBAUTS 561 |
| Regulation of epidermal growth factor receptor in breast cancer | S. BARKER, C. PANAHY, J. R. PUDDEFOOT, A. W. GOODE & G. P. VINSON 562 |
| Somatic change in the oestrogen receptor gene in breast cancer | C. WANLESS, S. BARKER, J. R. PUDDEFOOT, C. PANAHY, A. W. GOODE, G. P. VINSON & I. R. PHILLIPS 564 |
| Effects of the presence of progesterone receptors on the relationship between enzyme immunoassay and steroid-binding assay for oestrogen receptors | S. MARSIGLIANTE, J. PUDDEFOOT, G. P. VINSON & O. J. A. GILMORE 565 |
| Oestrogen and anti-oestrogen induction of specific gene expression in human breast cancer cells | C. M. W. CHAN & C. D. GREEN 566 |
| Effect of changes in 5' coding sequence on level of expression of ovine growth hormone cDNA in <i>Escherichia coli</i> | A. J. SAMI, O. C. WALLIS & M. WALLIS 567 |
| Identification of a mRNA rapidly induced in an intestinal epithelial cell line by epidermal growth factor | M. GOMPERTS, J. C. PASCALL & K. D. BROWN 568 |
| Selective reduction of insulin mRNA in islets infected with encephalomyocarditis virus | T. WARD & K. W. TAYLOR 569 |
| Effects of hormones on polyamine biosynthesis in cultured sheep adipose tissue slices | A. M. SNOSWELL, E. FINLEY & R. G. VERNON 570 |
| A high molecular mass steroid response element binding protein forms a 213 kDa complex with an oestrogen response element | L. CRAWFORD & K. CHAPMAN 571 |
| On memory, morphogenesis and the hormonal control of transcription | Y. SCHIFFMANN 572 |
| On hierarchy and association in memory and on morphogenesis | Y. SCHIFFMANN 574 |
| Insulin-like growth factor I receptor levels during the lactogenic cycle in rat mammary gland | S. LAVANDERO, J. F. SANTIBÁÑEZ, M. P. OCARANZA & M. SAPAG-HAGAR 576 |

Kinases and phosphatases

| | | |
|--|--|-----|
| Computer-generated diagrams of inter-main-chain hydrogen bonds in proteins | E. J. MILNER-WHITE, K. BELHADJ-MOSTEFA & R. POET | 577 |
| Isolation and characterization of gingivain, a cysteine proteinase from <i>Porphyromonas gingivalis</i> strain W83 | H. N. SHAH, S. E. GHARIBIA, D. KOWLESSUR, E. WILKIE & K. BROCKLEHURST | 578 |
| Investigation of mechanistic consequences of natural structural variation within the cysteine proteinases by knowledge-based modelling and kinetic methods | C. M. TOPHAM, J. OVERINGTON, D. KOWLESSUR, M. THOMAS, E. W. THOMAS & K. BROCKLEHURST | 579 |
| Dynamic aspects of molecular recognition in cysteine proteinase-ligand systems | K. BROCKLEHURST, E. W. THOMAS, S. QUENBY, D. KOWLESSUR, C. GOODING, W. TEMPLETON, E. WILKIE, M. PATEL, S. SREEDHARAN, M. THOMAS & E. R. BLYDEN | 581 |
| Isolation of a cDNA coding for the glucose-6-phosphatase stabilizing protein | I. D. WADDELL, A. G. ZOMERSCHOE & A. BURCHELL | 582 |
| Effect of metabolites on the T1 transport protein of the glucose-6-phosphatase complex | A. GRANT & A. BURCHELL | 583 |
| The influence of anions, ionic strength and organic solvents on the interaction between actin and myosin subfragment 1 | M. A. GEEVES & W. H. GOLDMANN | 584 |
| Effect of phosphate and sulphate on the interaction of actin and myosin subfragment 1 | D. F. A. MCKILLOP & M. A. GEEVES | 585 |
| Phosphorylation of human placenta membrane calpactins with bovine brain protein kinase C | J. A. BARNES & M. D. HOLLOWBERG | 586 |
| Differential incorporation of gluconeogenic precursors and glucose into glycogen in periportal and perivenous rat hepatocytes | M. PEAK & L. AGIUS | 587 |
| Effects of ATP analogues on the activity of the Ion proteinase of <i>Escherichia coli</i> | J. MODHA, D. P. WEINER, P. M. CULLIS & A. J. RIVETT | 589 |
| Synthesis of fluorodeoxy analogues of <i>myo</i> -inositol | J. L. OFFER, G. A. SMITH & J. C. METCALFE | 590 |
| Brown-fat pyruvate dehydrogenase activities during the fed-to-starved transition | M. J. HOLNESS & M. C. SUGDEN | 591 |
| 6-Phosphofructokinase from frog skeletal muscle: purification and properties | U. KRAUSE & G. WEGENER | 592 |
| Studies on streptococcal proteinase | H. FRENCH, R. WILLIAMS, E. SALIH, D. KOWLESSUR & K. BROCKLEHURST | 593 |
| Histochemical determinations of K_m and V_{max} for hexokinase type I in three layers of rat cerebellum | G. M. LAWRENCE, A. C. H. BEESLEY, G. I. MASON & J. B. MATTHEWS | 594 |
| Structural and mechanistic studies on citrate synthase by nuclear magnetic resonance and Fourier transform infrared spectroscopies | R. A. ILES, S. E. C. DAVIES, R. A. CHALMERS, C. W. WHARTON, A. WHITE, S. SREEDHARAN, I. PHILLIPS & K. BROCKLEHURST | 596 |
| Effects of glucocorticoids on the release of phosphorylated and other forms of adrenocorticotrophic hormone | J. C. NORMAN, A. M. GURNEY & B. GILLHAM | 597 |
| A general kinetic equation for multihydrionic state reactions and rapid procedures for parameter evaluation | S. M. BROCKLEHURST, C. M. TOPHAM & K. BROCKLEHURST | 598 |
| Polyclonal antibody-catalysed hydrolysis of an aryl nitrophenyl carbonate | G. GALLACHER, C. S. JACKSON, C. M. TOPHAM, M. SEARCY, B. C. TURNER, G. T. BADMAN & K. BROCKLEHURST | 600 |

Haemoglobin and gene switching

| | | |
|---|---|-----|
| Characterization of a human tRNA gene cluster | D. BOURN, T. CARR, D. LIVINGSTONE, A. McLAREN & J. P. GODDARD | 602 |
|---|---|-----|

General topics

| | | |
|--|---|-----|
| Effect of the detergent $C_{12}E_8$ on the binding of monoclonal antibodies to the $(Ca^{2+}-Mg^{2+})$ -ATPase of rabbit skeletal sarcoplasmic reticulum | A. M. MATA, F. MICHELANGELI, A. G. LEE & J. M. EAST | 603 |
| Carnitine analogues and carnitine palmitoyltransferases | M. S. R. MURTHY, R. R. RAMSAY & S. V. PANDE | 604 |
| Influence of external calcium on cyclic AMP and on the contractility in the hyperthyroid rat heart | A. M. WHEATLEY & N. BUTKOW | 605 |
| Acute replacement of phosphocreatine in the isolated rat heart by perfusion with the creatine analogue β -guanidinopropionic acid | J. F. UNITT, G. K. RADDAA & A.-M. L. SEYMOUR | 606 |
| Priming the damage system in mammalian skeletal muscle | K. McCALL & C. J. DUNCAN | 607 |
| Priming the system that causes the release of cytosolic proteins in the perfused rat heart | S. DANIELS & C. J. DUNCAN | 608 |
| Oxygen radicals and cellular damage in isolated muscle cells | J. BYRNE & C. J. DUNCAN | 609 |
| Human neutrophils can activate the food-derived carcinogen MelQx | N. SREBERNIK, J. P. MORGAN, A. J. BAKER & N. J. GOODERHAM | 610 |

| | | |
|---|---|-----|
| Inflammatory cells from the rat pleural cavity can activate the food-derived carcinogen MeIQx | F. J. O'FARRELL & N. J. GOODERHAM | 611 |
| Regional localization of iron absorption in the guinea-pig small intestine during development | G. CHOWRIMOOTOO, E. DEBNAM, O. EPSTEIN & S. SRAI | 612 |
| Effect of temperature on the erythrocyte membrane Ca^{2+} -ATPase activity in hypertension | S. A. ADEOYA, R. I. NORMAN & R. F. BING | 613 |
| Variations in the immunological reactivities of mammalian lipoprotein lipases | A. SOTERIOU, J. CRYER & A. CRYER | 614 |
| Quantification of cytochrome <i>P</i> -450 gene expression in human tissues | C. N. A. PALMER, E. A. SHEPHARD & I. R. PHILLIPS | 615 |
| Non-lethal doses of antibody and complement stimulate release of prostaglandin E_2 from human amniotic cells <i>in vitro</i> | I. A. ROONEY & B. P. MORGAN | 617 |
| Hypoxanthine incorporation and nucleotide imbalance in wild-type and adenine phosphoribosyl transferase-deficient Friend leukaemia cells | F. M. AMARA, Y. A. WILKINSON, W. S. GILMORE & P. G. McKENNA | 618 |
| Characterization of glucose transporters in lactating rat mammary glands | S. MARTIN, A. DAVIES, H. A. C. FAWCETT, R. J. MADON, D. J. FLINT & S. A. BALDWIN | 618 |
| Cholesteryl ester hydrolase: three activities in the lactating rat mammary gland | M. J. MARTINEZ & K. M. BOTHAM | 619 |
| Identification of a relationship between glutathione metabolism and drug sensitivities in a panel of human tumour cell lines | L. K. HOSKING, R. D. H. WHELAN & B. T. HILL | 621 |
| Mechanisms of cisplatin cytotoxicity in human ovarian carcinoma cell lines | S. SHELLARD, L. HOSKING, A. M. FICHTINGER-SCHEPMAN & B. T. HILL | 622 |
| Mass determination of inositol phosphates: a comparison with radiotracer studies | S. A. PRESTWICH & T. B. BOLTON | 623 |
| 1,25-Dihydroxyvitamin D_3 increases the P_i concentration in cultured osteoblasts | A. AHMADO, A. BEVINGTON & P. G. G. RUSSELL | 624 |
| Control of phosphate transport in liver | P. G. P. ATKINSON & P. J. BUTTERWORTH | 625 |
| P_i transport and metabolism in mammalian skeletal muscle | G. J. KEMP, K. E. POLGREEN & G. K. RADDA | 625 |
| Effect of growth temperature on fatty acid biosynthesis in <i>Acanthamoeba castellanii</i> | A. L. JONES, N. L. PRUITT, D. LLOYD & J. L. HARWOOD | 627 |
| Primary structure of the α -chains of the haemoglobins of the Gambia rat (<i>Cricetomys gambianus</i> Waterhouse) | I. HOMBRADOS, Y. VIDAL, K. RODEWALD, G. BRAUNITZER & E. NEUZIL | 628 |
| Porphyrin profiles in hamster Harderian glands | R. C. SPIKE, A. P. PAYNE, G. G. THOMPSON & M. R. MOORE | 630 |
| Combined familial hyperlipidaemia in association with apolipoprotein E ₃ phenotype | J. A. KELLY, K. ROBINSON, O. P. TIGHIE, B. DICKSON, G. H. TOMKIN, P. B. COLLINS & A. H. JOHNSON | 631 |
| Selective fluorescent location of epithelial cells which possess the proteinase guanidinobenzoatase in cervical smears | F. S. STEVEN & J. JOHNSON | 632 |
| Similarities between single-chain tissue plasminogen activator and the cell-surface proteinase, guanidinobenzoatase | F. S. STEVEN & M. M. GRIFFIN | 632 |
| A low-affinity binder for methotrexate in human leukaemia cells | M. P. IOBAL, M. A. WAQAR, N. MEHBOOBALI & I. MALIK | 633 |
| The involvement of RNA and protein synthesis in programmed cell death (apoptosis) in human leukaemia HL-60 cells | S. J. MARTIN, A. M. BONHAM & T. G. COTTER | 634 |
| Testing the efficacy of kidney cold-preservation solutions: what role for metabolic function tests? | T. DE MEL, B. J. FULLER & K. E. F. HOBBS | 636 |
| Composition of the ferredoxin-nitrite reductase from the cyanobacterium <i>Phormidium laminosum</i> | J. M. ARIZMENDI & J. L. SERRA | 637 |
| Comparison of the mode of action and site specificity of endo-(1,4)- β -D-glucanases of <i>Penicillium pinophilum</i> using normal, $1\text{-}^3\text{H}$ -labelled, reduced and chromogenic cello-oligosaccharides | K. M. BHAT, A. J. HAY, T. M. WOOD & M. CLAEYSENS | 638 |
| Distribution of A_1 -adenosine receptors, adenosine deaminase and 5'-nucleotidase in brain and other tissues of the pig | V. CASADÓ, T. MARTÍ, J. MALLOL, M. C. LLUIS, E. I. CANELA & R. FRANCO | 639 |
| Release of adenosine deaminase from rat intestinal mucosa | R. FRANCO & J. J. CENTELLES | 641 |
| Production of lignin peroxidase by <i>Phanerochaete chrysosporium</i> in medium containing molasses | L. R. S. JAFELICE, A. WISEMAN & P. S. GOLDFARB | 642 |

| | | |
|---|--|-----|
| Exocellular and intracellular β -glucosidase produced in ligninolytic culture of <i>Phanerochaete chrysosporium</i> | L. R. S. JAFELICE, A. WISEMAN & P. GOLDFARB | 644 |
| A developmental shift from low- to high- M_r copper binders in guinea-pig serum | C. D. BINGLE, O. EPSTEIN & S. K. S. SRAI | 645 |
| Preparation and characterization of a plasma-membrane fraction isolated from sheep parotid glands | S. VAYRO, S. SHIRAZI-BEECHEY, R. KEMP & R. B. BEECHEY | 646 |
| Amino acid transport systems in sheep reticulocytes | K. K. CHANGANI, D. A. FINCHAM, L. KILGOUR, E. M. TUCKER & J. D. YOUNG | 646 |
| Brain transferrin receptors and the distribution of cytochrome oxidase | C. M. MORRIS, J. M. CANDY, C. A. BLOXHAM & J. A. EDWARDSON | 647 |
| Hormonal control of protein synthesis in rat mammary explants | A. M. FOSTER, C. J. WILDE, R. G. VERNON & V. M. PAIN | 648 |
| Purification and characterization of two native extracellular carboxymethylcellulases of <i>Cellulomonas flavigena</i> | A. J. SAMI & M. W. AKHTER | 649 |
| Purification and characterization of three extracellular carboxymethylcellulases of <i>Cellulomonas flavigena</i> | A. J. SAMI & M. W. AKHTER | 651 |
| Regulation of malic enzyme expression in hepatocytes in culture | D. MANN, W. BARTLEY, A. J. STRAIN & E. BAILEY | 652 |
| Regulation of hepatic malic enzyme mRNAs during development | D. MANN, W. BARTLEY & E. BAILEY | 652 |
| Tissue uptake of lithium in guinea-pig isolated intestinal mucosa after chronic lithium ingestion | J. D. PHILLIPS, R. J. DAVIE & N. J. BIRCH | 653 |
| Biochemical studies of phenylalanine ammonia-lyase encapsulated in erythrocytes | U. SPRANDEL & N. ZÖLLNER | 654 |
| Lipid biochemistry of tissue cultures of oil-seed rape | M. WILLIAMS, D. FRANCIS & J. L. HARWOOD | 655 |
| Inhibition studies on 5-aminolevulinate biosynthesis in <i>Pisum sativum</i> L. (pea) | S. P. NAIR, C. G. KANNANGARA, J. L. HARWOOD & R. A. JOHN | 656 |
| 28S Ribosomal RNA in <i>Xenopus borealis</i> : gene sequence and differences from <i>Xenopus laevis</i> sequence | P. M. AJUH & B. E. H. MADEW | 657 |
| Genetic and structural characterization of the bacterioferritin of <i>Escherichia coli</i> | S. C. ANDREWS, J. M. A. SMITH, J. R. GUEST & P. M. HARRISON | 658 |
| Hydrogen-bonding in chymotrypsin catalysis: Fourier transform infrared spectroscopic analysis | A. WHITE, S. WARD & C. WHARTON | 660 |
| Carbohydrate and amino acid metabolism in the A ₁₀ vascular smooth muscle cell line | P. R. KEMP, G. K. RADDÀ & A.-M. L. SEYMOUR | 661 |
| Nerve growth factor receptor-positive fibre pathways in the human neocortex | J. M. KERWIN, E. K. PERRY, C. M. MORRIS & R. H. PERRY | 661 |
| Relationship between K ⁺ flux and heart rate: an ⁸⁷ Rb n.m.r. study | C. D. SNAITH, J. L. ALLIS, G. K. RADDÀ & A.-M. L. SEMOUR | 663 |
| Isolation of Clara cells from rat lung using flow cytometry | J. MARTIN, R. F. LEGG, D. DINSDALE & I. N. H. WHITE | 664 |
| Detection of <i>Toxoplasma gondii</i> using the polymerase chain reaction | J. D. JOHNSON, R. E. HOLLIMAN & D. SAVVA | 665 |
| Characterization of aminopeptidases in human kidney and urine | T. LEES, B. LAUFFART, A. HODSON, A. SKILLEN & D. MANTLE | 666 |
| Purification and characterization of tripeptidyl-amino-peptidase from human cerebral cortex | T. LEES, B. LAUFFART, J. McDERMOTT, A. GIBSON & D. MANTLE | 667 |
| Analysis of ventricular fluid proteins in head-injured patients via SDS/polyacrylamide-gel electrophoresis | T. LEES, A. D. MENDELOW & D. MANTLE | 668 |
| Effect of tetraethylammonium on K ⁺ efflux in arterial strips | F. A. WALI & E. GREENIDGE | 669 |
| Measurement of carbonic anhydrase isoenzymes in early human placental tissues | S. ALIAKBAR, P. R. BROWN, E. JAUNIAUX, D. E. BIDWELL & K. H. NICOLAIDES | 670 |
| Dipeptidyl peptidase IV in human lymphocytes: molecular properties | I. DE MEESTER, G. VANHOOF, S. SCHARPE, D. HENDRIKS, M. VAN SANDE & A. YARON | 671 |
| pH-induced structural transitions in β -lactoglobulin | P. J. COUSSONS, S. M. KELLY & N. C. PRICE | 672 |
| Presence of a membrane attack complex inhibiting protein on the human epithelial cell line HeLa | B. P. MORGAN, M. G. OLAVESSEN & M. J. WATTS | 673 |
| Transience of membrane channels induced by perforin and by the membrane attack complex | J. JONES & B. P. MORGAN | 674 |
| The polymerase chain reaction applied to identification of specific alleles of the bovine milk protein genes | S. J. PINDER, B. N. PERRY, D. SAVVA & C. J. SKIDMORE | 675 |
| Application of a fluorimetric method for measuring DNA strand breaks in purified DNA | L. L. BHUSATE, K. E. HERBERT & D. PERRETT | 676 |
| Activation of human and murine T lymphocytes by cartilage proteoglycans | J. A. GOODACRE, S. MIDDLETON, A. PATTERSON, P. FERREIRA, K. LESSAN & J. P. PEARSON | 677 |

| | | |
|--|---|-----|
| Detection of acetaldehyde-modified proteins in the livers of ethanol-fed rats | S. WORRALL, J. DE JERSEY, B. C. SHANLEY & P. A. WILCE | 678 |
| Changes in blood lipids and lipoproteins in chronic alcoholics during alcohol withdrawal | S. COOK, J. A. O. BESSON, J. BOYD & E. R. SKINNER | 679 |
| Effect of barium sulphate-adsorbable proteins from serum on thromboplastin activity | R. M. HOWELL & C. ETTELAIE | 680 |
| Reduction in transglutaminase activity associated with tumour metastasis is due to the presence of an inactive form of the enzyme | C. R. L. KNIGHT, R. C. REES & M. GRIFFIN | 681 |
| Separation of wool intermediate filament protein and intermediate filament-associated protein on a Sepharose column | L. M. DOWLING, L. N. JONES & P. T. SPEAKMAN | 683 |
| Na ⁺ -dependent purine and pyrimidine nucleoside transporters in bovine outer renal cortex brush-border-membrane vesicles | T. C. WILLIAMS & S. M. JARVIS | 684 |
| Estimation of glucose oxidation within the tricarboxylic acid cycle of adherent cells growing as a monolayer | C. HOWE & D. J. TAYLOR | 685 |
| Modulation of rod cyclic GMP-phosphodiesterase activity by anthocyanidin derivatives | N. VIRMAUX, J.-C. BIZEC, G. NULLANS, S. EHRET & P. MANDEL | 686 |
| Lack of glycogenolytical response to vasopressin in guinea-pig liver | A. VANDEKERCKHOVE, S. KEPPENS & H. DE WULF | 688 |