

colloquia**636th Meeting, Dublin****colloquium: Biosensors**

| | | |
|--|--|----|
| Biosensor-based instrumentation | P. R. COULET & G. BARDELETTI | 1 |
| Electrochemical biosensors for extracorporeal measurements | G. PALLESCHI, D. MOSCONE & M. MASCINI | 5 |
| Biosensors for intracorporeal measurements: problems and strategies | G. S. WILSON, G. REACH & D. R. THÉVENOT | 9 |
| Problems of clinical data interpretation | P. VADGAMA, M. DESAI, Z. KOOCHAKI & P. TRELOAR | 11 |
| Microbial biosensors for environmental monitoring | W. C. GAISFORD, N. J. RICHARDSON, B. G. D. HAGGETT & D. M. RAWSON | 15 |
| Optical immunosensors | G. A. ROBINSON | 18 |
| Dielectric-based biosensors | R. PETHIG | 21 |
| Calorimetric biosensors | B. DANIELSSON | 26 |
| Biosensors in organic phases | S. SAINI & A. P. F. TURNER | 28 |
| Biological receptors in biosensors | F. J. ROWELL | 32 |
| Complex sensor systems: odour detection by the sense of smell and by electronic noses | G. DODD, P. BARTLETT & J. GARDNER | 36 |
| Prospects for nucleic acid biosensors | M. E. A. DOWNS | 39 |
| Piezoelectric-based biosensors | P. W. WALTON, M. E. BUTLER & M. R. O'FLAHERTY | 44 |

colloquium: Respiratory Burst Oxidase of the Neutrophil

| | | |
|---|---|----|
| Components of the microbicidal oxidase of phagocytes | A. W. SEGAL | 49 |
| Deactivation of the subcellular NADPH oxidase and its relationship to termination of the respiratory burst | E. A. EKLUND & T. G. GABIG | 51 |
| Control of motility, exocytosis and the respiratory burst in human neutrophils | M. BAGGIOLINI, P. KERNEN, D. A. DERANLEAU & B. DEWALD | 55 |
| Differential regulation of chemoattractant-induced superoxide formation in human neutrophils by cell-permeant analogues of cyclic AMP and cyclic GMP | J. ERVENS, G. SCHULTZ & R. SEIFERT | 59 |
| Studies on the gene expression of several NADPH oxidase components | M. A. CASSATELLA, F. BAZZONI, M. A. AMEZAGA & F. ROSSI | 63 |
| The activation of the electrogenic NADPH oxidase | J. B. CHAPPELL & L. M. HENDERSON | 67 |

| | | |
|---|--|----|
| Inhibitors of NADPH oxidase as guides to its mechanism | O. T. G. JONES, A. R. CROSS, J. T. HANCOCK, L. M. HENDERSON & V. B. O'DONNELL | 70 |
| Influence of taurine and a substituted taurine on the respiratory burst pathway in the inflammatory response | D. M. McLoughlin, P. P. STAPLETON & F. J. BLOOMFIELD | 73 |

colloquium: Strategies for Studying Membrane Proteins of the Nervous System

| | | |
|--|---|-----|
| Membrane antigens of endocrine, large dense-core and small synaptic vesicles | H. WINKLER, T. SCHMIDLE, R. FISCHER-COLBRIE & S. KAPELARI | 79 |
| Immunoaffinity purification of cholinergic nerve terminals | P. J. RICHARDSON & S. JAMES | 83 |
| Novel neuronal neurotransmitter-specific cell-surface molecules | M. DOCHERTY | 87 |
| Amino acid neurotransmitter reuptake: mechanistics, biochemistry and molecular cloning | B. I. KANNER | 92 |
| Substrate and inhibitor binding and translocation by the platelet plasma membrane serotonin transporter | C. J. HUMPHREYS, D. BEIDLER & G. RUDNICK | 95 |
| Characterization and purification of the neuronal sodium-ion-coupled 5-hydroxytryptamine transporter | D. GRAHAM, H. ESNAUD & S. Z. LANGER | 99 |
| Approaches to the purification of the 5-hydroxytryptamine reuptake system from human blood platelets | E. A. L. BIJESSEN, A. S. HORN & G. T. ROBILLARD | 103 |
| Probing the platelet plasma-membrane 5-hydroxytryptamine transporter | D. C. WILLIAMS & O. M. PHILLIPS | 112 |
| Monoclonal antibody probes for nicotinic receptors of muscles and nerves | J. LINDSTROM, R. SCHOEPFER, P. WHITING, R. ANAND, W. G. CONROY, M. S. SAEDI & M. DAS | 115 |
| Neuronal nicotinic receptors: functional correlates of ligand binding sites | S. WONNACOTT | 121 |
| Probing the GABA_A receptor with antibodies | A. J. TURNER, K. B. WIDDOWS & E. F. KIRKNESS | 124 |
| Heterogeneity of GABA_A-benzodiazepine receptors | W. SIEGHART | 129 |
| Muscarinic acetylcholine receptors: structure and function | E. C. HULME, E. KURTENBACH & C. A. M. CURTIS | 133 |
| Antibodies to receptors by an auto-anti-idiotypic strategy | B. F. ERLANGER | 138 |
| The use of anti-idiotypic antibodies as a strategy for studying glutamate receptors | I. R. DRUCE, T. C. BUDD & P. J. RICHARDSON | 143 |
| Anti-idiotypic antibodies against hormone and neurotransmitter receptors | P. O. COURAUD & A. D. STROSBERG | 147 |

colloquium: Biochemical Mechanisms in Autoimmunity

| | | |
|---|---|-----|
| Drug-induced autoimmunity: a disorder at the interface between metabolism and immunity | R. L. RUBIN & R. W. BURLINGAME | 153 |
| Antibodies to intracellular antigens in systemic autoimmune disease | R. M. BERNSTEIN | 159 |
| Drug-induced immune complex disease | E. SIM | 164 |
| Heat-shock proteins as antigens in autoimmunity | W. VAN EDEN, E. J. M. HOGERVORST, M. H. M. WAUBEN, R. VAN DER ZEE & C. J. P. BOOG | 171 |
| Autoantibody-facilitated proteolytic cleavage: a new pathogenic mechanism in autoimmunity | J. JACKSON | 176 |
| Autoimmunity to acetylcholine receptors in myasthenia gravis | A. VINCENT | 180 |
| Immune haemolytic anaemia and thrombocytopenia: drugs and autoantibodies | W. G. MURPHY & J. G. KELTON | 183 |
| The development of insulin-dependent diabetes mellitus in non-obese diabetic mice: the role of CD4+ and CD8+ T cells | A.-M. VAREY, P. HUTCHINGS, L. O'REILLY, T. HUSSELL, H. WALDMANN, E. SIMPSON & A. COOKE | 187 |
| The molecular basis of halothane-induced hepatitis | J. G. KENNA | 191 |
| Identification and analysis of the major autoantigens in primary biliary cirrhosis | S. J. YEAMAN | 197 |

colloquium: Amine Oxidases: Structure, Function and Expression

| | | |
|---|---|-----|
| Molecular biological studies of monoamine oxidase: structure and function | J. F. POWELL | 199 |
| The use of mechanism-based inactivators to probe the mechanism of monoamine oxidase | R. B. SILVERMAN | 201 |
| Structure-modulated recognition of substrates and inhibitors by monoamine oxidases A and B | P. DOSTERT & M. STROLIN BENEDETTI | 207 |
| The interaction of monoamine oxidases with tertiary amines | T. P. SINGER & R. R. RAMSAY | 211 |
| Monoamine oxidase inhibitory potencies and selectivities of 2-[N-(2-propynyl)-aminomethyl]-1-methyl indole derivatives | D. BALSA, E. FERNANDEZ-ALVEREZ, K. F. TIPTON & M. UNZETA | 215 |
| The kinetic mechanisms of monoamine oxidases A and B | R. R. RAMSAY & T. P. SINGER | 219 |
| Novel substrates and product of amine oxidase-catalysed reactions | M. B. H. YOUSDIN, N. HARSHAK, M. YOSHIOKA, H. ARAKI, Y. MUKAI & G. GOTTO | 224 |
| Properties and functions of the semicarbazide-sensitive amine oxidases | B. A. CALLINGHAM, A. HOLT & J. ELLIOTT | 228 |

635th Meeting, Aberdeen

colloquium: Lipids, Lipoproteins and Antioxidants in Cardiovascular Dysfunction

**Interactions of lipoproteins with vascular intima
in atherosclerosis**

E. B. SMITH

235

contents — communications

Strategies for studying membrane proteins of the nervous system

| | | |
|--|---|------------|
| A sensitive enzyme-linked immunosorbent assay for endopeptidase-24.11 | S. HOWELL, H. MURRAY, A. J. KENNY & A. J. TURNER | 1S |
| Purification and characterization of a quisqualate sensitive glutamate binding protein | F. R. BATSTONE, S. R. GREY & P. J. RICHARDSON | 2S |
| Excitatory sulphur amino acids evoke a Ca^{2+}-independent release of [^3H]D-ASP and [^3H]GABA from primary neuronal cultures by a mechanism which involves reversal of the high affinity transporters for L-glu and GABA, respectively | J. DUNLOP, A. GRIEVE, A. SCHOUSBOE & R. GRIFFITHS | 3S |
| The chicken GABA_A receptor: heterogeneity of gamma subunits | T. A. GLENVERSE, A. N. BATESON & M. G. DARLISON | 4S |
| Kinetic characterization of excitatory sulphur amino acid transport in synaptosomes and in primary cultures of different brain cells | A. GRIEVE, J. DUNLOP, A. SCHOUSBOE & R. GRIFFITHS | 5S |
| Histamine-induced changes in intracellular calcium in undifferentiated NIE-115 cells | P. A. IREDALE, A. RUCK, K. F. MARTIN, D. A. KENDALL & S. J. HILL | 6S |
| Characterization and localization of the high affinity adenosine A2 receptor in rat and human brain | S. JAMES, P. J. RICHARDSON & J. H. XUEREB | 7S |
| Changes in fast axonal transport of proteins prior to demyelination in optic nerves of mice following Semliki Forest virus infection | H. G. JENKINS, B. S. KALER & H. IKEDA | 8S |
| Alternative splicing increases GABA_A receptor heterogeneity | A. LASHAM, A. N. BATESON & M. G. DARLISON | 9S |
| The design of photo-affinity labels for the characterization of the 5-hydroxytryptamine transporter on human platelet membranes | W. J. MAHER, O. M. PHILLIPS & D. C. WILLIAMS | 10S |
| Purification and immunological studies on the peripheral type benzodiazepine acceptor | P. N. MOYNAGH, C. J. BAILEY & D. C. WILLIAMS | 11S |
| Binding affinities of some neuropeptides to neuropeptide receptors from rat brain | A. R. ALDALOU, G. B. IRVINE, C. SHAW, D. J. S. GUTHRIE, J. NELSON & B. WALKER | 12S |
| Neurokinin A analogue binding to NK-2 receptors from guinea-pig brain | A. A. ABU SHANAB, J. M. ALLEN, D. J. S. GUTHRIE, G. B. IRVINE & B. WALKER | 13S |

Biosensors

| | | |
|--|--|------------|
| Detection of NADH via hydrogen peroxide at a platinum electrode using immobilized lactate dehydrogenase and lactate oxidase | D. A. SCOTT, M. SOMASUNDARAM & A. W. SKILLEN | 14S |
|--|--|------------|

Biochemical mechanisms in autoimmunity

| | | |
|---|---|------------|
| In vitro lymphocyte proliferative response to streptococcal M protein in psoriasis | J. P. MCFADDEN, D. G. QUINN & R. D. R. CAMP | 15S |
|---|---|------------|

Molecular enzymology

| | | |
|---|--|------------|
| A novel maltooligosaccharide producing amylase | A. C. M. BOURKE, C. T. KELLY & W. M. FOGARTY | 16S |
|---|--|------------|

| | | |
|---|--|------------|
| Subunit structure of fungal glutathione-S-transferases | J. CASEY, F. SHALLOE & D. SHEEHAN | 17S |
| Re-assignment of the cytosolic and mitochondrial isoenzymes of fumarase from yeast | D. J. MANGAN, N. M. O'SULLIVAN & S. DOONAN | 18S |
| Effect of divalent metal cations on <i>Rhizobium meliloti</i> β-galactosidase | M. LEAHY, S. FANNING, F. O'GARA & D. SHEEHAN | 19S |
| Catechol-O-methyltransferase from human placenta: purification and some properties | N. NIC A BHARD & K. F. TIPTON | 20S |
| Lactate dehydrogenase isoenzymes in human intrauterine tissues | M. H. JAVED, N. KHAN & M. A. WAQAR | 21S |
| cAMP-dependent protein kinases in human tissues | M. H. JAVED, G. ASHRAF & M. A. WAQAR | 22S |
| Protein kinase-C in rat brain and human tissues | M. H. JAVED, G. ASHRAF & M. A. WAQAR | 23S |
| Symmetric constraints and the active site of MAO-B | B. H. NICHOLSON | 24S |

General topics

| | | |
|---|---|------------|
| The xylan-degrading enzyme systems of <i>Penicillium capsulatum</i> and <i>Talaromyces emersonii</i> | E. X. F. FILHO, M. G. TUOHY, J. PULS & M. P. COUGHLAN | 25S |
| Factors influencing protease levels in animal cells <i>in vitro</i> | R. O'LEARY, B. GREGORY, B. CAREY, E. McGLINCHY, A. O'TOOLE, M. CLYNES & B. O'CONNOR | 26S |
| Characterization of a cathepsin-B proteinase released by <i>Fasciola hepatica</i> (liver fluke) | M. HEFFERNAN, A. SMITH, D. CURTAIN, S. McDONNELL, J. RYAN & J. P. DALTON | 27S |
| Action of platelet-derived growth factor on human lung fibroblasts derived from normal and diseased lungs | M. DEMPSEY, I. PRATT & C. O'CONNOR | 28S |
| Isolation, culture and characterization of fibroblast-like cells derived from the Wharton's jelly portion of human umbilical cord | K. D. McELREAVEY, A. I. IRVINE, K. T. ENNIS & W. H. I. MCLEAN | 29S |
| Aminopeptidase activities in <i>Helix aspersa</i> | M. P. ENNIS, P. J. CROSSEY, G. B. IRVINE & C. H. WILLIAMS | 30S |
| Receptor binding and contractile activity of some synthetic neurotensin fragments on isolated guinea-pig <i>Taenia coli</i> | A. R. ALDALOU, G. B. IRVINE, J. ALLEN, C. SHAW, J. NELSON & B. WALKER | 31S |
| Plasmid maintenance alters substrate affinity | D. BYRNE, A. J. McLoughlin & C. HUSSEY | 32S |
| Hormonal control of insulin like growth factor I (IGF-I) secretion in a cell line derived from normal adult rat liver | J. BEATTIE & D. J. FLINT | 33S |
| Characterization of CHAPS-solubilized active erythropoietin receptors from Rauscher erythroleukaemic cells using biotinylated erythropoietin | M. AFRASIABI, G. E. ELDER, T. R. J. LAPPIN & J. M. BRIDGES | 34S |
| Aminotripeptidase activity in <i>Lactococcus lactis</i> subsp <i>cremoris</i> AM2 | C. L. BACON, I. NI FHAOLAIN, P. V. JENNINGS & G. O'CUINN | 35S |

contents — communications

| | | |
|---|--|------------|
| Thyroliberin and luliberin degradation by enzymes in cultured cells of neural origin | M. ELMORE, M. SMYTH, G. COOKMAN, C. REGAN, B. O'CONNOR & G. O'CUINN | 36S |
| Subcellular distribution of dipeptidyl aminopeptidase activity against Lys-Ala-NH-Mec in guinea-pig brain | M. SMYTH, B. O'CONNOR & G. O'CUINN | 37S |
| Adenosinetriphosphatase (ATPase) activity of myofibrils prepared from pre-rigor and from rigor rat skeletal muscle | W. J. REVILLE & G. A. MEADE | 38S |
| Identification of a putative erythrocyte receptor of <i>P.c. chabaudi</i> | S. O'DONOVAN, J. McNALLY & J. P. DALTON | 39S |
| Deoxyribonuclease from <i>Pseudomonas maltophilia</i> | C. M. SCALLY & F. G. WINDER | 40S |
| Beta-adrenergic effects on cellular cholesterologenesis and low density lipoprotein metabolism | D. OWENS, L. O'DONNELL, P. COLLINS, A. JOHNSON & G. H. TOMKIN | 41S |
| Construction and characterization of 3'-deletion mutants of the rat prolactin gene promoter | S. GIAFRI & F. MARTIN | 42S |
| The association of transcription factor Pit I/GHF-I with Pit and Oct binding elements | S. LARKIN, S. TAIT & F. MARTIN | 43S |
| Urokinase-type plasminogen activator and its inhibitor PAI-1 in breast cancer: studies at both protein and mRNA level | D. REILLY, P. ANDREASEN & M. J. DUFFY | 44S |
| cDNA cloning of genes from the fungus <i>Armillaria mellea</i> | J. O'CONNELL & S. DOONAN | 45S |
| Analysis of expression of the human ryanodine receptor gene in malignant hyperthermia skeletal muscle tissue | C. M. GILLIAN, J. J. A. HEFFRON, M. LEHANE, A. MARKS & T. V. McCARTHY | 46S |
| Prothrombinase expression of taxol treated platelets | M. CROOK | 47S |
| The effects of ascorbic acid on collagen synthesis by cultured human skin fibroblasts | S. M. L. ANDERSON, W. H. I. MCLEAN & R. J. ELLIOTT | 48S |
| The measurement of γ-glutamyl transferase activity in sheep liver, kidney and pancreas with oxidized glutathione. A comparison with the activities found using γ-glutamyl p-nitroanilide in the absence and presence of glycylglycine | P. C. NICHOLAS & D. L. THOMAS | 49S |
| The reaction of oxidized and reduced glutathione (with some amino acids) and L-γ-glutamyl p-nitroanilide with sheep kidney tissue homogenate. An examination of the reaction products by paper chromatography | P. C. NICHOLAS & D. L. THOMAS | 50S |
| The determination of γ-glutamyl transferase (EC 2.3.2.2) with oxidized glutathione, glutamate dehydrogenase, NAD and tetrazolium salts. A method appropriate to kinetic measurements and enzymic staining after electrophoresis | P. C. NICHOLAS & D. L. THOMAS | 51S |
| Two novel methods used in the biodegradation of bile acids and plant sterols | D. L. V. GRAHAM, G. M. LOWE, D. A. PHIPPS & R. F. BILTON | 52S |

| | | |
|--|---|-----|
| Detection of calcium binding proteins in human aortic tissue | J. A. CAMPBELL, J. D. BIGGART & R. J. ELLIOTT | 53S |
| A kinetic assay for the isoenzymes of malate dehydrogenase | R. SLOAN & R. J. ELLIOTT | 54S |
| A bioassay technique for plasma proinsulin measurements | V. DOYLE & R. DEVERY | 55S |
| A modified thiobarbituric acid method for the determination of N-acetylneurameric acid | V. A. KINSELLA, G. J. BURNS & R. O'KENNEDY | 56S |
| The production and characterization of a coumarin-bovine serum albumin (BSA) conjugate and its use for antibody production | D. A. EGAN, P. JAMES & R. O'KENNEDY | 57S |
| Purification of monocyte esterase using narrow range (pH 5.6–6.6) immobilised pH gradient electrophoresis | K. T. ENNIS, W. H. I. MCLEAN, A. E. HUGHES & N. C. NEVIN | 58S |
| 2D-PAGE reveals the absence of collagenase production in normal human osteoblasts in culture | D. P. HANKEY, W. H. I. MCLEAN & A. E. HUGHES | 59S |
| Protein analysis in Epidermolysis Bullosa | W. H. I. MCLEAN, K. T. MCKENNA, S. M. L. ANDERSON & N. C. NEVIN | 60S |
| The effects of vitamin E and/or selenium depletion on tissue peroxidation and peroxidability in ruminant cattle | D. M. WALSH, S. KENNEDY, W. J. BLANCHFLOWER & D. G. KENNEDY | 61S |
| Human neutrophil collagenase — its isolation and purification | D. B. MOLONEY, C. M. O'CONNOR & M. X. FITZGERALD | 62S |
| Comparison of the type I insulin-like growth factor (IGF) receptor binding in ovine tissue and human placental membranes | J. RYAN, T. MANTLE & D. C. COSTIGAN | 63S |
| Isolation of menaquinone 7 from <i>Pseudomonas</i> N.C.I.B. 10590: a natural electron acceptor for steroid A-ring dehydrogenations | A. J. RUTHERFORD, D. WILLIAMS & R. F. BILTON | 64S |
| Normalization of intestinal cholesterologenesis following insulin administration in streptozotocin diabetic rats | U. M. MOORE, A. H. JOHNSON, G. H. TOMKIN & P. B. COLLINS | 65S |
| Investigation of the stability of bovine heart creatine kinase | H. SHEEHAN & R. O'KENNEDY | 66S |
| Identification of transferrin in mitochondria isolated from rat liver | A. A. MOSHTAGHIE, M. ANI & M. TAHER | 67S |
| Protein upgrading of wheat straw by fungal fermentation | Y. WILKINSON, M. F. COUGHLAN & E. COLLERAN | 68S |
| Adhesion of 1-carbon utilizing bacteria to polymeric surfaces | B. DONLON, P. O'GARA & E. COLLERAN | 69S |
| Development of a pressure transducer assay for monitoring the specific activity of hydrogenophilic methanogens | J. D. COATES, M. F. COUGHLAN & E. COLLERAN | 70S |
| The effects of histamine H ₂ receptor antagonists on the activity of horse liver alcohol dehydrogenase | E. P. CARR, K. F. TIPTON & P. W. N. KELLING | 71S |

contents — communications

| | | |
|--|---|------------|
| Elevation of volatile fatty acid levels and adjustment of acetate/propionate ratios during ruminal fermentation of various feedstuffs with the high strength yeast culture, Yea-Sacc¹⁰²⁶ | J. P. RYAN & W. R. GRAY | 72S |
| Comparative analysis of the binding of multiple forms of mitochondrial malate dehydrogenase to the inner membrane of the mitochondria | F. LANGA, V. GRACIA, J. L. GELPI, A. MAZO & A. CORTES | 73S |
| Comparison of some of the properties of the holoenzymes and apoenzymes of the molecular forms of chicken liver cytoplasmic aspartate aminotransferase | C. QUIROGA, S. IMPERIAL, M. BUSQUETS & A. CORTES | 74S |