

colloquia**639th Meeting, Manchester****colloquium: The Extracellular Matrix in Health and Disease**

| | | |
|---|---|------------|
| The extracellular matrix in health and disease: preface | M. E. GRANT & M. J. HUMPHRIES | 803 |
| The human collagen X gene: complete primary sequence and re-expression in osteoarthritis | J. T. THOMAS, C. J. CRESSWELL, B. RASH, J. HOYLAND A. J. FREEMONT, M. E. GRANT & R. P. BOOT-HANDFORD | 804 |
| On the regulation of collagen-fibril shape and form | D. F. HOLMES, R. B. WATSON & K. E. KADLER | 808 |
| Approaches to the design of anti-fibrotic drugs | T. J. FRANKLIN, N. J. HALES, D. JOHNSTONE, W. B. MORRIS, C. J. CUNLIFFE, A. J. MILLEST & G. B. HILL | 812 |
| Biology and pathology of the pericellular heparan sulphate proteoglycans | G. DAVID | 816 |
| Structure and function of the fibril-associated collagens | M. VAN DER REST, E. AUBERT-FOUCHER, B. DUBLET, D. EICHENBERGER, B. FONT & D. GOLDSCHMIDT | 820 |
| Molecular biology and pathology of human elastin | J. UITTO, A. M. CHRISTIANO, V.-M. KÄHÄRI M. M. BASHIR & J. ROSENBLUM | 824 |
| Fibronectin and integrins in cell adhesion and migration | S. AOTA, T. NAGAI, K. OLDEN, S. K. AKIYAMA & K. M. YAMADA | 830 |
| Integrins in thrombosis, wound healing and cancer | D. A. CHERESH | 835 |
| Assembly of laminin isoforms by triple- and double-stranded coiled-coil structures | J. ENGEL, I. HUNTER, T. SCHULTHESS, K. BECK, T. W. DIXON & D. A. D. PARRY | 839 |
| Cell adhesion to type-VI collagen | M. AUMAILLEY, U. SPECKS & R. TIMPL | 843 |

colloquium: Biochemistry of the Eye

| | | |
|--|--|------------|
| Anion pumps in ocular tissues | S. HODSON, J. GUGGENHEIM, D. KAILA & C. WIGHAM | 849 |
| Molecular interactions in the eye lens | C. SLINGSBY, A. SIMPSON, A. FERSZT, O. A. BATEMAN & V. NALINI | 853 |
| Signal transduction in photoreceptors | K. LANGMACK & H. SAIBIL | 858 |
| Structural and biochemical changes in the sclera of experimentally myopic eyes | N. A. McBRIEN, H. O. MAGHADDAM, A. P. REEDER & S. MOULES | 861 |
| Structure and properties of dermatan sulphate proteoglycans | L. COSTER | 866 |
| Morphological and biochemical studies of the structure of the vitreous and the zonular fibres | R. MAYNE, R. G. BREWTON, D. W. WRIGHT & Z. X. REN | 868 |

| | | |
|--|--|------|
| Whole-organ enzymology of the creatine kinase system in heart | J. S. INGWALL | 1006 |
| Manipulating creatine kinase activity in transgenic mice to study control of energy metabolism | M. J. BROSNAN, J. M. HALOW & A. P. KORETSKY | 1010 |
| <hr/> | | |
| colloquium: Cytoskeleton: its Role in Cellular Function | | |
| <hr/> | | |
| Introductory remarks | J. HESKETH & I. PRYME | 1015 |
| Role of actin-binding proteins in cytoskeletal dynamics | A. G. WEEDS, J. GOOCH, M. HAWKINS, B. POPE & M. WAY | 1016 |
| Aspects of the evolution of the lamin/intermediate filament protein family: a current analysis of invertebrate intermediate filament proteins | K. WEBER, D. RIEMER & H. DODEMONT | 1021 |
| Microtubule dynamic instability: some possible physical mechanisms and their implications | P. M. BAYLEY & S. R. MARTIN | 1023 |
| Cytoskeletal proteins in adherens-type cell-matrix junctions | D. R. CRITCHLEY, A. GILMORE, L. HEMMINGS, P. JACKSON, A. McGREGOR, V. OHANIAN, B. PATEL, G. WAITES & C. WOOD | 1028 |
| Diversity of ankyrins in the brain | V. BENNETT, E. OTTO, M. KUNIMOTO, E. KORDELI & S. LAMBERT | 1034 |
| Red cell membrane cytoskeleton and the control of membrane properties | J. C. PINDER | 1039 |
| p103 and A60: novel proteins of the neuronal membrane-associated cytoskeleton | N. V. L. HAYES, D. A. RAYNER, A. WOODS & A. J. BAINES | 1042 |
| Dynamic changes in neutrophil cytoskeleton during priming and subsequent surface stimulated functions | N. CRAWFORD & P. EGGLETON | 1048 |
| Generation of plasma membrane domains in polarized epithelial cells: role of cell-cell contacts and assembly of the membrane cytoskeleton | W. J. NELSON | 1055 |
| Desmosomal glycoproteins I, II and III: novel members of the cadherin superfamily | G. N. WHEELER, R. S. BUXTON, A. E. PARKER, J. ARNEMANN, D. A. REES, I. A. KING & A. I. MAGEE | 1060 |
| α-Actinin: a direct link between actin and integrins | F. M. PAVALKO, C. A. OTEY, K. O. SIMON & K. BURRIDGE | 1065 |
| Syndecan, a regulator of cell behaviour, is lost in malignant transformation | M. JALANKANEN, K. ELENIUS, P. INKI, J. KIRJAVAINEN & S. LEPPÄ | 1069 |
| Developmental changes in expression of adhesion-mediated proteins in human aortic smooth muscle | V. E. KOTELIANSKY, A. M. BELKIN, M. G. FRID & M. A. GLUKHOVA | 1072 |
| Cell-cell adhesion molecules | E. BOCK | 1076 |
| Microtubule organization in growth cones | P. R. GORDON-WEEKS | 1080 |
| Calcium, the cytoskeleton and calpastatin (annexin II) in exocytotic secretion from adrenal chromaffin and mammary epithelial cells | R. D. BURGOYNE, S. E. HANDEL, A. MORGAN, M. E. RENNISON, M. D. TURNER & C. J. WILDE | 1085 |

| | | |
|---|---|------------|
| The integration of mass spectrometry into the biochemistry laboratory | K. K. MOCK, M. DAVEY, M. P. STEVENSON & J. S. COTTRELL | 948 |
| A comparison of electrospray-ionization m.s. and matrix-assisted laser desorption time-of-flight m.s. for the analysis of protein mixtures | M. H. ALLEN, D. J. GRINDSTAFF, M. L. VESTAL & R. W. NELSON | 954 |
| Mass spectrometry software for biochemical analysis in electrospray and fast atom bombardment modes | P. J. F. WATKINS, I. JARDINE & J. X. G. ZHOU | 957 |

colloquium: Regulation of Retroviral Gene Expression

| | | |
|---------------------------------|---|------------|
| Retroviral RNA packaging | A. M. L. LEVER, J. H. RICHARDSON & G. P. HARRISON | 963 |
|---------------------------------|---|------------|

colloquium: Bioenergetics — What Should We Teach and How Should We Teach it?

| | | |
|---|---|------------|
| Introducing bioenergetics in the first year | J. M. WRIGGLESWORTH | 967 |
| Integration of catabolism and anabolism in microbial systems | D. W. TEMPEST | 972 |
| Phototropic bacteria — useful organisms for class experiments | J. B. JACKSON | 976 |
| Using the bacterium, <i>Paracoccus denitrificans</i> and other 'runaway mitochondria' as classroom models for respiratory electron transport studies | B. BOLGIANO, H. C. DAVIES & R. K. POOLE | 976 |
| The protonmotive force and the problem of the P/O ratio; some teaching considerations | S. J. FERGUSON | 982 |

colloquium: Enzymology *in vivo*

| | | |
|--|---|-------------|
| Enzymology <i>in vivo</i> | K. M. BRINDLE | 985 |
| Metabolic organization and the ultrastructure of animal cells | J. S. CLEGG | 986 |
| N.m.r. studies of muscle glycogen synthesis in normal and non-insulin-dependent diabetic subjects | D. L. ROTHSCHILD, R. G. SHULMAN & G. I. SHULMAN | 992 |
| N.m.r. studies of phospholipid metabolism and cell proliferation | G. K. RADDI, R. M. DIXON & C. A. WOOD | 995 |
| A combined n.m.r. and molecular biological approach to studying enzymes <i>in vivo</i> | K. M. BRINDLE, S. E. C. DAVIES & S.-P. WILLIAMS | 997 |
| Is there tight channelling in the tricarboxylic acid cycle metabolism? | B. SUMEGI, A. D. SHERRY, C. R. MALLOY, C. EVANS & P. A. SRERE | 1002 |

| | | |
|--|---|------------|
| Physical and biological properties of keratan sulphate proteoglycan | J. L. FUNDERBURGH, M. L. FUNDERBURGH, M. M. MANN & G. W. CONRAD | 871 |
| Proteoglycan: collagen interactions and corneal ultrastructure | J. E. SCOTT | 877 |

colloquium: Autocoid and Hormone Receptors: Rational Drug Design

| | | |
|---|---|------------|
| Rational methods for site-directed drug design: novel approaches for the discovery of potential ligands | R. A. LEWIS | 883 |
| Intracellular recognition sites for inositol 1,4,5-triphosphate and inositol 1,3,4,5-tetrakis-phosphate | R. A. J. CHALLISS, S. T. SAFRANY, B. V. L. POTTER & S. R. NAHORSKI | 888 |
| Nuclear hormone receptors and rational drug discovery | S. GREEN | 894 |
| Role of ligand in oestrogen-receptor function | M. G. PARKER, S.E. FAWELL, P. DANIELIAN & N. ARBUCKLE | 897 |
| Development of novel oestrogen-receptor antagonists | A. E. WAKELING & J. BOWLER | 899 |
| Design of ligands for the glucocorticoid and progestin receptors | G. TEUTSCH, M. GAILLARD-MOGULEWSKY, G. LEMOINE, F. NIQUE & D. PHILIBERT | 901 |
| Tachykinin receptor antagonists and potential clinical applications at peripheral level | C. A. MAGGI, R. PATACCINI, P. ROVERO, S. GUILIANI & A. GIACCHETTI | 909 |
| Cholecystokinin receptors: synthetic antagonists with selectivity for receptor subtypes and possible clinical applications | L. L. IVERSEN, C. T. DOURISH & S. D. IVERSEN | 913 |

colloquium: Biological Mass Spectrometry

| | | |
|---|---|------------|
| The structural domains in the E2 component of the pyruvate dehydrogenase multienzyme complex from <i>Bacillus stearothermophilus</i> | L. C. PACKMAN & D. S. HIPPS | 917 |
| Laser-desorption-ionization Fourier-transform ion-cyclotron-resonance (LDI-FT-ICR) mass spectrometry (m.s.) of bacterial oligosaccharides | Z. LAM, L. BEYNON, M. B. COMISAROW, G. S. DUTTON & A. BJARNASON | 922 |
| The study of intact proteins and glycoproteins by electrospray m.s. | B. N. GREEN & R. W. A. OLIVER | 929 |
| Pyrolysis mass spectrometry of polysaccharides | J. A. LOMAX, J. M. COMMANDEUR & J. J. BOON | 935 |
| Some biochemical applications of electrospray-magnetic sector mass spectrometry | J. R. CHAPMAN, R. T. GALLAGHER & M. MANN | 940 |
| Application of electrospray ionization mass spectrometry and tandem mass spectrometry in combination with capillary electrophoresis for biochemical investigations | C. G. EDMONDS, J. A. LOO, R. R. OGORZALEK LOO, H. R. UDSETH, C. J. BARINAGA & R. D. SMITH | 943 |

contents – TRANSACTIONS

| | | |
|---|---|------|
| Characterization of cytoplasmic proteins essential for exocytosis in chromaffin cells | J.-M. SONTAG, T. SARAFIAN, M.-F. BADER & D. AUNIS | 1090 |
| Role of the cytoskeleton in nucleocytoplasmic RNA and protein distributions | P. S. AGUTTER | 1094 |
| Cytoskeletal association of mRNAs during growth stimulation | D. E. LARSON, L. C. BERGER, N. SIENNA & B. H. SELLS | 1099 |
| Association of ribosomes with myofibrils and microfilaments: a role in the spatial organization of protein synthesis | J. HESKETH | 1103 |
| Compartmentalization of polysomes into free, cytoskeletal-bound and membrane-bound populations | A. VEDELER, I. F. PRYME & J. E. HESKETH | 1108 |
| Keratin genes, epidermal differentiation and animal models for the study of human skin diseases | E. FUCHS | 1112 |
| The cytoskeleton in muscle cells in relation to function | L.-E. THORNELL & M. G. PRICE | 1116 |
| Reorganization and turnover of actin filament architectures in cells | P. SHETERLINE, S. H. HANDEL & K. A. K. HENDRY | 1120 |

communications

| | | |
|--|---|------|
| Cytochalasins potently inhibit glycogen synthesis in hepatocyte cultures by an indirect mechanism | M. AL-HABORI, M. PEAK & L. AGIUS | 1125 |
| G-proteins and the association of ligand/receptor complexes with the cytoskeleton in human neutrophils | E. SARNDALH, G. M. BOKOCH, K. SPICHER, O. STENDAHL & T. ANDERSSON | 1127 |
| Differences in basal and formyl-Met-Leu-Phe-stimulated F-actin content of human blood neutrophil subpopulations separated by continuous-flow eletrophoresis | P. EGGLETON, J. PENHALLOW & N. CRAWFORD | 1129 |
| Microinjection of the <i>Yersinia YopE</i> cytotoxin in mammalian cells induces actin microfilament disruption | R. ROSQVIST, Å. FORSBERG & H. WOLF-WATZ | 1131 |
| Glycoprotein Ib- and actin-binding regions in human platelet actin-binding protein | A. M. AAKHUS, J. M. WILKINSON & N. O. SOLUM | 1133 |
| Differences in the content of actin-binding proteins in subcellular fractions prepared from Krebs II ascites cells | B. ALMÅS, I. F. PRYME, A. VEDELER & J. E. HESKETH | 1135 |
| Changes in amounts of polysomes in free, cytoskeleton-bound and membrane-bound populations in Krebs II ascites cells subjected to different growth conditions | E.-K. KIRKEEIDE, I. F. PRYME & A. VEDELER | 1136 |

| | | |
|---|---|------|
| Difference in patterns of proteins isolated from polysomes in free, cytoskeleton-bound and membrane-bound fractions in MPC-11 cells incubated with insulin | R. MOSS, I. F. PRYME & A. VEDELER | 1138 |
| Inhibition by <i>p</i>-bromophenacyl bromide of microtubule assembly <i>in vitro</i> | A. J. HARGREAVES, J. FLASKOS, A. P. GLAZIER & W. G. MCLEAN | 1140 |
| Tubulin:tyrosine ligase activity in regenerating peripheral nerve | F. H. MULLINS, A. J. HARGREAVES & W. G. MCLEAN | 1143 |
| The largest neurofilament component assembles in non-neuronal cells (fibroblasts), but is not phosphorylated | J. A. B. NASH & M. J. CARDEN | 1147 |
| Calcium-induced degradation of the lens cytoskeleton | J. M. MARCANTONIO & G. DUNCAN | 1148 |
| Association of pp60^{c-src} with the cytoskeleton upon platelet activation | A. R. HORVÁTH, Z. KISS, R. ANAND & S. KELLIE | 1150 |
| Morphological changes in adherent cells induced by <i>Clostridium difficile</i> toxins | C. V. EICHEL-STREIBER, I. WARFOLOMEOW, D. KNAUTZ, M. SAUERBORN & U. HADDING | 1154 |
| Restricted efflux of the type II isoform of cyclic AMP-dependent protein kinase in permeabilized rat hepatocytes | O. K. VINTERMYR, K. K. DAO & S. O. DØSKELAND | 1161 |
| High-molecular-mass complexes of the regulatory subunits of cyclic AMP-dependent protein kinase | J. HAAVIK, B. FAUSKE, T. FLATMARK & S. O. DØSKELAND | 1163 |

contents — communications

Biochemistry of the eye

- Collagen and ageing in Bruch's membrane** W. S. S. KARWATOWSKI, T. E. JEFFRIES, V. C. DUANCE, J. ALBON, A. J. BAILEY & D. L. EASTY **349S**
- Ultrastructural characterization of normal and pathological human scleral proteoglycans** R. D. YOUNG, W. KARWATOWSKI, E. SMITH, R. H. GREY & D. WONG **350S**
- Extraction of the intact form of type IX collagen from mammalian vitreous** P. N. BISHOP, D. MCLEOD & S. AYAD **351S**
- Mucins synthesized in organ culture of human conjunctival tissue** A. P. CORFIELD, N. MYERSCOUGH, M. BERRY, J. R. CLAMP & D. L. EASTY **352S**
- Proteoglycan-collagen interactions in chronic superficial keratitis in the dog** D. L. WILLIAMS, A. CRIBB & J. E. SCOTT **353S**
- Differential effect of oxygen supply and lactate concentration on keratan sulphate and glycosaminoglycuronan production in bovine cornea** C. BALDUINI, G. DE LUCA, A. PASSI, S. RINDI, R. SALVINI & J. E. SCOTT **354S**

Autocoid and hormone receptors: rational drug design

- Kinetic analysis of halothane-induced Ca^{2+} release from isolated heavy sarcoplasmic reticulum** J. FRENCH & J. J. A. HEFFRON **355S**
- Relaxin and cAMP in rat uterus *in vivo*** A. McILWRATH, S. J. DOWNING & M. HOLLINGSWORTH **356S**
- An alternative interpretation of multiple-affinity agonist binding to β -adrenoceptors** A. J. NIMMO, J. R. CARSTAIRS, E. M. WHITAKER & J. F. B. MORRISON **357S**
- Stimulation of prostaglandin E₂ binding to a murine macrophage cell line (P388D₁) by insulin** A. K. DUTTA-ROY, M. G. RAE, A. S. MILTON & D. ROTONDO **358S**

Control of starch and sucrose metabolism in leaf and storage tissues

- Binding saturation analysis of inositol-1,4,5-trisphosphate in suspension cultures of lucerne cells** C. J. COOKE, C. J. SMITH, R. P. NEWTON & T. J. WALTON **359S**
- Alpha-amylase isoenzymes in aged wheat aleurone layers** M. A. LIVESLEY & C. M. BRAY **360S**

The extracellular matrix in health and disease

- An assessment of the efficacy of anti-integrin α subunit monoclonal antibody production using affinity purified $\beta 1$ -integrin dimers as immunogen** A. P. MOULD, J. A. ASKARI, S. K. AKIYAMA, K. M. YAMADA & M. J. HUMPHRIES **361S**
- Relationship between the secretion of cysteine proteinases and their inhibitors and malignant potential** J. W. J. VAN DER STAPPEN, C. PARASKEVA, A. C. WILLIAMS, A. HAGUE & R. A. MACIEWICZ **362S**
- Iodoacetate action on articular cartilage chondrocytes** R. M. MASON & D. C. L. GOH **363S**
- Effect of oxygen tension on ^{35}S -glycosaminoglycan synthesis and UDP-sugar pool size in articular cartilage** G. E. HENDERSON & R. M. MASON **364S**
- The aromatic zipper: a model for the initial trimerization event in collagen folding** A. BRASS, K. E. KADLER, J. T. THOMAS, M. E. GRANT & R. P. BOOT-HANDFORD **365S**
- Use of the polymerase chain reaction to amplify and clone α -chains of bovine collagen IV** H. C. BUTTERWORTH, A. D. MURDOCH & R. P. BOOT-HANDFORD **366S**

| | | |
|--|--|------|
| Kidney levels of mRNA encoding S and B2 laminin and α I(IV) collagen in diabetic rats fed an aldose reductase inhibitor | B. N. PATEL & R. P. BOOT-HANDFORD | 367S |
| Maintenance of collagen IV expression by bovine retinal pericytes isolated directly onto Matrigel film | A. D. MURDOCH, A. E. CANFIELD, M. E. GRANT & R. P. BOOT-HANDFORD | 368S |
| Effects of hyperglycaemic conditions on basement-membrane gene expression in cultured cells | A. D. MURDOCH, M. E. GRANT & R. P. BOOT-HANDFORD | 369S |
| Novel methods for the study of cell-collagen interactions | D. S. TUCKWELL, M. D. ALLEN, M. TAKIGAWA & M. J. HUMPHRIES | 370S |
| Recombinant human and dog procollagenases. Purification and characterization | P. A. KOKLITIS, R. CHOPRA, J. O'CONNELL & S. ANGAL | 371S |
| Purification of recombinant dog tissue inhibitor of metalloproteinases | R. CHOPRA, P. A. KOKLITIS, S. BERGIN, J. ROWE & S. ANGAL | 372S |
| Primary amino-acid sequence of rabbit osteocalcin | A. S. VIRDY, A. C. WILLIS, P. V. HAUSCHKA & J. T. TRIFFITT | 373S |
| Partial characterization of rat bone lysozyme | A. S. VIRDY, A. C. WILLIS & J. T. TRIFFITT | 374S |
| Type IX collagen in synovial fluids | S. F. WOTTON & V. C. DUANCE | 375S |
| Changes in the distribution of mammalian cartilage collagens with age | V. C. DUANCE & S. F. WOTTON | 376S |
| Physical studies on the protein core of skin dermatan sulphate proteoglycan II (decorin) | P. G. SCOTT | 377S |
| T-cell responses to human cartilage antigens in patients with inflammatory joint disease | C. E. JONES, R. N. HOBBS & B. A. ASHTON | 378S |
| Types II, VI and IX collagens in normal and osteoarthritic human articular cartilage | V. H. BRIERLEY, S. AYAD & M. E. GRANT | 379S |
| LDV: a novel cell adhesion motif recognized by the integrin $\alpha 4\beta 1$ | R. MAKAREM & M. J. HUMPHRIES | 380S |
| The role of integrin $\alpha 6\beta 4$ in hemidesmosomes of human amnion | F. BEHZAD, C. J. P. JONES & J. D. APLIN | 381S |
| Severe Osteogenesis Imperfecta: Type I collagen abnormalities in 17 skin fibroblast cell lines | A. E. POCOCK, M. J. O. FRANCIS & R. SMITH | 382S |
| Studies on microfibrils of developing bovine elastic tissues | C. M. KIELTY, C. A. SHUTTLEWORTH & M. E. GRANT | 383S |
| Type VI collagen forms a structural association with hyaluronan <i>in vivo</i> | C. M. KIELTY, S. P. WHITTAKER, M. E. GRANT & C. A. SHUTTLEWORTH | 384S |
| A collagenase-sensitive glycoprotein identified in foetal bovine cell cultures | C. M. KIELTY, C. A. SHUTTLEWORTH & M. E. GRANT | 385S |
| Deglycosylation of cartilage proteoglycans and their T-cell responses | S. LYNN, P. GULAB, J. A. GOODACRE, S. MIDDLETON & J. P. PEARSON | 386S |
| Isolation of calcium-binding proteins by immobilized metal affinity chromatography | J. A. CAMPBELL, J. D. BIGGART & R. J. ELLIOTT | 387S |
| A dye-binding assay for soluble elastin | S. M. L. ANDERSON & R. J. ELLIOTT | 388S |
| Evaluation of a new, rapid collagen assay | S. M. L. ANDERSON & R. J. ELLIOTT | 389S |

contents — communications

| | | |
|--|---|------|
| N.m.r. spectroscopy of Ca^{2+} -heparin suggests delocalized binding of the cation | D. GRANT, W. F. LONG & F. B. WILLIAMSON | 390S |
| Ca^{2+} -heparin interaction investigated polarimetrically | D. GRANT, C. F. MOFFAT, W. F. LONG & F. B. WILLIAMSON | 391S |
| A relationship between cation-induced changes in heparin optical rotation and heparin-cation association constants | D. GRANT, C. F. MOFFAT, W. F. LONG & F. B. WILLIAMSON | 392S |
| Optical rotation changes in chemically modified heparins as a guide to anionic groups involved in Ca^{2+} binding | D. GRANT, C. F. MOFFAT, W. F. LONG & F. B. WILLIAMSON | 393S |
| Carboxylate symmetric stretching frequencies and optical rotation shifts of heparin-cation complexes | D. GRANT, C. F. MOFFAT, W. F. LONG & F. B. WILLIAMSON | 394S |
| I.r. spectroscopic analysis of heparin-polypeptide interaction | D. GRANT, W. F. LONG & F. B. WILLIAMSON | 395S |
| Effect of physiological pressure on the secretion of cysteine proteinases and their inhibitors from articular cartilage | R. A. MACIEWICZ, A. C. HALL & J. P. G. URBAN | 396S |

Biological mass spectrometry

| | | |
|---|--|------|
| Analysis of kinetic parameters of cyclic nucleotide phosphodiesterase systems by fast atom bombardment tandem mass spectrometry | T. J. WALTON, J. I. LANGRIDGE, J. A. KHAN, A. M. EVANS, A. G. BRENTON, D. GHOSH, F. M. HARRIS & R. P. NEWTON | 397S |
|---|--|------|

Regulation of retroviral gene expression

| | | |
|--|--|------|
| Differential effect of Coxsackie B4 virus on murine pancreatic islet proinsulin mRNA and glyceraldehyde-3-phosphate dehydrogenase mRNA | N. D. PORTWOOD, M. J. CLEMENS & K. W. TAYLOR | 398S |
|--|--|------|

Bioenergetics — what should we teach and how should we teach it?

| | | |
|--|------------------|------|
| The place of bioenergetics in the modular biochemistry course in the School of Biological Sciences at Manchester | R. P. F. GREGORY | 399S |
| Brighter bioenergetics! | B. S. BROWN | 400S |
| Redox enzymes: a model coupled system | M. T. HEYDEMAN | 401S |

Enzymology *in vivo*

| | | |
|--|-----------------------------------|------|
| Indirect measurement of betaine-homocysteine methyltransferase activity using ^1H n.m.r. spectroscopy | S. BURNS, A. JOHNSON & R. A. ILES | 402S |
| Evidence for a protein X-like domain at the N-terminus of the EI component of the mammalian 2-oxoglutarate dehydrogenase complex | J. E. RICE & J. G. LINDSAY | 403S |

General topics

| | | |
|---|--|------|
| Lactobacillus cell walls and their arthritis-inducing effects in rats | B. U. ARCHER, J. S. THOMPSON & P. J. WARNE | 404S |
|---|--|------|

| | | |
|--|---|------|
| Computer simulations of the effect of glycosylation on the conformational freedom of peptides | P. G. BAKER, J. S. THOMPSON & A. BRASS | 405S |
| Solid phase synthesis of monosaccharide-containing N-glycopeptides | R. J. CHADWICK, J. S. THOMPSON & G. TOMALIN | 406S |
| Erythrocyte 2,3 DPG in normal volunteers, asthmatics and cigarette smokers | H.J. RYDER & J. D. PHILLIPS | 407S |
| Species differences in lithium-sodium countertransport rate | S. KAUSAR, J. D. PHILLIPS & N. J. BIRCH | 408S |
| Proton gradient-dependent active transport of L-lactate in basal plasma membrane vesicles isolated from syncytiotrophoblast human placenta | S. T. ALONSO DE LA TORRE, M. A. SERRANO, T. CARO-PATON & J. M. MEDINA | 409S |
| Ubiquitination of smooth muscle calpain II catalytic subunit | P. JOHNSON & J. L. HAMMER | 410S |
| Comparison of inhibitory effects of lithium and magnesium on longitudinal smooth muscle contraction | S. M. EDBURY, F. J. HEMMINGS, R. J. DAVIE & N. J. BIRCH | 411S |
| Binding of zona pellucida glycoproteins to sperm proacrosin | R. M. WILLIAMS & R. JONES | 412S |
| Purification of food grade pectinase from <i>K. marxianus</i> | S. H. HARSA, D. L. PYLE & C. A. ZAROR | 413S |
| Application of approach to equilibrium analytical ultracentrifugation (Archibald method) to the determination of molecular weights of humic substances | A. E. WILKINSON, J. J. W. HIGGO & M. N. JONES | 414S |
| The preparation and characteristics of immunoliposomes for targeting to tumour cells (A 431) | M. J. HUDSON & M. N. JONES | 415S |
| The preparation and characterization of proteoliposomes for targeting to oral bacteria | M. KASZUBA, M. FRANKLIN, K. J. HILL & M. N. JONES | 416S |
| Single half-turnovers of the glucose transporter of the human erythrocyte | A. J. CRITCHLEY & A.G. LOWE | 417S |
| Inactivation of the nucleoside transporter of the human erythrocyte by dimethyl (2-hydroxy-5-nitrobenzyl) sulphonium bromide | S. D. THORNE & A. G. LOWE | 418S |
| The use of nested PCR and Southern blotting to confirm the presence of actin in <i>Plasmodium yoelli</i> | I. D. GOODYER, P. TOWNER & D. J. HAYES | 419S |
| Differential responsiveness of receptor tyrosylkinases to inhibitors: Analysis of insulin and epidermal growth factor receptor sensitivity in cultured rat hepatocytes | A. J. WHATMORE & A. J. DICKSON | 420S |
| Renal pH regulation in hypertension | J. F. DUNN & G. J. WALLEY | 421S |
| The effects of essential fatty acid supplementation on lithium absorption kinetics in guinea pig jejunum | M. S. FREEMAN, R. J. DAVIE & N.J. BIRCH | 422S |
| Effects of pancuronium and vecuronium on plasma levels of lactate dehydrogenase and creatine kinase in patients undergoing gynaecological surgery | F. A. WALI, V. MAKINDE, A. MAHONEY & H. F. SEELEY | 423S |

contents — communications

| | | |
|---|---|-------------|
| Generation and metabolism of Ins(1,4,5)P₃ in SH-SY5Y human neuroblastoma cells: The regulatory role of Ca²⁺ | D. G. LAMBERT, R. J. H. WOJCIKIEWICZ & S. R. NAHORSKI | 424S |
| Isolation of microperoxisomes from human colonic mucosa | A. J. WOOD, Z. A. MALIK, P. S. TAPPIA, V. POXON, R. GRACE, J. NEOPTOLEMOS, K. BURDETT & M. J. CONNOCK | 425S |
| Menaquinone-mediated free radical generation: a possible mutagenic mechanism | A. COOK, R. STOVICEK, A. D'ODORICO, A. TKAC & R. F. BILTON | 426S |
| Exchange of inhibitors and proteases at tumour cell surfaces | F. S. STEVEN, M. M. GRIFFIN, N. J. BULLEID & B. S. BROWN | 427S |
| Studies on a toxin produced by the cyanobacterium <i>Phormidium persicum</i> | R. A. LINCOLN, K. STRUPINSKI & J. M. WALKER | 428S |
| Enzyme inhibitors from algae | R. A. LINCOLN, K. STRUPINSKI & J. M. WALKER | 429S |
| Preparation of phenylalanine-deuterated, and totally ¹⁵N-enriched, calmodulins from <i>Trypanosoma brucei</i>, and its application in drug binding studies | P. J. SWEENEY, J. M. WALKER, D. G. REID, L. K. MACLACHLAN & J. P. WALTHO | 430S |
| Effects of methylazoxymethanol treatment on the GABAergic synaptosomes in the P2 fraction from developing mouse cerebellum | E. BACON, C. GIRARD, J. DE BARRY & G. GOMBOS | 431S |
| The application of mass spectrometry in the study of labile natural products | K. J. VAN DER MERWE, S. S. DE KOCK, P. SWART & L. FOURIE | 432S |
| Daily energy expenditure in human subjects | J. HASLAM & M. BANNER | 433S |
| Assessment of phosphatidylcholine (PC12) liposomes | D. J. DOHERTY & J. A. HOUGHTON | 434S |
| Effects of different de-endothelializing injuries to the rabbit carotid artery on glycosaminoglycan content and sulphonation during early wound healing | M. W. C. HATTON & M. RICHARDSON | 435S |
| Biochemical analysis of <i>Papaver somniferum</i> (opium poppy) | R. YASMIN & A. M. NARU | 436S |
| Replication of the human immunodeficiency virus type I is inhibited in human cells with antisense RNA expression | G. SZAKIEL, K. RITTNER, M. HOMANN & M. PAWLITA | 437S |
| Replication of the human immunodeficiency virus type I is inhibited by the adeno-associated virus rep gene | K. RITTNER, R. HEILBRONN, J. A. KLEINSCHMIDT, I. OELZE & G. SZAKIEL | 438S |
| Integrin-dependent platelet recognition sites in collagen: Identification of a short platelet-reactive sequence in the type III-derived fragment $\alpha 1(III)CB3$ | L. F. MORTON, L. S. ZIJENAH, I. Y. McCULLOCH, C. G. KNIGHT, M. J. HUMPHRIES & M. J. BARNES | 439S |
| Characterization and regulation of angiotensin receptors in a rat intestinal epithelial cell line | R. D. SMITH & K. D. BROWN | 440S |
| Biochemical changes in liver function due to prolonged administration of Co-protoporphyrin | R. BERI & R. CHANDRA | 441S |
| Monitoring of the <i>in situ</i> thymine photo-adduct using u.v. irradiated DNA antibody f(ab)₂ fragment | G. U. GURUDUTTA, U. P. S. CHAUHAN, V. K. JAIN & R. CHANDRA | 442S |
| Catalase activity in cultured human retinal pigment epithelial cells | W. G. UNGER, M. E. BOULTON, S. PETAL & J. P. GOLDSMITH | 443S |