

biochemical society

TRANSACTIONS

655th Meeting Manchester

Morton Lecture

Adventures with Membrane Lipids

colloquia

Modern Approaches in Structural Biology

Mitochondrial and Bacterial ATPases

Mucins: Their Structure and Biology

The Role of Lipids in Plant Cell Signal Transduction

The Enzymes of Nucleotide Biosynthesis

Hyphenated Techniques in Mass Spectrometry

Nuclear Receptors in Cell Growth, Death and Inflammation

Membrane Proteins: Binding and Insertion Events

Endotoxic Shock and Metabolism

Therapeutic Monoclonals

communications

■ *Biochemical Society Transactions* (ISSN 0300-5127; USPS 003350) is published by Portland Press Ltd on behalf of the Biochemical Society. Each issue contains the lectures, colloquia and communications presented at a meeting of the Biochemical Society or one of its constituent interest groups and, occasionally, the colloquia of other scientific meetings of biochemical interest held in the U.K. or elsewhere. Submitted primary research papers are not published and authors are reminded that detailed presentation of new experimental data may prejudice its subsequent publication in precisely that same form elsewhere. Lectures and colloquium contributions are published subject to editorial acceptance and authors will be issued with instructions on the format of their article before the meeting. Authors intending to present communications at Society meetings should consult the instructions for authors which appear in the Society's membership journal, *The Biochemist*, and occasionally in this journal. Although the publication of colloquia is by invitation, organizers of scientific meetings who would be interested in publishing their colloquia presentations in the journal are invited to discuss this possibility with the Executive Editor in the first instance.

■ For information about the advantages of membership of the Biochemical Society, contact the Executive Secretary, The Biochemical Society, 59 Portland Place, London W1N 3AJ, U.K. (telephone 0171-580 5530).

■ Editorial and publishing office: *Biochemical Society Transactions*, 59 Portland Place, London W1N 3AJ, U.K. (telephone 0171-637 5873; facsimile 0171-323 1136).

■ Royal Mail International, c/o Yellowstone International, 87 Burlews Court, Hackensack, NJ 07061, U.S.A.

Subscription rates

■ Subscriptions department: Portland Press, P.O. Box 32, Commerce Way, Colchester CO2 8HP, U.K. (telephone 01206-796351; facsimile 01206-799331). *Biochemical Society Transactions* is published in February, May, August and November of each year. Subscription rates for volume 24, parts 1-4 (1996):

	North America	Rest of world
Volume 24	\$253.00	£149.00
Single issues	\$66.00	£39.00

Subscribers to the *Biochemical Journal* may take a joint subscription to that journal and to *Biochemical Society Transactions*, saving \$25 (North America) or £15 (rest of world). North American subscription rates include airfreight delivery, and those for Japan include Accelerated Surface Post; other overseas locations are serviced by surface mail. Air-speeded delivery is available at an extra cost of £10. Back issues are available.

■ All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of permissions granted by the copyright clearing houses such as the Copyright Licensing Agency (U.K.) or the Copyright Clearance Center (U.S.A.). The CCC item-fee code for this publication is 0300-5127/95/\$8.50+0.00. Inquiries concerning reproduction outside those terms should be sent to the publishers at the London address.

■ Although, at the time of going to press, the information contained in this publication is believed to be correct, neither the authors nor the publisher nor the editor assume any responsibility for any errors or omissions herein contained.

■ Display advertising is accepted; information is available on request from the London office of Portland Press.

■ Second-class postage paid at South Hackensack, NJ, U.S.A.

■ U.S. Postmaster: send address changes to Royal Mail International, c/o Yellowstone International, 2375 Pratt Boulevard, Elk Grove Village, IL 60007-5937, U.S.A.

■ Typeset by Unicus Graphics Ltd, Horsham, and printed in Great Britain by Whitstable Litho Printers Ltd, Kent.

- Aardewijn, P.** 757
Abugila, M. A. 578S
Aggeler, R. 767
Aghajanian, S. A. 628S
Ahmad, I. 1073
Al-Shawi, M. K. 747
Allen, G. J. 856
Allen, T. M. 1073
Allison, W. S. 752
Alphay, L. 631S
Andersen, J. S. 917
Anderson, K. 1051
Aplin, J. D. 826
Arrar, L. 609S
Ashby, M. J. 548S
Aubert, J.-P. 800
Austin, P. A. 775
Avella, M. 576S
Ayad, S. 517S
- Bailey, J. M.** 619S
Baldeo, W. 613S
Baldwin, J. E. 629S
Balfour, T. W. 618S
Ball, A. S. 507S
Ball, S. G. 514S
Banerjee, A. K. 617S, 618S
Barlow, P. 725
Barnes, P. J. 940
Baron, A. J. 510S
Bates, T. E. 527S
Beechey, R. B. 559S
Beggs, T. S. 1067
Behrbohm, H. 867
Beiche, F. 621S
Benboubetra, M. 616S
Benz, S. 528S
Berden, J. A. 741
Bhat, M. K. 586S, 587S
Bhat, S. 587S
Billiar, T. R. 1008
Bisker, H. 609S
Blakey, D. C. 1047
Blakytyn, R. 610S
Boam, D. S. W. 590S
Boddy, J. L. 601S
Boer, B. 822
Boleti, E. 1044
Bolgar, M. S. 907
Bonzom, P. 613S
Boss, C. B. 573S
Boss, W. F. 573S
- Botham, K. M.** 575S, 576S
Böttcher, B. 780
Bou-Hanna, C. 810
Bovin, N. V. 584S
Bowen, D. M. 600S, 601S
Bowles, M. J. 615S
Bowsher, C. G. 570S
Bowyer, D. E. 591S
Branford White, C. J. 572S
Branka, J. E. 810
Brass, A. 715
Bravo, E. 575S
Bray, C. M. 558S
Brewin, N. J. 582S
Brierley, V. H. 505S
Bristow, D. R. 596S, 599S
Brooker, B. 587S
Brockhausen, I. 840
Brown, S. 605S
Buisine, M.-P. 800
Büller, H. A. 529S, 531S, 814
Bulygin, V. V. 736
Bunney, T. D. 581S
Burdett, K. 577S, 578S, 592S
Burke, P. J. 1047
Buxbaum, E. 557S
Byford, M. F. 629S
Byrne, P. C. 623S
- Cabot, C. F.** 1051
Calder, G. M. 581S
Calderwood, D. A. 504S
Calvert, D. T. 567S
Campbell, I. 725
Cantafora, A. 575S
Capaldi, R. A. 767
Carlstedt, I. 533S–535S, 845
Carpenter, G. H. 538S
Carpenter, K. L. H. 591S
Carrey, E. A. 620S, 899
Carrington, S. D. 537S
Carter, A. T. 621S
Cato, A. C. B. 946
Ceppi, E. D. 1002
Cervera, J. 879
Chalmers, R. A. 634S
Chan, C. 511S
Chandra, R. 539S, 540S, 546S
- Chapman, D.** 502S
Chatfield, L. 562S, 563S
Chave, K. J. 622S, 624S
Chen, J. 518S, 519S
Chissick, H. H. 604S
Choo, S.-P. 605S
Christakopoulos, P. 586S
Christopherson, R. I. 888
Chupin, V. 968
Clamp, M. 715
Clapp, K. L. 602S
Clark, N. 725
Clarke, D. T. 612S
Claydon, M. A. 633S
Clunn, G. F. 608S
Conneely, O. M. 935
Connock, M. J. 577S, 578S
Connolly, C. 551S
Constantinou, V. 614S
Coore, J. 618S
Corfield, A. 536S
Corfield, A. P. 537S, 819, 840
Cottrell, J. S. 914
Couse, J. F. 929
Coutts, I. G. C. 607S
Crain, R. C. 853
Creaney, A. 569S
Creeth, J. E. 583S
Croft, S. L. 511S
Cross, A. J. 600S, 601S
Cross, R. L. 736
Cummings, C. 515S
Curtis, S. W. 929
- Das, I.** 543S
Davey, J. 564S–566S
Davies, D. 516S
Davies, D. H. 1047
Davies, J. R. 533S, 534S, 845
Davis, C. 1063
Davis, K. 564S
Davis, P. D. 1067
de Kruijff, B. 968
de Vera, M. E. 1008
de Wit, J. G. 981
Debailleul, V. 800
Degand, P. 800
Dekker, J. 529S, 531S, 814
Dempsey, C. E. 501S, 520S
- den Blaauwen, T.** 981
Dhawan, M. 539S, 540S, 546S
Dickson, A. J. 545S, 585S, 590S
Dillon, S. 1063
Dimroth, P. 770
Dobson, C. B. 598S
Dormer, R. L. 532S, 553S
Dou, C. 752
Douglas, K. T. 511S
Dowell, R. I. 1047
Driessen, A. J. M. 981
Drøbak, B. K. 581S, 582S
Duance, V. C. 508S
Duncan, T. M. 736
Dyer, C. E. 506S
- Easton, A. J.** 518S
Eddy, E. M. 929
Egawhary, D. N. 518S, 519S
Einerhand, A. W. C. 529S, 531S, 814
El-Tanani, M. K. K. 589S
Elsmere, S. A. 548S
Emes, M. J. 570S
Epenetos, A. A. 1044
Erer, F. O. 606S
Eshhar, Z. 1079
- Fadiloglu, M.** 606S
Fairlamb, A. H. 511S
Faulkner, A. 544S
Feingold, K. R. 1013
Fekkes, P. 981
Ferguson, S. J. 735
Filatov, D. 903
Fillingame, R. H. 760
Fiszer, A. 715
Fletcher, V. 605S
Flint, D. J. 579S
Fodstad, Ø. 584S
Forman-Kay, J. D. 729
Fowler, A. M. 604S
Francis, P. T. 600S, 601S
Frearson, M. J. 604S
Fu, L. 588S
Fuller, B. J. 524S
Futai, M. 785
- Gafvelin, G.** 965
Galanopoulou, D. 573S
Galloway, S. 617S

- Aardewijn, P.** See Krenn, B.
- Abayasekara, R. E.** See Ford, S. L.; Riley, P. R.
- ; Searle, M.-J.; Flint, A. P. F. Interferon-tau activates protein kinase C in Madin Darby bovine kidney cells, 271S
- Abbott, G. W.** See Mercer, E. A. J.
- ; Mercer, E. A. J.; Wolters, M.; Sewing, S.; Pongs, O.; Srai, S. K. S. Structure analysis of a recombinant voltage-gated potassium channel (K_v1.1) N-terminus using FTIR spectroscopy and thermal denaturation, 479S
- A'Behaird, N. N.**
- ; Ramsay, R. R. The active site histidine of carnitine acyltransferase, 490S
- Abugila, M. A.**
- ; Connock, M. J.; Burdett, K. Gastric mucosal peroxisomes and plasmalogen biosynthesis, 578S
- Acharya, U.**
- ; Elkins, K.; Vance, J.; Malhotra, V. Keeping Golgi membranes intact in the pericentriolar region of mammalian cells, 538
- Adair, B. M.** See Rankin, R.
- Adams, B.** See Gooding, J. M.; Hastings, G. Z.
- Adcock, I. M.**
- ; Peters, M. J.; Brown, C. R.; Stevens, D. A.; Barnes, P. J. High concentrations of β -adrenergic agonists inhibit DNA binding of glucocorticoids in human lung *in vitro*, 217S
- Aderem, A.**
- The MARCKS family of protein kinase-C substrates, 587
- Adie, E. J.** See Thomas, P. H.
- ; Thomas, P. H.; Munday, M. R.; Clegg, R. A. Subcellular targeting of recombinant and mammalian α subunits of cAMP-dependent protein kinase, 451S
- Adie, G. D.** See Milligan, G.
- Adjabi, A.**
- ; Amokrane, S.; Belattar, N.; Boubuern, Y. Effect of phospholipid extracts from brain and egg on activated partial prothrombin time, 301S
- ; Belattar, N.; Amani, H.; Aouabed, B. Study of phospholipids in mucilage (Gum) of sunflower, rapeseed and soja: analytical approach, 300S
- Aggeler, R.** See Capaldi, R. A.
- Aghajanian, S. A.** See Karabashian, L. V.
- Agterberg, M.** See Van den Eijnden, D. H.
- Ahmad, I.** See Allen, T. M.
- Ahmad, S.**
- ; Leake, C. J.; Ketterman, A. J. Qualitative differences occur in phenoloxidea activity in *anopheles* mosquitoes refractory to *plasmodium*, 110S
- Ahmed, N.**
- ; Chaplin, M.; Trevan, M.; Dey, P. M.; Brownleader, M. D. Purification and partial characterization of 'extension peroxidase,' 154S
- Aichinger, G.**
- ; Lechler, R. I. Endogenous pathway of class II presentation, 657
- Aidulis, D. M.**
- ; Malarkey, K.; McLees, A.; Gould, G. W.; Plevin, R. The permissive effect of serum on the inhibition of mitogen-activated protein kinase by forskolin in vascular smooth muscle cells, 341S
- Aitken, A.**
- ; Jones, D.; Soneji, Y.; Howell, S. 14-3-3 proteins: biological function and domain structure, 605
- Akerman, R.**
- ; Jarvis, S. M. Nucleobase transport in cultured renal epithelial cells, 29S
- Akiyama, S. K.** See Mould, A. P.
- Akkoçlu, A.** See Oktay, G.
- Alaluf, S.**
- ; Mulvihill, E. R.; McIlhinney, R. A. J. Palmitoylation of metabotropic glutamate receptor subtype 4 but not 1 α expressed in permanently transfected BHK cells, 87S
- ; Mulvihill, E. R.; Willmott, N.; McIlhinney, R. A. J. Agonist mediated phosphorylation of metabotropic glutamate receptor 1 α by protein kinase C in permanently transfected BHK cells, 88S
- Alexander, J.** See Wannan, G. M.
- Ali, M.** See Allen, J. M.
- Allali, M.** See Arrar, L.
- Allan, B. B.**
- ; Houston, P.; Burchell, A. Characterisation of glucose-6-phosphatase activity in cultured cell lines, 488S
- Allen, A.** See Rankin, B. J.
- Allen, G. J.** See Sanders, D.
- Allen, J.** See Norman, J.
- Allen, J. M.** See Davis, W.; Floto, R. A.; Holliday, N.; Hutchinson, M. J.; Lim, R. R.; Pance, A.
- ; Ali, M.; McClure, M. O. Production of soluble surface glycoprotein, gp70, of the Mason-Pfizer monkey virus in COS cells is dependent on the presence of regions of the transmembrane domain, 334S
- Allen, T. M.**
- ; Ahmad, I.; Lopes de Menezes, D. E.; Moase, E. H. Immunoliposome-mediated targeting of anti-cancer drugs *in vivo*, 1073
- Allison, W. S.**
- ; Jault, J.-M.; Grodsky, N. B.; Dou, C. A model for ATP hydrolysis catalysed F₁-ATPases based on kinetic and structural considerations, 752
- Alphey, L.** See Hawcroft, G.
- Alpin, J. D.**
- ; Hey, N. A. MUC1, endometrium and embryo implantation, 826
- Alpoim, M. C.**
- ; Geraldès, C. F.; Oliveira, C. R.; Lima, M. C. Molecular mechanisms of chromium toxicity: oxidation of hemoglobin, 241S
- Al-Shawi, M. K.** See Senior, A. E.
- Alston, M. J.**
- ; Freedman, R. B. The importance of water to biocatalysis in organic solvents, 70S
- Amani, H.** See Adjabi, A.
- Amelink, G. H. J.** See Bär, P. D.
- Amokrane, S.** See Adjabi, A.
- Anderson, H.** See Weisman, H. F.
- Anderson, J. M.**
- ; Fanning, A. S.; Lapierre, L.; Van Itallie, C. M. Zonula occlusens (ZO)-I and ZO-2: membrane-associated guanylate kinase homologues (MAGuKs) of the tight junction, 470
- Anderson, J. S.**
- Different strategies for recombinant protein characterization using mass spectrometry, 917
- Anderson, N. G.** See Yarwood, S. J.
- ; Kilgour, E. Differential effects of Wortmannin on growth hormone dependent signalling pathways in 3T3-F442A cells, 197S
- Anderson, Y. S.**
- ; Wood, C. A.; Radda, G. K. Glycogen metabolism in G8 mouse muscle cells, 319S
- Andersson, K.** See DePierre, J. W.
- Anderton, B. H.** See Mulot, S. F. C.
- Anderton, M.** See Riedl, A.
- Andjelkovic, M.** See Frech, M.
- Ansell, H.** See Marway, J. S.; Reilly, M. E.; Why, H. J. F.
- Aouabed, B.** See Adjabi, A.
- Aoufouchi, S.**
- ; Shall, S. Inhibition of *Xenopus laevis* Poly (ADP-Ribose) polymerase in oocytes, 181S
- Archer, J. R.**
- ; Badakere, S. S.; Macey, M. G.; Whelan, M. A. Use of lucifer yellow iodoacetamide in a flow cytometric assay to measure cell surface free thiol, 38S
- Argiles, J. M.** See Lopez-Soriano, J.
- Arias, G.**
- ; Matas, R.; Asins, G.; Hegardt, F. G.; Serra, D. The effect of fasting and insulin treatment on carnitine palmitoyl transferase I and mitochondrial 3-hydroxy-3-methylglutaryl coenzyme A synthase mRNA levels in liver from suckling rats, 493S
- Arnold, M. K.**
- ; Parr, M. K.; Sensky, P. L.; Bardsley, R. G.; Buttery, P. J. Differential calpastatin expression in cardiac and skeletal muscle, 454S
- Arrar, L.** See Selloum, L.
- ; Selloum, L.; Maiza, A.; Touabti, A.; Allali, M.; Guenfoud, K. Relationship between levels of IgG and IgM and IgM rheumatoid factor in human sera, 475S
- Asboth, G.** See Phaneuf, S.
- Ashby, M. J.** See Perry, C. R.
- Asins, G.** See Arias, G.
- Askari, J. A.** See Mould, A. P.
- Aspbury, R. A.**
- ; Fisher, M. J.; Rees, H. H. Fatty acylation of polypeptides in the free-living nematode *Caenorhabditis elegans*, 405S
- Lipid modification of signal transducing polypeptides in the free-living nematode *Caenorhabditis elegans*, 3S
- Assender, J. W.**
- ; Irenius, E.; Fredholm, B. B. Protein kinase C isoform expression and ATP response change with smooth muscle cell differentiation, 453S
- Ast, T.** See Kenyon, S. H.
- Atkinson, H. A. C.**
- ; Maisey, J. Effects of high levels of dietary oils on autoimmune responses, 277S
- Atterwill, C. K.** See Fox, R. M.
- Attwell, N. A.** See Clement, D. J.
- Aubert, J.-P.** See Porchet, N.
- Auron, P. E.** See Robinson, D. R.
- Austen, B.** See Sheikh, J.
- Austen, B. M.**

- A60 protein
activities of, 39S
characterisation of, 54
- α -Acetolactate synthase, from
Leuconostoc lactis, 366S
- Acetylcholine receptor, as model for
allosteric membrane proteins, 19S
- Acetyl-coenzyme A carboxylase kinase,
insulin-stimulated, purification of,
from epididymal adipose tissue,
180S
- Acid gels, whey protein fortified with,
rheological and synergetic properties
of, 348S
- α 1-Acid glycoprotein, glycosylation of,
cytokines and, 164S
- Acidosis, metabolic, protein catabolism
in, 464S
- Acquired immunodeficiency syndrome,
pathogenesis of, MHC and, 471S
- Actin
filamentous, in cytoskeletal dynamics
and cell motility, 45I
polymerisation of
cations and, 57S
Hsp26 inhibition of, 77S
- Actinin α , structural repeats in, 399S
- Actinomycete, thermophilic, produced by
non-haem extracellular peroxidase,
507S
- Activated partial prothrombin time,
effects of phospholipid from brain
and egg on, 301S
- Activator protein-1, glucocorticoid
receptor interaction with, in drug
design, 946
- Acylcarnitines, analysis of, 634S
- Adenine phosphoribosyltransferase, in
DNA repair process, in Friend cells,
378S
- Adenocarcinoma, colonic, mucin
expression in, 529S
- Adenomatous polyposis, familial, genetic
mutations in, 349S
- Adenosine A3 receptor gene, 270S
- Adenosine deaminase, inhibition of
chemotactic peptide-mediated
cAMP production by, in
granulocytes, 6S
- Adenosine diphosphate-ribose
polymerase activity, molybdenum
complex and, 628S
- Adenosine diphosphate-
ribosyltransferase gene, rabbit,
cloning of chicken gene homologous
to, 207S
- Adenosine monophosphate, cyclic
accumulation of, colchicine and, 4S
adipogenesis and, 175S
chemotactic peptide-mediated
production of, adenosine deaminase
inhibition of, in granulocytes, 6S
and cholesteryl ester hydrolase in
peritoneal macrophage, 576S
dibutyl, cells stimulated by, Ca^{2+}
signals and, in Fc γ RI, 122S
elevation of, neuropeptide Y gene
transcription and, 47S
G α -protein regulation by, in glioma
cell, 10S
phosphodiesterase, alternating splicing
of, catalysis and, 393
prostaglandin effects on, 5S
- Adenosine signalling, in adipose tissue,
GH and, 16S
- Adenosine transport, in *Crithidia
fasciculata*, 30S
- Adenosine triphosphate
incubation of oocyte S-100 with, eIF-
4 α kinase activation by, 191S
interactions with iron and
desferrioxamine, in lymphocytes and
B cells, 213S
as iron-specific membrane antioxidant,
264S
- oxidative and glycogenolytic turnover
of, in exercising skeletal muscle,
292S
turnover of, in motility assays, 400S,
401S
- Adenosine triphosphate synthase
chloroplast, thiol modulation by, 757
mitochondrial, DCCD inhibition of,
73S
- Adenylate, Cu-PuPy effects on, 255S
- Adenylate cyclase, PKC-dependent
activation of, in airway smooth
muscle, bradykinin ERK-2 pathway
and, 200S
- Adenylyl cyclase, G α -protein interaction
with, agonist-regulated forskolin
binding as measure of, 8S
- Adipocyte
epididymal, purification of insulin-
stimulated acetyl-CoA carboxylase
kinase from, 180S
insulin-stimulated mitogenesis in,
phosphatidylinositol 3-kinase and,
179S
perilipin in, 611
phosphatidylinositol 3-kinase activity
in, phorbol esters and, 183S
targeting of insulin-sensitive GLUT4
in, 414S
- Adipogenesis, cAMP and, 175S
- Adipose tissue
adenosine signalling in, GH and, 16S
fat uptake by, 487S
lipogenesis in, insulin and GH
regulation of, phosphatidylinositol
3-kinase and, 190S
lipolysis in, dietary fat and, 486S
- Adrenal chromaffin cell, bradykinin and
histamine responses in, PKC and,
424S
- β -Adrenergic agonist, inhibition of DNA
binding of glucocorticoids in lung
by, 217S
- Adrenergic receptor
G $_{i1}$ α -protein palmitoylation and, 406S
leukaemia inhibitory factor/cholinergic
differentiation factor expression and,
114S
- α_{1B} -Adrenergic receptor, signalling and
regulation of, 121
- β -Adrenergic receptor, subtype
regulation of, 126
- β_2 -Adrenergic receptor, interaction of
epitope-tagged protein G α in, 7S
- Aeromonas hydrophilia* mutant,
Escherichia coli enterotoxin
secretion and, 34S
- African swine fever virus, promoter
analysis of, 139S
- Aging, oxidative stress and, 375S
- Airway smooth muscle
PKC-dependent activation of
adenylate cyclase in, bradykinin
ERK-2 pathway and, 200S
phosphatidic acid phosphohydrolase
in, 198S
- Alanine
infusion of, hepatic energy
perturbations during, 336S
reversal of phenylalanine inhibition of
Na $^+$,K $^+$ -ATPase by, 227S
- Alanine-rich C kinase substrate,
myristoylated, 587
- demyristoylation of, 561
- AlCl $_3$, Ca $^{2+}$ influx into vascular smooth
muscle cells inhibited by, 171S
- Alcohol
cirrhosis from, dietary linoleic acid
and, 247S
effects of, on ventricular tissue protein
profiling, 461S
response of skin, bone, skeletal
muscle, and liver to, 465S
liver disease from, mitochondrial β -
oxidation in, 497S
- Aldehyde oxidase, in benzothiazole
metabolism, 604S
- Alkali metal ion, cerebellar inositol-
sensitive calcium channel and, 428S
- Alkaline phosphatase isoenzymes, in
serum of hemodialysis and
peritoneal dialysis patient, 310S
- Alkoxyl radical, tumour promoter-
derived, DNA and RNA damage by,
259S
- Allosteric membrane protein,
acetylcholine receptor as, 19S
- Allosteric regulation
of dopamine D $_2$ receptor, 92S
of enzymes in purine and pyrimidine
biosynthesis, 899
of G-protein-linked receptors, 108
- Alternative oxidase, mitochondrial, 151S
- Aluminium localisation, gallium as
model for, in neuroblastoma cell,
598S
- Alzheimer's disease
brain in, G α -protein in, 363S
PHF-tau in, glycogen synthase
phosphorylation of tau and, 45S
tau protein in, 80
- Amidophosphoribosyltransferase,
inhibitors of, 888
- Amino acid
aromatic, reactive nitrogen species
modification of, 237S
biosynthesis of, metabolic engineering
applied to, 381
excitatory, cerebellar cell death
induced by, 599S
- Amino acid peroxide, iron action on,
249S
- Δ -(A-AMINOADIPOYL)-L-cysteinyl-D-valine
synthetase, molecular mechanism of,
629S
- Aminoguanidine, pro-oxidant activity of,
250S
- Aminopeptidase, action of, towards
sulphur-containing substrate, 59S
- Aminopeptidase A, type II integral
membrane protein in, 550S
- Aminopeptidase P
cation activation and inhibitor
sensitivity of, 60S
chemical modification of, 549S
- Amlodipine, in regressing hypertrophy,
treatment of, 460S
- AMPA, binding of, to brain membrane,
mercuric chloride and, 118S
- Amylin
carbohydrate metabolism and, 325
paracrine/autocrine control of, 336
- Amyloid β peptide
25-35 sequence of, peptides
containing, 49S
MTT reduction inhibited by,
mitochondria and, 56S
neurogenerative fragment of,
phospholipid membrane interaction
with, 547S
neurotoxicity of, glycosaminoglycan
and sulphated polyanion effects on,
106S
- Angiotensin II, in vascular smooth
muscle cell
elevation of intracellular Ca $^{2+}$ by,
170S
receptor for, 458S
- Angiotensin II-stimulated mitogenesis,
tyrosine phosphorylation,
phospholipase D, and MAP kinase
in, 426S
- Angiotensin receptor, in agonist binding,
amino acids and, 86S
- Angiotensin-converting enzyme
inhibition, hypertension antioxidant
status and, 224S
- Angiotensin-converting enzyme secretase
identification of, 552S

- purification and characterisation of, 551S
- Anion**
 exchanger, volume-sensitive taurine efflux and, in lactating mammary tissue, 392S
 phospholipid, in membrane anchoring of *Escherichia coli* penicillin-binding protein, 32S
 permeability of, in basolateral membrane from parotid acinar cells, 410S
 secretory phospholipase A₂ binding and activation and, 556S
 transport of, in lactating mammary tissue, 26S
- Annexin**
 EGTA-resistant binding of, to platelet membrane, calcium and, 37S
 in foreskin fibroblasts, 35S
 in osteoblasts and osteosarcoma cells, 36S
 in ventricular myocyte, 28S
- Anthracycline**, cytotoxicity of, DNA damage response and, 331S
- Antibiotic biosynthesis**, autoinduction of, 127S
- Antibody affinity**, detection limit of reagent-limited immunoassay and, 393S
- Antibody-directed enzyme prodrug therapy**, for solid tumour, 1047
- Antigen**
 processing of
 by class I pathway, 664
 by class II pathway, 657
 protein, MHC binding sequences in, 675
- Anti-inflammatory mechanisms**, of glucocorticoids, 940
- Antimycobacterial agents**, toxicological evaluation of, 357S
- Antioxidant**
 cataract prevention and, 257S
 enzymes, seasonal variations in, 354S
 in food extract, 254S
 in hypertension, angiotensin-converting enzyme inhibition and, 224S
 jejunal, acute ethanol dosage and, 463S
 plasma, systemic sclerosis and, 274S
- AP**: see Activator protein
- Apical endocytosis**
 in epithelial cell, microtubules in, 535
 modulation of, 184S
- Apical membrane**, in enterocyte differentiation, 23S
- Apolipoprotein**, transcription of, glucocorticoid modulation of, 356S
- Apolipoprotein A-I**, metabolism of, by kidney, 135S
- Apolipoprotein B**, regulation of, by hepatocyte, proteolysis and, 413S
- Apolipoprotein C subclasses**, in non-insulin-dependent diabetes, 278S
- Arabidopsis thaliana***
 copper amine oxidase from, 630S
 peroxidase, genetic structure and expression of, 245
- Arachidonic acid**
 endothelin-1-mediated release of, in glioma cells, KCl and, 285S
 in reticuloendothelial network, 297
- Arginine**
 metabolism of, nitric oxide synthase inhibition of, 324S
 toxicity of, in *Aspergillus nidulans*, 24S
- Arterial thrombosis**, prevention of, anti-platelet monoclonal antibodies for, 1051
- Arthromyces ramosus* peroxidase**
 electrostatic potentials and His-Asp H-bonding networks in, 257
 key residues in, functional role of, 240
- Ascites hepatoma**, hyperlipidaemia in, 492S
- Ascorbate peroxidase**, structure of, catalytic activity and, 228
- Aspartate**
 mutation of, flavodoxin thermodynamic properties and, 381S
 release of, from forebrain, 84S
- Aspergillus nidulans***, salt sensitivity and arginine toxicity in, 24S
- Astrocytoma**, TNF regulation of NFκB in, 597S
- Atmospheric pollutants**, organic, intracellular Ca²⁺ and, 361S
- Atrial natriuretic factor**, Ras and Src stimulation of, in neonatal ventricular myocytes, 445S
- Autism**, urinary pterin in, 603S
- Autoimmune disease**, fatty acids and, 287, 291
- Autoimmune response**, dietary oil and, 277S
- Axonal growth**
 MAP 1B phosphorylation and, 37
 mediated by cell adhesion molecules, FGF receptor and, 469
- Azotobacter vinelandii***, cytochrome *bd* from, photolysis of, 157S
- Bacteria**
 outer membrane of, translocation of folded protein across, 985
 skin, cationic liposome interaction with, 561S
- Bacterial biofilm**, immunoliposome adsorption to, 583S
- Bacterial endotoxin**
 carbohydrate utilisation and transport and, 998
 inhibition of hepatic gluconeogenesis by, nitric oxide and, 322S, 1002
- Bacterial polysaccharide dextrans**, antibodies elicited by, 216S
- Bacteria-plant symbiosis**, inositol lipid in, 582S
- Baculovirus**
 expression system of, Taguchi experimental design in, 107S
HRaBLA, recombinant, construction of, 380S
 -infected insect cells, interferon γ glycoforms in, 100S
- Barley**
 grain peroxidase, electrostatic potentials and His-Asp H-bonding networks in, 257
 seed, peptide transport in, 558S
- Basolateral endocytosis**
 in epithelial cell, microtubules in, 535
 modulation of, 184S
- Basolateral membrane**, from parotid acinar cells, anion permeability of, 410S
- B cell**
 apoptosis in, 214S
 interactions of iron, desferrioxamine, and ATP in, 213S
 pancreatic, insulin secretion from, measurement of, 218S
 repertoire selection in, by bacterial polysaccharide dextrans, 216S
- Benzodiazepine receptor**, peripheral type, ligands for, 371S
- Benzothiazole metabolism**, aldehyde oxidase in, 604S
- Benzylamine oxidase**, catalytic properties of, 234S
- Bias**, in control coefficients calculated from elasticities, 294S
- Bile canalicular membrane**, peptidase content of, 306S
- Biliverdin reductase**
 as glutathione *S*-transferase fusion protein, 443S
 in liver, purification and properties of, 389S
- Biochemistry**, in medical school, 484S
- Biochemistry practicals**, modular schemes for, 137S
- Biological fluid**, diesel engine emission interaction with, 238S
- Biomaterial**, protein interaction with, 502S
- Biomolecules**, characterisation of, by electrospray ionisation-mass spectrometry, 924
- Blood**, concentrated stored, aggregation characteristics in, 373S
- Blood-brain barrier**, signal transduction at, 475
- Blood chemistry**, metalloporphyrin and, 539S
- Bone**
 disorders of, biomarkers for, collagen cross-links in, 386S
 response of, to endotoxin and alcohol, 465S
- Bovine herpesvirus 1**, detection of, 355S
- Bradykinin B₂ receptor**, sensitivity of, to D-Phe⁷-containing antagonist, 97S
- Bradykinin**
 ERK-2 pathway, and PKC-dependent activation of adenylate cyclase in airway smooth muscle, 200S
 response, PKC and, in adrenal chromaffin cells, 424S
- Brain**
 in Alzheimer's disease, G_q α -protein in, 363S
 AMPA binding to, mercuric chloride and, 118S
 aspartate release from, 84S
 calcineurin developmental expression in, 422S
 Ca²⁺ transport ATPases in, 571S
 capillary cell of, glucose concentration in, sorbitol dehydrogenase and Na⁺, K⁺-ATPase activity and, 317S
 complementary actions of proline-specific enzymes in, 353S
 developmental expression of FK506-binding proteins and calcineurin in, 422S
 free-radical-mediated toxicity in, α -tocopherol prevention of, 258S
 neonatal, developmental changes of glutathione *S*-transferase in, 423S
 phospholipid from, effect of, on activated partial prothrombin time, 301S
 serotonin transporter in
 for imipramine, dithiothreitol and, 41S
 reconstitution of, 40S
 slice of, excitotoxic neurotoxicity in, 602S
- Breast**
 biopsy of, PKC activity in, Ca²⁺ and, 449S
 cancer-associated antibody LU BCRU G7 in, tumour cell isolation using, 584S
 cancer cell in, gene transcription in, hormone regulation of, 589S
 epithelial cell in, ras-transformed, altered adhesions in, 446
- Bungarotoxin**, nicotine-induced regulation of, in hippocampal neurons, 48S
- C3b**, complement factor H interaction with, 53S
- Cadherin**, post-synaptic density and, 59
- Caesium transport**, in *Chlorella salina*, 468S
- Calcineurin**, developmental expression of, in brain, 422S
- Calcium**
 effect of, on phospholipase D activation in neuroblastoma cell, 427S

- extracellular, phospholipase D regulation by, PKC and, 199S
induction of EGTA-resistant binding of annexin to platelet membrane by, 37S
influx of, into vascular smooth muscle cells, AlCl_3 inhibition of, 171S
intracellular
 elevation of, by angiotensin II and PDGF, in vascular smooth muscle cells, 170S
 organic atmospheric pollutants and, 361S
 responses of, in electrically stimulated cerebellar granule cell, 648
mobilisation of, hormone stimulation of, 637
neuronal homeostasis of, 629
nitric oxide synthase dependence on, in colonic mucosa, lipopolysaccharide induction of, 455S
nuclear flux of, in plant, 581S
oscillations and waves of, during IgE receptor cross-linking, 189S
PKC dependent on and independent of, in breast biopsy, 449S
release of, from ryanodine receptor of sarcoplasmic reticulum, 358S
transport of, in erythrocytes, in hibernating and non-hibernating species, 345S
- Calcium channel
 inositol-sensitive, cerebellar alkali metal ion and, 428S
 cholesterol hemisuccinate and, 429S
 ligand- and voltage-gated, at vacuolar membrane, 856
 modulation of, in neuron, 633
 voltage-dependent, p21-ras regulation of, in dorsal root ganglion cell, 193S
- Calcium- Mg^{2+} ATPase inhibition, release of, by phospholamban phosphorylation, 62S
- Calcium signalling
 collagen peptide motif activation of, 404S
 in colonic epithelial cells, via tyrosine kinase and G-protein-linked receptors, 459S
 mechanism of, fluorescence probe of, 627
 oscillating, in liver, 642
- Calcium transient, in voltage-clamped dendrites of hippocampal neuron, 653
- Calcium transport ATPases, in brain, 571S
- Calmodulin
 regulation of utrophin actin binding by, 397S
 synapsin I and cytoskeleton interaction and, 65
- Calpastatin, in cardiac and skeletal muscle, 454S
- Calreticulin, calcium stress and, 330S
- Calyculin A, cholesterol esterification and, in hepatocytes, 580S
- CAMPATH-1, clinical trials with, 1057
- Cancer
 chemotherapy for
 immunoliposome-mediated targeting of, 1073
 resistance to, 447S, 450S
 thymidylate synthase in, 884
 progression of, episialin in, 822
 vaccine for, 681
- Cannabinoid receptor, in neuroblastoma cell, 418S
- Capillary cell, in brain, glucose concentration in, sorbitol dehydrogenase and Na^+ , K^+ -ATPase activity and, 317S
- Capillary electrophoresis
 drug metabolism assessment by, 432S
 of 8-oxyoguanine, 433S
- Carbamoyl-phosphate synthase family, structure/function of, 879
- Carbamoyl-phosphate synthetase, UTP binding site in, 620S
- Carbohydrate
 antigens 19-9 and 125, in lung cancer, 211S, 530S
 -deficient glycoprotein syndrome, 185
 metabolism of, amylin and, 325
 utilisation and transport of, bacterial endotoxin and, 998
- Carbon dioxide, formation of, from labeled substrates by cerebral cortex, hydroxybutyrate inhibition of, 228S
- Carbonic anhydrase
 isozymes of, in umbilical vein endothelial cell line, 308S
 membrane-bound, on pulmonary endothelial cell, 320S
 pancreatic Capan-1 clone in, 309S
- Cardiac muscle
 calpastatin in, 454S
 glucose metabolism in, 311
- Cardiac phospholamban
 in *Escherichia coli*, 22S
 phosphorylation site-specific antibodies to, 15S
- Cardiolipid-presequence interaction, molecular model for, 968
- Cardiovascular injury, TGF- β and, 403
- Cardiovascular tissue, cGMP-gated cation channel in, 441S
- Carnitine acyltransferase
 active site histidine of, 490S
 microsomal, 490
- Carnitine palmitoyltransferase
 fasting and insulin treatment and, in liver, 493S
 malonyl-coenzyme A and, 481
- mitochondrial, molecular features in, 321
- β -Carotene, free-radical scavenging by, 230S
- Carotenoid
 interaction of, with reactive oxygen species, 252S
 in phosphatidylcholine vesicles, antioxidant activity of, 133S
- Cartilage, immunoelectron microscopy of, cryofixation of, 508S
- Catabolism, compartmentation of total RNA in, 465S
- Catalase peroxidase, from *Mycobacterium tuberculosis*, 152S
- Cataract, antioxidant prevention of, 257S
- Catechol-O-methyltransferase, 1-methyl-4-phenylpyridinium as substrate for, 350S
- Cation
 actin polymerisation and, 57S
 activation of, aminopeptidase P and, 60S
 channel, cGMP-gated, in cardiovascular tissue, 441S
 divalent, integrin $\alpha 5\beta 1$ regulation by, 395S
 liposome, interaction of skin bacteria with, 561S
 photosensitisers, in photodynamic therapy, 260S, 261S
- CD2, monoclonal antibody to, mutational analysis of epitopes recognised by, 188
- CD28, T cell costimulation mediated by, wortmannin inhibition of, 282S
- CD44, transmembrane and cytoplasmic modulation of, 831
- CD48, monoclonal antibody to, mutational analysis of epitopes recognised by, 188
- CD59, incorporation of, through glycosyl phosphatidylinositol anchor, in time-dependent manner, 269S
- CDP-*Star*, for ultra-rapid detection of mRNAs on Northern blots, 494S
- Cell adhesion, utrophin-glycoprotein complex, 398S
- Cell adhesion molecule, dissociation constant of, 435S
- Cell death, cerebellar
 excitatory amino acid-induced, 599S
 glutamate-induced, 596S
- Cell growth
 Epstein-Barr virus and, 311S
 inhibitor of, in macrophage, 591S
 vesicle transport and, 530
- Cell matrix adhesion, structure and regulation and, 619
- Cell motility, filamentous actin in, 451
- Cell polarity, vesicle transport and, 530
- Cellular immunity, against tumour virus, 692
- Cell viability, Krp1 endopeptidase and, 564S
- Central core disease, RYR1 gene in, haplotype analysis of, 372S
- c-erbB-2, chimeric receptor from PDGFr β and, 186S
- Cerebellar granule cell
 death of
 excitatory amino acid-induced, 599S
 glutamate-induced, 596S
 electrically stimulated, intracellular Ca^{2+} responses in, 648
 tau protein in, 51S
- Cerebellum, inositol-sensitive calcium channel in
 alkali metal ion modulation of, 428S
 cholesterol hemisuccinate effects on, 429S
- Cerebral cortex
 citrate oxidation in, hydroxybutyrate inhibition of, 229S
 CO_2 formation from labeled substrates by, hydroxybutyrate inhibition of, 228S
- Cerebral oxygenation and haemodynamics, in liver transplantation, 525S
- Ceruloplasmin, in effusions of malignant and benign origin, 606S
- c-fos and c-myc expression, in *mdx* dystrophic mouse muscle, 131S, 456S
- Chaperonin
 of *Clostridium thermocellum*, 67S
 cytosolic, neuronal aspects of, 70
- Chemical pollution, drug-metabolising enzymes as bioindicators of, 419
- Chemokine proinflammatory protein, liquid chromatography-mass spectrometry of, 911
- Chemotactic peptide, cAMP production mediated by, adenosine deaminase inhibition of, in granulocytes, 6S
- Chemotherapy
 immunoliposome-mediated targeting of, 1073
 thymidylate synthase in, 884
- Chenopodium rubrum*, inositol trisphosphate receptor in, 574S
- Chlorella salina*, caesium transport in, 468S
- Chloride transport, histamine-stimulated, 553S
- Chloroplast
 ATP synthase, thiol modulation by, 757
 envelope transfer transit peptide, export competence of, in *Escherichia coli*, 72S
 F_0F_1 -ATPases of, thioredoxin and control of, 775
 H^+ -ATPase of, structure of, 780

- Cholecystokinin-8 sulphate, glucose transport inhibition by, 592S
- Cholesterol
 biosynthesis of
 by low density lipoprotein and Lp(a), 351S
 gemfibrozil and, 496S
 ester, dietary, absorption of, inhibition of, 408S
 esterification, okadaic acid and calyculin A and, in hepatocytes, 580S
 hemisuccinate, cerebellar inositol-sensitive calcium channel and, 492S
 mammary metabolism of, in lactation, GH and, 579S
- Cholesteryl hydrolase, in peritoneal macrophages, cAMP, 576S
- Cholesteryl ester transfer protein, in plasma, high density lipoprotein for measurement of, 491S
- Cholestyramine, serum treated with, 7 α -hydroxycholesterol in, 362S
- Cholinergic differentiation factor, expression of, adrenoceptor stimulation and, 114S
- Cholinoceptor-stimulated phosphoinositide-specific phospholipase C substrate selectivity, lithium effect on, 421S
- Choriocarcinoma cell, nitric oxide synthase in, garlic and, 543S
- Chromium toxicity, molecular mechanisms of, 241S
- Chylomicron remnants, hepatic metabolism of, dietary corn or olive oil and, 134S, 284S
- Cigarette smoke, glutathione metabolism and epithelial permeability and, in lung, 235S
- Cirrhosis, alcohol-induced, dietary linoleic acid and, 247S
- Citrate oxidation, in cerebral cortex, hydroxybutyrate inhibition of, 229S
- Clathrin-coated vesicle membrane, placental, fusion complex assembly from, 555S
- Cleome arabica* leaf extract, inflammatory cellular response of, 609S
- Clostridium perfringens* ϵ -toxin, alterations in MDCK cells after exposure to, 44S
- Clostridium thermocellum* cellulase system of, 587S
 chaperonins of, 67S
 c-lyn, effects of, on GM-CSF, in neutrophils, 196S
- Cognitive performance, in adolescence, early diet and, 376S
- Colchicine, cAMP accumulation and, 4S
- Colitis, ulcerative, mucin in, 104S, 531S, 536S
- Collagen
 cross-links, in bone disorder biomarkers, 385S, 386S
 fibrillar, C-propeptide domain of, extracellular matrix deposition by, 516S
 peptide, calcium signalling and, 404S
 type VI, alternative splicing of, 514S
 type VIII, structure and organisation of, 513S
 type IX, isoforms of, in intervertebral disc, 517S
- Colon
 adenocarcinoma of, mucin expression in, 529S
 carcinoma of, gelatinolytic activity of, 391S
 epithelial cells in
 Ca²⁺ signalling in, via tyrosine kinase and G-protein-linked receptors, 459S
 Na⁺ channel in, 130S
 somatostatin receptor genes in, 18S
 mucin of
 in adenocarcinoma, 529S
 biosynthesis and macromolecular assembly of, 819
 Ca²⁺-dependent nitric oxide synthase induction in, by lipopolysaccharide, 455S
 glycoprotein in, 535S
 glycosylation patterns of, 840
- Complement
 activation of, by dimethyl sulphoxide and ethanol, 167S
 factor H, C3b interaction with, 53S
 inhibition of, by complement receptor, 167S
 type 1 receptor for, complement inhibition by, 167S
- Control coefficients, calculated from elasticities, error and bias in, 294S
- Copper, in effusions of malignant and benign origin, 606S
- Copper amine oxidase, from *Arabidopsis thaliana*, 630S
- Copper-PuPy, effects of, on cellular redox systems, adenylates, and cell survival, 255S
- Coprinus cinereus* peroxidase
 aromatic donor molecule binding sites of, 232
 electrostatic potentials and His-Asp H-bonding networks in, 257
 key residues in, functional role of, 240
- Corn oil, dietary, and hepatic metabolism of chylomicron remnants, 134S, 284S
- C-propeptide domain, of fibrillar collagen, extracellular matrix deposition by, 516S
- Creutzfeldt-Jacob disease, gene targeting in, 398
- Crithidia fasciculata*, adenosine transport in, 30S
- Crystallin, prevention of fructation inactivation of glutathione reductase, 610S
- Cyanide adduct, of cytochrome *c* oxidase, photolysis and recombination of, 521S
- Cyanobacterial mutant, ATP synthase from, thiol modulation by, 757
- Cyclosporin A, effect of, on IL-2 receptor release, from spleen cell, 615S
- Cysteine, in glutathione *S*-transferase catalysis, 388S
- Cysteine motifs, in fibrillin, conformation and function of, 506S
- Cystic fibrosis gene protein, mucin secretion and, 532S
- Cytochrome *b*, duodenal, analysis of, 140S
- Cytochrome *bd*, from *Azotobacter vinelandii*, photolysis of, 157S
- Cytochrome *c* oxidase
 control of, by fatty acid, 295S
 cyanide adduct of, photolysis and recombination of, 521S
- Cytochrome *c* peroxidase
 aromatic donor molecule binding sites of, 232
 electrostatic potentials and His-Asp H-bonding networks in, 257
 ferrocene and, electron transfer between, 153S
 key residues in, functional role of, 240
 structure of, catalytic activity and, 223, 228, 240
- Cytochrome P450, in *Saccharomyces cerevisiae*, in repetitive alternating culturing, 499S
- Cytochrome P450 reductase, FMN domain in, 476S
- Cytokines
 α 1-acid glycoprotein glycosylation and, 164S
 and E-selectin expression by human umbilical vein endothelial cells, tyrosine kinase in, 182S
 synthesis of, polyunsaturated fatty acids and, 277
 T cell-derived, dietary lipids and, 279S
 tissue factor expression and, 286S
 Cytoskeletal gene, in yeast, 128S
 Cytoskeletal dynamics, filamentous actin in, 451
- DCCD: see N,N'-Dicyclohexylcarbodiimide
- Decarboxylation, oxidative stress amplification by, 262S
- Decoron protein, shape of, 515S
- Denaturants, effect of, on protein disulphide-isomerase conformation and activity, 65S
- Denitrification genes, transcriptional regulation of, 126S
- Deoxyribonucleic acid
 antibodies to, in schizophrenia, 480S
 binding domain, inhibition of Pax5 activity by, 325S
 chemical sequencing reagent, potassium ferrate as, 387S
 complementary library, normalisation of, 383S
 transfected, intracellular distribution of mRNA expressed from, 588S
 damage to
 anthracycline cytotoxicity and, 331S
 Haber-Weiss reaction and, 482S
 by hyperglycaemia, in vascular endothelial cell, 518S, 519S
 by naphthoquinone, oxidative stress and, 225S
 in neuronal cell, 474S
 p53 expression and, 481S
 by peroxidase-activated tamoxifen, 439S
 by UV light, 407, 474S, 481S
 glucocorticoid binding of, in lung, β -adrenergic agonist inhibition of, 217S
 phenol vs. pronase E isolation of, 8-oxodeoxyguanosine yield and, 430S
 purine lesion in, 434S
 recombinant, GH derived from, variants in, 220S
 repair of, adenine phosphoribosyltransferase in, 378S
 synthesis of, paracetamol inhibition of, in testis and gastrointestinal tract, 265S
 synthesis and migration of, in vascular smooth muscle cell, PDGF and, 608S
 tumour promoter-derived alkoxyl radical damage by, 259S
- δ 12-Desaturase, fatty acids and, 407S
- Desferrioxamine, interactions with iron and ATP, in lymphocytes and B cells, 213S
- Desmin, helix 1a rod domain of, 611S
- Diabetes mellitus
 damaged vascular endothelium in, 402S
 DNA damage in, by hyperglycaemia, in vascular endothelial cell, 510S, 518S
 gestational, metabolism of, 512
 non-insulin-dependent apoC subclasses from, 278S
 glycogen synthesis in, glycogenin utilisation in, 323S
- Diacylglycerol, in plant cell suspension culture, 867
- Diarrhoea, enteral nutrition and, 462S
- Dichloroacetate, cell and product yields and, in hybridoma, 585S

- N,N'-Dicyclohexylcarbodiimide, inhibition of mitochondrial ATP synthase by, 73S
- Diesel engine emissions, biological fluid interaction with, 238S
- Diet
- cholesterol ester in, absorption of, inhibition of, 408S
 - corn or olive oil in, and hepatic metabolism of chylomicron remnants, 134S, 284S
 - early, subsequent cognitive performance and, during adolescence, 376S
 - fat in
 - lipid peroxidation and, 245S, 246S
 - and lipolysis in adipose tissue, 486S
 - linoleic acid in, alcohol-induced cirrhosis and, 247S
 - lipids in
 - cell-mediated immunity and, 273S
 - lymphocyte functions and, 302
 - macrophage cell surface molecule expression and, 272S
 - reactive oxygen species production and, by peritoneal macrophages, 280S
 - T cell-derived cytokine production and, 279S
 - oil in, autoimmune response and, 277S
- Dihydro-orotase, inhibitors of, 888
- Dihydropyridine receptor γ subunit, in malignant hyperthermia-susceptible patients, 352S
- Dimethyl sulphoxide
- complement activation by, 167S
 - dioleoylphosphatidylethanolamine stabilisation and, 412S
 - phosphatidylcholine gel phase stabilisation of, 411S
- Dinitrofluorobenzene-induced delayed hypersensitivity, endothelial selectin in, 160S, 161S
- Dioleoylglycerol, cytosolic phospholipase A₂ activity and, 569S
- Dioleoylphosphatidylethanolamine, dimethyl sulphoxide stabilisation of, 412S
- Dissociation constant, of cell adhesion molecule, 435S
- Disulphide, mixed, of RNase T, and glutathione, refolding of, 68S
- Disulphide cross-links, F₀F₁ ATP synthase interactions with, 736
- Dithiothreitol, and serotonin transporter for imipramine, 41S
- Dopamine
- concentration of, after neuronal differentiation by NGF or VIP, 46S
 - D₂ receptor
 - allosteric regulation of, 92S
 - cells stably expressing, high affinity GTP γ S binding in, 91S
 - efficacy at, sequence determinants of, 112
 - epitope-tagged, in Sf21 cells, 89S
 - in insect cells, 93S
 - ligand binding at, 87
 - nemonapride and spiperone binding to, 90S
 - serine residues in, site-directed mutagenesis of, 94S
 - D₃ receptor, in insect cells, 93S
- Dorsal root ganglion cell, p21^{ras} regulation of voltage-dependent calcium channel in, 193S
- Drosophila*, embryonic ventral transcript encoding protein phosphatase-1 binding protein, 631S
- Drug
- design of, glucocorticoid receptor-AP-1 interaction in, 946
 - metabolising enzymes, as bioindicators of chemical pollution, 419
 - metabolism of, capillary electrophoresis of, 432S
 - resistance to, multiple
 - in carcinoma, PKC in, 447S
 - PKC and, in vincristine-resistant cells, 450S
 - dTTP pool size, in herpes simplex virus and, 627S
 - Ductal pancreatic Capan-1 clone, carbonic anhydrases in, 309S
 - Duodenum
 - mucosal ferricyanide reductase in, inhibition of, 338S
 - nuclear factor-euthyroid 2 expression in, iron metabolism and, 326S
 - Dust mite, immune response to, 660
 - Dynein, retrograde motor cytoplasmic, subcellular targeting of, 50
- EGF: see Epidermal growth factor
- Egg, phospholipid from, effect of, on activated partial prothrombin time, 301S
- Egg white riboflavin-binding protein, refolding of, 75S
- eIF-4 α kinase, activation of, by microinjection of p21^{ras} into oocytes or incubation of oocyte S-100 with ATP, 191S
- Elasticity coefficients
- error and bias in, 294S
 - measurement of, 297S
- Electrical stimulation, of skeletal muscle, proto-oncogene induction and, 327S
- Electron-transferring flavoprotein, from *Megasphaera elsdenii*, cloning of, 379S
- Elongation factor 3, translational, in fungus, 132S
- Embryo
- implantation of, mucin and, 826
 - preimplantation, cyclic nucleotide and protein levels in, 13S
- Endocytosis, apical and basolateral, differential modulation of, 184S
- Endo-1,4- β -D-glucanase, multiple forms of, in *Fusarium oxysporum*, 586S
- Endometrium, embryonic implantation and, mucin and, 826
- Endoplasmic reticulum, luminal peptidyl prolyl isomerase in, protein folding catalysis by, 63S
- Endoplasmic reticulum and Golgi complex, membrane traffic between, microtubules and kinesin in, 544
- Endoplasmic reticulum/Golgi intermediate compartment protein, recycling of, in secretory pathway, 541
- Endosome, insulin degradation products in, 1S
- Endosperm amyloplast, isolated, reconstitution of hexose phosphate transport from, 570S
- Endothelial cell
- IL-1 activation of, 109S
 - umbilical vein: see Human umbilical vein endothelial cell
 - vascular: see Vascular endothelial cell
- Endothelial purinoceptor, nitric oxide synthase stimulation by, 425S
- Endothelial selectin
- cytokine-induced, expression of, by HUVEC, tyrosine kinase and, 182S
 - in delayed hypersensitivity, 160S, 161S
 - eosinophil adhesion to, 162S
 - lymphocytes positive for, during inflammatory reactions, 158S
- Endothelin-1-mediated arachidonic acid release, in glioma cells, KCl and, 285S
- Endothelium, vasoactive mediator release from, phosphatase inhibitors and, 204S
- Endotoxaemia, hepatic cellular interactions in, 993
- Endotoxin
- bacterial
 - carbohydrate utilisation and transport and, 998
 - inhibition of hepatic gluconeogenesis by, nitric oxide and, 322S, 1002
 - effects of, on hepatic nitric oxide synthesis and gluconeogenesis, 322S
 - lipid metabolism and, 1013
 - response of skin, bone, skeletal muscle, and liver to, 465S
 - Energy metabolism, mitochondrial, 371
 - Enteral nutrition, diarrhoea and jejunal protein synthesis in, 462S
 - Enterocyte, differentiation of, apical membrane composition in, 23S
 - Enterotoxin, from *Escherichia coli* *Aeromonas hydrophilia* mutant and, 34S
 - fusion protein from, 54S, 61S
 - purification of, 55S
 - Environment
 - micro-organisms in, 435
 - neurodegenerative disease and, 429
 - Eosinophil, adhesion of, to E- and P-selectin, 162S
 - Epidermal growth factor, glycosylphosphatidylinositol hydrolysis and, 174S
 - Epididymal adipose tissue, purification of insulin-stimulated acetyl-CoA carboxylase kinase from, 180S
 - Episialin, in carcinoma progression, 822
 - Epithelial cell
 - apical and basolateral endocytosis in, microtubules in, 535
 - breast, ras-transformed, altered adhesions in, 446
 - colonic
 - Ca²⁺ signalling in, via tyrosine kinase and G-protein-linked receptors, 459S
 - Na⁺ channel in, 130S
 - somatostatin receptor genes in, 18S
 - extracellular matrix-mediated control of, 464
 - mammary, inositol trisphosphate in, 169S
 - renal, nucleobase transport in, 29S
 - Epithelial permeability, cigarette smoking and glutathione metabolism and, in lung, 235S
 - Epstein-Barr virus
 - interaction of, with double-stranded RNA-dependent protein kinase PKR, 313S
 - protein synthesis and cell growth and, 311S
 - Error, in control coefficients calculated from elasticities, 294S
 - Erythrocyte
 - Ca²⁺ transport in, in hibernating and non-hibernating species, 345S
 - damage to, free-radicals and, in acute renal failure, 635S
 - Erythromycin, dependence on, RNA polymerase and, 125S
 - Escherichia coli*
 - cardiac phospholamban in, 22S
 - codon bias in, translation initiation and, 76S
 - cytosolic serine hydroxymethyltransferase in, 624S
 - export competence of chloroplast envelope transfer transit peptide in, 72S
 - F₀F₁-ATPases from
 - interactions of, with disulphide cross-links, 736
 - mitochondrial, 520S, 522S
 - structure/function correlation in, 760, 767
 - structure of, 780

- F₁-ATPase from, catalytic mechanism of, 747, 752, 785
- G_α-protein expression in, 12S
- leader peptidase of, penems in investigation of, 548S
- non-thioredoxin-like domains of protein disulphide isomerase in, 71S
- papain and papaya proteinase pro-regions in, inhibition of mature cysteine proteinases by, 80S
- polytopic membrane protein of, functional integration of, 560S
- Escherichia coli* enterotoxin
- Aeromonas hydrophila* mutant and, 34S
- fusion protein from, 54S, 61S
- purification of, 55S
- Escherichia coli* genes, rare codons in, 503S
- Escherichia coli* penicillin-binding protein
- β-lactams to investigate, 562S
- membrane anchoring of anionic phospholipids in, 32S
- lipid requirement for, 31S
- low molecular weight and, 33S, 976
- soluble form of, 563S
- Esterase, ferulic acid release from plant material by, 253S
- Estrogen, inhibition of lipid peroxidation by, 256S
- Ethanol
- complement activation by, 167S
- and skeletal muscle protein synthesis, 467S
- Euglp protein, properties and cellular functions of, 66S
- Eukaryotic translation initiation factor, p220 subunit of, cleavage of, protein synthesis and, 315S
- Excitotoxic neurotoxicity, in brain slice, 602S
- Exercise, immune parameters and, 124S
- Exercised hypertensive muscle, histidine dipeptide levels in, 542S
- Extensin peroxidase, purification and characterisation of, 154S
- Extracellular matrix
- epithelial cell control mediated by, 464
- mass mapping of, 720
- Factor XII, activated, co-purification of, 390S
- Familial adenomatous polyposis, genetic mutations in, 349S
- Fasting, effect of, on hepatic carnitine palmitoyltransferase and 3-hydroxy-3-methylglutaryl coenzyme A synthase, 493S
- Fat
- dietary
- lipid peroxidation and, 245S
- and lipolysis in adipose tissue, 486S
- uptake of, by adipose tissue, 487S
- Fatty acids
- autoimmune disease suppression by, 287, 291
- biosynthesis of, gemfibrozil and, 496S
- control of cytochrome *c* oxidase by, 295S
- cytokine synthesis and, 277
- δ12-desaturase and, of *Acanthamoeba castellanii*, 407S
- and expression of functionally associated molecules on monocytes, 303S
- hepatic metabolism of, insulin and, 506
- lymphocyte functions and, 302
- oxidation and ketogenesis of, in liver, hormonal and nutritional control of, 500
- and phospholipase D substrate selectivity in granulocytes, 276S
- TNF-α biology and, 282
- Fatty acylation, of polypeptide, in nematode, 405S
- FcγRI
- cytokine activation of, Ca²⁺ signals and, 122S
- internalisation of, monomeric IgG and, 120S
- intracellular trafficking of, GTP-binding protein and, 123S
- macrophage-specific, three-dimensional structure of, 472S
- phagocytosis mediated by, in transfected COS cells, γ chain in, 121S
- FEDA-ATP, caged, 401S
- Ferricyanide reductase, duodenal mucosal, inhibition of, 338S
- Ferrocene, cytochrome *c* peroxidase and, electron transfer between, 153S
- Ferulic acid, release of, from plant material by esterase, 253S
- Fetus
- hepatocyte in, differentiation-related gene expression in, hormonal regulation of, 437S
- programming of adult glucose and lipid metabolism in, 331
- FGF receptor: see Fibroblast growth factor receptor
- Fibrillin, 8-cysteine motifs of, conformation and function of, 506S
- Fibroblast, from foreskin, annexin localisation in, 35S
- Fibroblast growth factor receptor, and axonal growth mediated by cell adhesion molecules, 469
- Fibromodulin/lumicon, proteins of, shape of, 515S
- Fibronectin, melanoma cell adhesion in, 403S
- F₀F₁-ATPases
- of *Escherichia coli*
- interactions of, with disulphide cross-links, 736
- mitochondrial, 520S, 522S
- structure/function correlation in, 760, 767
- mitochondrial, 523S
- of *Propionigenium modestum*, Na⁺ binding site in, 770
- of *Rhodospirillum rubrum*, αβ dimer-catalytic unit of, 528S
- of spinach chloroplast, thioredoxin and control of, 775
- F₁-ATPase
- of *Escherichia coli*, catalytic mechanism of, 747, 752, 785
- nucleotide binding sites in, 741
- protein and peptide inhibitors of, 790
- FK506, effect of, on IL-2 receptor release, from spleen cell, 615S
- FK506-binding protein, developmental expression of, in brain, 422S
- Flavodoxin
- from anaerobic bacterium, cloning of, 384S
- thermodynamic properties of, aspartate mutation and, 381S
- Flavoprotein, electron-transferring, from *Megasphaera elsdenii*, cloning of, 379S
- Flux control, 341
- molecular biology for, 367
- FMN binding site, in trimethylamine dehydrogenase, 509S
- FMN domain, of cytochrome P450 reductase, 476S
- Food extract, antioxidant properties of, 254S
- Foreskin, fibroblasts of, annexin localisation in, 35S
- Formyl peptide receptor, molecular modelling of, 96S
- Forskolin
- agonist-regulated binding of, as measure of G_α-adenylyl cyclase interaction, 8S
- inhibition of MAP kinase by, in vascular smooth muscle cells, 341S
- 14-3-3-protein, biological function and domain structure of, 605
- Free-radical
- agents generating, NADH oxidoreductase activity and, 605S
- mediated toxicity, in brain, α-tocopherol prevention of, 258S
- Monte Carlo simulations of, 298S
- red blood cell damage and, in acute renal failure, 635S
- scavenging, by β-carotene, 230S
- Fructation, cross-linking of β-lactoglobulin and lysozyme induced by, 240S
- α(1-3)Fucosyltransferase
- catalytically important residues and, 166S
- tissue-specific, 165S
- Fungus, hyphal, glycoprotein expression and secretion by, 180
- Fusarium oxysporum* multiple forms of
- endo-1,4-β-D-glucanase in, 586S
- Galactose oxidase, active site of, tyrosine as, 510S
- Gallium, as model for aluminium localisation, in neuroblastoma cell, 598S
- Ganglion cell, dorsal root, p21^{ras} regulation of voltage-dependent calcium channel in, 193S
- Garlic, nitric oxide synthase and, 136S
- in choriocarcinoma cell, 543S
- Gastric mucin, MUC5 as, 533S
- Gastrointestinal tract, paracetamol inhibition of DNA synthesis in, 265S
- Gelatin-pectin system, phase diagram for, 498S
- Gemfibrozil, fatty acid and cholesterol biosynthesis and, 496S
- Gene targeting, in human disease, 398
- Gerstmann-Straussler-Scheinker disease, gene targeting in, 398
- Gestational diabetes, metabolism in, 512
- GH: see Growth hormone
- α₃-Gliadin, purification and sequencing of, 632S
- Glioma cell
- endothelin-1-mediated arachidonic acid release in, KCl and, 285S
- Gα-protein regulation by cAMP in, 10S
- Glucocorticoid
- anti-inflammatory mechanisms of, 940
- apolipoprotein transcription and, 356S
- DNA binding by, in lung, β-adrenergic agonist inhibition of, 217S
- receptor for, AP-1 interaction with, in drug design, 946
- Glucokinase activity, hepatic, in animals fed glucose at birth, 321S
- Gluconeogenesis, hepatic, bacterial endotoxin inhibition of, nitric oxide and, 322S, 1002
- Glucose
- metabolism of
- in adult, fetal programming of, 331
- in cardiac muscle, 311
- in insulin-resistant states, 314
- transport of
- cholecystokinin-8 sulphate inhibition of, 592S
- GLUT4 in, insulin-sensitive, targeting of, in adipocytes, 414S
- phosphatidylinositol 3-kinase and, 201S
- Glucose-6-phosphatase
- in cultured cell, 488S
- developmental expression of, 436S
- Glucose-6-phosphate dehydrogenase, protein disulphide isomerase-assisted folding of, 82S
- Glutamate

- cerebellar granule cell death induced by, 596S
- dehydrogenase, glutamate analogues bound in folded conformation to, 364S
- metabotropic receptor for agonist-mediated phosphorylation of, by PKC, 88S
- G protein coupling specificity and, 91
- palmitoylation of, 87S
- transport of, Na⁺-dependent, in lactating mammary tissue, 567S
- Glutamine amidotransferase, from purine biosynthetic pathway, 894
- Glutathione
- metabolism of, cigarette smoking and epithelial permeability and, in lung, 235S
- reductase, fructation inactivation of, crystallin prevention of, 610S
- and RNase T₁ mixed disulphide, refolding of, 68S
- Glutathione S-transferase
- binding site, structural investigation of, 382S
- catalysis in, cysteine in, 388S
- developmental changes in, in neonatal brain, 423S
- fusion protein, biliverdin reductase as, 443S
- in liver, iodoacetic acid and, 485S
- in mosquito, 81S
- multigene family, xenobiotic interactions and, 423
- native and recombinant, differential reactivity of, 360S
- from *Yarrowia lipolytica*, purification of, 374S
- Glycan structure, truncated, from monoclonal IgG, 103S
- Glyceraldehyde-3-phosphate dehydrogenase, properties of, NMR probing of, 376
- Glycine, transport and accumulation of, ion concentration gradients and, 222S
- Glycogen synthase, insulin activation of, by phosphatidylinositol 3-kinase/p70^{shc}-dependent pathway, 202S
- Glycogenin utilisation, for glycogen synthesis, in diabetes, 323S
- Glycoprotein
- carbohydrate-deficient, 185
- in colonic mucin, 535S
- function of, 1
- glycosylation of
- cytokines and, 164S
- immunoassay of, 168S
- lacdiNAc pathway for, 175
- GP70, production of, in Mason-Pfizer monkey virus, transmembrane domain and, 334S
- GP11b/IIA receptor, ReoPro against, 1051
- hormones, α -subunit of, cloning and expression of, 347S
- hyphal fungi expression and secretion of, 180
- parotid salivary, glycosylation of, lectin probe analysis of, 538S
- recombinant, heterogeneity of, 171
- respiratory syncytial virus, T cell epitopes of, 483S
- structure of, 1
- viral, acylation of, 565
- Glycosaminoglycan, amyloid β neurotoxicity and, 106S
- Glucose metabolism, in muscle cell, 319S
- Glycosylation
- of mucin, in colonic disease, 840
- of tissue plasminogen activator, 99S
- Glycosyl phosphatidylinositol anchor, CD59 incorporated through, in time-dependent manner, 269S
- Glycosylphosphatidylinositol anchors, purification of, 101S
- Glycosylphosphatidylinositol hydrolysis, EGF and, 174S
- GM-CSF: see Granulocyte-macrophage colony-stimulating factor
- Golgi complex and endoplasmic reticulum, membrane traffic between, microtubules and kinesin in, 544
- Golgi intermediate compartment protein, recycling of, in secretory pathway, 541
- Golgi membrane, in pericentriolar region of mammalian cell, 538
- Golgi protein, transmembrane of, 527
- Gossypol, hepatic lactate dehydrogenase and, 626S
- G-protein
- agonist-induced elimination of, 166
- coupling specificity of, metabotropic glutamate receptors and, 91
- dependence of somatostatin analogue K⁺ channel inhibition on, in colonocyte, 19S
- functioning of, protein prenylation and, 161
- and intracellular trafficking of FcRI, 123S
- neuronal expression of, inhibition of, 137
- palmitoylation of, 583
- receptor-regulated, 156
- simian, human Neurokinin-1 receptor coupled to, 95S
- G-protein-linked receptor
- activated tyrosine kinase, regulation of phospholipase C and D by, 208S
- allosteric regulation of, 108
- Ca²⁺ signalling via, in colonic epithelial cell, 459S
- palmitoylation of, 116
- dynamic regulation of, 577
- G α -protein
- cAMP regulation of, in glioma cell, 10S
- palmitoylation-negative mutants of, plasma membrane interaction with, 9S
- G $\beta\gamma$ -protein
- in signal transduction, 141
- phospholipase C activation by, 17S
- G α_1 -protein, palmitoylation of, adrenoceptor coupling and, 406S
- G α_q -protein
- in control and Alzheimer's disease brains, 363S
- high level expression of, in *Escherichia coli*, 12S
- G α_s -protein
- adenylyl cyclase interaction with, agonist-regulated forskolin binding as measure of, 8S
- epitope-tagged, β_2 -adrenoceptor interaction with, 7S
- G α_i /protein kinase A pathway, interaction of, with Ras/MAP-kinase signalling pathway, 129
- Granule cell neuron, cerebellar, tau protein in, 51S
- Granulocyte
- adenosine deaminase inhibition of chemotactic peptide-mediated cAMP production in, 6S
- phospholipase D substrate selectivity in, fatty acids and, 276S
- Granulocyte-macrophage colony-stimulating factor, c-lyn effects on, in neutrophils, 196S
- Growth-associated protein, in nerve regeneration and neuropathy, 76
- Growth hormone
- induction of hepatic proto-oncogenes and IGF-I by, 328S
- and mammary cholesterol metabolism, in lactation, 579S
- modulation of adenosine signalling in adipose tissue by, 16S
- phorbol ester and ionomycin-induced release of, tyrosine kinase inhibition and, 210S
- produced by site-directed mutagenesis, 219S
- recombinant DNA-derived, variants in, 220S
- regulation of adipose tissue lipogenesis by, phosphatidylinositol 3-kinase and, 190S
- signalling pathways dependent on, wortmannin and, 197S
- Growth-related proteins
- 23, mammalian, translational regulation of, 316S
- 78, isoforms of, characterisation of, 79S
- GTP γ S
- high affinity binding of, pharmacological characterisation of, 91S
- iron-catalysed lipid peroxidation and, 541S
- Guanosine monophosphate, cyclic, -gated cation channel, in cardiovascular tissue, 441S
- Guanosine triphosphatase, rho, rac, and cdc42, actin structure, cell adhesion and motility and, 456
- Guanosine triphosphate, Rab4p binding of, 377S
- H2-M3, presentation of N-formylated peptides by, 669
- Haber-Weiss reaction, DNA damage and, 482S
- Halothane, μ opioid binding and, 416S
- Heart
- ischaemic, insulin insensitivity in, 337S
- perfused, trans-sarcolemmal P_i fluxes in, 293S
- pyruvate dehydrogenase in, dietary regulation of, during suckling-weaning transition, 495S
- α -tocopherol in, 466S
- working, mitochondrial energy status in, 307S
- Heat shock protein
- 26-kDa, inhibition of actin polymerisation by, 77S
- 65–70-kDa, as self-antigen in selection of $\gamma\delta$ lymphocyte, 215S
- 70-kDa, reaction mechanism of, 557S
- Heme
- catabolism of, vitamin A-CoMP, 540S
- reactions of, with organic peroxides, 244S
- Heme regulatory enzyme, lead-cobalt mesoporphyrin and, 546S
- Hemodialysis patient, alkaline phosphatase isoenzymes in serum of, 310S
- Hemoglobin, oxidation of, in chromium toxicity, 241S
- Heparin, effects of, on vascular smooth muscle cell, 172S, 173S
- Hepatic energy, perturbations in, alanine infusion during, 336S
- Hepatic gene expression, thiazolidinedione and genetic obesity and, 590S
- Hepatic-inducible nitric oxide synthase, 1008
- Hepatic metabolism
- of chylomicron remnants, dietary corn or olive oil and, 134S, 284S
- restoration of, by cold reperfusion, 318S
- Hepatocyte
- apolipoprotein B secretion regulated by, proteolysis and, 413S

- cholesterol esterification in, okadaic acid and calyculin A and, 580S
 desaturation and esterification of palmitic and stearic acids in, 302S
 fetal, differentiation-related gene expression in, hormonal regulation of, 437S
- Hepatoma, ascites, hyperlipidaemia in, 492S
- Hepatoma cell, insulin regulation of gene 33 in, wortmannin and, 545S
- Herbimycin A, nuclear factor κ B modification by, 111S
- Herpes simplex virus
 -DNA polymerase, fusion protein from, 61S
 dTTP pool size and, 627S
 gene targeting in, 398
- Herpesvirus, bovine, detection of, 355S
- Hexose phosphate transport, reconstitution of, from isolated endosperm amyloplasts, 570S
- Hippocampal neuron
 nicotine-induced regulation of bungarotoxin binding sites in, 48S
 voltage-clamped dendrites of, calcium transients in, 653
- Histamine
 chloride transport stimulated by, 553S
 NAP kinase phosphorylation by, in HUVEC, 203S
 response, PKC and, in adrenal chromaffin cell, 424S
- Histidine
 active site, of carnitine acyltransferases, 490S
 dipeptide, in exercised hypertensive muscle, 542S
- Histidyl residue, in aminopeptidase P modification, 549S
- HIV: *see* Human immunodeficiency virus
- Homocysteine metabolism, renal, 470S
- Hormone, stimulation of Ca^{2+} mobilisation by, 637
- Horseradish peroxidase
 aromatic donor molecule binding sites of, 232
 coupled to two-dimensional NMR spectral assignment, homology modelling of, 250
 electrostatic potentials and His-Asp H-bonding networks in, 257
 genetic structure and expression of, 245
 key residues in, functional role of, 240
 recombinant, redox state of, 138S
 stability of, 108S
 structure of, catalytic activity and, 223
 in transgenic tobacco, 247
- H^+ -ATPase, from chloroplasts, structure of, 780
- Human immunodeficiency virus
 MHC mimicry of, 471S
 Nef, cellular protein interaction with, myristoylation and, 557
 nucleoside spiroxirane as suicide inhibitors of, 619S
 p17 matrix protein of, 725
- Human umbilical vein endothelial cell
 cytokine-induced E-selectin expression by, tyrosine kinase and, 182S
 thrombin and histamine phosphorylation of MAP kinase in, 203S
- HUVEC: *see* Human umbilical vein endothelial cells
- Hyaluronan receptor, transmembrane and cytoplasmic modulation of, 831
- Hyaluronic acid, reaction of, with hydroxyl radical, 248S
- Hybridoma, cell and product yields in, dichloroacetate and, 585S
- 3-Hydroxy-3-methylglutaryl-coenzyme A lyase deficiency, ketogenic flux from lipids and leucine in, 489S
- 3-Hydroxy-3-methylglutaryl-coenzyme A synthase
 fasting and insulin treatment and, in liver, 493S
 mitochondrial, regulation of, in liver and intestine, 486
- Hydroxybutyrate
 inhibition of citrate oxidation in cerebral cortex by, 229S
 inhibition of CO_2 formation in cerebral cortex by, 228S
- 7 α -Hydroxycholesterol, in cholestyramine-treated serum, 362S
- 2-Hydroxyethyl α -D-glucopyranoside 2,3,4'-triphosphate, *myo*-inositol 1,4,5-triphosphate receptor interaction with, 420S
- Hydroxyl radical, reaction of, with hyaluronic acid, 248S
- Hyperglycaemia, mitochondrial DNA damage by, in vascular endothelial cells, 396S
- Hyperlipidaemia, in Yoshida AH-130 ascites hepatoma, 492S
- Hyperlipoproteinaemia, in Arabian dromedary, 281S
- Hypersensitivity, delayed, endothelial selectin in, 160S
- Hypertension, antioxidant status in, angiotensin-converting enzyme inhibition and, 224S
- Hypertensive muscle, exercised, histidine dipeptide levels in, 542S
- Hypertrophy, amlodipine in, treatment of, 460S
- Hyphal fungus, glycoprotein expression and secretion by, 180
- IFN: *see* Interferon
- IGF-I: *see* Insulin-like growth factor I
- IL: *see* Interleukin
- Imipramine, serotonin transporter for, dithiothreitol and, 41S
- Immune parameters, exercise and, 124S
- Immune response, to allergens of house dust mite, 660
- Immunity, cell-mediated, dietary lipid and, 273S
- Immunoglobulin(s), in intervertebral disc, 212S
- Immunoglobulin E receptor cross-linking, calcium oscillations and waves during, 189S
- Immunoglobulin G
 antibody molecule, oligosaccharide-protein interaction in, 102S
 IgM and rheumatoid factor levels and, 475S
 light chain, partial sequence of, 633S
 monoclonal, truncated glycan structures from, 103S
 monomeric, Fc γ RI internalisation and, 120S
 oligosaccharides of, in rheumatoid arthritis, 163S
- Immunoglobulin M, IgG and rheumatoid factor levels and, 475S
- Immunoliposome
 adsorption of, to bacterial biofilms, 583S
 to target anti-cancer drugs, 1073
- Immunotherapy, for tumour, 1079
- Inflammatory cellular response, *Cleome arabica* leaf extract and, 609S
- Inosine monophosphate cyclohydrolase, inhibitors of, 888
- Inositide, evolution and functions of, 27
- Inositol lipid
 mastoparan and, 573S
 and phosphate, in *Saccharomyces pombe* signalling, 223S
 in plant-bacteria symbiosis, 582S
 signal transduction by, in phytoalexin elicitation, 862
- Inositol triphosphate
 in mammary epithelial cells, 169S
 -sensitive calcium channel, cerebellar, alkali metal ion modulation of, 428S
- Inositol triphosphate receptor
 from *Chenopodium rubrum*, 574S
 2-hydroxyethyl α -D-glucopyranoside 2,3,4'-triphosphate interaction with, 420S
- Insulin
 action of, 22-kDa phosphoprotein in, 209S
 activation of glycogen synthase by, by phosphatidylinositol 3-kinase/p70^{s6k}-dependent pathway, 202S
 concentration of, glucose-dependent, somatostatin and, 544S
 degradation products of, in endosomes, 1S
 effect of, on hepatic carnitine palmitoyltransferase and 3-hydroxy-3-methylglutaryl coenzyme A synthase, 493S
 gene 33 regulation by, in hepatoma cell, wortmannin and, 545S
 insensitivity to, in ischaemic heart, 337S
 interactions of, with receptor, compartmental modelling of, 2S
 lipogenesis stimulated by, signalling pathways in, wortmannin and, 206S
 regulation of adipose tissue lipogenesis by, phosphatidylinositol 3-kinase and, 190S
 regulation of phosphoinositide 3-kinase by, 148
 secretion of
 effect of myristoylated pseudosubstrate PKC peptide inhibitors on, 187S
 from pancreatic β cell, measurement of, 218S
 receptor for, tyrosine kinase domain of, phosphorylation kinetics of, 188S
 -resistant states, glucose metabolism in, 314
 secretagogue, effects of, on phosphoprotein phosphatase, in islet of Langerhans, 593S
 -sensitive GLUT4, targeting of, in adipocytes, 414S
 -stimulated acetyl-CoA carboxylase kinase, purification of, from epididymal adipose tissue, 180S
 -stimulated mitogenesis, phosphatidylinositol 3-kinase in, in adipocytes, 179S
 -stimulated osteoblast cells, G1 phase synchronisation and, 116S
- Insulin-like growth factor I
 GH induction and somatostatin suppression of, in liver, 328S
 intracellular mediators of, in otic vesicle development, 185S
 regulation of phosphoinositide 3-kinase by, 148
- Insulinotropic polypeptide, glucose-dependent, somatostatin and, 544S
- Integrin
 ligand binding regulation and, 439
 regulation of gene transcription, transcript stabilisation and translation, 460
- Integrin $\alpha 5\beta 1$, regulation of, by anti-integrin antibodies and divalent cations, 395S
- Integrin I-domain-ligand binding, 504S, 505S
- Interferon γ
 cells stimulated by, Ca^{2+} signals and, in Fc γ RI, 122S
 glycoforms of, in baculovirus-infected insect cells, 100S
- Interferon τ , PKC activation by, 271S
- Interleukin 1
 endothelial cell activation by, 109S

- pertussis toxin and, in T cell, 112S
 Interleukin 2 receptor, release from spleen cell, effect of cyclosporin A, FK506, and rapamycin on, 615S
 Intervertebral disc
 collagen IX isoforms in, 517S
 immunoglobulins and α 1-proteinase inhibitor in, 212S
 lipid analysis in, 299S
 Intestine
 goblet cell in, mucin exocytosis from, regulation of, 810
 iron absorption by, 140S
 mitochondrial 3-hydroxy-3-methylglutaryl-coenzyme A synthase regulation in, 486
 mucin in, biosynthesis of, 814
 sucrose-isomaltase in, cloning and expression of, 304S
 villus in, peroxisomes and plasmalogens in, 577S
 Iodoacetamide, in flow cytometric assay of cell surface free thiol, 38S
 Iodoacetic acid, hepatic glutathione S-transferase and, 485S
 Ion channel polypeptides, structure and dynamics of, 501S
 Ion concentration gradient, glycine transport and accumulation and, 222S
 Ionomycin, GH and LH release induced by, tyrosine kinase inhibition and, 210S
 Iron
 action of, on amino acid and protein peroxides, 249S
 chelation of, in renal transplantation, 524S
 haem and non-haem, in tissue, 333S
 interactions with desferrioxamine and ATP, in lymphocytes and B cells, 213S
 intestinal absorption of, 140S
 -specific membrane antioxidant, ATP as, 264S
 Islet, paracrine/autocrine control of, 336
 Islet of Langerhans
 insulin secretagogue effects on phosphoprotein phosphatases in, 593S
 MAP kinase cascade in, 221S
 Isocitrate dehydrogenase, from *Klebsiella pneumoniae*, cloning and over-expression of, 266S
 Isoprenoid synthesis, in peppermint, 200S
 Jejunum
 antioxidant status in, acute ethanol dosage and, 463S
 protein synthesis in, enteral nutrition and, 462S
 Keratinocyte, production of TGF- β isoforms by, 440S
 Ketamine, inhibition of K⁺-evoked noradrenaline release by, 417S
 Kidney, *see also Renal* entries
 apolipoprotein A-I metabolism by, 135S
 homocysteine metabolism in, 470S
 polyamine excretion through, 469S
 Kinesin, and membrane traffic between Golgi complex and endoplasmic reticulum, 544
 Kistrin, recombinant, integrin-ligand binding by, 505S
Klebsiella pneumoniae, isocitrate dehydrogenase from, cloning and over-expression of, 266S
 Krp1 endopeptidase, cell viability and, 564S
 La antigen, double-stranded RNA binding properties of, 312S
 lacdiNac pathway, for glycoprotein glycosylation, 175
 β -Lactam, to investigate *Escherichia coli* penicillin-binding proteins, 562S
 Lactase-phlorizin hydrolase, cleavage site in, 305S
 Lactate dehydrogenase
 isoforms of, resolution of, 365S
 in liver, histidine protection of, 626S
 Lactating mammary tissue
 anion transport in, 26S
 Na⁺-dependent, glutamate transport in, 567S
 Na⁺-P_i cotransport in, 559S
 PKA in, 452S
 volume-sensitive taurine efflux and anion exchanger in, 392S
 Lactation
 lipid metabolism during, 516
 mammary cholesterol metabolism in, GH and, 579S
 β -Lactoglobulin
 FTIR spectrum changes in, with temperature, 612S
 lysozyme cross-linking with, fructation-induced, 240S
 β -Lactoglobulin A, thermal unfolding and aggregation of, 74S
 Langerhans, islet of
 insulin secretagogue effects on phosphoprotein phosphatases in, 593S
 MAP kinase cascade in, 221S
 Laser desorption ionisation, matrix-assisted, protein sequencing by, 914
 LDL: *see* Lipoprotein, low density
 Lead-cobalt mesoporphyrin, heme regulatory enzyme and, 546S
 Leader peptidase, precursor protein as substrate for, 58S
 Lectin probe analysis, of parotid salivary glycoprotein glycosylation, 538S
 Leucine, ketogenic flux from, in 3-hydroxy-3-methylglutaryl-coenzyme A lyase deficiency, 489S
 Leukaemia cell, membrane-active agents in, cytotoxic effects of, 27S
 Leukaemia inhibitory factor/cholinergic differentiation factor, expression of, adrenoceptor stimulation and, 114S
 Leukocyte trafficking, in delayed hypersensitivity, 160S, 161S
 LHRH: *see* Luteinising hormone-releasing hormone
 Ligand binding site
 for dopamine D₂ receptor, 87
 of PDGF receptor, 73S
 for vasopressin receptors, 85S, 103
 Ligand-gated calcium channel, at vacuolar membrane, 856
 Lignin peroxidase
 catalysis, veratryl alcohol and Poly R reaction in, 340S
 electrostatic potentials and His-Asp H-bonding networks in, 257
 radical cation cofactors of catalysis and, 262
 spectra and reactivity of, 342S
 structure of, catalytic activity and, 228
 Linoleic acid, dietary, alcohol-induced cirrhosis and, 247S
 Lipid
 -activated protein kinase, plant signalling and, 871
 analysis of, in intervertebral disc, 299S
 dietary
 cell-mediated immunity and, 273S
 lymphocyte functions and, 302
 macrophage cell surface molecule expression and, 272S
 reactive oxygen species production and, by peritoneal macrophages, 280S
 T cell-derived cytokine production and, 279S
 iron-catalysed peroxidation of, GTP γ S and, 541S
 ketogenic flux from, in 3-hydroxy-3-methylglutaryl-coenzyme A lyase deficiency, 489S
 membrane, 697
 metabolism of
 in adult, fetal programming of, 331
 endotoxin and, 1013
 in lactation, 516
 mimetics, as inhibitors of pancreatic phospholipase A₂, 614S
 modification of signal-transducing polypeptide by, in nematode, 3S
 in mushrooms, 613S
 peroxidation of
 estrogen inhibition of, 256S
 low fat diet and, 245S, 246S
 structural modulation of, by membrane proteins, 251S
 requirement for, for membrane anchoring of *Escherichia coli* penicillin-binding protein, 31S
 systemic sclerosis and, 274S
 Lipid kinase activity, of
 phosphatidylinositol 3-kinase, 14S
 Lipogenesis
 in adipose tissue, insulin and GH regulation of, phosphatidylinositol 3-kinase and, 190S
 insulin stimulation of, signalling pathways in, wortmannin and, 206S
 Lipolysis, in adipose tissue, dietary fat and, 486S
 Lipopolysaccharide, macrophage nitric oxide production and, 233S
 Lipoprotein
 high density
 binding of, prostaglandin and, 448S
 to measure cholesteryl ester transfer protein, in plasma, 491S
 low density
 cholesterol synthesis by, 351S
 oxidation of, 242S, 243S
 receptor, prostaglandin effects on, 5S
 very low density, hepatic, enzymology of, 49S
 viral, myristoylation of, 553
 Liposomally encapsulated enzyme, Rank electrode detection of activity in, 568S
 Liposome, cationic, interaction of skin bacteria with, 561S
 Liquid chromatography, of chemokine proinflammatory protein, 911
 Lithium, effect of, on muscarinic cholinceptor-stimulated phosphoinositide-specific phospholipase C substrate selectivity, 421S
 Liver
 alcoholic disease of, mitochondrial β -oxidation in, 497S
 biliverdin reductase in, purification and properties of, 389S
 cellular interactions in, in endotoxaemia and sepsis, 993
 effect of fasting and insulin treatment on carnitine palmitoyltransferase and 3-hydroxy-3-methylglutaryl coenzyme A synthase in, 493S
 fatty acid metabolism in, insulin and, 506
 fatty acid oxidation and ketogenesis in, hormonal and nutritional control of, 500
 glucokinase activity in, in animals fed glucose at birth, 321S
 gluconeogenesis by, bacterial endotoxin inhibition of, nitric oxide and, 1002

- glutathione S-transferase in, iodoacetic acid and, 485S
 lactate dehydrogenase in, histidine protection of, 626S
 mitochondria in
 3-hydroxy-3-methylglutaryl-coenzyme A synthase regulation in, 486
 nitric oxide and, 232S
 palmitoyl-CoA oxidation and ketogenesis in, 288S
 nitric oxide synthesis and gluconeogenesis in, endotoxin effects on, 322S
 oscillating calcium signalling in, 642
 perfused, taurocholic acid in, cAMP and, 575S
 proto-oncogenes in, induction of, by GH and somatostatin, 328S
 pyruvate dehydrogenase in, dietary regulation of, during suckling-weaning transition, 495S
 response of, to endotoxin and alcohol, 465S
 α -tocopherol in, 466S
 transplantation of
 cerebral oxygenation and haemodynamics in, 525S
 mitochondrial metabolic parameters following, 527S
 VLDL in, enzymology of, 495
- Lobar atrophy
 non-serotonergic profile of, 601S
 serotonergic profile of, 600S
- Lp(a), cholesterol synthesis by, 351S
- L-selectin counter-receptor, in lymph node, 159S
- LU BCRU G7, tumour cell isolation using, 584S
- Lucifer yellow iodoacetamide, in flow cytometric assay of cell surface free thiol, 38S
- Luminal peptidyl prolyl isomerase, endoplasmic reticular, protein folding catalysis by, 63S
- Lung
 cancer of, quantitation of MCA, CA 19.9, CA 125 and TSA levels in, 211S, 630S
 cigarette smoke, glutathione metabolism, and epithelial permeability in, 235S
 DNA binding of glucocorticoids in, β -adrenergic agonist inhibition of, 217S
 endothelial cell in, membrane-bound carbonic anhydrase in, 320S
 PKC in, 148S
 Luteal cell, phosphoprotein phosphatase activity in, 20S
 Luteinising hormone, phorbol ester and ionomycin-induced release of, tyrosine kinase inhibition and, 210S
 Luteinising hormone-releasing hormone phospholipase C-dependent activation of tyrosine kinase by, 143S
 receptor for, activation of MAP kinase by, 14, 144S
 tyrosine phosphorylation induced by, 145S
- Lymph node, L-selectin counter-receptor in, 159S
- Lymphocyte
 functioning of, fatty acids and dietary lipids and, 302
 interactions of iron, desferrioxamine, and ATP in, 213S
 positive for E-selectin ligand, during inflammatory reactions, 158S
- Lysophosphatidic acid-stimulated tyrosine phosphorylation, of pp42 MAP kinase, by PKC and PKA, 339S
- Lysozyme, β -lactoglobulin cross-linking with, fructuaction-induced, 240S
- Macrophage
 cell growth inhibitor produced by, 591S
 cell surface molecule expression, dietary lipid and, 272S
 LDL oxidation by, thiols in, 242S
 nitric oxide production by
 lipopolysaccharide and, 233S
 superoxide dismutase and, 231S
 nitric oxide synthase induction in, 1029
 peritoneal, reactive oxygen species production by, dietary lipid and, 280S
 processing of myelin basic protein by, 686
 -specific Fc γ RI, three-dimensional structure of, 472S
- Madin-Darby canine kidney cell, morphological alterations in, from exposure to *Clostridium perfringens* ϵ -toxin, 44S
- Major histocompatibility complex
 binding sequences, in protein antigens, 675
 mimicry of, by HIV, 471S
- Malignancy, copper and ceruloplasmin in effusions from, 606S
- Malignant hyperthermia
 patients susceptible to, dihydropyridine receptor γ subunit in, 352S
 RYR1 gene in, haplotype analysis of, 372S
- Malonyl-coenzyme A, carnitine palmitoyltransferase and, 481
- Mammalian growth-related protein P23, translational regulation of, 316S
- Mammary cholesterol metabolism, in lactation, GH and, 579S
- Mammary epithelial cell, inositol trisphosphate in, 169S
- Mammary tissue
 gene expression in, throughout oestrus cycle, 359S
 lactating
 anion transport in, 26S
 Na⁺-dependent, glutamate transport in, 567S
 Na⁺-P, cotransport in, 559S
 PKA in, 452S
 volume-sensitive taurine efflux and anion exchanger in, 392S
- Manganese peroxidase, structure of, catalytic activity and, 228
- MAP: see Microtubule-associated protein
- Mason-Pfizer monkey virus, glycoprotein GP70 production in, transmembrane domain and, 334S
- Mass spectrometry
 biomolecular characterisation by, 924
 of chemokine proinflammatory protein, 911
 recombinant protein characterisation with, 917
 tandem, of peptides and proteins, 907
 time-of-flight, protein sequencing by, 914
- Mastoparan, inositol phospholipid and plasmolysis and, 573S
- MDCK cell: see Madin-Darby canine kidney cell
- mdx* dystrophic mouse muscle, *c-fos* and *c-myc* expression in, 131S, 456S
- Medical school, biochemistry in, 137S, 484S
- Megasphaera elsdenii*, electron-transferring flavoprotein from, cloning of, 379S
- Melanoma cell adhesion, in fibronectin, 403S
- Membrane
 -active agents, cytotoxic effects of, in leukaemia cell, 27S
 anchoring of *Escherichia coli* penicillin-binding protein
 anionic phospholipids in, 31S
 lipid requirement for, 31S
 low molecular weight and, 33S
 polytopic determinants and, 96S
 antioxidant in, iron-specific, ATP as, 264S
 -associated guanylate kinase
 homologue, zona occludens as membranes of, 470
 fluidity of
 agents perturbing, cerebellar inositol trisphosphate-induced calcium release and, 429S
 steroid hormones and, 438S
 interface with, biophysics of, 959
 lipids in, 697
 protein in
 polytopic, of *Escherichia coli*, functional integration of, 560S
 structural modulation of lipid peroxidation by, 251S
 transmembrane of, 527
 signal sequence interaction with, 971
 trafficking of, protein palmitoylation in, 572
- Menadione, mitochondrial DNA damage by, in vascular endothelial cells, 396S
- Mercuric chloride, and binding of AMPA to brain membrane, 118S
- Metabolic acidosis, protein catabolism in, 464S
- Metabolic channelling, pool size at constant net flux and, 287S
- Metabolic control analysis
 in mitochondria, 371
 recent developments beyond, 387
- Metabolic engineering, applied to amino acid biosynthesis, 381
- Metabolic programming, object-oriented, 296S
- Metalloporphyrin, blood chemistry and, 539S
- Methionine synthase
 vitamin B₁₂-dependent
 PKA phosphorylation of, 335S
 polyamine regulation of, 444S
- Methylglyoxal metabolism, regulation of, 291S
- 1-Methyl-4-phenylpyridinium, as substrate for catechol-O-methyltransferase, 350S
- Mevalonic acid pathway, flux of intermediates through, in plants, 290S
- MHC: see Major histocompatibility complex
- Micro-organisms, in environment, 435
- Microsomal carnitine acyltransferase, 490
- Microtubule
 in apical and basolateral endocytosis, in epithelial cell, 535
 and membrane traffic between Golgi complex and endoplasmic reticulum, 544
- Microtubule-associated protein, in nerve regeneration and neuropathy, 76
- Microtubule-associated protein 1B
 during nervous system development, 47
 phosphorylation of, axonal growth and, 37
- Microtubule-associated protein 2, phosphatidylinositol binding site of, 41
- Mitochondria
 alternative oxidase of, 151S
 ATP synthase in, DCCD inhibition of, 735
 in β -amyloid inhibition of MTT reduction, 56S
 β -oxidation in, in alcoholic liver disease, 497S
 carnitine palmitoyltransferase in, molecular features in, 321
 energy metabolism in, 371

- in working heart, 307S
of *Escherichia coli*, F₀F₁-ATPases of, 520S, 522S
3-hydroxy-3-methylglutaryl-coenzyme A synthase in, regulation of, in liver and intestine, 486
in liver
 nitric oxide and, 232S
 palmitoyl-CoA oxidation and ketogenesis in, 288S
metabolic parameters in, after liver transplantation, 527S
in plant, respiration of, quinone pool kinetics and, 289S
serine hydroxymethyltransferase in, 625S
in vascular endothelial cells, DNA damage in, by hyperglycaemia, reperfusion, and menadione, 396S
- Mitogen-activated protein kinase in angiotensin II-stimulated mitogenesis, 426S
cascade, in islets of Langerhans, 221S
forskolin inhibition of, in vascular smooth muscle cells, 341S
LHRH activation of, 144S, 145S
thrombin and histamine phosphorylation of, 203S
- Mitogenesis, angiotensin II, tyrosine phosphorylation, phospholipase D, and MAP kinase in, 426S
- Molecule, signal-mediating, 207
- Molybdenum complex, (ADP-ribose)polymerase activity and, 628S
- Mono-ADP-ribosyltransferase gene, rabbit, cloning of chicken gene homologous to, 207S
- Monoamine oxidase, inhibitor binding to, 457S
- Monoclonal antibody
anti-platelet, to prevent arterial thrombosis, 1051
anti-respiratory syncytial virus, 1063
humanised, production of, 1035, 1038
therapeutic, 1044, 1067
- Monocyte, functionally associated molecule expression on, fatty acids and, 303S
- MTT reduction, β -amyloid inhibition of, mitochondria and, 56S
- Mucilage, of sunflower, rapeseed, and soja, phospholipid in, 300S
- Mucin
carcinoma progression and, 822
colonic
 in adenocarcinoma, 529S
 biosynthesis and macromolecular assembly of, 819
 glycoprotein in, 535S
 glycosylation patterns of, 840
 lipopolysaccharide induction of Ca²⁺-dependent nitric oxide synthase in, 455S
 in ulcerative colitis, 104S, 531S
 embryo implantation and, 826
 from intestinal goblet cells, regulation of, 810
 gastric, MUC5 as, 533S
 gel-forming, biosynthesis and molecular architecture of, 805
 genomic organisation of, 800
 intestinal, biosynthesis of, 814
 ocular, 537S
 respiratory, pathogen interaction with, 836
 secretion of, cystic fibrosis gene protein and, 532S
 soluble and insoluble, identification of, 845
 structure/function of, 795
 tracheal, MUC5 as, 534S
- Mucosal ferricyanide reductase, duodenal, inhibition of, 338S
- Multidrug resistance, in carcinoma, PKC in, 447S, 450S
- Muscle
cells of, glucose metabolism in, 319S
damage to, tamoxifen and, 236S
hypertensive, exercised, histidine dipeptide levels in, 542S
protein metabolism in, during sepsis, 1019
- Mushroom, lipid profiles in, 613S
- Mycobacterium tuberculosis*, catalase peroxidase from, 152S
- Myelin basic protein, macrophage processing by, 686
- Myocyte, ventricular, annexin V and VI localisation in, 28S
- Myometrium, second messenger pathways for oxytocin and prostaglandins in, 21S
- Myristoylated alanine-rich C kinase substrate, 587
demyristoylation of, 561
- Myristoylated pseudosubstrate PKC inhibitor, in platelets, 205S
- Myristoylation
in interaction between HIV Nef and cellular proteins, 557
of viral lipoprotein, 553
- Myristoyl-coenzyme A:protein N-myristoyltransferase, characterisation and cellular localisation of, 549
- NADH oxidoreductase activity, free radical generating agents and, 605S
- Namalwa cell, N-linked glycosylation of tissue plasminogen activator in, 99S
- Naphthoquinone, DNA damage induced by, oxidative stress and, 225S
- Na⁺, K⁺-ATPase
in brain capillary cell, glucose concentration and, 317S
phenylalanine inhibition of, alanine reversal of, 227S
- Nemonapride, binding of, to dopamine D₂ receptor, 90S
- Neonatal brain, developmental changes of glutathione S-transferase in, 423S
- Neonate, ventricular myocytes in, Src and Ras stimulation of atrial natriuretic factor in, 445S
- Nerve, regeneration of, microtubule- and growth-associated proteins in, 76
- Nerve growth factor
neuronal differentiation induced by, dopamine concentration after, 46S
neuropeptide Y regulation by, 226S
regulation of phosphoinositide 3-kinase by, 148
- Nervous system, development of, MAP 1B changes during, 47
- Neuroblastoma cell
aluminium localisation in, gallium as model for, 598S
cannabinoid receptors in, 418S
phospholipase D activation in, Ca²⁺ and PKC and, 427S
vesicular proteins in, 50S
- Neurodegenerative disease, environmental factors in, 429
- Neurofilament
assembly dynamics of, 43S
triplet proteins in, 42S
- Neurokinin-1 receptor, human, coupled to simian G-protein, 95S
- Neuron
calcium homeostasis in, 629
in cerebellar granule cell, tau protein in, 51S
differentiation of, induced by NGF or VIP, dopamine concentration after, 46S
- hippocampal
nicotine-induced regulation of bungarotoxin binding sites in, 48S
voltage-clamped dendrites of, calcium transients in, 653
- pathology of, microtubule- and growth-associated proteins in, 76
sodium and calcium channel modulation in, 633
-specific enolase, in lung cancer, 211S
UV-induced DNA damage in, 474S
- Neuropeptide Y, NGF regulation of, 226S
- Neuropeptide Y gene transcription, cAMP elevation and, 47S
- Neutrophil, GM-CSF in, c-lyn effects on, 196S
- N-formylated peptides, H2-M3 presentation of, 669
- NGF: see Nerve growth factor
- Nicotine, bungarotoxin regulation by, in hippocampal neurons, 48S
- Nitric oxide
in bacterial endotoxin inhibition of hepatic gluconeogenesis, 322S, 1002
macrophage production of lipopolysaccharide and, 233S
superoxide dismutase and, 231S
reduced liver mitochondria incubated with, 232S
in vascular dysfunction of septic shock, 1025
- Nitric oxide synthase
activation of, garlic and, 136S
arginine metabolism and, 324S
Ca²⁺ dependence of, in colonic mucosa, induced by lipopolysaccharide, 455S
garlic and, 136S
in choriocarcinoma cell, 543S
hepatic-inducible, 1008
induction of, in macrophages and vascular smooth muscle cells, 1029
stimulation of, by endothelial purinoceptors, 425S
- Nitrobenzyl-bovine serum albumin conjugates, photocyclable, 156S
- Nitrobenzyl groups, protein A-IgG(Fc) binding and, 155S
- Nitrogen reactive species, aromatic amino acid modification by, 237S
- Noradrenaline, K⁺-evoked release of, ketamine inhibition of, 417S
- Nuclear factor-euthyroid 2, duodenal expression of, iron metabolism and, 326S
- Nuclear factor κ B
antagonism of, by steroid hormone receptors, 952
herbimycin A modification of, 111S
TNF regulation of
 in astrocytoma, 597S
 in lymphoma cell, 113S
- Nucleobase transport, in renal epithelial cell, 29S
- Nucleotide, cyclic, in preimplantation embryo, 13S
- Nucleotide binding sites, in F₁-ATPase, 741
- Nucleotide biosynthesis, enzymes of, 877
- Nutrition, enteral, diarrhoea and jejunal protein synthesis in, 462S
- Obesity, genetic, hepatic gene expression and, 590S
- Ocular mucin, 537S
- Oesophageal carcinoma, gelatinolytic activity of, 391S
- Oestrogen receptor
activation of, without ligand, 935
genetic disruption of, 929
- Oestrus cycle, gene expression in mammary tissue throughout, 359S
- Oil, dietary, autoimmune response and, 277S
- Okadaic acid, cholesterol esterification and, in hepatocytes, 580S
- Oligonucleotide, digoxigenin-labelled, for ultra-rapid detection of mRNAs on Northern blots, 494S

- Oligosaccharide-protein interaction, in IgG antibody molecule, 102S
- Olive oil, dietary, and hepatic metabolism of chylomicron remnants, 134S, 284S
- Oocyte, inhibition of poly(ADP-ribose) polymerase in, 181S
- Oocyte S-100 incubation, with ATP, eIF-4 α kinase activation by, 191S
- μ -Opioid binding of, halothane and, 416S phospholipase C activation of, 419S
- Organic peroxides, heme reactions with, 244S
- Organic solvents, biocatalysis in, water and, 70S
- Osteoblast annexins in, 36S IGF-I stimulation of, G1 phase synchronisation and, 116S
- Osteoporosis, biomarkers for, collagen cross-links in, 385S
- Osteosarcoma cell, annexins in, 36S
- Otic vesicle development, intracellular mediators of IGF-I in, 185S
- Oxidant, TNF- α -mediated cytotoxicity and, 239S
- Oxidation of hemoglobin, in chromium toxicity, 241S of LDL, 243S by macrophages, thiols in, 242S
- β -Oxidation, mitochondrial, in alcoholic liver disease, 497S
- Oxidative stress aging and, 375S decarboxylation amplification of, 262S naphthoquinone-induced DNA damage and, 225S in plant tissue, 263S
- 8-Oxoguanine capillary chromatography of, 433S HPLC assay of, 431S
- 8-Oxydeoxyguanosine, yield of, after phenol vs. pronase E DNA isolation, 430S
- Oxygen reactive species, macrophage production of, dietary lipid and, 280S
- Oxy-species, reactive, carotenoid interaction with, 252S
- Oxytocin second messenger pathways for, in myometrium, 21S signal transduction pathway for, 267S
- p17 protein, refined solution structure of, 725
- p21^{ras} microinjection of, into oocytes, eIF-4 α kinase activation by, 191S voltage-dependent calcium channel regulation by, in dorsal root ganglion cell, 193S
- P23 protein, translational regulation of, 316S
- p53 mutant alleles, detection of, 129S
- p220 subunit, of eukaryotic translation initiation factor, protein synthesis and, 315S
- PACAP: *see* Pituitary adenylate cyclase-activating peptide
- Paired helical filaments, in Alzheimer's disease, phosphorylation of tau by glycogen synthase and, 45S
- Palmitic acid, desaturation and esterification of, in hepatocytes, 302S
- Palmitoylation of G $_i$ α , adrenoceptor coupling and, 406S of G-protein, 583 of G-protein-linked receptors, 116 dynamic regulation of, 577 of protein, in membrane trafficking, 572 of transmembrane proteins, 565
- Palmitoyl-CoA oxidation and ketogenesis, in hepatic mitochondria, 288S
- Pancreas, phospholipase A $_2$ in, lipidic mimetics as inhibitors of, 614S
- Pancreatic B cell, insulin secretion from, measurement of, 218S
- Pancreatic Capan-1 clone, carbonic anhydrases in, 309S
- Pancreatic microsome, preprotein processing and glycosylation by, 98S
- Pancreatitis, acute, onset of, plasma osmolality and, 618S
- Papain, pro-regions of, in *Escherichia coli*, inhibition of mature cysteine proteinases by, 80S
- Papaya proteinase, pro-regions of, in *Escherichia coli*, inhibition of mature cysteine proteinases by, 80S
- Paracetamol, inhibition of DNA synthesis by, in testis and gastrointestinal tract, 265S
- Parotid acinar cell, basolateral membrane from, anion permeability of, 410S
- Parotid salivary glycoprotein, glycosylation of, lectin probe analysis of, 538S
- Pax5 activity, inhibition of, by DNA binding domain, 325S
- Pax5 gene product, structure and function of, zinc and, 332S
- pcl1* gene, from *Schizosaccharomyces pombe*, 566S
- PDGF: *see* Platelet-derived growth factor
- Pea ascorbate peroxidase in, electrostatic potentials and His-Asp H-bonding networks in, 257 thermally stressed, developmental protein expression in, 177S, 178S
- Penem, in investigation of *Escherichia coli* leader peptidase, 548S
- Penicillin-binding protein, from *Escherichia coli*, membrane anchoring of anionic phospholipids in, 32S lipid requirement for, 31S low molecular weight and, 33S, 976
- Peptidase content, in bile canalicular membrane, 306S
- Peptide mass spectrometry of, 907 transport of, in barley seeds, 558S
- Perilipin, and intracellular neutral lipid droplets in adipocytes and steroidogenic cells, 611
- Peritoneal dialysis patient, alkaline phosphatase isoenzymes in serum of, 310S
- Peritoneal macrophage, cholesteryl ester hydrolase in, cAMP, 576S
- Peroxidase non-haem extracellular, produced by thermophilic actinomycete, 507S tamoxifen activated by, DNA damage by, 439S *Vaccinium myrtillus* cationic, magnetic circular dichroism studies on, 149S wall, substrate specificity of, 150S
- Peroxisome in intestine villus, 577S proliferation of, xenobiotics and, 425
- Pertussis toxin IL-1 signalling and, in T cell, 112S and LHRH activation of MAP kinase, 144S
- Phagocytic activity, plasma membrane fluidity and, 409S
- Phanerochaete chrysosporium* lignin peroxidase, electrostatic potentials and His-Asp H-bonding networks in, 257
- Phenol, DNA isolation by, 8-oxydeoxyguanosine yield and, 430S
- Phenoloxidase activity, in mosquito, 110S
- Phenylalanine, inhibition of Na $^+$, K $^+$ -ATPase by, alanine reversal of, 227S
- Pheromone communication, Sxa2 protease and, 565S
- PHF: *see* Paired helical filaments
- Phorbol dibutyrate, GH and LH release induced by, tyrosine kinase inhibition and, 210S
- Phorbol esters, phosphatidylinositol 3-kinase activity and, in adipocytes, 183S
- Phosphatase inhibitors of, and vasoactive mediator release from endothelium, 204S root surface, response of, to edaphic environment, 367S
- Phosphate, inorganic in lactating mammary tissue, 559S trans-sarcolemmal fluxes of, in perfused heart, 293S
- Phosphatidic acid kinase, in plant cell suspension culture, 867
- Phosphatidic acid phosphohydrolase, in airway smooth muscle, 198S
- Phosphatidylbutanol, phospholipase D synthesis of, 275S
- Phosphatidylcholine carotenoids in, antioxidant activity of, 133S gel phase of, dimethyl sulphoxide stabilisation of, 411S
- Phosphatidylinositol binding site, of, MAP 2, 41
- Phosphatidylinositol 3-kinase in insulin-stimulated mitogenesis, in adipocytes, 179S lipid kinase activity of, 14S phorbol esters and, in adipocytes, 183S and regulation of adipose tissue lipogenesis by insulin and GH, 190S in stimulation of glucose transport and recruitment of transferrin receptors, 201S v-Ras activation of, 195S
- Phosphatidylinositol 3-kinase/p70^{src}-dependent pathway, insulin activation of glycogen synthase by, 202S
- Phosphoglycerate kinase inhibitors of, 607S properties of, NMR probing of, 376
- Phosphoinositide nuclear, in plant, 581S signalling by, in plant and algal response to physiological stimuli, 853 -specific phospholipase C substrate selectivity, cholinceptor-stimulated, lithium effect on, 421S
- Phosphoinositide 3-kinase in RANTES-induced T lymphocyte chemotaxis, 283S regulation of, by insulin, IGF-I, and NGF, in PC12 cells, 148
- Phospholamban cardiac in *Escherichia coli*, 22S phosphorylation site-specific antibodies to, 15S phosphorylation of, release of Ca $^{2+}$ -Mg $^{2+}$ ATPase inhibition by, 62S
- Phospholipase A $_2$ cytosolic, dioleoylglycerol effect on activity of, 569S pancreatic, lipidic mimetics as inhibitors of, 614S secretory, anions and, 556S
- Phospholipase C G $\beta\gamma$ -protein activation of, 17S LHRH activation of tyrosine kinase dependent on, 143S μ -opioid activation of, 419S

- substrate selectivity of, cholinceptor-stimulated phosphoinositide-specific, lithium effect on, 421S
- Phospholipase C and D, regulation of, by G protein receptor-activated tyrosine kinase, 208S
- Phospholipase D
- activation of, in neuroblastoma cells, Ca²⁺ and PKC and, 427S
 - in angiotensin II-stimulated mitogenesis, 426S
 - extracellular calcium regulation of, PKC and, 199S
 - substrate selectivity of, in granulocytes, fatty acids and, 276S
 - synthesis of phosphatidylbutanol by, 275S
- Phospholipid
- anionic, in membrane anchoring of *Escherichia coli* penicillin-binding protein, 32S
 - composition of, viral, 523
 - from brain and egg, effect of, on activated partial prothrombin time, 301S
 - membrane of, amyloid β peptide neurogenerative fragment interaction with, 547S
 - in mucilage of sunflower, rapeseed, and soja, 300S
 - vesicle of, signal peptide interaction with, 554S
- Phosphopeptide-SH2 domain complex, structure and dynamics of, 729
- Phosphoprotein, 22-kDa, insulin action and, 209S
- Phosphoprotein phosphatase
- insulin secretagogue effect on, in islet of Langerhans, 593S
 - in luteal cell, 20S
- Phosphoribosyl-1(α)pyrophosphate synthase gene, in yeast, 621S
- Photodynamic therapy, cationic photosensitisers in, 260S, 261S
- Phytoalexin, inositol lipid signal transduction and, 862
- Pituitary adenylate cyclase-activating peptide receptor
- molecular characterisation of, 83S
 - splice variants of, signal transduction by, 133
- Pituitary gland, PKC in, 146S, 148S
- PKA: *see* Protein kinase A
- PKC: *see* Protein kinase C
- Placenta
- clathrin-coated vesicle membrane, fusion complex assembly from, 555S
 - volume-activated solute transport in, 25S
- Plant
- bacteria symbiosis, inositol lipid in, 582S
 - cell of, diacylglycerol and phosphatidic acid kinase in, 867
 - signalling by, plant lipid-activated protein kinase and, 871
- Plasma, osmolarity of, onset of acute pancreatitis and, 618S
- Plasmalogen
- gastric mucosal, biosynthesis of, 578S
 - in intestine villus, 577S
- Plasma membrane
- fluidity of, phagocytic activity and, 409S
 - palmitoylation-negative G₁ α -protein mutant interaction with, 9S
 - protein in, transmembrane domain of, 527
- Plasmid replication, RepD/D* in, 442S
- Platelet
- aggregation of
 - probenecid and pyridoxal phosphate effects on, 368S
 - in stored concentrated blood, 373S
 - effects of myristoylated pseudosubstrate inhibitor of PKC in, 205S
 - membrane of, EGTA-resistant binding of annexin to, calcium and, 37S
 - Platelet-activating factor, tyrosine kinase distribution and activity and, 194S
 - Platelet-derived growth factor, in vascular smooth muscle cell, 173S
 - DNA synthesis and migration and, 608S
 - elevation of intracellular Ca²⁺ by, 170S
 - receptor for
 - chimeric receptor from c-erbB-2 and, 186S
 - ligand binding domain of, 73S
 - Pleckstrin homology domain, 616
- Pollution
- adaptation of, soluble protein changes in, 370S
 - chemical, drug-metabolising enzymes as bioindicators of, 419
- Poly(ADP-ribose) polymerase, inhibition of, in oocyte, 181S
- Polyamines
- regulation of vitamin B₁₂-dependent methionine synthase activity by, 444S
 - urinary excretion of, 469S
- Polyanion, sulphated, amyloid β neurotoxicity and, 106S
- Polypeptide, fatty acylation of, in nematode, 405S
- Poly R, in lignin peroxidase catalysis, 340S
- Porphyrin sensitisers, photodynamic action of, protein radicals formed by, 261S
- Post-synaptic density, synapse stabilisation and, 59
- Potassium, noradrenaline release evoked by, ketamine inhibition of, 417S
- Potassium channel
- G-protein-dependent somatostatin analogue inhibition of, in colonocyte, 19S
 - slowly activating, structure of, 478S
 - transmembrane helices of, 415S
 - voltage-gated, structural analysis of, 479S
- Potassium ferrate, as DNA chemical sequencing reagent and probe, 387S
- pp42 mitogen-activated protein kinase, lysophosphatidic acid-stimulated tyrosine phosphorylation of, by PKC and PKA, 339S
- Precursor protein, as substrate for leader peptidase, 58S
- Preprotein, pancreatic microsome processing and glycosylation of, 98S
- Probenecid, platelet aggregation and, 368S
- Proline-specific enzymes, complementary actions of, in brain, 353S
- Pronase E, DNA isolation by, 8-oxo-deoxyguanosine yield and, 430S
- Pro-oxidant activity, of aminoguanidine and protein glycation, 250S
- Propionigenium modestum*, F₀F₁-ATPases from, Na⁺ binding site in, 770
- Prostaglandin
- cAMP and LDL receptor effects of, 5S
 - HDL binding and, 448S
 - second messenger pathways for, in myometrium, 21S
- Protease, probing protein structure with, 477S
- Protein: *see also specific protein*
- bifunctional anchoring, targeting of kinases and phosphatases by association with, 592
 - biomaterial interaction with, 502S
 - catabolism of, in metabolic acidosis, 464S
 - cellular, interaction of HIV Nef with, myristoylation and, 557
 - chemokine proinflammatory, liquid chromatography-mass spectrometry of, 911
 - developmental expression of, in thermally stressed pea, 177S, 178S
 - dynamic acylation of, 568
 - folding of
 - and endoplasmic reticulum luminal peptidyl prolyl isomerase, 63S
 - lattice models of, 715
 - translocated, across bacterial outer membrane, 985
 - Golgi and plasma membrane, transmembrane domains of, 527
 - hydration of, 711
 - jejunal synthesis of, enteral nutrition and, 462S
 - mass spectrometry of, 907
 - membrane anchors of, polytopic determinants and, 965
 - muscle, metabolism of, during sepsis, 1019
 - palmitoylation of, in membrane trafficking, 572
 - in preimplantation embryo, 13S
 - recombinant, mass spectrometry for characterisation of, 917
 - sequencing of, by matrix-assisted laser desorption ionisation/time-of-flight mass spectrometry, 914
 - signal-transducing, localisation and function of, 568
 - soluble, in pollution adaptation, 370S
 - stability of, 711
 - storage of, thermal denaturation as predictor of, 369S
 - structure of, protease probing of, 477S
 - synthesis of
 - Epstein-Barr virus and, 311S
 - eukaryotic translation initiation factor p220 subunit cleavage and, 315S
 - in skeletal muscle, ethanol and, 467S
 - transmembrane, palmitoylation of, 565
 - unfolding of, 711
 - equilibrium intermediate in, 477S
 - in ventricular tissue, alcohol and, 461S
- Protein A-IgG(Fc), binding of, 2-nitrobenzyl groups and, 155S
- Protein antigen, major histocompatibility complex-binding sequences in, 675
- Protein disulphide isomerase
- cloning and expression of, 69S
 - conformation and activity of, denaturants and, 65S
 - glucose-6-phosphate dehydrogenase folding and, 82S
 - in gonadotrophins and thioredoxin, relative activities of, 394S
 - non-thioredoxin-like domains of, in *Escherichia coli*, 71S
 - properties and cellular functions of, 66S
 - and secretion of disulphide-bonded protein from *Saccharomyces cerevisiae*, 78S
- Protein glycation, pro-oxidant activity of, 250S
- Protein kinase
- lipid-activated, plant signalling and, 871
 - mitogen-activated: *see* Mitogen-activated protein kinase
- Protein kinase A
- anchoring protein 100, analysis of, 268S
 - autophosphorylation of, 500S
 - endogenous inhibitor of, 142S
 - in lactating mammary tissue, 452S
 - lysophosphatidic acid-stimulated tyrosine phosphorylation of pp42 MAP kinase by, 339S

- pathway for, interaction of, with Ras/ MAP kinase signalling pathway, 129
 peptide substrates for, 141S
 phosphorylation of vitamin B₁₂-dependent methionine synthase by, 335S
 subcellular targeting of, 451S
- Protein kinase C**
 adenylate cyclase activation dependent on, in airway smooth muscle, bradykinin ERK-2 pathway and, 200S
 after extracellular calcium regulation of phospholipase D regulation, 199S
 agonist-mediated phosphorylation of metabotropic glutamate receptor by, 88S
 bradykinin and histamine responses and, in adrenal chromaffin cells, 424S
 in breast biopsy, Ca²⁺ and, 449S
 as C6 cells reach stage G₀, 446S
 effect of, on phospholipase D activation in neuroblastoma cell, 427S
 hyperglycaemia-induced DNA damage and, in vascular endothelial cell, 519S
 IFN- τ activation by, 271S
 isoenzymes of, intracellular targeting of, 691
 and LHRH activation of MAP kinase, 144S
 in lung, 148S
 lysophosphatidic acid-stimulated tyrosine phosphorylation of pp42 MAP kinase by, 339S
 in multidrug resistance of carcinoma cell, 447S, 450S
 myristoylated alanine-rich activated, 587
 demyristoylation of, 561
 myristoylated pseudosubstrate inhibitor of, in platelets, 205S
 peptide inhibitors, myristoylated pseudosubstrate, effects of, on insulin secretion, 187S
 pituitary, 146S, 148S
 PKC degradation induced by, 153
 receptor for activated C-kinase interaction with, 596
 smooth muscle cell differentiation and, 453S
- Protein kinase C ζ** , properties of, 147S
Protein-oligosaccharide interaction, in IgG antibody molecule, 102S
Protein peroxide, iron action on, 249S
Protein phosphatase-1 binding protein, embryonic ventral transcript encoding, from *Drosophila*, 631S
Protein radicals, formed by photodynamic action of prophyrin sensitizers, 261S
 α 1-Proteinase inhibitor, in intervertebral disc, 212S
Proteodermatan sulphate protein, shape of, 515S
Proteokeratan sulphate protein, shape of, 515S
 Proteolysis, and hepatocyte regulation of apolipoprotein B secretion, 413S
Prothrombin time, activated partial, effects of phospholipid from brain and egg on, 301S
Proto-oncogene induction in liver, by GH and somatostatin, 328S
 in skeletal muscle mechanically stimulated, 329S
 stretch and electrical stimulation regimes and, 327S
- P-selectin**, eosinophil adhesion to, 162S
Pterin, urinary, in autism, 603S
Purified protein derivative-induced delayed hypersensitivity, endothelial selectin in, 161S
- Purine biosynthesis**
 enzymes in, allosteric regulation of, 899
 glutamine amidotransferase and, 894
 Purine lesion, in cellular DNA, 434S
Pyridoxal phosphate, platelet aggregation and, 368S
Pyrimidine, biosynthesis of, enzymes in, allosteric regulation of, 899
Pyruvate dehydrogenase, hepatic and cardiac, dietary regulation of, during suckling-weaning transition, 495S
- Quinone pool** kinetics, plant mitochondria respiration and, 289S
- Rab4p**, GTP binding by, 377S
RACK1, PKC interaction with, 596
RANTES-induced T lymphocyte chemotaxis, phosphoinositide 3-kinase in, 283S
Rapamycin, effect of, on IL-2 receptor release, from spleen cell, 615S
Ras, atrial natriuretic factor stimulated by, in neonatal ventricular myocytes, 445S
Ras/MAP kinase signalling pathway, interaction of, with G_i/PKA pathway, 129
 ras-transformed breast epithelial cell, altered adhesions in, 446
 Reconstructive surgery, tissue viability in, 526S
Redox system, cellular, Cu-PuPy effects on, 255S
Renal epithelial cell, nucleobase transport in, 29S
Renal failure, oxygen free radicals and red blood cell damage in, 635S
Renal transplantation, iron chelation, respiratory chain function and tubular necrosis in, 524S
ReoPro, against platelet GPIIb/IIIa receptor, 1051
RepD/D*, in plasmid replication, 442S
Reperfusion, mitochondrial DNA damage by, in vascular endothelial cells, 396S
Respiration, in plant mitochondria, quinone pool kinetics and, 289S
Respiratory chain function, in renal transplantation, 524S
Respiratory mucin, pathogen interaction with, 836
Respiratory syncytial virus, monoclonal antibodies against, 1063
Respiratory syncytial virus attachment glycoprotein, T cell epitopes of, 483S
Reticuloendothelial network, arachidonic acid in, 297
Rheumatoid arthritis, IgG oligosaccharides in, 163S
Rheumatoid factor, IgG and IgM levels and, 475S
Rhodospirillum rubrum, F₀F₁-ATPases from, $\alpha\beta$ dimer-catalytic unit of, 528S
Riboflavin-binding protein, from egg white, refolding of, 75S
Ribonucleic acid
 double-stranded
 binding properties of, in La antigen, 312S
 -dependent PKR, Epstein-Barr virus interaction with, 313S
 total, compartmentation of, in catabolism, 465S
 tumour promoter-derived alkoxyl radical damage by, 259S
Ribonucleic acid polymerase, erythromycin dependence and, 125S
Ribonucleotide reductase, genes and proteins in, 903
- RNase T₁** and glutathione mixed disulphide, refolding of, 68S
Ryanodine receptor, of sarcoplasmic reticulum, Ca²⁺ release from, 358S
RYR1 gene, haplotype analysis of, in malignant hyperthermia and central core disease, 372S
- Saccharomyces cerevisiae**
 cytochrome P450 in, in repetitive alternating culturing, 499S
 Hsp26 from, inhibition of actin polymerisation by, 77S
 secretion of disulphide-bonded protein from, protein disulphide isomerase and, 78S
Saccharomyces pombe signalling, inositol lipid and phosphate in, 223S
Salivary glycoprotein, parotid, glycosylation of, lectin probe analysis of, 538S
Salt sensitivity, in *Aspergillus nidulans*, 24S
Schizophrenia, antibodies to DNA in, 480S
Schizosaccharomyces pombe, isolation of *plc1* gene from, 566S
Sclerosis, systemic, plasma antioxidants and lipids and, 274S
SecA, structure and functions of, 981
E-selectin
 cytokine-induced, expression of, by human umbilical vein endothelial cells, tyrosine kinase and, 182S
 in delayed hypersensitivity, 160S, 161S
 eosinophil adhesion to, 162S
 lymphocytes positive for, during inflammatory reactions, 158S
L-selectin counter-receptor, in lymph node, 159S
P-selectin, eosinophil adhesion to, 162S
Sepsis
 hepatic cellular interactions in, 993
 muscle protein metabolism during, 1019
Septic shock, vascular dysfunction in, nitric oxide and, 1025
Serine, site-directed mutagenesis of, in dopamine D₂ receptor, 94S
Serine hydroxymethyltransferase
 cytosolic
 in *Escherichia coli*, 624S
 site-directed mutagenesis, 622S
 translational control of, 623S
 mitochondrial isoform of, 625S
Serotonergic profile, of lobar atrophy, 600S
Serotonin transporter
 antibodies to, in serotonergic synaptosomal isolation, 115S
 antipeptide antibody recognition of, 473S
 for imipramine, dithiothreitol and, 41S
 reconstitution of, 40S
SH2 domain-phosphopeptide complex, structure and dynamics of, 729
Signal sequence, membrane interaction with, 971
Signal transduction
 by adenosine, in adipose tissue, GH and, 16S
 by α _{1B}-adrenergic receptor, 121
 at blood-brain barrier, 475
 GH-dependent, wortmannin and, 197S
 G_i/PKA pathway interaction with Ras/ MAP kinase in, 129
 G-protein $\beta\gamma$ subunits in, 141
 by inositol lipid, in phytoalexin elicitation, 862
 by oxytocin, 267S
 by PACAP receptor variants, 133
 by peptide
 lipid modification of, in nematode, 3S
 phospholipid vesicle interaction with, 554S

- by phosphoinositide, 853
 PKC-mediated, 596
 by TRH receptor, 11S
- Skeletal muscle**
 calpastatin in, 454S
 exercising, oxidative and glycogenolytic ATP turnover in, 292S
 mechanically stimulated, proto-oncogene expression in, 329S
 protein synthesis in, ethanol and, 467S
 proto-oncogene induction in, stretch and electrical stimulation regimes and, 327S
 response of, to endotoxin and alcohol, 465S
 α -tocopherol in, 466S
- Skin**
 bacteria on, cationic liposome interaction with, 561S
 response of, to endotoxin and alcohol, 465S
- Smooth muscle**
 in airway
 phosphatidic acid phosphohydrolase in, 198S
 PKC-dependent activation of adenylate cyclase in, bradykinin ERK-2 pathway and, 200S
 vascular
 angiotensin II receptor in, 458S
 DNA synthesis and migration in, PDGF and, 608S
 elevation of intracellular Ca^{2+} in, by angiotensin II and PDGF, 170S
 forskolin inhibition of MAP kinase in, 341S
 influx of Ca^{2+} in, $AlCl_3$ inhibition of, 171S
 nitric oxide synthase induction in, 1029
 PDGF and heparin effects on, 173S
 responsiveness in, heparin binding and, 172S
- Smooth muscle cell differentiation, PKC and, 453S
- Sodium**
 binding site for, in *Propionigenium modestum* F_0F_1 -ATPases, 770
 glutamate transport dependent on, in lactating mammary tissue, 567S
- Sodium channel**
 in colonic epithelial cell, 130S
 modulation of, in neuron, 633
- Sodium-phosphate cotransport**, in lactating mammary tissue, 559S
- Solute transport**, volume-activated, in placenta tissue, 25S
- Somatostatin**
 effects of, on glucose-dependent insulinotropic polypeptide and insulin concentration, 544S
 suppression of hepatic proto-oncogenes and IGF-I by, 328S
- Somatostatin analogue**, G-protein-dependent inhibition of K^+ channel by, in colonocyte, 19S
- receptor for, in colonic epithelial cells, 18S
- Sorbitol dehydrogenase**, in brain capillary cell, glucose concentration and, 317S
- Spinach chloroplast**, F_0F_1 -ATPases of, thioredoxin and control of, 775
- Spiroperone**, binding of, to dopamine D_2 receptor, 90S
- Spiroxirane**, as suicide inhibitor of HIV, 619S
- Spleen cell**, IL-2 receptor release from, effect of cyclosporin A, FK506, and rapamycin on, 615S
- Src**, atrial natriuretic factor stimulated by, in neonatal ventricular myocytes, 445S
- Stearic acid**, desaturation and esterification of, in hepatocytes, 302S
- Steroid hormone**
 membrane fluidity and, 438S
 receptor for, antagonism of nuclear factor κB functions by, 952
- Steroidogenic cell**, perilipin in, 611
- Stretch**, of skeletal muscle, proto-oncogene induction and, 327S
- Suckling-weaning transition**, hepatic and cardiac pyruvate dehydrogenase in, dietary regulation of, 495S
- Sulphur-containing substrate**, aminopeptidase action towards, 59S
- Superoxide dismutase**, nitric oxide production and, by macrophages, 231S
- Sxa2 protease**, in pheromone communication in fission yeast, 565S
- Synapse**, stabilisation of, post-synaptic density and, 59
- Synapsin I**
 cytoskeleton and, calmodulin regulation of, 65
 monoclonal antibodies against, 52S
- Syncytial virus**, respiratory, monoclonal antibodies against, 1063
- Systemic sclerosis**, plasma antioxidants and lipids and, 274S
- Tachykinin non-peptide antagonists**, binding domain and molecular action mode of, 96
- Taguchi experimental design**, in baculovirus expression system, 107S
- Tamoxifen**
 muscle damage and, 236S
 peroxidase-activating, DNA damage by, 439S
- Tau protein**
 in Alzheimer's disease, 45S, 80
 in cerebellar granule cell neuron, 51S
- Taurine efflux**, volume-sensitive, anion-exchanger and, in lactating mammary tissue, 392S
- Taurocholic acid**, biliary secretion of, cAMP and, 575S
- T cell**
 apoptosis in, 214S
 IL-1 signalling in, pertussis toxin and, 112S
 tumour antigens recognised by, 681
- T cell costimulation**, CD28-mediated, wortmannin inhibition of, 282S
- T cell-derived cytokine production**, dietary lipid and, 279S
- T cell epitopes**
 elucidation of, 678
 of respiratory syncytial virus attachment glycoprotein, 483S
- T cell receptor**
 $\gamma\delta$, Hsp65-70 as self-antigen in, 215S
 specific to B-lymphoma idiotype, 1079
- Tegument membrane**, trifluoperazine effects on, 572S
- Temperature**, FTIR spectrum changes in β -lactoglobulin with, 612S
- Testis**, paracetamol inhibition of DNA synthesis in, 265S
- TGF- β** : see Transforming growth factor β
- Thermal denaturation**, as predictor of protein storage, 369S
- Thermally stressed pea**, developmental protein expression in, 177S, 178S
- Thermodynamic properties**, of flavodoxin, aspartate mutation and, 381S
- Thermomonospora fusca* peroxidase**, characterisation of, 272
- Thiazolidinedione**, hepatic gene expression and, 590S
- Thiol**
 cell surface free, flow cytometric assay of, iodoacetamide for, 38S
 and LDL oxidation by macrophages, 242S
 modulation of, chloroplast ATP synthase showing, 757
- Thrombin**, MAP kinase phosphorylation by, in HUVEC, 203S
- Thrombosis**, arterial, prevention of, anti-platelet monoclonal antibodies for, 1051
- Thymidylate synthase**, in cancer chemotherapy, 884
- Thyrotropin-releasing hormone receptor**, signalling characteristics of, 11S
- Tissue factor**, expression of, cytokines and, 286S
- Tissue plasminogen activator**
 N-linked glycosylation of, 99S
 stability of, 105S
- Tissue viability**, in reconstructive surgery, 526S
- T lymphocyte**, chemotaxis of, RANTES-induced, phosphoinositide 3-kinase in, 283S
- TNF**: see Tumour necrosis factor
- Tobacco**, transgenic, horseradish peroxidase in, 247
- α -Tocopherol**
 in liver, heart, and skeletal muscle, 466S
 prevention of free-radical-mediated toxicity in brain by, 258S
- Tracheal mucin**, MUC5 as, 534S
- Transcription factor**, regulated nuclear entry of, in yeast, 346S
- Transcription factor BSAP**, structure and function of, zinc and, 332S
- Transferrin receptor**, recruitment of, phosphatidylinositol 3-kinase and, 201S
- Transforming growth factor β**
 cardiovascular injury and, 403
 isoforms of, keratinocyte production of, 440S
- TRH**: see Thyrotropin-releasing hormone
- Trifluoperazine**, effects of, on tegument membrane, 572S
- Trimethylamine dehydrogenase**, FMN binding site in, 509S
- Triplet proteins**, in neurofilaments, 42S
- Trk tyrosine kinase**, signalling by, tyrosine phosphorylation in, 176S
- Trypanothione reductase**, inhibitors of, as antitrypanosomal drugs, 511S
- Tubular necrosis**, in renal transplantation, 524S
- Tumour**
 immunotherapy for, 1079
 solid, antibody-directed enzyme prodrug therapy for, 1047
- Tumour antigen**, recognised by T cells, 681
- Tumour necrosis factor**, activation of $NF\kappa B$ induced by, in astrocytoma, 597S
- Tumour necrosis factor α**
 biology of, fatty acids and, 282
 cytotoxicity mediated by, oxidants in, 239S
 regulation of $NF\kappa B$ by, 113S
- Tumour promoter**, alkoxyl radical derived from, DNA and RNA damage by, 259S
- Tumour virus**, cellular immunity against, 692
- Tyrosine**
 as galactose oxidase active site, 510S
 as tyrosine kinase target, 192S
- Tyrosine kinase**
 distribution and activity of, platelet-activating factor and, 194S
 inhibition of, phorbol dibutyrate- and ionomycin-induced GH and LH release and, 210S
 in insulin receptor, phosphorylation kinetics of, 188S

- phospholipase C-dependent activation of, by LHRH, 143S
 receptor for, Ca²⁺ signalling via, in colonic epithelial cell, 459S
 target of, tyrosine as, 192S
 Tyrosine phosphorylation in angiotensin II-stimulated mitogenesis, 426S
 lysophosphatidic acid-stimulated, of pp42 MAP, by PKC and PKA, 339S
 in signalling by Trk tyrosine kinase, 176S
- U14 snoRNA genes, in plant, 314S
 Ulcerative colitis, mucin in, 104S, 531S, 536S
 Ultraviolet radiation damage to DNA, 407
 in neuronal cell, 474S
 p53 expression and, 481S
 Umbilical vein endothelial cell line, carbonic anhydrase isozymes, 308S
 Uridine triphosphate binding site, in carbamoyl-phosphate synthetase, 620S
 Utrophin actin binding, calmodulin regulation of, 397S
 Utrophin-glycoprotein complex, cell adhesion and, 398S
Vaccinium myrtillus cationic peroxidase, magnetic circular dichroism studies on, 149S
- Vacuolar membrane, ligand- and voltage-gated calcium channel at, 856
 Vanadium chloroperoxidase, wide occurrence of, in nature, 267
 Vascular cell adhesion molecule-1, key structural element in, 512S
 Vascular dysfunction, nitric oxide and, in septic shock, 102S
 Vascular endothelial cell damaged, in diabetes, 402S
 hyperglycaemia-induced DNA damage in, 518S, 519S
 mitochondrial DNA damage in by hyperglycaemia, reperfusion, and menadione, 396S
 Vascular smooth muscle cell
 angiotensin II receptor in, 458S
 DNA synthesis and migration in, PDGF and, 608S
 elevation of intracellular Ca²⁺ in, by angiotensin II and PDGF, 170S
 forskolin inhibition of MAP kinase in, 341S
 influx of Ca²⁺ in, AlCl₃ inhibition of, 171S
 nitric oxide synthase induction in, 1029
 PDGF and heparin effects on, 173S
 responsiveness in, heparin binding and, 172S
- Vasoactive intestinal peptide neuronal differentiation induced by, dopamine concentration after, 46S
 receptor for, molecular characterisation of, 83S
 Vasoactive mediator, endothelial, phosphatase inhibitors and, 204S
 Vasopressin receptor
 ligand binding site for, 103
 ligand binding to, acidic amino acids and, 85S
 VCAM-1: *see* Vascular cell adhesion molecule-1
 Ventricular myocyte
 annexin V and VI localisation in, 28S
 neonatal, Src and Ras stimulation of atrial natriuretic factor in, 445S
 Ventricular tissue, protein profiling in, alcohol and, 461S
 Veratryl alcohol, in lignin peroxidase catalysis, 340S
 Vesicle transport, during cell growth and maintenance of cell polarity, 530
 Vesicular protein, in neuroblastoma cells, 50S
Vibrio cholerae dsbA, cloning and expression of, 64S
 Vincristine resistance, PKC and, 450S
 VIP: *see* Vasoactive intestinal peptide
 Viral glycoprotein, acylation of, 565
 Viral lipoprotein, myristoylation of, 553
 Virus, enveloped, phospholipid composition of, 523
 Vitamin A-CoMP, heme catabolism and, 540S
 Vitamin B₁₂, methionine synthase dependent on
 PKA phosphorylation of, 335S
 polyamine regulation on, 444S
 Voltage-clamped dendrites, of hippocampal neuron, calcium transients in, 653
 Voltage-gated calcium channel
 p21^{Tas} regulation of, in dorsal root ganglion cell, 193S
 at vacuolar membrane, 856
 Voltage-gated potassium channel, structural analysis of, 479S
 v-Ras, phosphatidylinositol 3-kinase activation by, 195S
- Wall peroxidase, substrate specificity of, 150S
 Water, in biocatalysis in organic solvents, 70S
 Whey protein, rheological and synergetic properties of acid gels fortified with, 348S
 Wortmannin
 GH-dependent signalling pathways and, 197S
 inhibition of CD28-mediated T cell costimulation by, 282S
- and insulin regulation of gene 33 in hepatoma cell, 545S
 and insulin stimulation of lipogenesis, signalling pathways in, 206S
- Xenobiotics
 glutathione S-transferase multigene family and, 423
 peroxisome proliferation and, 425
- Yarrowia lipolytica*, purification of glutathione S-transferase from, 374S
 Yeast
 cytoplasmic gene expression in, 128S
 PRS genes in, 621S
- Zinc, and structure and function of Pax5 gene product, 332S
 Zona occludens, as members of membrane-associated guanylate kinase homologues, 470

- ; Hayes, G. M.
Predicted 3D-structure of
macrophage-specific FcγRI, 472S
- Austin, P. A.** See Mills, J. D.
- Avella, M.** See Botham, K. M.; Stevens,
L.
- Avery, S. V.**
—; Lloyd, D.; Harwood, J. L.
Influence of plasma membrane fluidity
on phagocytotic activity in
Acanthamoeba castellanii, 409S
- Avery, S. V.**
—; Codd, G. A.; Gadd, G. M.
Characterisation of caesium transport
in the microalga *Chlorella salina*,
468S
- Ayad, S.** See Newall, J. F.
- Azevedo, M. S.** See Silva, I. J.
- Azzi, A.** See O'Donnell, V. B.
- Badakere, S. S.** See Archer, J. R.
- Bagshaw, C. R.** See Conibear, P. B.;
Jeffreys, D. S.
- Bailey, J. M.**
—; Fiskum, G.; Makheja, A. N.;
Vanderhoek, J. Y.
Dietary linoleic acid in alcohol-
induced liver cirrhosis, 247S
- ; Gallo, L. L.; Gillespie, J.
Inhibition of dietary cholesterol ester
absorption by 3-BCP, a suicide
inhibitor of cholesterol-esterase,
408S
- ; Lillehoj, E. P.; Sidawy, A. N.;
Jones, B.; Cohen, J. L.
Measurement of glycogenin utilization
for glycogen synthesis in Type II
diabetic cells by use of a specific
immunoassay for Apo-glycogenin,
323S
- ; Nelson, K. A.
Nucleoside spiroxiranes as suicide
inhibitors of the human
immunodeficiency virus, 619S
- Bain, M. S.** See Holmes, H. C.
- Baines, A. J.** See Grantham, J.; Hayes,
N. V. L.; Nicol, S.
—; Chan, K.-M.; Goold, R.
Synapsin I and the cytoskeleton:
calmodulin regulation of
interactions, 65
- Bainton, N. J.** See Chan, P. F.
- Bajaj, B. P. S.**
—; Balmforth, A. J.; Ball, S. G.
Photolabeling implicates an amino
acid in the second transmembrane
domain of the rat AT_{1A} receptor in
agonist binding, 86S
- Baker, B. A.** See Greene, L. C.
- Baker, E. H.**
—; Boot-Handford, R. P.; Sandle, G.
I.
Cloning of the subunits of the human
colonic epithelial Na⁺ channel, 130S
- Baker, K. C.** See Taylor, M. A. J.
- Bakker, H.** See Van den Eijnden, D. H.
- Balbi, D.** See Holliday, N.; Pance, A.
- Baldeo, W.** See Bonzom, P.
- Baldwin, J. E.** See Shiau, C.-Y.
- Baldwin, S. A.** See Barros, L. F.
- Balfour, T. W.** See Banerjee, A. K.
- Ball, A. S.** See Rob, A.
—; Trigo, C.
Characterization of a novel non-haem-
containing extracellular peroxidase
from *Thermomonospora fusca*, 272
- Ball, S. G.** See Bajaj, B. P. S.
—; Kieley, C. M.; Shuttleworth, C. A.
Structural implications of alternative
splicing in type VI collagen, 514S
- Balmforth, A. J.** See Bajaj, B. P. S.
- Balzar, M.** See Vollenbroek, E. G. M.
- Banerjee, A. K.**
—; Galloway, S.; Kingsnorth, A. N.
Studies of lymphocyte trafficking in a
microvascular rat model of acute
pancreatitis, 617S
- ; Jain, R.; Coore, J.; Balfour, T. W.
Is there a relationship between raised
plasma osmolarity and the onset of
acute pancreatitis, 618S
- Banford, P. C.**
—; Murray, K. J.; Elliott, K. R. F.
Chemotactic peptide mediated cAMP
products is inhibited by adenosine
deaminase in HL60 cell
granulocytes, 6S
- Bano, C.** See Jackson, C. S.
- Bär, P. D. R.**
—; Koot, R. W.; Amelink, G. H. J.
Muscle damage revisited: does
tamoxifen protect by membrane
stabilisation or radical scavenging,
rather than via the E2-receptor?,
236S
- Barber, M. C.** See Gardner, R. A.
- Barbezat, G. O.** See Warhurst, G.
- Barclay, A. N.** See Silkowski, H.
- Bardsley, R. G.** See Arnold, M. K.
- Barkalow, K.**
—; Hartwig, J. H.
The role of actin filament barbed-end
exposure in cytoskeletal dynamics
and cell motility, 451
- Barker, C. J.**
—; Wright, J.; Kirk, C. J.; Michell, R.
H.
Inositol 1,2,3-triphosphate is a product
of InsP₆ dephosphorylation in
WRK-1 rat mammary epithelial cells
and exhibits transient concentration
changes during the cell cycle, 169S
- Barlow, P.** See Matthews, S.
- Barnard, M. L.** See Changan, K. K.
- Barnes, P. J.** See Adcock, I. M.
—; Anti-inflammatory mechanisms of
glucocorticoids, 940
- Barnett, P.** See Vollenbroek, E. G. M.
- Barnett, Y. A.** See King, C. M.; Nelson,
A. A.
- Baron, A. J.** See Reynolds, M. P.
- Barros, L. F.**
—; van den Berghe, N.; Nixon, G.;
Griffiths, M.; van Mackelenbergh,
M.; Ingram, J.; Baldwin, S. A.
Candidate proteins involved in the
targeting of the insulin-sensitive
glucose transporter GLUT4 in
adipocytes, 414S
- Barry, S. T.** See Hemmings, L.
- Barry, T. R.**
—; Waters, P.; Doonan, S.; Sheehan,
D.
Structural investigation of a
glutathione binding site using
computational analysis, 382S
- Barth, P. T.** See Lowe, E. D.
- Bartlett, K.** See Eaton, S.
- Bartosz, G.** See Gebicki, S.
- Barwise, J. L.**
—; Walker, J. H.
Subcellular localization of annexins in
human foreskin fibroblasts, 35S
- Bates, T. E.** See Sammut, I. A.
- Bautista, J. M.** See Gomez-Gallego, F.
- Beard, R. W.** See Johnston, D. G.
- Beattie, J. H.** See Trayhurn, P.
- Beaumont, C.** See Raja, K. B.
- Beechey, R. B.** See Nguyen, H.-V.;
Shillingford, J. M.; Shillingford, R.
B.
- Beesley, P. W.**
—; Mummery, R.; Tibaldi, J.;
Chapman, A. P.; Smith, S. J.; Rider,
C. C.
The post-synaptic density: putative
involvement in synapse stabilisation
via cadherins and covalent
modification by ubiquitination, 59
- Beggs, T. S.** See Verhoeyen, M. E.
- Beiche, F.** See Carter, A. T.
- Belattar, N.** See Adjabi, A.
- Belchetz, P.** See Penman, J.
- Belfield, G.** See Ross-Smith, N.
- Bell, C. G. H.**
Apoptosis in T and B lymphocyte's life
cycles, 214S
- B-cell repertoire selection: fine
specificity of antibodies elicited by
bacterial polysaccharide dextrans
and by V-region reactive ligands,
216S
- Heat shock protein (Hsp)65–70:
dominant self-antigen candidate in
the selection of γδ lymphocytes,
215S
- Bell, J. D.** See Changan, K. K.
- Benboubetra, M.** See Powell, D.
- Benham, A. M.**
—; Neefjes, J. J.
Antigen processing by the class I
pathway, 664
- Benito, M.** See Lorenzo, M.
- Benjamin, A.** See Mahieu, I.
- Benson, E. E.** See Robertson, L.
- Bentley, N. J.** See Rahman, D. R. J.
- Benz, S.**
—; Nadanaciva, S.; Harris, D.
The αβ dimer-catalytic unit of the
F₁-ATPase, 528S
- Berden, J. A.**
—; Hartog, A. F.
Nucleotide-binding sites in F₁-ATPase:
different pockets for different types
of nucleotide analogues, 741
- Berhbohm, H.** See Wissing, J. B.
- Bernal, A. L.** See Phaneuf, S.
- Betteridge, L. J.** See Schachter, M.
- Bevington, A.**
—; Walls, J.
Protein catabolism in metabolic
acidosis: inhibition of glycolysis by
low pH suggests a role for glucose,
464S
- Bhat, M. K.** See Bhat, S.;
Christakopoulos, P.
- Bhat, S.**
—; Goodenough, P. W.; Owen, E.;
Brooker, B.; Steening, R.; Bhat, M.
K.
Evaluation of the cellulase system
produced by three strains of
Clostridium thermocellum on
cellobiose and Avicel, 587S
- Billiar, T. R.** See de Vera, M. E.
- Billington, D.** See Zuzel, K. A.
- Binns, R. M.** See Harrison, A. A.;
Whyte, A.; Woolley, S. T.
- Bird, M.** See Britten, C.
- Bird, M. I.** See Priest, R.
- Birdsall, N. J. M.**
—; Cohen, F.; Lazareno, S.; Matsui,
H.
Allosteric regulation of G-protein-
linked receptors, 108
- Bisker, H.** See Selloum, L.
- Bjørnholm, B.** See Welinder, K. G.
- Black, C. M.** See Bunce, T. D.
- Black, D.** See Trayhurn, P.
- Blakely, D. C.**
—; Burke, P. J.; Davies, D. H.;
Dowell, R. I.; Melton, R. G.;
Springer, C. J.; Wright, A. F.
Antibody-directed enzyme prodrug
therapy (ADEPT) for treatment of
major solid tumour disease, 1047
- Blakytyn, R.**
—; Harding, J. J.
Prevention of the inactivation of
glutathione reductase by fructation
using human α-crystallin, 610S
- Blann, L. S. R.**
—; Kitchen, I.; Snell, K.

- Dietary regulation of hepatic and cardiac pyruvate dehydrogenase during the suckling-weaning transition in rats, 495S
- Blom, R. J. J.** See Toes, R. E. M.
- Bloom, S. R.** See Changani, K. K.; Smith, D. M.
- Bloomfield, M. R.** See Lim, R. R.
- Boam, D. S. W.** See Sidaway, J. E.
- Boarder, M. R.** See Brown, C. A.; Morton, C.
- ; Sena, C. M.; Parker, P. J.; Patel, V.; Rosario, L. M.
- Regulation of bradykinin responses by PKC ϵ and histamine responses by PKC α in adrenal chromaffin cells, 424S
- Bockaert, J.** See Journot, L.; Pin, J.-P.
- Boddy, J. L.** See Qume, M.
- Boer, B.** See Hilkens, J.
- Böhm, F.** See Truscott, T. G.
- Boletti, E.**
- ; George, A. J. T.; Epenetos, A. A.
- Therapeutic monoclonals, 1044
- Bolgar, M. S.**
- ; Gaskell, S. J.
- Tandem mass spectrometric characterization of modified peptides and proteins, 907
- Bolignano, B.** See Crane, D. T.
- Bolsover, S.**
- ; Using fluorescence to probe calcium signalling mechanisms, 627
- Bolton, C. H.**
- ; Dwight, J. F.; Levy, T. M.; Parfitt, V. J.; Hartog, M.
- Effect of a very low fat diet on lipid peroxidation indices, 245S
- ; Steer, K.; Parfitt, V. J.; Hopton, M. I.; Hartog, M.
- Effect of a high fat meal on lipid peroxidation products, 246S
- Bolton, S. J.** See Winder, S. J.
- Bommer, U.-A.** See Borovjagin, A. V.
- Bonner, A. B.** See Marway, J. S.; Paice, A. G.
- Bonser, R. W.** See Uings, I. J.
- Bonzom, P.**
- ; Zloh, M.; Baldeo, W.; Nicolaou, A.; Gibbons, W. A.
- NMR lipids profiles of common mushrooms, 613S
- Boon, T.** See Van den Eynde, B.
- Boot-Handford, R. P.** See Baker, E. H.
- Borovjagin, A. V.**
- ; Russell, P.; Clemens, M. J.; Greagg, M. A.; Bommer, U.-A.
- Features of the translational regulation of the mammalian growth-related protein P23, 316S
- Bosca, L.** See Parker, P. J.
- Bose, S.**
- ; Lilie, H.; Buchner, J.; Freedman, R. B.
- The *in vitro* catalysis of protein folding by endoplasmic reticulum luminal peptidyl prolyl *cis-trans* isomerase, 63S
- Boss, C. B.** See Galanopoulou, D.
- Boss, W. F.** See Galanopoulou, D.
- Bostom, A. G.** See Brosnan, J. T.
- Botham, K. M.** See Bravo, E.; Lambert, M. S.; Stevens, L.
- ; Mayes, P. A.; Avella, M.; Cantafora, A.; Bravo, E.
- Comparison of the lipolysis of chylomicron remnants derived from corn oil or olive oil by hepatic lipase *in vitro*, 284S
- Böttcher, B.**
- ; Lücken, U.; Gräber, P.
- The structure of the H⁺-ATPase from chloroplasts by electron cryomicroscopy, 780
- Boubuarn, Y.** See Adjabi, A.
- Bou-Hanna, C.** See Laboisse, C.
- Bouvier, M.** See Marullo, S.
- ; Loisel, T. P.; Hebert, T.
- Dynamic regulation of G-protein coupled receptor palmitoylation: potential role in receptor function, 577
- ; Moffett, S.; Loisel, T. P.; Mouillac, B.; Hebert, T.; Chidiac, P.
- Palmitoylation of G-protein-coupled receptors: a dynamic modification with functional consequences, 116
- Bovin, N. V.** See Rye, P. D.
- Bowen, D. M.** See Qume, M.
- Bowie, A.**
- ; Moynagh, P. N.; O'Neill, L. A. J.
- The human endothelial cell line ECV304 as a model of endothelial cell activation by interleukin-1, 109S
- Bowles, M. J.** See Pockley, A. G.
- Bowsher, C. G.** See Tetlow, I. J.
- Bowyer, D. E.** See Stein, J. M.
- Brain, P. F.** See Whiting, K. P.
- Brammar, W. J.** See Ratcliffe, C. F.
- Brand, M. D.**
- ; Kessler, A.
- Control analysis of energy metabolism in mitochondria, 371
- Brandt, R. M. P.** See Toes, R. E. M.
- Branka, J. E.** See Laboisse, C.
- Brasaemle, D. L.** See Londres, C.
- Brass, A.**
- ; Fiszer, A.; Clamp, M.
- Lattice models of protein folding, 715
- Bravo, E.** See Botham, K. M.
- ; Ortu, G.; Cantafora, A.; Botham, K. M.
- The effect of cyclic AMP on the biliary secretion of taurocholic acid in the perfused rat liver, 575S
- Bray, C. M.** See Woodman, P. G.
- Bremner, D. H.** See Robertson, L.
- Brewin, N. J.** See Hernandez, L. E.
- Brichard, V. H.** See Van den Eynde, B.
- Brierley, V. H.** See Green, L. J.
- Briggs, G. S.** See Taylor, M. A. J.
- Brindle, K.**
- ; Fulton, S.; Sheldon, J.; Williams, S.
- Probing the properties of enzymes *in vivo* using NMR, 376
- Bristow, D. R.** See Platt, K. P.; Wood, A. M.
- Britten, C.**
- ; Hood, C.; Bird, M.
- Chemical modification of $\alpha(1-3)$ fucosyltransferase defines residues of catalytic importance, 166S
- Britton, G.** See Woodall, A. A.
- Broadway, N. M.**
- ; Saggerson, E. D.
- Microsomal carnitine acyltransferases, 490
- Brockhausen, I.** See Corfield, A. P.
- Brooker, B.** See Bhat, S.
- Brosnan, J. T.**
- ; Hall, B.; Selhub, J.; Nadeau, M. R.; Bostom, A. G.
- Renal metabolism of homocysteine *in vivo*, 470S
- Brosnan, M. E.**
- ; Ray, S.; Walters, B.
- How does the kidney deal with plasma polyamines?, 469S
- Brown, C. A.**
- ; Wilkinson, G. F.; Boarder, M. R.
- Stimulation of nitric oxide synthase by endothelial purinoceptors does not correlate with inositol triphosphate levels, 425S
- Brown, C. R.** See Adcock, I. M.
- Brown, J. W. S.** See Leader, D. J.
- Brown, K. A.** See Nagy, J. M.
- Brown, M. C. S.** See Ewan, S. G.
- Brown, S.**
- ; Fletcher, V.; Choo, S.-P.
- NADH oxidoreductase activity in human and mouse cells treated with free-radical-generating agents, 605S
- Brownleader, M. D.** See Ahmed, N.
- Brownlow, S.** See Qi, X. L.
- Bruce, J. S.**
- ; Richards, S.; Legrand, G.; Salter, A. M.
- Desaturation and esterification of palmitic and stearic acids in cultured hepatocytes, 302S
- Bruckdorfer, K. R.** See Bunce, T. D.
- ; Ettelaie, C.
- The use of LDL-resembling particle (LDL-r) as a model for the investigation of the effect of oxidation on the behaviour of LDL, 243S
- Brusque, A.** See Wyse, A. T. S.
- Bryce, C. F. A.** See Inche, C. A.
- Buchner, J.** See Bose, S.
- Buckley, N. J.**
- ; French-Mullen, J.; Caulfield, M.
- Use of antisense oligodeoxynucleotides and monospecific antisera to inhibit G-protein gene expression in cultured neurons, 137
- Buisine, M.-P.** See Porchet, N.
- Büller, H. A.** See Tytgat, K. M.; Van Klinken, B. J.-W.; van Klinken, B. J.-W.
- Bulygin, V.V.** See Duncan, T. M.
- Bunce, T. D.**
- ; Black, C. M.; Bruckdorfer, K. R.
- Systemic sclerosis, plasma antioxidants and lipids, 274S
- Bunney, T. D.**
- ; Calder, G. M.; Shaw, P. J.; Drøbak, B. K.
- Nuclear Ca²⁺-fluxes and phosphoinositides in plants, 581S
- Burch, G. J.**
- ; Ferguson, C. H. R.; Cartwright, G.; Kwong, F. Y. P.
- Application of Taguchi experimental design to the optimisation of a baculovirus expression system, 107S
- Burchell, A.** See Allan, B. B.; Lyall, H.; Watkins, S. L.
- Burdett, K.** See Abugila, M. A.; Phipps, A. N.; Tabar, M. B.
- Burgess, G. M.** See Davis, C. L.
- Burke, J.** See White, C.
- Burke, P. J.** See Blakley, D. C.
- Bürki, K.** See Goedert, M.
- Burns, J. A.** See Kacser, H.
- Burns, R. G.**
- ; Surridge, C. D.
- The phosphatidylinositol-binding site of microtubule-associated protein MAP2, 41
- Burns, S. P.** See Holmes, H. C.
- Burridge, K.** See Kinch, M. S.
- Burrow, S. M.**
- ; Guinot, S.; Wainwright, M.; Waring, J. J.; Phoenix, D. A.
- Investigation of a series of novel cationic photosensitisers and their potential use in photodynamic therapy, 260S
- Burt, A.** See Milligan, G.
- Bush, M.** See Gordon-Weeks, P. R.
- Butcher, S. P.** See Charters, A. R.; Lawrence, J. A.
- Butler, G.** See Geohagan, S. M.; Neill, D.; O'Neill, H. M.
- Buttery, P. J.** See Arnold, M. K.
- Buultjens, T. E. J.** See Robertson, L.
- Buxbaum, E.**
- ; Woodman, P. G.
- Reaction mechanism of Hsc-70, 557S
- Bycroft, B. W.** See Chan, P. F.
- Byford, M. F.** See Shiao, C.-Y.
- Byrne, J. M.**
- ; Tipton, K. F.

- 1-Methyl-4-phenylpyridinium and catechol-O-methyltransferase, 350S
Byrne, P. C. See Snell, K.
Byron, O. See Silkowski, H.
- Cabot, C. F.** See Weisman, H. F.
Cader, M. Z.
 —; Keen, M.
 The effect of colchicine on cyclic AMP accumulation in NG108-15 cells, 4S
- Cai, Y.** See DePierre, J. W.
Calas, B. See Keane, N. E.
Calder, G. M. See Bunney, T. D.
Calder, P. C. See Carr, R. E.; Sanderson, P.; Sherrington, E. J.; Yaqoob
 The effects of dietary lipid manipulation upon the production of reactive oxygen species by murine peritoneal macrophages, 280S
 Fatty acids, dietary lipids and lymphocyte functions, 302
- Calderwood, D. A.**
 —; Tuckwell, D. S.; Humphries, M. J.
 Specificity of integrin I-domain-ligand binding, 504S
- Calvert, D. T.** See Millar, I. D.
Calvert, R. A.
 Changes in microtubule-associated protein 1B during development of the nervous system, 47
- Cambray-Deakin, M. A.** See Przyborski, S. A.
Cammack, R. See Linhares, M. P.
Campbell, A. K. See Llewellyn, D. H.
Campbell, D. J.
 —; Rowbotham, D. J.; Lambert, D. G.
 Effects of halothane on μ opioid binding in SH-SY5Y cells, 416S
- Campbell, I.** See Matthews, S.
Camsari, T. See Oktay, G.
Candeias, L. P. See Harvey, P. J.
 —; Folkes, L. K.; Wardman, P.
 Amplification of oxidative stress by decarboxylation: a new strategy in anti-tumour drug design, 262S
 —; Harvey, P.
 Spectra and reactivity of the radical cations of lignin peroxidase co-factors and model compounds, 342S
- Candiago, R. H.** See Dutra-Filho, C. S.
Candy, D. C. A. See Marway, J. S.
Cantafora, A. See Botham, K. M.; Bravo, E.
- Capaldi, R. A.**
 —; Aggeler, R.; Wilkens, S.
 Conformational changes in the γ and ϵ subunits are integral to the functioning of the *Escherichia coli* H⁺-pumping ATPase (ECF₁F₀), 767
- Carden, M. J.** See Nash, J. A. B.
 —; Roobol, A.
 Neuronal aspects of cytosolic chaperonin complexes: structures implicated in the production of functional cytoskeletal proteins, 70
- Carey, F.** See Stone, M. A.
Carlstedt, I. See Hermann, A.; Hovenberg, H. W.; Nordman, H.
 —; Hermann, A.; Hovenberg, H.; Lindell, G.; Nordman, H.; Wickström, C.; Davies, J. R.
 "Soluble" and "insoluble" mucins-identification of distinct populations, 845
- Carpenter, G. H.**
 —; Proctor, G. B.; Pankhurst, C. L.; Zhang, X. S.; Shori, D. K.
 Lectin probe analysis of the glycosylation of human parotid salivary glycoproteins, 538S
- Carpenter, K.**
 —; Morgan, K.; Durrant, L. G.; Hardcastle, J. D.; Kalsheker, N.
 The sensitivity of competitive hybridisation for the detection of mutant p53 alleles in a background of wild type, 129S
- Carpenter, K. L. H.** See Stein, J. M.
Carr, A. M. See Hafiz, F.
Carr, I. C. See Milligan, G.
Carr, R. E.
 —; Sherrington, E. J.; Calder, P. C.; Frayn, K. N.
 Lipolysis in rat adipose tissue *in vitro* is dependent on the quantity and not the quality of dietary fat, 486S
- Carrey, E. A.** See Zhu, L.-M.
 Key enzymes in the biosynthesis of purines and pyrimidines: their regulation by allosteric effectors and by phosphorylation, 899
- Carrington, S. D.** See Hicks, S. J.
Carroll, N. M.
 —; Sheehan, D.; Cogan, T. M.
 Purification of α -acetolactate synthase from *Leuconostoc lactis* NCW1, 366S
- Carter, A. N.**
 —; Downes, C. P.
 Molecular mechanisms of regulation of phosphoinositide 3-kinase by insulin, insulin-like growth factor 1 and nerve growth factor in PC12 cells, 148
- Carter, A. T.**
 —; Beiche, F.; Narbad, A.; Hove-Jensen, B.; Schweizer, L. M.; Schweizer, M.
 Are all four yeast *PRS* genes essential?, 621S
- Carter, D. A.**
 Expression of leukaemia inhibitory factor/cholinergic differentiation factor is linked to adrenoceptor stimulation, 114S
- Carter, N.** See Mahicu, I.
Cartwright, G. See Burch, G. J.
Cartwright, I. J.
 —; Higgins, J. A.
 The role of intracellular proteolysis in the regulation of apolipoprotein B secretion by rabbit hepatocytes, 413S
- Casey, P. J.**
 Mechanisms of protein prenylation and role in G protein function, 161
- Cass, A. E. G.** See Nagy, J. M.; Sadeghi, S. J.
Cassery, Ú. M. See McGuinness, B. J.
 —; McGuinness, B. J.; Power, M. J.; Fottrell, P. F.
 Validation of a HPLC method for measurement of collagen crosslinks in urine-potential biomarkers for osteoporosis, 385S
- Caswell, A. M.** See Mohiti, J.
Cato, A. C. B. See Wade, E. J.
Caulfield, M. See Buckley, N. J.
Cavalli, A. See Cotecchia, S.
Çelik, A. See Oktay, G.
Cèppi, E. D. See Titheradge, M. A.
Cervera, J. See Rubio, V.
Challiss, R. A. J. See Godwin, M.
Chalmers, R. A. See Holmes, H. C.; Jones, M. G.
Chambers, S. J. See Plumb, G. W.
Chan, C.
 —; Yin, H.; Garforth, J.; McKie, J. H.; Jaouhari, R. A.; Douglas, K. T.; Fairlamb, A. H.; Croft, S. L.
 Inhibitors of trypanothione reductase as potential antitrypanosomal drugs, 511S
- Chan, K.-M.** See Baines, A. J.
Chan, P. See Refson, J. S.
Chan, P. F.
 —; Bainton, N. J.; Daykin, M. M.; Winson, M. K.; Chhabra, S. R.; Stewart, G. S. A. B.; Salmond, G. P. C.; Bycroft, B. W.; Williams, P.
 Small molecule mediated autoinduction of antibiotic biosynthesis in the plant pathogen *Erwinia carotovora*, 127S
- Chan, S.-P.** See Johnston, D. G.
Chandra, R. See Dhawan, M.; Malhotra, R.
 —; Dhawan, M.; Malhotra, R.
 Effect of vitamin A-CoMP on haem catabolism, 540S
- Changani, K. K.**
 —; Barnard, M. L.; Bell, J. D.; Williams, S. C. R.; Bloom, S. R.; Iles, R. A.
In vivo hepatic energy perturbations during alanine infusion using ³¹P-NMR spectroscopy, 336S
- Changeux, J.-P.**
 The acetylcholine receptor: a model for allosteric membrane proteins, 195
- Chaplin, M.** See Ahmed, N.
Chapman, A. P. See Beesley, P. W.
Chapman, D. See Heaton, R. J.; Mercer, E. A. J.
Charalambous, B. M. See Huddleston, S.
Charters, A. R. See Lawrence, J. A.
 —; Kobayashi, M.; Butcher, S. P.
 Developmental expression of FK506 binding proteins and calcineurin in rat brain, 422S
- Chatelain, F.** See Prip-Buus, C.
Chatfield, L. See Harris, F.
Chavanieu, A. See Keane, N. E.
Chave, K. J. See Renwick, S. B.
 —; Renwick, S. B.; Sanders, P. G.; Snell, K.
 Site-directed mutagenesis of human cytosolic serine hydroxymethyltransferase, 622S
- Chen, C.-H.** See Mochly-Rosen, D.
Chen, J. See Egawhary, D. N.; Eghawhary, E. N.; Swoboda, B. E. P.
 —; Iyengar, R.
 Interactions between the G_i/protein kinase A and the Ras/MAP-kinase signalling pathways, 129
- Cheng, J.** See Swoboda, B. E. P.
Chew, C. C.
 —; Magallon, T.; Martinat, N.; Lecompte, F.; Combarrous, Y.; Gosling, J. P.
 The relative protein disulphide isomerase (PDI) activities of gonadotrophins, thioredoxin and PDI, 394S
- Chhabra, S. R.** See Chan, P. F.
Chidiac, P. See Bouvier, M.
Chissick, H. H. See Fowler, A. M.
Choo, S.-P. See Brown, S.
Christakopoulos, P.
 —; Kekos, D.; Macris, B. J.; Bhat, M. K.
 Multiple forms of endo-1,4- β -D-glucanase in the extracellular cellulase system of *Fusarium oxysporum*, 586S
- Christopherson, R. I.**
 —; Williams, N. K.; Schoettle, S. L.; Szabados, E.; Hambley, T. W.; Manthey, M. K.
 Inhibitors of dihydro-orotase, amidophosphoribosyltransferase and IMP cyclohydrolase as potential drugs, 888
- Chupin, V.** See Leenhouts, J. M.
Churchill, T. A. See Mitchell, S. J.
Cinek, T. See van den Berg, C. W.
Clamp, M. See Brass, A.
Clapp, K. L.
 —; Laidlaw, S.; Mitchell, I. J.; Waters, C. M.
 Excitotoxic neurotoxicity in an *in vitro* brain slice model, 602S

- Clark, J. R.** See Parry, J. W. L.
Clark, N. See Matthews, S.
Clarke, A. H. See Clewlow, A. C.
Clarke, D. T. See Qi, X.
Clarke, G. D. See McSheehy, P. M. J.
Clarke, K. See Hopkins, J. C. A.; Kemp, G. J.; Keon, C. A.
Claydon, M. A.
 —; Gordon, D. B.; Garner, G. V.; Lord, G. A.
 A partial sequence of an IgG light chain using continuous flow HPLC-FAB mass spectrometry, 633S
Clayton, P. See Winchester, B.
Cleere, R.
 —; Long, A.; Kelleher, D.; O'Neill, L. A. J.
 Autocrine regulation of the transcription factor NF κ B by TNF α in the human T cell lymphoma line Hut 78, 113S
Clegg, R. A. See Adie, E. J.; Gardner, R. A.; Gordge, P. C.; Ison, A. J.; Johnson, M. S.; Thomas, P. H.
Clemens, M. J. See Borovjagin, A. V.; Elia, A.; James, M. C.; Laing, K. G.
Clement, D. J.
 —; Attwell, N. A.; Stanley, M. S.; Clipson, N. J. W.; Hooley, P.; Fincham, D. A.
 Salt sensitivity and arginine toxicity in *Aspergillus nidulans*, 24S
Clemente, R. See Jones, D. R.
Clewlow, A. C.
 —; Clarke, A. H.; Rowe, A. J.; Tombs, M. P.
 Predicting the phase diagram for gelatin-pectin system, 498S
Cliff, M. J. See Shennan, D. B.
Clipson, N. J. W. See Clement, D. J.
Clunn, G. F.
 —; Refson, J. S.; Schachter, M.; Hughes, A. D.
 Different effects of platelet-derived growth factor isoforms on DNA synthesis and migration in human vascular smooth muscle cells, 608S
 —; Schachter, M.; Hughes, A. D.
 Contrasting mechanisms of intracellular calcium ([Ca²⁺]_i) elevation by angiotensin II (AII) and platelet derived growth factor-BB (PDGF-BB) in human vascular smooth muscle cells (VSMCs), 170S
Codd, G. A. See Avery, S. V.
Cogan, T. M. See Carroll, N. M.
Coghlan, V. M.
 —; Hausken, Z. E.; Scott, J. D.
 Subcellular targeting of kinases and phosphatases by association with bifunctional anchoring proteins, 592
Cohen, E. S. See Fairchild, P. J.
Cohen, F. See Birdsall, N. J. M.
Cohen, J. L. See Bailey, J. M.
Cohen, P. See Goedert, M.
Cole, N. B. See Lippincott-Schwartz, J.
Coley, C. See Naylor, L.
 —; Woodward, R.; Strange, P.; Naylor, L.
 Site-directed mutagenesis of conserved serine residues in the rat D₂ dopamine receptor, 94S
Collard, K. See Nanda, D.
Collier, A. J. See Fahey, M. S.
Collingridge, G. L. See Potier, B.
Collins, J. K. See Della Porte, P.
Collins, P. B. See Gilligan, S. M.
Collins, R. F.
 —; Roberts, M.; Phoenix, D. A.
 Codon bias in *Escherichia coli* may modulate translation initiation, 76S
Colón, G. E. See Simpson, T. W.
Coltro-Campi, C. See McSheehy, P. M. J.
Colvin, R. B. See Robinson, D. R.
Colyer, J. See Drago, G. A.; Jackson, W. A.; Smith, F. K.
Combarnous, Y. See Chew, C. C.
Conibear, P. B.
 —; Seehra, C. K.; Bagshaw, C. R.; Gingell, D.
 Observation of ATP turnover during *in vitro* motility assays, 400S
Conley, E. C. See Ratcliffe, C. F.
Conn, P. See Truscott, T. G.
Conneely, O. M. See Smith, C. L.
Connock, M. See Phipps, A. N.
Connock, M. J. See Abugila, M. A.
Connolly, B. See Curtin, G.
Connolly, C.
 —; Oppong, S. Y.; Turner, A. J.; Hooper, N. M.
 Purification and characterization of the angiotensin converting enzyme secretase, 551S
Connor, K. See Ison, A. J.
Constantinou, V. See Nicolaou, A.
Conway, A. See Manning, F.
Cooke, M. S.
 —; Finnegan, M. T.; Herbert, K. E.; Lunec, J.
 Cell cycle and dose-dependence of DNA damage and p53 expression following UVA irradiation, 481
Coore, J. See Banerjee, A. K.
Corbett, J. M. See Patel, V. B.
Cordeiro, C. A.
 —; Freire, A. P.
In situ regulation of methylglyoxal metabolism, 291S
Corfield, A. See Myerscough, N.
Corfield, A. P. See Hicks, S. J.; Sheehan, J. K.
 —; Myerscough, N.; Gough, M.; Brockhausen, I.; Schauer, R.; Paraskeva, C.
 Glycosylation patterns of mucins in colonic disease, 840
Cotecchia, S.
 —; Lattion, A. L.; Diviani, D.; Cavalli, A.
 Signalling and regulation of the α_{1B} -adrenergic receptor, 121
Cottrell, J. S.
 Peptide sequencing by matrix-assisted laser desorption ionization/time-of-flight mass spectrometry, 914
Couch, F. J. See Lynch, P. J.
Coulie, P. See Van den Eynde, B.
Couse, J. F.
 —; Curtis, S. W.; Washburn, T. F.; Eddy, E. M.; Schomberg, D. W.; Korach, K. S.
 Disruption of the mouse oestrogen receptor gene: resulting phenotypes and experimental findings, 929
Cousin, M. A.
 —; Pocock, J. M.; Nicholls, D. G.
 Intracellular free Ca²⁺ responses in electrically stimulated cerebellar granule cells, 648
Coutts, I. G. C. See Hickey, M. J.
Cowan, S. A. See Inche, C. A.
Cox, V. M. See Dawes, N. J.; Lee, D. M.
Crain, R. C.
 —; Yueh, Y. G.
 Phosphoinositide signalling in plant and algal responses to physiological stimuli, 853
Crane, D. T.
 —; Bolgiano, B.; Jones, C.; Edgell, T. A.; Pring, J. B.; Gaffney, P. J.
 Stability of the glyco-enzyme tissue plasminogen activator studied by circular dichroism, 105S
Creaney, A.
 —; Wilton, D. C.
 The effect of dioleoylglycerol on cytosolic phospholipase A₂ activity using a continuous fluorescence displacement assay, 569S
Creeth, J. E. See Robinson, A. M.
Critchley, D. R. See Flood, G. J.; Hemmings, L.; Winder, S. J.
Croft, S. L. See Chan, C.
Crofts, A. See Hayes, B.
Cross, A. J. See Qume, M.
Cross, C. E. See Eiserich, J. P.; van der Vliet, A.
Cross, R. L. See Duncan, T. M.
Cross, S. J.
 —; Freedman, R. B.
 The chaperonins of *Clostridium thermocellum*, 67S
Croteau, R. See McCaskill, D.
Croucher, M. J. See Patel, D. R.
Crowther, N. J. See Desai, M.
Crowther, R. A. See Goedert, M.
Cummings, C. See Scott, J. E.
Cummings, N. J. See Taylor, M. A. J.
Curtin, G.
 —; Mehra, R.; Guinee, T.; O'Kennedy, B.; Connolly, B.; Sheehan, D.
 Rheological and synergetic properties of acid gels fortified with whey proteins, 348S
Curtis, S. W. See Couse, J. F.
Dalgleish. See Sheikh, J.
Daly, G. J. See Evans, M. D.
Danen, E. H. J.
 —; Ruiten, D. J.; van Muijen, G. N. P.
 Mechanisms of melanoma cell adhesion to fibronectin, 403S
Daniell, S. See Naylor, L.
Das, I. See Sooranna, S.
 —; Khan, N. S.
 Inhibition of nitric oxide synthase by L-arginine metabolites, 324S
 —; Khan, N. S.; Sooranna, S. R.
 Nitric oxide synthase activation is a unique mechanism of garlic action, 136S
Davey, J. See Ladds, G.; Powner, D.; Slaaby, R.; Stuart, J. A.
Davies, A. M.
 —; Malone, M. E.; White, I. N. H.
 Peroxidase activation of 4-hydroxytamoxifen to cause DNA damage *in vitro*, 439S
Davies, A. R. L.
 —; Wheatley, M.
 The importance of acidic amino acid residues in the binding of ligands to the V_{1a} vasopressin receptor, 85S
Davies, D.
 —; Tuckwell, D. S.; Watson, R. B.; Weston, S. A.; Humphries, M. J.
 Regulation of extracellular matrix deposition by the C-propeptide domain of fibrillar collagens, 516S
Davies, D. H. See Blakley, D. C.
Davies, E. A. See Silkowski, H.
Davies, E. S. See Davis, S. J.
Davies, J. R. See Carlstedt, I.; Hovenberg, H. W.; Nordman, H.
Davies, K. E. See Winder, S. J.
Davies, M. J. See Hawkins, C. L.; Hazlewood, C.; Silvester, J. A.; Timmins, G. S.
Davies, R. J. H. See Stevenson, C.
 —; Ultraviolet radiation damage in DNA, 407
Davis, C. See Taylor, G.
Davis, C. L.
 —; Phillips, E.; Skidmore, E.; Webb, M.; McIntyre, P.; Burgess, G. M.
 Human and rat bradykinin B₂ receptors are differentially sensitive to D-Phe⁷-containing antagonists, 97S
Davis, K. See Powner, D.
Davis, P. J. See Verhoeyen, M. E.
Davis, S. J. See Silkowski, H.

- ; Davies, E. A.; van der Merwe, P. A.
Mutational analysis of the epitopes recognized by anti-(rat CD2) and anti-(rat CD48) monoclonal antibodies, 188
- Davis, T.**
—; Shall, S.
Cloning of a chicken gene homologous to the rabbit mono-ADP-ribosyltransferase gene, 207S
- Davis, W.**
—; Harrison, P. T.; Allen, J. M.
Functional necessity for binding of monomeric IgG to permit internationalisation of FcγRI, 120S
- Dawes, N. J.** See Lee, D. M.
- ; Lee, D. M.; Cox, V. M.; Nga, H.; Goldspink, D. F.
The effect of various stretch and electrical stimulation regimes on proto-oncogene induction in skeletal muscle, 327S
- Dawson, I. M.** See Leaver, H. A.
- Daykin, M. M.** See Chan, P. F.
- Deasy, M.** See Shanahan, C.
- Debailleul, V.** See Porchet, N.
- Degand, P.** See Porchet, N.
- de Heredia, M. L.** See Hernández, M. L.
- Dekker, H.** See Vollenbroek, E. G. M.
- Dekker, J.** See Tytgat, K. M.; Van Klinken, B. J.-W.; van Klinken, B. J.-W.
- Dekker, L.** See Parker, P. J.
- de Kruijff, B.** See Leenhouts, J. M.
- Dell, A.** See Winchester, B.
- Della Porta, P.**
—; Ryan, N. M.; Collins, J. K.
Expression of gelatinolytic activity by oesophageal and colon carcinoma cell lines, 391S
- de Malfussi, H. F. C.** See Dutra-Filho, C. S.
- Dempsey, C. E.** See Sharp, A. J.; Williams, P. B.
- den Blaauwen, T.** See Driessen, A. J. M.
- Denny, B. J.**
—; Lambert, P. A.; Poyner, D. R.
Molecular modelling of the human formyl peptide receptor, 96S
- Denton, R. M.** See Diggle, T. A.; Heesom, K. J.; Moule, S. K.
- DePierre, J. W.**
—; Sohlenius, A.-K.; Cai, Y.; Eriksson, A. M.; Andersson, K.; Sundberg, C.
Peroxisome proliferation in response to xenobiotics, 425
- Depre, C.** See Hue, L.
- Desai, M.**
—; Crowther, N. J.; Ozanne, S. E.; Lucas, A.; Hales, C. N.
Adult glucose and lipid metabolism may be programmed during fetal life, 331
- de Vera, M. E.**
—; Geller, D. A.; Billiar, T. R.
Hepatic inducible nitric oxide synthase: regulation and function, 1008
- Devery, R.** See Dowling, L.
- de Wit, J. G.** See Driessen, A. J. M.
- Dey, P. M.** See Ahmed, N.
- Dhawan, M.** See Chandra, R.; Malhotra, R.
—; Chandra, R.; Malhotra, R.
Effect of metalloporphyrin on blood chemistry, 539S
- Dickenson, J. D.**
—; Hill, S. J.
Activation of phospholipase C by G-protein β subunits in DDT₁MF-2 cells, 17S
- Dickson, A. J.** See Murray, K.; Sidaway, J. E.
- Dickson, S.** See Yang, S.-H.
- Diggle, T. A.** See Moule, S. K.
- ; Denton, R. M.
Characterisation of a novel "22kda" phosphoprotein which may be important in insulin action, 209S
- Dillon, S.** See Taylor, G.
- Dimroth, P.**
On the way towards the Na⁺-binding site within the F₁F₀ ATPase of *Propionigenium modestum*, 770
- Disatnik, M.-H.** See Mochly-Rosen, D.
- di-Tomaso, E.** See Winchester, B.
- Diviani, D.** See Cotecchia, S.
- Dix, I.** See Pellegrineschi, A.
- Dix, P. J.** See Pellegrineschi, A.
- Dixon, L. K.** See Yates, P. R.
- Dobbins, A. C.** See Hawtin, S. R.
- Dobson, C.** See Huddleston, S.
- Dobson, C. B.**
—; Graham, J.; Itzhaki, R. F.
Usage of gallium as a model for aluminum localization in human neuroblastoma cells, 598S
- Doherty, P.** See Saffell, J. L.
- Dolphin, A. C.** See Fitzgerald, E. M.
- Donaldson, K.** See Li, X.; Rahman, I.
- Doonan, S.** See Barry, T. R.; Twomey, C.
- Doris, R.**
—; Kilgour, E.; Houslay, M. D.; Thompson, G. E.; Vernon, R. G.
Modulation of adenosine signalling in sheep adipose tissue by growth hormone, 16S
- Dormer, R. L.** See Pereira, M. M.; Russell, D.
- Dornhorst, A.** See Johnston, D. G.
- Dossett, R. F. E.**
—; Merry, A.; Hardy, M.
Identification and sequencing of truncated glycan structures from a murine monoclonal IgG, 103S
- Dou, C.** See Allison, W. S.
- Douglas, A. J.** See Rankin, R.
- Douglas, K. T.** See Chan, C.
- Dowell, R. I.** See Blakley, D. C.
- Dowling, L.**
—; Devery, R.
Use of HPLC for the determination of serum 7α-hydroxycholesterol in cholestyramine-treated rats, 362S
- Downes, C. P.** See Carter, A. N.
- Doyle, C. T.** See O'Sullivan, M. J.
- Doyle, S.** See Manning, F.
- Drago, G. A.**
—; Colyer, J.
Phosphorylation site-specific antibodies to cardiac phospholamban, 15S
- Drew, L.**
—; Warr, J. R.; Rumsby, M. G.
A role for protein kinase C in the multidrug resistance phenotype of human carcinoma KB cell lines, 447S
- Driessen, A. J. M.**
—; de Wit, J. G.; Kuiper, W.; van der Wolk, J. P. W.; Fekkes, P.; van der Does, C.; van Wely, K.; Manting, E.; den Blaauwen, T.
SecA, a novel ATPase that converts chemical energy into a mechanical force to drive precursor protein translocation, 981
- Drøbak, B. K.** See Bunney, T. D.; Hernandez, L. E.
- Drummond, F. J.**
—; McCaffrey, M. W.
Construction of a recombinant *HRab1A* baculovirus, 380S
- Drynan, L. F.** See Makins, R. A.
- Du, P.** See Loew, G. H.
- Duance, V. C.** See Lawrence P. A.
- Duchars, M. G.** See Hinsley, A. P.
- Duncan, J. S.** See Trayhurn, P.
- Duncan, T. M.**
—; Zhou, Y.; Bulygin, V. V.; Hutcheon, M. L.; Cross, R. L.
Probing interactions of the *Escherichia coli* F₀F₁ ATP synthase β and γ subunits with disulphide cross-links, 736
- Dunford, H. B.** See Welinder, K. G.
- Dunican, D. J.**
—; Griffiths, R.; O'Neill, L. A. J.; Williams, D. C.
Depolarising levels of KCl inhibit endothelin-1-mediated release of arachidonic acid in rat C6 glioma cells, 285S
- Dunn, A.**
—; Luz, J. M.; Natalia, D.; Gamble, J. A.; Freedman, R. B.; Tuite, M. F.
Protein disulphide isomerase (PDI) is required for the secretion of a native disulphide-bonded protein from *Saccharomyces cerevisiae*, 78S
- Dunn, M. J.** See Patel, V. B.
- Durrant, L. G.** See Carpenter, K.
- Dutra-Filho, C. S.**
—; Wajner, M.; Wannmacher, C. M. D.; Gassen, E.; Candiago, R. H.; Wilhelms, A. M.; de Malfussi, H. F. C.
2-Hydroxybutyrate and 4-hydroxybutyrate inhibit CO₂ formation from labeled substrates by rat cerebral cortex, 228S
Inhibition of citrate oxidation *in vitro* by 2-hydroxybutyrate and 4-hydroxybutyrate in cerebral cortex of young rats, 229S
- Dwek, R. A.**
—; Glycobiology: "Towards understanding the function of sugars," 1
- Dwight, J. F.** See Bolton, C. H.
- Dyer, C. E.**
—; Shuttleworth, C. A.; Kielty, C. M.
Conformation and function of fibrillin 8-cysteine motifs, 506S
- Eaglestone, S.** See Ruston, S.
—; Hirst, T. R.
Preparation of a fusion protein for vaccination against *Escherichia coli* enterotoxins, 54S
- Easton, A. J.** See Eghawhary, E. N.
- Eaton, R. J.** See Jeffreys, D. S.
- Eaton, S.**
—; Record, C. O.; Bartlett, K.
Mitochondrial β-oxidation in human alcoholic liver disease, 497S
- Echeta, C. N.**
—; Elliott, K. R.
Profiles of sorbitol dehydrogenase and Na⁺/K⁺-ATPase activity in a rat brain capillary cell line in various glucose concentrations may suggest an endothelium-protective mechanism, 317S
- Edbrooke, M.** See Winder, A.
- Edbrooke, M. R.** See Morrison, E.
- Eddy, E. M.** See Couse, J. F.
- Edgell, N. J.** See Moule, S. K.
- Edgell, T. A.** See Crane, D. T.
- Edwards, G.**
—; Streuli, C.
Signalling in extracellular-matrix-mediated control of epithelial cell phenotype, 464
- Egawhary, D. N.** See Swoboda, B. E. P.
—; Swoboda, B. E. P.; Chen, J.; Easton, A. J.; Vince, F. P.
Diabetic complications and the mechanism of the hyperglycaemia-induced damage to the mt DNA of cultured vascular endothelial cells: (I) characterization of the 4977 base pair deletion and 13 bp flanking repeats, 518S

- ; Swoboda, B. E. P.; Chen, J.; Vince, F. P.
Damage to the vascular endothelium of diabetic patients can be assessed by analysing blood samples for the number of circulating endothelial cells with mitochondrial DNA deletions, 402S
- Eghawary, D. N.** See Swoboda, B. E. P.
- Eidne, K. A.** See Lee, T. W.
- Einerhand, A. W. C.** See Tytgat, K. M.; Van Klinken, B. J.-W.; van Klinken, B. J.-W.
- Eisenhut, T.** See Endres, S.
- Eiserich, J. P.** See van der Vliet, A.
—; van der Vliet, A.; Halliwell, B.; Cross, C. E.
Interactions of diesel engine emissions with extracellular biological fluids, 238S
- El-Agnaf, O. A.**
—; Guthrie, D. J. S.; Irvine, G. B.
Studies on peptides containing the 25–35 sequence of amyloid β peptide, 49S
- Eldridge, W.**
—; Rooney, B.
Mapping the ligand-binding domain of PDGF-receptor, 73S
- Elia, A.**
—; Schofield, A.; Clemens, M. J.
Interaction of the dsRNA-dependent protein kinase PKR with Epstein-Barr virus W RNAs, 313S
- Elkeles, R. S.** See Johnston, D. G.
- Elkins, K.** See Acharya, U.
- Elliott, G.**
—; Mantle, T. J.
Purification and properties of salmon liver biliverdin reductase, 389S
- Elliott, H. G.**
—; Elliott, M. A.; Watson, J.; Smith, K. D.
The influence of cytokines on the glycosylation pattern of alpha-1-acid glycoprotein secreted by the HepG2 cell line, 164S
- Elliott, K. R.** See Echeta, C. N.
- Elliott, K. R. F.** See Banford, P. C.
- Elliott, M. A.** See Elliott, H. G.
- Ellis, L.** See Keane, N. E.; Quirk, P. G.
- Ellory, J. C.** See Horwitz, E. R.
- El-Mansi, E. M. T.** See Inche, C. A.
- El-Nageh, N.**
—; Harrington, M. G.
Effect of probenecid and pyridoxal-5'-phosphate on the aggregation of rat blood platelets, 368S
- Elsmere, S. A.** See Perry, C. R.
- El-Tanani, M. K. K.**
—; Green, C. D.
Hormone regulation of gene transcription in human breast cancer cells, 589S
- Emes, M. J.** See Tetlow, I. J.
- Endres, S.**
—; Eisenhut, T.; Sinha, B.
n-3 Polyunsaturated fatty acids in the regulation of human cytokine synthesis, 277
- Ennis, O. M.**
—; Mantle, T.
Expression of rat biliverdin reductase as a glutathione-S-transferase fusion protein, 443S
- Epenetos, A. A.** See Boleti, E.
- Erdogan, S.** See Houslay, M. D.
- Erer, F. O.** See Yenisey, Ç.
- Eriksson, A. M.** See DePierre, J. W.
- Erneux, C.** See Wilcox, R. A.
- Eshar, Z.** See Gross, G.
- Ettelaie, C.** See Bruckdorfer, K. R.
- Europe-Finner, G. N.** See Phaneuf, S.
- Evans, M. D.** See Finnegan, M. T.; Hill, C. M.; Mistry, N.; Poon, K. W.
—; Podmore, I. D.; Daly, G. J.; Perrett, D.; Lunec, J.; Herbert, K. E.
Detection of purine lesions in cellular DNA using single-cell gel electrophoresis with Fpg protein, 434S
- Evans, R. D.**
Physiological signals and pathological mediators of lipid metabolism during lactation, 516
- Everett, S. A.**
—; Kundu, S. C.; Maddix, S.; Willson, R. L.
Mechanisms of free radical scavenging by the nutritional antioxidant β -carotene, 230S
- Ewan, S. G.**
—; Sear, C. L.; Skidmore, E.; McIntyre, P.; Brown, M. C. S.
Human neurokinin-1 receptors, transiently transfected into Cos-7 cells, couple to simian G-proteins, 95S
- Fadiloglu, M.** See Yenisey, Ç.
- Fadiloglu, M.** See Oktay, G.
- Fahey, M. S.**
—; Collier, A. J.; Stone, A.; Paterson, I. C.; Prime, S. S.
Transforming growth factor-beta isoform autocrine production by cultured *ras*-transfected and tumour-derived human keratinocytes, 440S
- Fairchild, P. J.**
—; Cohen, E. S.; Wraith, D. C.
Processing of myelin basic protein by macrophages generates an epitope with apparent low affinity for I-A^s, 686
- Fairlamb, A. H.** See Chan, C.
- Fanning, A. S.** See Anderson, J. M.
- Farmer, P.** See Finnegan, M. T.
- Farooq, S.** See Finnegan, M. T.
- Farrell, W. E.** See Pearce, A.
- Faulds, C. B.**
—; Williamson, G.
Release of the antioxidant, ferulic acid, from plant material by specific esterases, 253S
- Faulkner, A.**
—; Martin, P. A.
Effects of somatostatin-28 on plasma glucose-dependent insulintropic polypeptide and serum insulin concentrations, 544S
- Fawcett, M.-C.** See Self, C. H.; Thompson, S.
- Feingold, K. R.** See Hardadóttir, I.
- Fekkes, P.** See Driessen, A. J. M.
- Fell, D. A.** See Moniz-Barreto, J. P.; Thomas, S.
—; Design of experiments to measure elasticity coefficients, 297S
- Feltkamp, M. C. W.** See Toes, R. E. M.
- Feniuk, W.** See Wilkinson, G.
- Fennell, M.** See Mitchell, R.
- Fenton, J. A. L.**
—; Warr, J. R.; Rumsby, M. G.
The relationship between protein kinase C subspecies and multidrug resistance in vincristine resistant Chinese hamster ovary cells, 450S
- Fenwick, G. R.** See Plumb, G. W.
- Ferguson, C. H. R.** See Burch, G. J.
- Ferguson, S. J.**
Chairman's introduction: Brian Beechey: an appreciation, 735
- Fernandes, L.** See MacGillivray, A. J.
- Fevereiro, P. S.** See Melo, N. S.
- French-Mullen, J.** See Buckley, N. J.
- Field, S. K.** See Matthews, J. S.
- Fielding, B. A.**
—; Humphreys, S. M.; Shadid, S.; Frayn, K. N.
Plasma mono-, di- and triacylglycerol measurements in a study of fat uptake by human adipose tissue *in vivo*, 487S
- Filatov, D.**
—; Ingemarson, R.; Johansson, E.; Rova, U.; Thelander, L.
Mouse ribonucleotide reductase: from genes to proteins, 903
- Fillingame, R. H.**
—; Girvin, M. E.; Zhang, Y.
Correlations of structure and function in subunit *c* of *Escherichia coli* F₀F₁ ATP synthase, 760
- Fincham, D. A.** See Clement, D. J.
- Finnegan, M. T.** See Cooke, M. S.
—; Herbert, K. E.; Evans, M. D.; Farooq, S.; Farmer, P.; Podmore, I. D.; Lunec, J.
Development of an assay to measure 8-oxyguanine using HPLC with electrochemical detection, 431S
—; Herbert, K. E.; Evans, M. D.; Lunec, J.
Phenol isolation of DNA yields higher levels of 8-oxodeoxyguanosine compared to pronase E isolation, 430S
- Fisher, M. J.** See Aspbury, R. A.
- Fiskum, G.** See Bailey, J. M.
- Fiszer, A.** See Brass, A.
- Fitzgerald, E. M.**
—; Dolphin, A. C.
P21-ras is involved in regulation of voltage-dependent calcium channels in cultured rat dorsal ganglion cells, 193S
- Fitzpatrick, P. J.** See Sheehan, D.
- Fletcher, V.** See Brown, S.
- Flinn, N.** See Toomey, C. M.
- Flint, A. P. F.** See Abayasekara, R. E.; Riley, P. R.
- Flint, D. J.** See Shand, J. H.
- Flood, G. J.**
—; Gratzner, W. B.; Kahana, E.; Rowe, A. J.; Critchley, D. R.
Association of structural repeats in α -actinin, 399S
- Floto, R. A.**
—; Mahaut-Smith, M.; Allen, J. M.
IFN- γ and dibutyl pre-treatment of U937 cells results in different Ca²⁺ signals triggered by antibody cross-linking of the human high affinity receptor for IgG (Fc γ RI), 122S
- Fodstad, Ø.** See Rye, P. D.
- Foguet, M.** See Itin, C.
- Foley, V.**
—; Sheehan, D.
Purification of glutathione S-transferases from *Yarrowia lipolytica*, 374S
- Folkes, L. K.** See Candeias, L. P.
- Ford, S. L.**
—; Persaud, S. J.; Jones, P. M.; Abayasekara, R. E.
Phosphoprotein phosphatase activities in rat luteal cells, 20S
- Forman-Kay, J. D.** See Pascal, S. M.
- Foster, J. C.** See Rankin, R.
- Fottrell, P. F.** See Casserly, Ú. M.; McGuinness, B. J.
- Fowler, A. M.**
—; Chissick, H. H.; Frearson, M. J.; Wilson, K.
The role of aldehyde oxidase in the *in vivo* metabolism of benzothiazole, 604S
- Fox, R. M.**
—; Jones, J. D.; Atterwill, C. K.
Free-radical mediated toxicity in whole rat brain reaggregate cultures by α -tocopherol, 258S
- Francis, P. T.** See Qume, M.

- Frayn, K. N.** See Carr, R. E.; Fielding, B. A.
- Frearson, M. J.** See Fowler, A. M.
- Frech, M.**
—; Ingley, E.; Andjelkovic, M.; Hemmings, B. A.
Pleckstrin homology domains, 616
- Fredholm, B. B.** See Assender, J. W.
- Freeburn, J. C.**
—; Gilmore, W. S.; Strain, J. J.
The effect of cytokines on tissue factor expression in HL-60 and U937 cell lines, 286S
- Freedman, R. B.** See Alston, M. J.; Bose, S.; Cross, S. J.; Dunn, A.; Hawkins, H. C.; Lowe, E. D.; McLaughlin, S. H.; Ogonah, O. W.; Parry, J. W. L.; Taylor, M. A. J.; Webster, P. A.
—; Ruoppolo, M.
Refolding of the mixed disulphide of RNase T₁ and glutathione, 68S
- Fricke, S. P.**
—; Slade, E.; Powell, N. A.
Effect of superoxide dismutase on nitric oxide production by RAW264 macrophages, 231S
- Fu, L.**
—; Suen, C. K. M.; White, K. N.
Variation of intracellular distribution of mRNAs expressed from transfected cDNAs—a study by FISH, 588S
- Fujiyama, K.**
—; Intapruk, C.; Shinmyo, A.
Gene structures of peroxidase isoenzymes in horseradish and *Arabidopsis thaliana* and their expression, 245
- Fuller, B. J.** See Lane, N. J.; Mitchell, S. J.
- Fuller, S. J.** See Gillespie-Brown, J.
- Fulton, S.** See Brindle, K.
- Furth, A. J.** See Liggins, J.
- Futai, M.**
—; Omote, H.; Maeda, M.
Escherichia coli H⁺-ATPase (ATP synthase): catalytic site and roles of subunit interactions in energy coupling, 785
- Futerman, A. H.**
—; Hirschberg, K.; Meivar-Levy, I.; Rapaport, E.; Schwarz, A.; Sofer, A.; Zisling, R.
Vesicle transport during cell growth and in the maintenance of cell polarity, 530
- Gadd, G. M.** See Avery, S. V.
- Gaffney, P. J.** See Crane, D. T.
- Gafvelin, G.** See Whitley, P.
- Galanopoulou, D.**
—; Moxley, D.; Boss, C. B.; Boss, W. F.
Mastoparan induces inositol phospholipid changes and plasmolysis in carrot cells, 573S
- Gallo, L. L.** See Bailey, J. M.
- Galloway, S.** See Banerjee, A. K.
- Gamble, J. A.** See Dunn, A.
- Ganguly, S.** See Taylor, G.
- Gannon, F.** See Pope, C.
- Gao, Y.** See Keane, N. E.
- Gardner, B.**
—; Strange, P. G.
Pharmacological characterisation of high affinity [³⁵S]GTPγS binding in membranes from CHO-K1 cells stably expressing rat D₂(short) dopamine receptors, 91S
- Gardner, R. A.**
—; Travers, M. T.; Barber, M. C.; Miller, W. R.; Clegg, R. A.
Expression of PK-A catalytic and regulatory subunits in lactating rat mammary tissue: effects of litter removal, 452S
- Garforth, J.** See Chan, C.
- Garland, L. G.** See Thompson, N. T.
- Garner, G. V.** See Claydon, M. A.; Turner, J. B.
- Garratt, A. N.** See Mould, A. P.
- Garrido-Pertierra, A.** See Gomez-Gallego, F.
- Gaskell, S. J.** See Bolgar, M. S.
- Gassen, E.** See Dutra-Filho, C. S.
- Gaugler, B.** See Van den Eynde, B.
- Gebecki, S.**
—; Bartosz, G.; Gebicki, J. M.
The action of iron on amino acid and protein peroxides, 249S
- Gebicki, J. M.** See Gebicki, S.
- Gedulin, B.** See Young, A.
- Gelding, S. V.** See Johnston, D. G.
- Geller, D. A.** See de Vera, M. E.
- Geoghegan, S. M.**
—; Butler, G.; Mayhew, S. G.
Cloning of the gene for flavodoxin from the anaerobic bacterium *Megasphaera elsdenii*, 384S
- George, A. J. T.** See Boleti, E.
- Geraldes, C. F.** See Alpoim, M. C.
- Gerard, B.** See Raja, K. B.
- Gether, U.**
—; Lowe, J. A. III; Schwartz, T. W.
Tachykinin non-peptide antagonists: binding domain and molecular mode of action, 96
- Giartoso, A.** See Twomey, C.
- Gibbons, G. F.**
—; Wiggins, D.
The enzymology of hepatic very-low density lipoprotein assembly, 495
- Gibbons, W. A.** See Bonzom, P.; Kenyon, S. H.; Nicolaou, A.
- Gigg, R.** See Wilcox, R. A.
- Gilbert, R. L.** See Harper, D. R.
- Giles, R. E.**
—; Wallis, O. C.; Wallis, M.
Preparation and characterization of recombinant DNA-derived ovine growth hormone variants in which the C-terminal disulphide bridge is modified, 220S
- Gillespie, J.** See Bailey, J. M.
- Gillespie-Brown, J.**
—; Fuller, S. J.; Sugden, P. H.
Stimulation of atrial natriuretic factor promoter activity by Src and Ras in cultured neonatal rat ventricular myocytes, 445S
- Gillett, M. P. T.**
—; Lakhani, M. S.; Nation, G.
Spontaneous hyperlipoproteinaemia in the Arabian dromedary, 281S
- Gilligan, S. M.**
—; Collins, P. B.
A comparison of the regulation of *de novo* cholesterol synthesis by LDL and Lp(a), 351S
- Gilmartin, L.**
—; The complementary actions of proline specific enzymes of guinea-pig brain, 353S
- Gilmore, W. S.** See Freeburn, J. C.
- Gingell, D.** See Conibear, P. B.
- Ginsberg, M. H.**
—; Integrins: dynamic regulation of ligand binding, 439
- Girard, J.** See Prip-Buus, C.
- Girvin, M. E.** See Fillingame, R. H.
- Gleeson, D.** See Pemberton, P. W.
- Godeke, G.-J.** See van Genderen, I. L.
- Godwin, M.**
—; Jenkinson, S.; Nahorski, S. R.; Challiss, R. A. J.
Effect of lithium on muscarinic cholinergic-stimulated phosphoinositide-specific phospholipase C substrate selectivity in CHO-m1 cells, 421S
- Goedert, M.**
—; Jakes, R.; Spillantini, M. G.; Crowther, R. A.; Cohen, P.; Vanmechelen, E.; Probst, A.; Götze, J.; Bürki, K.
Tau protein in Alzheimer's disease, 80
- Goldfarb, P.** See Riedl, A.
- Golding, C.**
—; O'Shea, P.
The interactions of signal sequences with membranes, 971
- Golding, C.**
—; Senior, S.; O'Shea, P.
Interaction of a signal peptide with phospholipid vesicles: the kinetics of binding, insertion and structural changes, 554S
- Goldmann, W. H.** See Senger, R.
- Goldspink, D. F.** See Dawes, N. J.; Lee, D. M.; Penman, J.
- Gomez, J.** See Pin, J.-P.
- Gomez-Gallego, F.**
—; Garrido-Pertierra, A.; Bautista, J. M.
Protein disulphide isomerase assisted folding of human glucose-6-phosphate dehydrogenase, 82S
- Goodall, A. R.**
—; Walker, J. H.; Vaughan, P. F. T.
Identification of vesicular proteins in the human neuroblastoma cell line, SH-SY5Y, 50S
- Goodall, M.** See Lund, J.
- Goodarzi, M. T.**
—; Rafiq, M.; Turner, G.
An improved multiwell immunoassay using digoxigenin-labelled lectins to study the glycosylation of purified glycoproteins, 168S
- Goode, N. T.** See Parker, P. J.
- Goodenough, P. W.** See Bhat, S.; Taylor, M. A. J.
- Goodfellow, J. M.** See Knaggs, M.
- Gooding, J. M.**
—; Adams, B.
The role of zinc in the structure and function of transcription factor BSAP (PAX-5 gene product), 332S
- Goodson, S. J.** See Murrison, E.
- Goold, R.** See Baines, A. J.
- Gor, J.** See Hallinan, T.
- Gordge, P. C.**
—; Clegg, R. A.; Miller, W. R.
Ca²⁺-dependent and Ca²⁺-independent protein kinase C activity in human breast biopsies, 449S
- Gordon, D.** See Salim, K. A.
- Gordon, D. B.** See Claydon, M. A.; Turner, J. B.
- Gordon-Weeks, P. R.**
—; Johnstone, M.; Bush, M.
Phosphorylation of microtubule-associated protein 1B and axonal growth, 37
- Gosling, J. P.** See Chew, C. C.; O'Connor, T.
- Götz, J.** See Goedert, M.
- Gough, M.** See Corfield, A. P.; Myerscough, N.
- Gould, G. W.** See Aidulis, D. M.; McLees, A.
- Gräber, P.** See Böttcher, B.
- Graber, S. G.** See Woodcock, C.
- Graham, A.** See McLees, A.; Wood, J. L.
- Graham, J.** See Dobson, C. B.
- Graham, J. G.** See Zuzel, K. A.
- Grainger, D. J.** See Metcalfe, J. C.
- Grandchamp, B.** See Raja, K. B.
- Grantham, J.** See Hayes, N. V. L.
—; Hayes, N. V. L.; Baines, A. J.
Activities of A60, an axon specific cytoskeletal protein, 39S
- Grassie, M. A.** See Milligan, G.

- ; Milligan, G.
G_{o1}α palmitoylation: its contribution to α2C10 adrenoceptor-G_{o1}α coupling, 406S
- Gratzler, W. B.** See Flood, G. J.
- Grazioli, V.** See McSheehy, P. M. J.
- Greagg, M. A.** See Borovjagin, A. V.
- Grealy, M.**
—; Sreenan, J. M.
Cyclic nucleotide and protein levels in preimplantation bovine embryos, 13S
- Green, C. D.** See El-Tanani, M. K. K.
- Green, C. J.** See Lane, N. J.; Sammut, I. A.; Thorniley, M. S.
- Green, L. J.**
—; Brierley, V. H.; Humphries, M. J.
Inhibition of integrin-ligand binding by recombinant kistrins, 505S
- Greene, L. C.**
—; Lucas, A.; Livingstone, M. B. E.; Harland, P. S. E. G.; Baker, B. A.
Relationship between early diet and subsequent cognitive performance during adolescence, 376S
- Green P. M.** See Priest, R.
- Gregg, R. G.** See Lynch, P. J.
- Griffin, T.** See O'Donnell, M.
- Griffiths, H. R.** See Mistry, N.
- Griffiths, M.** See Barros, L. F.
- Griffiths, R.** See Dunican, D. J.
- Grigor, M. R.** See Warhurst, G.
- Grimble, R. F.**
—; Tappia, P. S.
Modulatory influence of unsaturated fatty acids on the biology of tumour necrosis factor-α, 282
- Grodsky, N. B.** See Allison, W. S.
- Groome, N. P.** See Moreton, K.
- Gross, G.**
—; Levy, S.; Levy, R.; Waks, T.; Eshar, Z.
Chimaeric T-cell receptors specific to a B-lymphoma idiotype: a model for tumour immunotherapy, 1079
- Gruia-Gray, J.** See Londos, C.
- Grunfeld, C.** See Hardadóttir, I.
- Guenfoud, K.** See Arrar, L.
- Guida, L.** See Hawrylowicz, C.
- Guinee, T.** See Curtin, G.
- Guinot, S.** See Burrow, S. M.
- Guiton, M.**
—; Gunn-Moore, F. J.; Tavare, J. M.
Critical role for the phosphorylation of tyrosines 674 and 675 in signalling by the Trk tyrosine kinase, 176S
- Gull, K.** See Murray, K.
- Gum, J. M., Jr.**
Human mucin glycoproteins: varied structures predict diverse properties and specific functions, 795
- Güner, A.** See Oktay, G.
- ; Oktay, G.; Kerman, M.; Güner, G.
Immunoglobulins and alpha-1-proteinase inhibitor in human intervertebral disc material, 212S
- Güner, G.** See Güner, A.; Oktay, G.; Yenisey, Ç.
- Güner, S.** See Yenisey, Ç.
- Gunn, M.** See Moore, S.
- Gunn-Moore, F. J.** See Guiton, M.
- Guo, M.** See Robinson, D. R.
- Guthrie, C. J. S.** See Roberts, M.
- Guthrie, J. S. D.** See El-Agnaf, O. A.
- Gwozdziński, K.**
—; Janicka, M.
Oxygen free radicals and red blood cell damage in acute renal failure, 635S
- Hafiz, F.**
—; Thurston, D. E.; Carr, A. M.; Jones, R. W.
The cytotoxicity of anthramycin to mutants of *Schizosaccharomyces pombe* deficient in DNA damage responses, 331S
- Haigh, R. J.**
—; Shepherd, P. R.; Navé, B. T.; Siddlle, K.
The role of phosphatidylinositol 3-kinase activity in insulin-stimulated mitogenesis in 3T3-L1 adipocytes, 179S
- Hajibagheri, N.** See Parker, P. J.
- Hajnoczky, G.** See Thomas, A. P.
- Hale, G.**
—; Philips, J. M.
Clinical trails with CAMPATH-1 and other monoclonal antibodies, 1057
- Hales, C. N.** See Desai, M.
- Hall, A.** See Nobes, C. D.
- Hall, B.** See Brosnan, J. T.
- Hallette, M. B.** See van den Berg, C. W.
- Halliday, D.** See Venkatesan, S.
- Hallinan, T.** See Kundu, D.
—; Kundu, D.; Gor, J.
ATP: a hitherto unrecognised, iron-specific membrane antioxidant, 264S
- Halliwell, B.** See Eiserich, J. P.; van der Vliet, A.
- Halsall, A. A.** See Sharp, A. J.
- Hambley, T. W.** See Christopherson, R. I.
- Hambrook, J. L.**
—; Lindsay, C. D.; Hughes, N.
Morphological alterations in MDCK cells induced by exposure to *Clostridium perfringens* ε-toxin, 44S
- Hammer, J.** See Sinigaglia, F.
- Hammond, B. J.** See Smith, G. D.
- Hanger, D. P.** See Mulot, S. F. C.
- Hanski, C.** See Sheehan, J. K.
- Hanson, P. J.** See Williams, J. M.
- Hansra, G.** See Parker, P. J.
- Hardardóttir, I.**
—; Grunfeld, C.; Feingold, K. R.
Effects of endotoxin on lipid metabolism, 1013
- Hardcastle, J. D.** See Carpenter, K.
- Harding, J. J.** See Blaktny, R.
- Harding, S. E.** See Silkowski, H.
- Harding, V.** See Khaderbhai, M. A.
- Harding, V. J.** See Kaderbhai, N. N.
- Hardy, D. J.** See Woodman, P. G.
- Hardy, M.** See Dossett, R. F. E.
- Harris, P. I.** See Heaton, R. J.; Mercer E. A. J.
- Harland, P. S. E. G.** See Greene, L. C.
- Harmar, A. J.** See Lutz, E. M.
- Harper, D. R.**
—; Gilbert, R. L.
Viral lipoproteins: the role of myristoylation, 553
- Harper, P. S.** See Wood, J.
- Harrington, M. G.** See El-Nageh, N.; Nolan, M.-L.
- Harris, C. A.** See Murrison, E.
- Harris, D.** See Benz, S.
- Harris, D. A.**
Protein and peptide inhibitors of the F₁-ATPase, 790
- Harris, F.** See Phoenix, D. A.
—; Chatfield, L.; Phoenix, D. A.
The possible involvement of anionic phospholipids in the anchoring of penicillin binding protein 5 to the inner membrane of *Escherichia coli*, 32S
- ; Janicka, M.
The soluble form of *Escherichia coli* penicillin-binding protein 4 observed in over-expressing strains is an artefact of the system, 563S
- Using β-lactams to investigate the existence of a protein complex, involving the *Escherichia coli* penicillin-binding proteins 1a/lb, 3 and 5, 562S
- Harris, M.**
The role of myristoylation in the interactions between human immunodeficiency virus type 1 Nef and cellular proteins, 557
- Harris, T. E.**
—; Persaud, S. J.; Saermark, T.; Jones, P. M.
Effects of myristoylated pseudosubstrate protein kinase C peptide inhibitors on insulin secretion, 187S
- Harris, W.** See Taylor, G.
- Harris, W. J.**
Production of humanized monoclonal antibodies for *in vivo* imaging and therapy, 1035
- Harrison, A. A.** See Whyte, A.
—; Whyte, A.; Licence, S. T.; Woolley, S. T.; Binns, R. M.; Haskard, D. O.
The kinetics of E-selectin expression and leukocyte traffic in BCG/PPD delayed hypersensitivity in the pig, 161S
- Harrison, K. L.**
—; Pheasant, A. E.
Analysis of urinary pterins in autism, 603S
- Harrison, P. T.** See Davis, W.; Hutchinson, M. J.
- Harrison, R.** See Powell, D.
- Harrison, S. M.** See Luckcuck, T.
- Hart, T.** See Taylor, G.
- Hartman, M.** See Toes, R. E. M.
- Hartmann, C.** See Ortiz de Montellan, P. R.
- Hartog, A. F.** See Berden, J. A.
- Hartog, M.** See Bolton, C. H.
- Hartwig, J. H.** See Barkalow, K.
- Harutunian, D. L.** See Karabashian, L. V.
- Harvey, P.** See Candeias, L. P.
- Harvey, P. J.**
—; Candeias, L. P.
Radical cation cofactors in lignin peroxidase catalysis, 262
- ; Candeias, L. P.; King, P. J.; Palmer, J. M.; Wever, R.
Lignin peroxidase catalysis: reaction with veratryl alcohol and a polymeric dye, Poly R, 340S
- Harwood, J. L.** See Avery, S. V.; Rutter, A. J.
- Haskard, D. O.** See Harrison, A. A.; Whyte, A.; Woolley, S. T.
- Haskill, J. S.** See Mondal, K.
- Hasselgren, P.-O.**
Muscle protein metabolism during sepsis, 1019
- Hastings, G. Z.**
—; Adams, B.
Inhibition of Pax 5 activity by expression of its DNA binding domain, 325S
- Hauri, H.-P.** See Itin, C.
- Hausken, Z. E.** See Coghlan, V. M.
- Hawcroft, G.**
—; Alphey, L.
A *Drosophila* early embryonic ventral transcript encoding a protein phosphatase-1 binding protein, 631S
- Hawkins, C. L.**
—; Davies, M. J.
Detection of intermediates formed on reaction of hyaluronic acid and related materials with the hydroxyl radical, 248S
- Hawkins, H. C.**
—; Freedman, R. B.
The effect of denaturants on PDI conformation and activity, 65S
- Hawrylowicz, C.**
—; Guida, L.; Jarman, E.; Hoyne, G.; Sadeghi, R.; O'Hehir, R.; Lamb, L.
Modulation of immune responses to allergens of house dust mite, 660

- Hawtin, S. R.** See Sadler, I. I. J.
 —; Dobbins, A. C.; Taylor, V. J.; Shearman, M. S.
 β -amyloid inhibition of MTT reduction is not mimicked by inhibitors of mitochondrial respiration, 56S
- Hayes, B.**
 —; Crofts, A.; Ray, K.
 Calcium oscillations and waves during IgE receptor crosslinking, 189S
- Hayes, G. M.** See Austen, B. M.
- Hayes, N. V. L.** See Grantham, J.
 —; Holmes, F. E.; Grantham, J.; Baines, A. J.
 A60, an axonal membrane-skeletal spectrin-binding protein, 54
- Hazlewood, C.**
 —; Davies, M. J.
 Damage to DNA and RNA by tumour promoter-derived alkoxyl radicals: an EPR spin trapping study, 259S
- Headon, D. R.** See O'Brien, M.; Seely, N. A.
- Healy, J. M. S.** See Quane, K. A.
- Heap, L.** See Marway, J. S.
- Heaton, R. J.**
 —; Haris, P. I.; Russell, J. C.; Chapman, D.
 Application of SPR and FTIR spectroscopy to the study of protein-biomaterial interactions, 502S
- Hebert, T.** See Bouvier, M.
- Heck, S.** See Wade, E. J.
- Heesom, K. J.**
 —; Moule, S. K.; Denton, R. M.
 Purification of an insulin-stimulated acetyl-CoA carboxylase kinase from rat epididymal adipose tissue, 180S
- Heffron, J. J. A.** See McIntosh, J.; O'Sullivan, G. H.; Quane, K. A.
- Hegardt, F. G.** See Arias, G.
 Regulation of mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene expression in liver and intestine from the rat, 486
- Hemingway, C. J.**
 —; Tey, K. K.; Munday, M. R.
 Short-term inhibition of fatty acid and cholesterol biosynthesis by the lipid-lowering drug gemfibrozil in primary rat hepatocyte cultures and rat liver *in vivo*, 496S
- Hemingway, J.** See Prapanthadara, L.-A.
- Hemming, F. W.**
 Expression and secretion of glycoproteins by hyphal fungi, 180
- Hemmings, B. A.** See Frech, M.
- Hemmings, L.** See Winder, S. J.
 —; Barry, S. T.; Critchley, D. R.
 Cell-matrix adhesion: structure and regulation, 619
- Henley, J. M.**
 —; Kirkham, D. M.
 Mercuric chloride modulates [³H] AMPA binding to *Xenopus* brain membrane, 118S
- Herbert, K. E.** See Cooke, M. S.; Evans, M. D.; Finnegan, M. T.; Hill, C. M.; Mistry, N.; Patel, R.; Poon, K. W.; Struthers, L.
- Hermann, A.** See Carlstedt, I.
 —; Lindell, G.; Nordman, H.; Carlstedt, I.
 The insoluble glycoprotein complex from human colon contains two MUC2 subunits of different size, 535S
- Hernandez, L. E.**
 —; Perotto, S.; Brewin, N. J.; Drøbak, B. K.
 A novel inositol-lipid in plant-bacteria symbiosis, 582S
- Hernández, M. L.**
 —; de Heredia, M. L.; Martínez, M. J.; Ochoa, B.
 The effect of okadaic acid and calyculin A on cholesterol esterification in rat hepatocytes, 580S
- Herrenknecht, K.** See Staddon, J. M.
- Hesketh, J. E.** See Lee, D. M.
- Hesp, J. R.**
 —; Hooper, N. M.
 Characterization of porcine aminopeptidase A: a type II integral membrane protein, 550S
- Heung, Y. M. M.**
 —; Postle, A. D.
 Substrate selectivity of phospholipase D in HL60 granulocytes: effects of fatty acid supplementation, 276S
- Synthesis of phosphatidyl[³H]butanol molecular species by phospholipase D in HL60 granulocytes, 275S
- Hey, N. A.** See Alpin, J. D.
- Heytens, L.** See Quane, K. A.
- Heywood, S. P.**
 —; Hooper, N. M.
 Purification of GPI anchors by immunoaffinity chromatography, 101S
- Hibbs, M.** See Laver, A. J.
- Hickey, M. J.**
 —; Coutts, I. G. C.; Tsang-Tan, L. L.; Pogson, C. I.
 Novel inhibitors of 3-phosphoglycerate kinase, 607S
- Hicks, S. J.**
 —; Carrington, S. D.; Kaswan, R. L.; Stern, M. E.; Corfield, A. P.
 Secreted and membrane bound ocular mucins from normal and dry eye dogs, 537S
- Higgins, J. A.** See Cartwright, I. J.
- Higgs, N. B.** See Warhurst, G.
- Hilkens, J.**
 —; Wesseling, J.; Vos, H. L.; Storm, J.; Boer, B.; van der Valk, S. W.; Maas, M. C. E.
 Involvement of the cell surface-bound mucin, episialin/MUC1, in progression of human carcinomas, 822
- Hill, C. M.**
 —; Herbert, K. E.; Evans, M. D.; Lunec, J.
 Application of capillary electrophoresis to *in vitro* assessment of drug metabolism, 432S
- Hill, S. J.** See Dickenson, J. M.
- Hill, T.** See Truscott, T. G.
- Hillary, J. B.** See Hirst, T. R.
- Hinsley, A. P.**
 —; Duchars, M. G.; Spiro, S.
 Transcriptional regulation of dentrification genes in *Paracoccus dentrificans*, 126S
- Hipkiss, J. B.**
 —; White, C. J. B.; Peters, T. J.; Whish, W. J. D.
 Influence of trifluoperazine on tegument membranes in *Hymenolepis diminuta*, 572S
- Hirani, J.** See Sooranna, S.
- Hirschberg, K.** See Futerman, A. H.
- Hirst, R. A.**
 —; Lambert, D. G.
 Do SH-SY5Y human neuroblastoma cells express cannabinoid receptors?, 418S
- Hirst, T. R.** See Eaglestone, S.; Loregian, A.; Lowe, E. D.; Ruston, S.; Yu, J.
 —; Hillary, J. B.; Ruddock, L. W.; Yu, J.
 Translocation of folded proteins across bacterial outer membranes: a novel secretory phenomenon, 985
- Hoare, S. R. J.**
 —; Strange, P. G.
 Allosteric regulation of the rat D₂ dopamine receptor, 92S
- Hoffmann, W.**
 —; Joba, W.
 Biosynthesis and molecular architecture of gel-forming mucins: implications from an amphibian model system, 805
- Hogan, K.** See Lynch, P. J.
- Hogg, S. I.**
 Biochemistry practicals for all-meeting the needs of modular schemes, 137S
- Hollande, E.** See Mahieu, I.
- Holliday, N.** See Pance, A.
 —; Balbi, D.; Pance, A.; Allen, J. M.
 Nerve growth factor regulation of a late response gene—neuropeptide Y, 226S
- Holmes, D. F.**
 Mass mapping of extracellular matrix assemblies, 720
- Holmes, F. E.** See Hayes, N. V. L.
- Holmes, H. C.**
 —; Burns, S. P.; Chalmers, R. A.; Bain, M. S.; Iles, R. A.
 Ketogenic flux from lipids and leucine, assesment in 3-hydroxy-3-methylglutaryl CoA lyase deficiency, 489S
- Holmess, M. J.** See Sugden, M. C.
- Holsboer, F.** See Journot, L.
- Holt, C.** See Qi, X.; Qi, X. L.
- Holzbaur, E. L. F.** See Vaughan, K. T.
- Hong, H.**
 —; Johnson, P.
 Histidine dipeptide levels in exercised and hypertensive rat muscles, 542S
- Hood, C.** See Britten, C.
- Hooley, P.** See Clement, D. J.
- Hooper, N. M.** See Connolly, C.; Hesp, J. R.; Heywood, S. P.
 —; Oppong, S. Y.; Turner, A. J.
 Identification of the site of cleavage in angiotensin converting enzyme by its secretase, 552S
- Hopkins, J. A. C.** See Kemp, G. J.
- Hopkins, J. C. A.**
 —; Clarke, K.; Radda, G. K.
 Insulin insensitivity in the ischaemic heart, 337S
- Hopton, M. I.** See Bolton, C. H.
- Horejsi, V.** See van den Berg, C. W.
- Horton, R. A.** See Titheradge, M. A.
 —; Knowles, R. G.; Titheradge, M. A.
 Endotoxin causes reciprocal changes in hepatic nitric oxide synthesis and gluconeogenesis, 322S
- Horwitz, E. R.**
 —; Ellory, J. C.
 Ca²⁺ transport in erythrocytes from a hibernating and non-hibernating species, 345S
- Houliston, R. A.** See Wheeler-Jones, C. P. D.
- Houslay, M. D.** See Doris, R.
 —; Scotland, G.; Pooley, L.; Spence, S.; Wilkinson, I.; McCallum, F.; Julien, P.; Rena, N. G.; Michie, A. M.; Erdogan, S.; Zeng, L.; O'Connell, J. C.; Tobias, E. S.; MacPhee, I.
 Alternative splicing of the type-IVA cyclic AMP phosphodiesterase gene provides isoform variants with distinct N-terminal domains fused to a common, soluble catalytic unit: "designer" changes in V_{max}, stability and membrane association, 393
- Houston, P.** See Allan, B. B.
- Hove-Jensen, B.** See Carter, A. T.
- Hovenberg, H.** See Carlstedt, I.
- Hovenberg, H. W.**
 —; Davies, J. R.; Carlstedt, I.

- Human tracheal mucins—is MUC5 more prominent in the epithelial surface than in the submucosa?, 534S
- Hovland, K. S.** See Prydz, K.
- Howell, S.** See Aitken, A.
- Howl, J.**
—; Parslow, R. A.; Wheatley, M.
Defining the ligand-binding site for vasopressin receptors: a peptide mimetic approach, 103
- Hoyne, G.** See Hawrylowicz, C.
- Hryszko, J.** See Zuzel, K. A.
- Høifødt, H.-K.** See Rye, P. D.
- Huang, R.** See Robinson, D. R.
- Huddleston, S.**
—; Robertson, S.; Dobson, C.; Kwong, F. Y. P.; Charalambous, B. M.
Structural and functional stability of horseradish peroxidase, 108S
- Hue, L.**
—; Depre, C.; Lefebvre, V.; Rider, M. H.; Veitch, K.
Regulation of glucose metabolism in cardiac muscle, 311
- Hughes, A. D.** See Clunn, G. F.; Schachter, M.
—; Schachter, M.
AIF₄ inhibits influx of Ca²⁺ into vascular smooth muscle cells, 171S
- Hughes, D. A.**
—; Pinder, A. C.; Piper, Z.; Lund, E. K.
N-3 polyunsaturated fatty acids (PUFA) modulate the expression of functionally associated molecules on human monocytes, 303S
- Hughes, K.** See Mulot, S. F. C.
- Hughes, N.** See Hambrook, J. L.
- Hughes, P. J.** See Stuart, J. A.
- Humphrey, P. P. A.** See Wilkinson, G.
- Humphreys, S. M.** See Fielding, B. A.
- Humphries, M. J.** See Calderwood, D. A.; Davies, D.; Green, L. J.; Mould, A. P.; Newham, P.
- Hunt, J. V.**
—; McKay, A. G.; Skamaruskas, J. T.
The pro-oxidant activity of aminoguanidine and protein glycation, 250S
- Hutcheon, M. L.** See Duncan, T. M.
- Hutchinson, M. J.**
—; Harrison, P. T.; Allen, J. M.
Transmembrane association with gamma-chain is required for FcγRI-mediated phagocytosis in transfected COS cells, 121S
- Hutton, T.**
—; Major, H. J.
Characterizing biomolecules by electrospray ionization-mass spectrometry coupled to liquid chromatography and capillary electrophoresis, 924
- Iles, R. A.** See Changani, K. K.; Holmes, H. C.
- Imrie, H.** See Venkatesan, S.
- Inche, C. A.**
—; Platt, D. J.; Kacser, H.; Cowan, S. A.; Bryce, C. F. A.; El-Mansi, E. M. T.
Cloning and over-expression of the structural gene encoding isocitrat dehydrogenase from *Klebsiella pneumoniae*, 266S
- Ingemarson, R.** See Filatov, D.
- Ingle, E.** See Frech, M.
- Ingram, J.** See Barros, L. F.
- Intapruk, C.** See Fujiyama, K.
- Irenius, E.** See Assender, J. W.
- Irvine, G. B.** See El-Agnaf, O. A.
- Irvine, R. F.**
Inositide evolution: What can it tell us about functions?, 27
- Irwin, J. A.**
—; Tipton, K. F.
Resolution of lactate dehydrogenase isoforms by affinity precipitation, 365S
- Isacke, C. M.** See Sheikh, H.
- Isenberg, G.** See Senger, R.
- Ison, A. J.** See McCulloch, D. A.
—; Simpson, J.; Lutz, E. M.; Clegg, R. A.; Connor, K.; Mitchell, R.
A novel high molecular weight form of protein kinase C in anterior pituitary, 146S
- Itin, C.**
—; Foguet, M.; Kappeler, F.; Klumperman, J.; Hauri, H.-P.
Recycling of the endoplasmic reticulum/Golgi intermediate compartment protein ERGIC in the secretory pathway, 541
- Itzhaki, R. F.** See Dobson, C. B.; Lin, W.-R.
- Iwobi, M.** See MacGillivray, A. J.
- Iyengar, R.** See Chen, J.
- Jackson, C. S.**
—; Zlatkine, P.; Bano, C.; Kabouridis, P.; Mehul, B.; Parenti, M.; Milligan, G.; Ley, S. C.; Magee, A. I.
Dynamic protein acylation and the regulation of localization and function of signal-transducing proteins, 568
- Jackson, M. J.** See Veal, E. A.; Woodall, A. A.
- Jackson, P. J.** See Webb, T.
- Jackson, W. A.**
—; Colyer, J.
Release of Ca²⁺-Mg²⁺ ATPase inhibition by phospholamban phosphorylation, 62S
- Jacob, R.**
—; Naim, H. Y.
Analysis of the putative cleavage site in human lactase-phlorizin hydrolase, 305S
- Jain, R.** See Banerjee, A. K.
- Jaken, S.** See Kiley, S. C.
- Jakes, R.** See Goedert, M.
- James, M.**
—; Simmons, C.; Wise, C. J.; Jones, G. E.; Morris, G. E.
Evidence for a utrophin-glycoprotein complex in cultured cell lines and a possible role in cell adhesion, 398S
- James, M. C.**
—; Pruijn, G. J. M.; van Venrooij, W. J.; Clemens, M. J.
Analysis of the double-stranded RNA binding properties of the La antigen, 312S
- James, P.** See O'Connor, R.
- Janicka, M.** See Gwozdziński, K.
- Jaouhari, R. A.** See Chan, C.
- Jarman, E.** See Hawrylowicz, C.
- Jarry, A.** See Labois, C.
- Jarvis, S. M.** See Akerman, R.
- Jault, J.-M.** See Allison, W. S.
- Javed, M. H.**
—; Waqar, M. A.
Protective effect of histidine by inhibition of gossypol on rat's liver LDH-5, 626S
- Jeffreys, D. S.**
—; Eaton, R. J.; Bagshaw, C. R.
Caged FEDA-ATP: a new tool in the measurement of ATP turnover during the *in vitro* motility assay, 401S
- Jeffries, R.** See Lund, J.
- Jenkins, H. A.** See Pearce, A.
- Jenkins, N.** See Khan, M. W.; Ogonah, O. W.
Monitoring and control of recombinant glycoprotein heterogeneity in animal cell cultures, 171
- Jenkinson, S.** See Godwin, M.
- Jennings, L. J.** See Thomas, C. D.
- Jensen, P. R.**
—; Snoep, J. L.; Molenaar, D.; van Heeswijk, W. C.; Kholodenko, B. N.; van der Gugten, A. A.; Westerhoff, H. V.
Molecular biology for flux control, 367
- Jervis, L.**
—; Jones, M. B.
Soluble protein changes in pollution-adapted *Gammarus dubeni*, 370S
- Joba, W.** See Hoffmann, W.
- Johansson, E.** See Filatov, D.
- Johansson, M.** See Whitley, P.
- Johnson, A. M.** See Lim, R. R.
- Johnson, M. S.**
—; Noble, J.; Wolbers, W. B.; Mitchell, R.
The effect of tyrosine kinase inhibition on phorbol 12,13-dibutyrate- and ionomycin-induced LH and GH release, 210S
- ; Simpson, J.; Clegg, R. A.; Mitchell, R.
The properties of protein kinase C ζ purified from αT3-1 cells using hydroxyapatite chromatography, 147S
- Johnson, P.** See Hong, H.; Phipps, A. N.; Poole, J.
- Johnston, D. G.**
—; Beard, R. W.; Chan, S.-P.; Dornhorst, A.; Elkeles, R. S.; Gelding, S. V.; Nicholls, J. S. D.; Robinson, S.
Aspects of metabolism in normal and gestational diabetic pregnancy, 512
- Johnstone, M.** See Gordon-Weeks, P. R.
- Joly, C.** See Pin, J.-P.
- Jones, A. L.** See Wood, J.
- Jones, B.** See Bailey, J. M.
- Jones, C.** See Crane, D. T.
- Jones, D.** See Aitken, A.
- Jones, D. R.**
—; Clemente, R.; Varela-Nieto, I.
Signalling at the epidermal growth factor receptor: role of glycosyl-phosphatidylinositol hydrolysis, 174S
- Jones, E. W.**
—; Manning, R.
Cytotoxic effects of membrane-active agents in human leukaemia cell lines, 27S
- Jones, G.** See Qi, X.
- Jones, G. E.** See James, M.
- Jones, J. D.** See Fox, R. M.
- Jones, M. B.** See Jervis, L.
- Jones, M. G.**
—; Chalmers, R. A.
Analysis of acylcarnitines by gas chromatography-electron impact mass spectrometry, 634S
- Jones, M. N.** See Kaszuba, M.; Robinson, A. M.; Sanderson, N. M.
- Jones, P. M.** See Ford, S. L.; Harris, T. E.; Murphy, L. I.; Persaud, S. J.; Ratcliff, H.
- Jones, R. W.** See Hafiz, F.
- Jordan, R. E.** See Weisman, F.
- Journot, L.**
—; Waeber, C.; Pantaloni, C.; Holsboer, F.; Seeburg, P. H.; Bockaert, J.; Spengler, D.
Differential signal transduction by six splice variants of the pituitary adenylate cyclase-activating peptide (PACAP) receptor, 133
- Joyce, K.** See Nelson, A. A.
- Julien, P.** See Houslay, M. D.
- Jünemann, S.**
—; Rich, P. R.; Wrigglesworth, J. M.

- CO flash of cytochrome *bd* from *Azotobacter vinelandii*, 157S
Jung, G. See Walden, P.
- Kabouridis, P.** See Jackson, C. S.
Kacser, H. See Inche, C. A.
 —; Burns, J. A.
 The control of flux, 341
 Recent developments beyond metabolic control analysis, 387
- Kaderbhai, M. A.** See Kaderbhai, N. N.; Liu, Y.-Y.
 —; Harding, V.; Karim, A.; Kaderbhai, N. N.
 Processing and glycosylation of preproteins by sheep pancreatic microsomes, 98S
- Kaderbhai, N. N.** See Kaderbhai, M. A.
 —; Harding, V. J.; Kaderbhai, M. A.
 Over-production and isolation of a precursor protein in a form ideal as a substrate for leader peptidase, 58S
- Kahana, E.** See Flood, G. J.
Kalsheker, N. See Carpenter, K.
Kane, M. M. See O'Connor, T.
Kappeler, F. See Itin, C.
Karabashian, L. V.
 —; Harutunian, D. L.; Mkhitarian, A. G.; Aghajanian, S. A.
 Influence of molybdenum complexes on the activity of (ADP-ribose)polymerase, 628S
- Karim, A.** See Khaderbhai, M. A.; Liu, Y.-Y.
Karlikaya, C. See Oktay, G.
Kashiwaya, Y. See Keon, C. A.
Kast, W. M. See Toes, R. E. M.
Kaswan, R. L. See Hicks, S. J.
Kasza, M.
 —; Taylor, M. A.; Jones, M. N.
 The use of Rank electrode for the detection of the activity of liposomally encapsulated enzymes, 568S
- Kates, M.**
 Adventures with membrane lipids, 697
- Kavanagh, T. A.** See Pellegrineschi, A.
Kay, I. See Mallett, A. I.
Kay, L. E. See Pascal, S. M.
Keane, N. E. See Quirk, P. G.
 —; Quirk, P. G.; Levine, B. A.; Chavanieu, A.; Calas, B.; Gao, Y.; Wei, L.; Ellis, L.
 A basic residue C-terminal to tyrosine compromises its viability as tyrosine kinase target, 192S
- Keating, K. E.** See Quane, K. A.
Keen, M. See Cader, M. Z.; Matthews, J. S.
- Keir, G.** See Winchester, B.
Kekos, D. See Christakopoulos, P.
Kell, D. B. See Mendes, P.
Kelleher, D. See Cleere, R.
Kelly, J. S. See Lawrence, J. A.
Kelly, V. P. See O'Neill, L. A. J.
Kemp, G. J. See Sanderson, A. L.
 —; Polgreen, K. E.; Hopkins, J. A. C.; Clarke, K.; Radda, G. K.
 Trans-sarcolemmal Pi fluxes in perfused rat heart: a quantitative analysis, 293S
- Kendall, J. M.** See Llewellyn, D. H.
Kendrick-Jones, J. See Winder, S. J.
Kennedy, F. R. See Milligan, G.
Kenyon, S. H.
 —; Ast, T.; Gibbons, W. A.
 In vitro phosphorylation of vitamin B₁₂ dependent methionine synthase by protein kinase A, 335S
 —; Ast, T.; Nicolaou, A.; Gibbons, W. A.
 Polyamines can regulate vitamin B₁₂ dependent methionine synthase activity, 444S
- Keon, C. A.**
 —; Tuschiya, N.; Kashiwaya, Y.; Sato, K.; Clarke, K.; Radda, G. K.; Veech, R. L.
 Substrate dependence of the mitochondrial energy status in the isolated working rat heart, 307S
- Kerman, M.** See Güner, A.; Oktay, G.
Kerr, I. D.
 —; Sansom, M. S. P.
 Sequence analysis and molecular dynamics studies of potassium channel transmembrane helices, 415S
- Kessler, A.** See Brand, M. D.
Ketterman, A. J. See Ahmad, S.; Prapantadara, L.-A.
Key, B. J. See Matthews, J. S.
Khan, M. W.
 —; Musgrave, S. C.; Jenkins, N.
 N-linked glycosylation of tissue plasminogen activator in Namalwa cells, 99S
- Khan, N. S.** See Das, I.
Khenchouche, A. See Selloum, L.
Kholodenko, B. N. See Jensen, P. R.
Khoosal, D. See Patel, R.
Kielty, C. M. See Ball, S. G.; Dyer, C. E.; Macbeath, J. R. E.
Kierulf, B. See Rye, P. D.
Kiley, S. C.
 —; Jaken, S.; Whelan, R.; Parker, P. J.
 Intracellular targeting of protein kinase C isoenzymes: functional implications, 601
- Kilgour, E.** See Anderson, N. G.; Doris, R.; Yarwood, S. J.
Kim, G. D. See Milligan, G.
 —; Milligan, G.
 Agonist regulation of high affinity [³H] forskolin binding as a measure of G_sα-adenylyl cyclase interactions, 8S
- Kimmel, A. R.** See Londos, C.
Kinch, M. S.
 —; Burridge, K.
 Altered adhesions in ras-transformed breast epithelial cells, 446
- King, C. M.**
 —; Barnett, Y. A.
 Oxidative stress and human ageing, 375S
- King, P. J.** See Harvey, P. J.
Kingsman, A. See Matthews, S.
Kingsman, S. See Matthews, S.
Kingsnorth, A. N. See Banerjee, A. K.
Kinkaid, A. R.
 —; Wilton, D. C.
 The effects of anions on interfacial binding and activation of secretory phospholipase A₂, 556S
- Kirk, C. J.** See Barker, C. J.; Stuart, J. A.
Kirkham, D. M. See Henley, J. M.
Kirwan, W. O. See O'Sullivan, M. J.
Kis, M. See Pellegrineschi, A.
Kitchen, I. See Blann, L. S. R.
Klumperman, J. See Itin, C.
Knaggs, M.
 —; Williams, M.; Goodfellow, J. M.
 Protein hydration, stability and unfolding, 711
- Knoell, C. T.** See Robinson, D. R.
Knowles, P. F. See Reynolds, M. P.
Knowles, R. G. See Horton, R. A.; Titheradge, M. A.
Kobayashi, M. See Charters, A. R.
Kodaki, T. See Woscholski, R.
 —; Woscholski, R.; Parker, P. J.
 V-Ras activates phosphatidylinositol 3-kinase, 195S
- Kokotos, G.** See Nicolaou, A.
Koot, R. W. See Bär, P. D.
Korach, K. S. See Couse, J. F.
Kraayenhof, R. See Krenn, B.
Krab, K.
 —; van den Bergen, C. W. M.; Moore, A. L.
 A mathematical model to describe quinone pool kinetics and analyse control of respiration in plant mitochondria, 289S
- Krenn, B. E.**
 —; Aardewijn, P.; Van Walraven, H. S.; Werner-Grünet, H. S.; Strotmann, H.; Kraayenhof, R.
 ATP synthase from a cyanobacterial *Synechocystis* 6803 mutant containing the regulatory segment of the chloroplast γ subunit shows thiol modulation, 757
- Krivacic-Horber, R.** See Quane, K. A.
Kuiper, W. See Drriessen, A. J. M.
Kundu, D. See Hallinan, T.
 —; Hallinan, T.
 Fluoride or GTP-γ-S markedly stimulate lipid peroxidation catalysed by endogenous iron in rat liver microsomes, 541S
- Kundu, S. C.** See Everett, S. A.
Kuttastep, S. See Prapantadara, L.-A.
Kwong, F. Y. P. See Burch, G. J.; Huddleston, S.
- Labois, C.**
 —; Jarry, A.; Branka, J. E.; Merlin, D.; Bou-Hanna, C.; Vallette, G.
 Regulation of mucin exocytosis from intestinal goblet cells, 810
- Lacort, M.** See Ruiz-Larrea, M. B.
Ladds, G.
 —; Rasmussen, M.; Davey, J.
 Characterization of Sxa2, a protease involved in pheromone communication in fission yeast, 565S
- Laidlaw, S.** See Clapp, K. L.
Laine, A. See Porchet, N.
Laing, K. G.
 —; Matys, V.; Clemens, M. J.
 Effects of expression of the Epstein-Barr virus small RNA EBER-1 in heterologous cells on protein synthesis and cell growth, 311S
- Lakhani, M. S.** See Gillett, M. P. T.
Lamb, J. See Hawrylowicz, C.
Lambert, C. See Truscott, T. G.
Lambert, D. G. See Campbell, D. J.; Hirst, R. A.; Sikand, K. S.; Smart, D.
Lambert, M. S.
 —; Botham, K. M.; Mayes, P. A.
 Supplementation of the diet with corn or olive oil enhances the hepatic metabolism of chylomicron remnants, 134S
- Lambert, N.** See Plumb, G. W.
Lambert, P. A. See Denny, B. J.
Lamblin, G. See Scharfman, A.
Land, E. J. See Truscott, T. G.
Lane, N. J.
 —; Thorniley, M. S.; Manek, S.; Fuller, B. J.; Green, C. J.
 Iron chelation, respiratory chain function and tubular necrosis in renal transplantation, 524S
- Lapierre, L.** See Anderson, J. M.
Larsen, E. S. See Melo, N. S.
Lattion, A. L. See Cotecchia, S.
Latunde-Dada, G. O.
 Haem and non-haem iron in pig tissues and vitro availability studies, 333S
 —; Young, S. P.
 Iron, desferrioxamine, and ATP interactions in proliferating lymphocytes and B-cell lines, 213S
- Laver, A. J.**
 —; Hibbs, M.; Smith, R. A. G.
 Activation of complement by DMSO and ethanol and its inhibition by

- soluble complement receptor type 1, 167S
- Lawrence, J. A.**
—; Charters, A. R.; Butcher, S. P.; Kelley, J. S.; Olverman, H. J.
5-HT transporter antibodies as a tool in serotonergic synaptosomal isolation, 115S
- ; Charters, A. R.; Butcher, S. P.; Kelly, J. S.; Olverman, H. J.
Recognition of 5-HT transporter by antipeptide antibodies, 473S
- Lawrence, P. A.**
—; Young, R. D.; Duance, V. C.; Monaghan, P.
High-pressure cryofixation for immuno-electron microscopy of human cartilage, 508S
- Lazareno, S.** See Birdsall, N. J. M.
- Lazouras, K.**
—; Pountney, D.; Simpson, R. J.
Inhibition of duodenal mucosal ferricyanide reductase, 338S
- Leader, D. J.**
—; Sanders, J. F.; Turnbull-Ross, A.; Waugh, R.; Brown, J. W. S.
Genomic organisation of plant U14 snoRNA genes, 314S
- Leake, C. J.** See Ahmad, S.
- Leal, A.** See Ruiz-Larrea, M. B.
- Leaver, H. A.**
—; Williams, J. R.; Dawson, I. M.; Yap, P.-L.
Arachidonic acid in the reticuloendothelial network, 297
- Lechler, R. I.** See Aichinger, G.
- Lecompte, F.** See Chew, C. C.
- Lee, D. M.** See Dawes, N. J.
—; Dawes, N. J.; Cox, V. M.; Hesketh, J. E.; Goldspink, D. F.
Immunolocalisation of proto-oncogene expression in mechanically stimulated muscle, 329S
- Lee, T. W.** See Milligan, G.
—; Eidne, K. A.; Milligan, G.
Signalling characteristics of thyrotropin releasing hormone (TRH) receptor isoforms, 11S
- Leenhouts, J. M.**
—; Török, Z.; Chupin, V.; de Kruijff, B.
A molecular model for the specific cardiolipin presequence interactions, 968
- Lefebvre, V.** See Hue, L.
- Legrand, G.** See Bruce, J. S.
- Lehane, M.** See Quane, K. A.
- Lenaghan, C.** See Stone, M. A.
- Leon, Y.**
—; Sanz, C.; Varela-Nieto, I.
Intracellular mediators of insulin-like growth factor I during otic vesicle development, 185S
- Lepagnol, J.** See Spedding, M.
- Levin, D. M.** See Londos, C.
- Levine, B. A.** See Keane, N. E.; Quirk, P. G.
- Levy, R.** See Gross, G.
- Levy, S.** See Gross, G.
- Levy, T. M.** See Bolton, C. H.
- Ley, S. C.** See Jackson, C. S.
- Li, X.**
—; Donaldson, K.; MacNee, W.
Nitric oxide production, alveolar macrophages and type II alveolar epithelial cells in response to LPS *in vivo* and *in vitro*, 233S
- Li, X. Y.** See Rahman, I.
- Lian, L. Y.** See Modi, S.
- Licence, S. T.** See Harrison, A. A.; Woolley, S. T.
- Liggins, J.**
—; Furth, A. J.
Fructation induced cross-linking of β -lactoglobulin and lysozyme, 240S
- Lilie, H.** See Bose, S.
- Lillehoj, E. P.** See Bailey, J. M.
- Lim, J.**
—; Turner, A. J.
Chemical modification of aminopeptidase P: identification of a critical histidyl residue, 549S
- Lim, R. R.**
—; Bloomfield, M. R.; Johnson, A. M.; Allen, J. M.
Dopamine concentrations in PC12 cells following neuronal differentiation induced by NGF or VIP, 46S
- Lima, M. C.** See Alpoim, M. C.
- Lin, C.** See Thomas, A. P.
- Lin, W.-R.**
—; Shang, D.; Wilcock, G. K.; Itzhaki, R. F.
Alzheimer's disease, herpes simplex virus type 1, cold sores and apolipoprotein E4, 594S
- Lindahl, K. F.**
—; Dabhi, V. M.; Hovik, R.; Smith, G. P.; Wang, C.-R.
Presentation of *N*-formylated peptides by H2-M3, 669
- Lindell, G.** See Carlstedt, I.; Hermann, A.; Nordman, H.
- Lindsay, C. D.** See Hambrook, J. L.
- Lindsay-Watt, S.** See Vernon, R. G.
- Linhares, M. P.**
—; Cammack, R.
E.p.r. studies of reduced rat liver mitochondria incubated with nitric oxide, 232S
- Lioupis, A.**
—; Wallis, O. C.; Wallis, M.
Characterization of a variant of ovine growth hormone (oGH1158A) produced by site-directed mutagenesis, 219S
- Lippincott-Schwartz, J.**
—; Cole, N. B.
Roles for microtubules and kinesin in membrane traffic between the endoplasmic reticulum and the Golgi complex, 544
- Lister, C.**
—; McLean, A.
Differential inhibition of the DNA synthesis by paracetamol in the rat testis and GI tract, 265S
- Little, B. M.** See McCartney, S.
- Liu, S.** See Penman, J.
- Liu, Y.-Y.**
—; Karim, A.; Kaderbhai, M. A.
A chloroplast envelope-transfer transit peptide is export competent in *Escherichia coli*, 72S
- Livingstone, M. B. E.** See Greene, L. C.
- Llewellyn, D. H.**
—; Sheikh, F. N.; Kendall, J. M.; Campbell, A. K.
Upregulation of calreticulum expression in HeLa cells by calcium-stress, 330S
- Lloyd, D.** See Avery, S. V.; Rutter, A. J.
- Lloyd, G. S.**
—; Turner, A. J.
Aminopeptidase P: cation activation and inhibitor sensitivity are substrate-dependent, 60S
- Lobley, R. W.** See Pemberton, P. W.
- Loew, G. H.**
—; Du, P.; Smith, A. T.
Homology modelling of horseradish peroxidase coupled to two-dimensional NMR spectral assignments, 250
- Lofquist, A. K.** See Mondal, K.
- Lohse, M.** See Müller, S.
- Loisel, T. P.** See Bouvier, M.
- Lomax, M. A.** See Millar, I. D.
- Lomax, R. B.**
—; Sandle, G. I.; Warhurst, G.
G-protein dependent inhibition of K⁺ channels by somatostatin analogues in human colonocytes, 19S
- Londos, C.**
—; Brasaemle, D. L.; Gruia-Gray, J.; Servetnick, D. A.; Schultz, C. J.; Levin, D. M.; Kimmel, A. R.
Perilipin: unique proteins associated with intracellular neutral lipid droplets in adipocytes and steroidogenic cells, 611
- Long, A.** See Cleere, R.
- Lopes de Menezes, D. E.** See Allen, T. M.
- Lopez-Soriano, F.** See Lopez-Soriano, J.
- Lopez-Soriano, J.**
—; Argiles, J. M.; Lopez-Soriano, F.
Marked hyperlipidaemia in rats bearing the Yoshida AH-130 ascites hepatoma, 492S
- Lord, G. A.** See Claydon, M. A.
- Lozegian, A.** See Marcello, A.
—; Marcello, A.; Hirst, T. R.; Marsden, H. S.; Palu, G.
Construction of a fusion protein between B subunit of *E. coli* heat-labile enterotoxin and the C-terminus of herpes simplex virus-DNA polymerase, 61S
- Lorenzo, M.**
—; Molero, C.; Valverde, A. M.; Teruel, T.; Benito, M.
Hormonal regulation of differentiation-related gene expression in fetal hepatocyte primary cultures, 437S
- Love, W. C.** See MacMahon, M. M.
- Lowe, E. D.**
—; Freedman, R. B.; Hirst, T. R.; Barth, P. T.
Cloning and expression of *Vibrio cholerae dsbA*, a gene encoding a periplasmic protein disulphide isomerase, 64S
- Lowe, J. A. III.** See Gether, U.
- Lowenstein, P. R.** See Wood, J.
- Lucas, A.** See Desai, M.; Greene, L. C.
- Luckcuck, T.**
—; Orchard, C. H.; Harrison, S. M.; Walker, J. H.
Subcellular localization of annexins V and VI in isolated rat ventricular myocytes and porcine left ventricle, 28S
- Lücken, U.** See Böttcher, B.
- Lumsden, P. J.** See Scanlon, C. H.
- Lund, E. K.** See Hughes, D. A.
- Lund, J.**
—; Takahashi, N.; Goodall, M.; Pound, J. D.; Jefferis, R.
Oligosaccharide-protein interactions in IgG antibody molecules: structural and functional consequences, 102S
- Lunec, J.** See Cooke, M. S.; Evans, M. D.; Finnegan, M. T.; Hill, C. M.; Mistry, N.; Patel, R.; Poon, K. W.; Struthers, L.
- Lutz, E. M.** See Ison, A. J.
—; Mendelson, S.; West, K.; Mitchell, R.; Harmar, A. J.
Molecular characterisation of novel receptors for PACAP and VIP, 83S
- Luz, J. M.** See Dunn, A.
- Luzio, P.** See Shurety, W.
- Lyall, H.**
—; Tosh, D.; Burchell, A.
Hepatic glucokinase activity in animals fed glucose at birth, 321S
- Lynch, P. J.**
—; Couch, F. J.; Gregg, R. G.; Powers, P. A.; Hogan, K.; McCarthy, T. V.
Mutation screening of dihydropyridine receptor γ subunit cDNA from

- malignant hyperthermia susceptible patients, 352S
- Maas, M. C. E.** See Hilkens, J.
- Macbeath, J. R. E.**
—; Kieley, C. M.; Shuttleworth, C. A.
Structure and organization of type VIII collagen, 513S
- MacEwan, D. J.** See Milligan, G.
- Macey, M. G.** See Archer, J. R.
- MacFarlane, J.**
—; Müller, M.
Functional integration of a polytopic membrane protein of *Escherichia coli* requires the bacterial signal recognition particle, 560S
- MacGillivray, A. J.**
—; Iwobi, M.; Fernandes, L.; Pappasvas, G.
Oligosaccharides of IgG in rheumatoid arthritis, 163S
- Maciver, S. K.** See Winder, S. J.
- MacMahon, M. M.**
—; Love, W. C.
Investigation of glucocorticoid modulation of apolipoprotein mRNA transcription, 356S
- MacMillan, J. C.** See Wood, J.
- MacNee, W.** See Li, X.; Rahman, I.
- MacPhee, I.** See Houslay, M. D.
- Macris, B. J.** See Christakopoulos, P.
- Maddix, S.** See Everett, S. A.
- Maeda, M.** See Futai, M.
- Magallon, T.** See Chew, C. C.
- Magee, A. I.** See Jackson, C. S.; Milligan, G.
- Magill, W. J.** See Robertson, L.
- Maguire, B. A.**
—; Wild, D. G.
Erythromycin dependence and RNA polymerase, 125S
- Mahaut-Smith, M.** See Floto, R. A.
- Maher, M.** See O'Donnell, M.
- Mahieu, I.**
—; Benjamin, A.; Stephens, R.; Walters, D.; Carter, N.
Characterization of membrane bound carbonic anhydrase IV (CA IV) located on the external surface of lung pulmonary endothelial cells, 320S
- ; Carter, N.; Hollande, E.
Characterization of a human ductal pancreatic Capan-1 clone (IMEH): carbonic anhydrases II and IV (CA II and CA IV) expression and targeting, 309S
- ; Sagar-Malik, A.; Hollande, E.; Carter, N.
Localisation and characterisation of carbonic anhydrase isozymes (CA I, CA II, CA III and CA IV) in an umbilical vein endothelial cell line (EA-hy926), 308S
- Mahon, T. M.**
—; O'Neill, L. A. J.
Evidence for direct modification of NF κ B by the tyrosine kinase inhibitor, herbimycin A, 111S
- Maisey, J.** See Atkinson, H. A. C.
- Maiza, A.** See Arrar, L.
- Major, H. J.** See Hutton, T.
- Makheja, A. N.** See Bailey, J. M.
- Makins, R. A.**
—; Drynan, L. F.; Zammit, V. A.; Quant, P. A.
Top-down regulation analyses of palmitoyl-CoA oxidation and ketogenesis in isolated rat liver mitochondria, 288S
- Malarkey, K.** See Aidulis, D. M.; McLees, A.
- Malhotra, R.** See Chandra, R.; Dhawan, M.
—; Chandra, R.; Dhawan, M.
Lead-cobalt mesoporphyrin alters haem regulatory enzymes, 546S
- Malhotra, V.** See Acharya, U.
- Mallett, A. I.**
—; Kay, I.
Characterization of chemokine proinflammatory proteins by combined liquid chromatography-mass spectrometry, 911
- Malone, M. E.** See Davies, A. M.
- Manek, S.** See Lane, N. J.
- Manenti, S.**
—; Sorokine, O.; Van Dorselaer, A.; Taniguchi, H.
Demystoylation of myristoylated alanine-rich C kinase substrate, 561
- Mann, D. M. A.** See Qume, M.
- Manning, F.**
—; Conway, A.; Doyle, S.
Differential reactivity of native and recombinant π GST in various assay systems, 360S
- Manning, R.** See Jones, E. W.
- Manso, C. F.** See Silva, I. J.
- Mantele, W.** See Moody, A. J.
- Manthey, M. K.** See Christopherson, R. I.
- Manting, E.** See Driessen, A. J. M.
- Mantle, T.** See Ennis, O. M.
- Mantle, T. J.** See Elliott, G.; Walsh, S. B.
The glutathione S-transferase multigene family: a paradigm for xenobiotic interactions, 423
- Marcello, A.** See Loregian, A.
—; Pizzato, M.; Loregian, A.; Palu, G.
Effect of differential growth conditions on the dTTP pool size in herpes simplex virus-infected Vero cells, 627S
- Marsden, H. S.** See Loregian, A.
- Martin, C.** See Ruiz-Larrea, M. B.
- Martin, P. A.** See Faulkner, A.
- Martinat, N.** See Chew, C. C.
- Martinez, J.** See Scanlon, C. H.
- Martinez, M. J.** See Hernández, M. L.
- Martinez, R.** See Ruiz-Larrea, M. B.
- Marullo, S.**
—; Nantel, F.; Strosberg, A. D.; Bouvier, M.
Variability in the regulation of β -adrenoceptor subtypes, 126
- Marway, J. S.** See Paice, A. G.; Reilly, M. E.
—; Ansell, H.; Bonner, A. B.; Candy, D. C. A.; Preedy, V. R.
Enteral nutrition, diarrhoea and jejunal protein synthesis *in vivo*, 462S
- ; Heap, L.; Teare, J.; Bonner, A. B.; Preedy, V. R.
Antioxidant status in the jejunum: effect of acute ethanol dosage, 463S
- Mason, W. T.** See McCann, T.
- Masterson, B. F.** See Mion, B. J.
- Mata, A. M.** See Salvador, J. M.
- Matas, R.** See Arias, G.
- Matsui, H.** See Birdsall, N. J. M.
- Matthews, G.** See Powner, D.
- Matthews, J. S.**
—; Field, S. K.; Keen, M.; Key, B. J.
Investigation into the inhibition of prostacyclin release from endothelial cells by sodium nitroprusside, 117S
- Matthews, S.**
—; Barlow, P.; Clark, N.; Kingsman, S.; Kingsman, A.; Campbell, I.
Refined solution structure of p17, the HIV matrix protein, 725
- Matys, V.** See Laing, K. G.
- May, M. J.**
—; Wheeler-Jones, C. P. D.; Pearson, J. D.
Cytokine-induced E-selectin expression by human umbilical vein endothelial cells (HUVEC). A role for protein tyrosine kinases?, 182S
- Mayes, P. A.** See Botham, K. M.; Lambert, M. S.; Mindham, M. A.
- Mayhew, S. G.** See Geohegan, S. M.; O'Connell, D. P.; O'Neill, H. M.
- McCaffrey, M. W.** See Drummond, F. J.; O'Brien, F.
- McCallum, F.** See Houslay, M. D.
- McCallum, J. F.** See Milligan, G.
—; Wise, A.; Parenti, M.; Milligan, G.
Palmitoylation negative mutants of murine G $_{11\alpha}$ have decreased ability to interact with the plasma membrane when expressed in COS-1 cells, 9S
- McCann, T.**
—; Meikle, M. C.; Northrop, A. J.; Mason, W. T.; McDonald, F.
A collagen peptide motif activates calcium signalling in SaOS-2 cells, 404S
- McCarthy, L. M.**
—; O'Neill, L. A. J.
Effects of pertussis toxin and its binding subunit IL-1 signalling in T cells, 112S
- McCarthy, R. M.**
—; Sheehan, D.
Cysteine plays a role in catalysis in glutathione S-transferase 1-1, 388S
- McCarthy, T. V.** See Lynch, P. J.; O'Sullivan, M. J.; Quane, K. A.
- McCartney, S.**
—; Little, B. M.; Scott, J. D.
Analysis of a novel A-kinase anchoring protein 100, (AKAP 100), 268S
- McCaskill, D.**
—; Croteau, R.
Isoprenoid synthesis in peppermint (*Mentha x piperita*): development of a model system for measuring flux of intermediates through the mevalonic acid pathway in plants., 290S
- McClelland, D. A.**
—; Price, N. C.; Stevens, L.
The refolding of hen egg white riboflavin binding protein, 75S
- McClure, M. O.** See Allen, J. M.
- McConnell, S. K.** See Mitchell, R.
- McCulloch, D. A.**
—; Simpson, J.; Ison, A. J.; Mitchell, R.
Presence of a PKC species of molecular mass greater than 100 kDa in pituitary and lung but not midbrain, 148S
- McDonald, F.** See McCann, T.
- McDougall, G. J.**
—; Morrison, I. M.
Ionically-bound and covalently-bound wall peroxidases differ in their substrate specificity, 150S
- McGarry, J. D.**
Malonyl-CoA and carnitine palmitoyltransferase I: an expanding partnership, 481
The mitochondrial carnitine palmitoyltransferase system: its broadening role in fuel homeostasis and new insights into its molecular features, 321
- McGarvey, D.** See Truscott, T. G.
- McGuinness, B. J.** See Casserly, Ú. M.
—; Casserly, Ú. M.; Power, M. J.; Fottrell, P. F.
Purification of collagen crosslinks; potential biomarkers for bone disorders, 386S
- McIlhinney, R. A. J.** See Alaluf, S.
Characterization and cellular localization of human myristoyl-CoA: protein *N*-myristoyltransferase, 549

- McInerney, J. O.** See Powell, R.
McIntosh, J. See Sheehan, D.
 —; Heffron, J. J. A.
 Perturbations in the cytosolic free calcium ion concentration in isolated cells exposed to certain organic atmospheric pollutants, 361S
McIntyre, P. See Davis C. L.; Ewan, S. G.
McKay, A. G. See Hunt, J. V.
McKenna, P. G. See Nelson, A. A.
McKie, A. See Raja, K. B.
McKie, J. H. See Chan, C.
McLauchlan, W. R.
 —; Sanderson, J.; Williamson, G.
 Antioxidants and the prevention of cataract, 257S
McLaughlin, S. H.
 —; Freedman, R. B.
 Cloning and expression of active domains of human protein disulphide isomerase, 69S
McLean, A. See Lister, C.
McLean, W. G.
 —; Roberts, R. E.; Mullins, F. H.
 Post-translational modifications of microtubule- and growth-associated proteins in nerve regeneration and neuropathy, 76
McLees, A. See Aidulis, D. M.
 —; Graham, A.; Marlarkey, K.; Gould, G. W.; Plevin, R.
 Regulation of lysophosphatidic acid-stimulated tyrosine phosphorylation of pp42 mitogen-activated protein kinase by protein kinase C and protein kinase A in EAhy926 cells, 339S
McMahon, R. F. See Pemberton, P. W.
McNamara, M. See Neill, D.
McNeillie, S. A. See Shennan, D. B.
McNulty, D. See Qi, X.
McPherson, M. A. See Pereira, M. M.; Russell, D.
McPherson, M. J. See Møller, S. G.; Reynolds, M. P.
McSheehy, P. M. J.
 —; Coltro-Campi, C.; Grazioli, V.; Mena, R.; Soldini, L.; Zocchetti, A.; Clarke, G. D.
 Mitogenic stimulation of osteoblastic cells by IGF-I is increased by synchronisation of cells in G1-phase, 116S
Meacock, P. A. See Schaffrath, R.
Medani, B. See Selloum, L.
Mehra, R. See Curtin, G.
Mehul, B. See Jackson, C. S.
Meikle, M. C. See McCann, T.
Meivar-Levy, I. See Futerman, A. H.
Melief, C. J. M. See Toes, R. E. M.
Melo, N. S.
 —; Fevereiro, P. S.; Larsen, E.
 Magnetic circular dichroism studies on *Vaccinium myrtillus* cationic peroxidases, 149S
Melton, D. W. See Moore, R. C.
Melton, R. G. See Blakley, D. C.
Mena, R. See McSheehy, P. M. J.
Mendelson, S. See Lutz, E. M.
Mendes, P.
 —; Kell, D. B.; Westerhoff, H. V.
 A series of cases in which metabolic channelling can decrease the pool size at constant net flux in a simple dynamic channel, 287S
Menza, M. See Tovey, S.
Mercer, E. A. J. See Abbott, G. W.
 —; Abbott, G. W.; Ramesh, B.; Haris, P. I.; Chapman, D.; Srari, S. K. S.
 Structural characterisation of a slowly activating potassium channel (IsK), 478S
Merlin, D. See Laboisie, C.
Merry, A. See Dossett, R. F. E.
Metcalfe, J. C.
 —; Grainger, D. J.
 Transforming growth factor- β and the protection from cardiovascular injury hypothesis, 403
Mewies, M.
 —; Packman, L. C.; Scrutton, N. S.
 Dissection of the FMN-binding site in trimethylamine dehydrogenase, 509S
Mezna, M.
 —; Michelangeli, F.
 Modulation of the inositol 1,4,5-trisphosphate-sensitive calcium channel from rat cerebellum by alkali metal ions, 428S
Mian, N. See Winchester, B.
Michelangeli, F. See Mezna, M.; Tovey, S.
Michell, R. H. See Barker, C. J.; Stuart, J. A.
Michie, A. M. See Houslay, M. D.
Middleton, A.
 —; Middleton, B.
 Prostaglandins increase HDL binding to human cells in culture, 448S
Middleton, B. See Middleton, A.; Neild, H.
Millar, I. D.
 —; Calvert, D. T.; Lomax, M. A.; Shennan, D. B.
 Evidence for a high-affinity, Na⁺-dependent glutamate transport system in lactating rat mammary tissue, 567S
Miller, R. J.
 Regulation of calcium homeostasis in neurons: the role of calcium-binding proteins, 629
Miller, V. P. See Ortiz de Montellan, P. R.
Miller, W. R. See Gardner, R. A.; Gordge, P. C.
Milligan, G. See Grassie, M. A.; Jackson, C. S.; Kim, G. D.; Lee, T. W.; McCallum, J. F.; Mullaney, I.; Shah, B. H.; Wise, A.
 —; Grassie, M. A.; Wise, A.; MacEwan, D. J.; Magee, A. I.; Parenti, M.
 G-protein palmitoylation: regulation and functional significance, 583
 —; Wise, A.; MacEwan, D. J.; Grassie, M. A.; Kennedy, F. R.; Lee, T. W.; Adie, E. J.; Kim, G. D.; McCallum, J. F.; Burt, A.; Carr, I. C.; Svoboda, P.; Shah, B. H.; Mullaney, I.
 Mechanisms of agonist-induced G-protein elimination, 166
Mills, J. D.
 —; Austin, P. A.; Turton, J. S.
 Thioredoxin and control of F₀F₁ function and distribution, 775
Mindham, M. A.
 —; Mayes, P. A.
 Metabolism of apolipoprotein A-I by the rat kidney, 135S
Mion, B. J.
 —; Masterson, B. F.
 Co-purification from human blood plasma of activated factor XII with albumin with dye-ligand and metal-chelate chromatography, 390S
Misra, A. See Qume, M.
Mistry, N. See Patel, R.; Poon, K. W.
 —; Herbert, K. E.; Evans, M. D.; Griffiths, H. R.; Lunec, J.
 Immunochemical detection of reactive oxygen species DNA damage, 482S
Mitchell, I. J. See Clapp, K. L.
Mitchell, R. See Ison, A. J.; Johnson, M. S.; Lutz, E. M.; McCulloch, D. A.; Sim, P.; Wolbers, B.
 —; McConnell, S. K.; Sim, P.
 Phospholipase C-dependent activation of tyrosine kinases by LHRH in α T3-1 cells, and its role in LHRH priming of inositol phosphate production, 143S
 —; Wolbers, W. B.; Sim, P.; Fennell, M.
 The regulation of phospholipase C (PLC) and phospholipase D (PLD) by G protein receptor-activated tyrosine kinases in α T3-1 cells, 208S
Mitchell, S. J.
 —; Churchill, T. A.; Fuller, B. J.
 Restoration of hepatic metabolism by cold reperfusion, 318S
Mkhitarian, A. G. See Karabashian, L. V.
Moase, E. H. See Allen, T. M.
Mochly-Rosen, D.
 —; Smith, B. L.; Chen, C.-H.; Disatnik, M.-H.; Ron, D.
 Interaction of protein kinase C with RACK1, a receptor for activated C-kinase: a role in β protein kinase C mediated signal transduction, 596
Modi, S.
 —; Lian, L. Y.; Roberts, G. C. K.; Smith, G. C. M.; Paine, M.; Wolf, C. R.
 Structural studies on FMN domain of cytochrome P450 reductase, 476S
Moffett, S. See Bouvier, M.
Mohiti, J.
 —; Walker, J. H.; Caswell, A. M.
 Studies on annexins in primary cultures of human osteoblasts and in the human osteosarcoma cell line MG-63, 36S
Molenaar, D. See Jensen, P. R.
Molero, C. See Lorenzo, M.
Monaghan, P. See Lawrence P. A.
Mondal, K.
 —; Lofquist, A. K.; Watson, J. M.; Morris, J. S.; Price, L. K.; Haskill, J. S.
 Adhesion and direct integrin engagement differentially regulate gene transcription, transcript stabilization and translation, 460
Moniz-Barreto, J. P.
 —; Fell, D. A.
 Simulation of free radical reactions: a multi-compartment Monte Carlo approach, 298S
Montague, W.
 How much biochemistry should a good doctor know? Experiences from two new medical schools, 484S
Moody, A. J.
 —; von Gernar, F.; Mäntele, W.; Rich, P. R.
 Rapid-scan FTIR spectroscopic studies on the photolysis and recombination of the cyanide adduct of fully reduced bovine cytochrome c oxidase, 521S
Moolenaar, C. E. C.
 —; Naim, H. Y.
 Cloning and expression of human intestinal sucrase-isomaltase, 304S
Moore, A. L. See Krab, K.; Pratt, J. R.; Wood, C. K.
 —; Umbach, A. L.; Siedow, J. N.
 A structural model of the alternative oxidase of plant mitochondria, 151S
Moore, R. C.
 —; Melton, D. W.
 Models of human disease through gene targeting, 398
Moore, S.
 —; Gunn, M.; Walls, D.
 The detection of bovine herpesvirus 1 in routine diagnostic submissions using PCR, 355S
Moreton, K.

- ; Turner, R. A.; Paton, A.; Groome, N. P.; Rumsby, M. G.
Changes in PKC subspecies protein expression as C6 cells reach G₀ by contact inhibition in the presence of serum, 446S
- Morgan, A. J.** See Wheeler-Jones, C. P. D.
- Morgan, B. P.** See van den Berg, C. W.
- Morgan, K.** See Carpenter, K.
- Morgan, W. A.**
Naphthoquinone-induced DNA damage in the absence of oxidative stress, 225S
- Morley, S.** See Ohlmann, T.
- Morley, S. J.**
—; Pain, V. M.
Micro-injection of p21^{ras} into *Xenopus* oocytes, or incubation of oocyte S-100 with ATP, induces the activation of eIF-4 α kinase(s), 191S
- Morris, D.** See Seely, N. A.
- Morris, G. E.** See James, M.; Webb, T.
- Morris, J. S.** See Mondal, K.
- Morrison, C.** See Pope, C.
- Morrison, I. M.** See McDougall, G. J.
- Morton, C.**
—; Wilkie, N.; Boarder, M. R.
Tyrosine phosphorylation, MAPK and PLD in AII stimulated mitogenesis, 426S
- Moughal, N.** See Pyne, N. J.
- Mouillac, B.** See Bouvier, M.
- Mould, A. P.**
—; Garratt, A. N.; Askari, J. A.; Akiyama, S. K.; Humphries, M. J.
Regulation of integrin $\alpha 5 \beta 1$ function by anti-integrin antibodies and divalent cations, 395S
- Moule, S. K.** See Heesom, K. J.
- ; Edgell, N. J.; Welsh, G. I.; Diggle, T. A.; Proud, C. G.; Denton, R. M.
Studies with wortmannin indicate that insulin stimulation of lipogenesis involves multiple signalling pathways, 206S
- Moxley, D.** See Galanopoulou, D.
- Moynagh, P. N.** See Bowie, A.
- Møller, S. G.**
—; McPherson, M. J.
Molecular and functional studies of copper amine oxidase from *Arabidopsis thaliana*, 630S
- Muir, S. R.** See Sanders, D.
- Mulcahy, T.** See O'Sullivan, M. J.
- Mullaney, I.** See Milligan, G.
—; Milligan, G.
Interaction of the $\beta 2$ -adrenoceptor with epitope-tagged G_s α in NG108-15 cells, 7S
- Mullarkey, M.** See Powell, R.
- Müller, M.** See MacFarlane, J.
- Müller, S.**
—; Lohse, M. J.
The role of G-protein $\beta \gamma$ subunits in signal transduction, 141
- Muller-Eberhard, U.** See Timmins, G. S.
- Mullins, F. H.** See McLean, W. G.
- Mulot, S. F. C.**
—; Hughes, K.; Woodgett, J. R.; Anderton, B. H.; Hanger, D. B.
Phosphorylation of tau by glycogen synthase kinase-3 β *in vitro* produces species with similar electrophoretic and immunogenic properties to PHF-tau from Alzheimer's disease brain, 45S
- Mulvihill, E. R.** See Alaluf, S.
- Mumby, S. M.**
—; Muntz, K. H.
Receptor regulation of G protein palmitoylation, 156
- Mummery, R.** See Beesley, P. W.
- Munday, M. R.** See Adie, E. J.; Hemingway, C. J.; Thomas, P. H.; Toomey, C. M.
- Mundy, D. I.**
Protein palmitoylation in membrane trafficking, 572
- Munro, S.**
A comparison of the transmembrane domains of Golgi and plasma membrane proteins, 527
- Muntz, K. H.** See Mumby, S. M.
- Murphy, C. T.**
—; Westwick, J.
Stimulation of platelets with platelet-activating factor induces changes in the distribution and activity of the tyrosine kinase pp60^{c-arc}, 194S
- Murphy, L. I.**
—; Jones, P. M.
Effects of insulin secretagogues on phosphoprotein phosphatase 1 and 2A activities in rat islets of Langerhans, 593S
- Murray, K.**
—; Gull, K.; Dickson, A. J.
Dichloroacetate increases cell and product yields in hydridoma batch cultures, 585S
- Murray, K. J.** See Banford, P. C.
- Murrison, E.**
—; Goodson, S. J.; Harris, C. A.; Edbrooke, M. R.
The human A3 adenosine receptor gene, 270S
- Musgrave, S. C.** See Khan, M. W.
- Muthu, J.** See Qume, M.
- Myerscough, N.**
—; Warren, B.; Gough, M.; Corfield, A.
Expression of mucin genes in ulcerative colitis, 536S
- Myerscough, N.** See Corfield, A. P.
- Nadanaciva, S.** See Benz, S.
- Nadeau, M. R.** See Brosnan, J. T.
- Nagele, A.**
Influence of the SOD-mimetic complex Cu-PuPy on cellular redox systems, adenylates, and cell survival, 255S
- Nagy, J. M.**
—; Cass, A. E. G.; Brown, K. A.
Progress in the characterization of catalase-peroxidase from *Mycobacterium tuberculosis*, 152S
- Nahorski, S. R.** See Godwin, M.; Wilcox, R. A.
- Naim, H. Y.** See Jacob, R.; Moolenaar, C. E. C.
- Nanda, D.**
—; Collard, K.
Developmental changes in glutathione levels in neonatal rat brain, 423S
- Nantel, F.** See Marullo, S.
- Narbad, A.** See Carter, A. T.
- Nash, J. A. B.**
—; Carden, M. J.
Examination of neurofilament assembly dynamics *in vitro*, 43S
- Non-uniform distribution & association of triplet proteins in neurofilaments, 42S
- Natalia, D.** See Dunn, A.
- Nation, G.** See Gillett, M. P. T.
- Navé, B. T.** See Haigh, R. J.; Shepherd, P. R.
—; Shepherd, P. R.; Siddle, K.
Effect of phorbol esters on phosphatidylinositol 3-kinase activity in adipocytes, 183S
- Nawaz, S.** See Priest, R.
- Nayem, N.** See Whyte, A.
- Naylor, L.** See Coley, C.
—; Woodward, R.; Daniell, S.; Coley, C.; Strange, P.
Determinants of ligand binding at the D₂ dopamine receptor, 87
- Neary, D.** See Qume, M.
- Neeffes, J. J.** See Benham, A. M.
- Neeleman, A. P.** See Van den Eijnden, D. H.
- Neild, H.**
—; Middleton, B.
Prostaglandins which elevate cyclic AMP increase low density lipoprotein receptor mRNA and activity in human extra-hepatic cells, 5S
- Neill, D.**
—; McNamara, M.; Butler, G.
Regulated nuclear entry of a yeast transcription factor, 346S
- Nelson, A. A.**
—; Joyce, K.; McKenna, P. G.; Barnett, Y. A.
The significance of adenine phosphoribosyl-transferase for DNA repair processes in Friend cells, 378S
- Nelson, K. A.** See Bailey, J. M.
- Nestor, P. V.** See Pope, C.
- Neve, K. A.**
—; Wiens, B. L.
Four ways of being an agonist: multiple sequence determinants of efficacy at D2 dopamine receptors, 112
- Newall, J. F.**
—; Ayad, S.
Collagen IX isoforms in the vertebral disc, 517S
- Newey, S.** See Powell, D.
- Newham, P.**
—; Humphries, M. J.
Identification of a key structural element in VCAM-1, 512S
- Newmyer, S. L.** See Ortiz de Montellán, P. R.
- Nga, H.** See Dawes, N. J.
- Nguyen, H.-V.**
—; Beechey, R. B.
Anion permeability of the basolateral membrane from the ovine parotid acinar cells, 410S
- Nicholls, D. G.** See Cousin, M. A.
- Nicholls, J. S. D.** See Johnston, D. G.
- Nicholls, P.**
—; Sharpe, M.; Tarba, C.
Cytochrome *c* oxidase control by Δ pH and Δ Ψ gradients: effects of fatty acids, 295S
- Nicol, S.**
—; Chan, K.-M.; Baines, A. J.
Characterisation of monoclonal antibodies against synapsin I, 52S
- Nicolaou, A.** See Bonzom, P.; Kenyon, S. H.
—; Kokotos, G.; Constantinou, V.; York, J.; Gibbons, W. A.
Lipidic mimetics as inhibitors of pancreatic phospholipase A₂, 614S
- Nixon, G.** See Barros, L. F.
- Nobes, C. B.**
—; Hall, A.
Rho, rac, and cdc42 GTPases: regulators of actin structures, cell adhesion and motility, 456
- Noble, J.** See Johnson, M. S.
- Nolan, M.-L.**
—; Harrington, M. G.
Aggregation characteristics of platelets in stored concentrates of human blood, 373S
- Nordman, H.** See Carlstedt, I.; Hermann, A.
—; Davies, J. R.; Lindell, G.; Carlstedt, I.
Human gastric mucins— a major population identified as MUC5, 533S

- Norman, J.**
—; Allen, J.
A GTP-binding protein participates in the intracellular trafficking of the high affinity IgG receptor, FcγRI, 123S
- Northrop, A. J.** See McCann, T.
- O'Brien, D.** See Powell, R.
- O'Brien, F.**
—; McCaffrey, M. W.
Studies on the GTP binding ability of the human Rab4p, expressed in *E. coli*, 377S
- O'Brien, M.**
—; Headon, D. R.
The cloning and expression of the alpha subunit of equine glycoprotein hormones, 347S
- Ochoa, B.** See Hernández, M. L.
- O'Connell, D. P.**
—; Voordouw, G.; Mayhew, S. G.
The effects of mutating aspartate-95 and aspartate-127 on the thermodynamic properties of *Desulfovibrio vulgaris* flavodoxin, 381
- O'Connell, J. C.** See Houslay, M. D.
- O'Connor, R.**
—; O'Kennedy, R.; James, P.
Use of proton NMR spectroscopy in the toxicological evaluation of new anti-mycobacterial agents, 357S
- O'Connor, T.**
—; Kane, M. M.; Gosling, J. P.
The dependence of the detection limit of reagent-limited immunoassay on antibody affinity, 393S
- O'Donnell, M.**
—; Maher, M.; Griffin, T.
Evidence from affinity precipitation that glutamate analogues are bound in a folded conformation to glutamate dehydrogenase, 364S
- O'Donnell, V. B.**
—; Azzi, A.
Role of oxidants in TNF-α-mediated cytotoxicity, 239S
- Offringa, R.** See Toes, R. E. M.
- Ogonah, O. W.**
—; Freedman, R. B.; Jenkins, N.; Rooney, B. C.
Analysis of human interferon-γ glycoforms produced in baculovirus infected insect cells by matrix assisted laser desorption spectrometry, 100S
- O'Hehir, R.** See Hawrylowicz, C.
- Ohlmann, T.**
—; Rau, M.; Morley, S.; Pain, V. M.
Effect of cleavage of the p220 subunit of eukaryotic translation initiation factor eIF-4F on protein synthesis *in vitro*, 315S
- O'Kennedy, B.** See Curtin, G.
- O'Kennedy, R.** See O'Connor, R.
- Oktay, G.** See Güner, A.
—; Fadiloğlu, M.; Önvural, B.; Çamsarı, T.; Çelik, A.
Evaluation of alkaline phosphatase isoenzymes in sera of hemodialysis and periton dialysis patients by agarose gel electrophoresis, 310S
- ; Güner, A.; Güner, G.; Kerman, M.; Pabuçcuoğlu, U.
Lipid analysis in human intervertebral disc material, 299S
- ; Güner, G.; Karlıkaya, C.; Akkoçlu, A.
Serum levels of neuron-specific enolase, carbohydrate antigen 19-9 and carbohydrate antigen 125 in carcinoma of the lung, 211S
- ; Sessiz, H. T.
Purification of F₁-ATPase from bovine heart mitochondria, 523S
- Purification of F₀F₁ ATP synthase from bovine heart mitochondria, 522S
- Olesiak, W.** See Robinson, D. R.
- Oliviera, C. R.** See Alpoim, M. C.
- Olverman, H. J.** See Lawrence, J. A.
- O'Malley, B. W.** See Smith, C. L.
- Omote, H.** See Futai, M.
- O'Neill, C.** See Shanahan, C.
- O'Neill, H. M.**
—; Butler, G.; Mayhew, S. G.
Cloning of electron-transferring flavoprotein from *Magasphaera elsdenii*, 379S
- O'Neill, L. A. J.** See Bowie, A.; Cleere, R.; Dunican, D. J.; Mahon, T. M.; McCarthy L. M.
—; Kelly, V. P.
Sustained activation of NFκB and transient IκBα degradation induced by tumour necrosis factor in 1321N1 human astrocytoma, 597S
- Ongradi, J.** See Sheikh, J.
- Önvural, B.** See Oktay, G.; Yenisey, Ç.
- Oppong, S. Y.** See Connolly, C.; Hooper, N. M.
- Orchard, C. H.** See Luckcuck, T.
- Orchard, M. A.** See Trotter, P. J.
- Ortiz de Montellano, P. R.**
—; Ozaki, S.-I.; Newmyer, S. L.; Miller, V. P.; Hartmann, C.
Structural determinants of the catalytic activities of peroxidases, 223
- Ortu, G.** See Bravo, E.
- Osen, I.** See Prydz, K.
- O'Shea, P.** See Golding, C.; van Veen, M.
- Östberg, L.**
—; Queen, C.
Human and humanized monoclonal antibodies: preclinical studies and clinical experience, 1038
- O'Sullivan, G. H.**
—; Heffron, J. J. A.
Regulation of Ca²⁺ release from the ryanodine receptor of sarcoplasmic reticulum, 358S
- O'Sullivan, M. J.**
—; Mulcahy, T.; Suilleabhain, C. B. O.; Kirwan, W. O.; Doyle, C. T.; McCarthy, T. V.
Adenomatous polyposis gene mutations in Irish pedigrees with familial adenomatous polyposis, 349S
- Osypiw, J. C.** See Pemberton, P. W.
- Oussoren, E.** See van Klinken, B. J.-W.
- Owen, E.** See Bhat, S.
- Ozaki, S.-I.** See Ortiz de Montellano, P. R.
- Ozanne, S. E.** See Desai, M.
- Pabuçcuoğlu, U.** See Oktay, G.
- Packman, L. C.** See Mewies, M.
- Paice, A. G.** See Patel, V. B.
—; Reilly, M. E.; Marway, J. S.; Bonner, A. B.; Preedy, V. R.
Compartmentation of total RNA in catabolism: a comparative analysis of skin, bone, skeletal muscle and liver in response to endotoxin and alcohol, 465S
- Pain, V. M.** See Morley, S. J.; Ohlmann, T.
- Paine, M.** See Modi, S.
- Palmer, J. M.** See Harvey, P. J.
- Palu, G.** See Loregian, A.; Marcello, A.
- Pance, A.** See Holliday, N.
—; Balbi, D.; Holliday, N.; Allen, J. M.
Effect of cAMP elevation on the NPY gene transcription, 47S
- Pankhurst, C. L.** See Carpenter, G. H.
- Pantaloni, C.** See Journot, L.
- Papasavvas, G.** See MacGillivray, A. J.
- Paraskeva, C.** See Corfield, A. P.; Sheehan, J. K.
- Parenti, M.** See McCallum, J. F.; Milligan, G.
- Parenti, M.** See Jackson, C. S.
- Parfitt, V. J.** See Bolton, C. H.
- Parker, P. J.** See Boarder, M. R.; Kiley, S. C.; Kodaki, T.; Woscholski, R.
—; Bosca, L.; Dekker, L.; Goode, N. T.; Hajibagheri, N.; Hansra, G.
Protein kinase C (PKC)-induced PKC degradation: a model for down-regulation, 153
- Parr, T.** See Arnold, M. K.
- Parry, J. W. L.**
—; Clark, J. R.; Tuite, M. F.; Freedman, R. B.
The expression in *E. coli* and purification of isolated non-thioredoxin-like domains of human PDI, 71S
- Parry, R.** See Wilson, A.
- Parslow, R. A.** See Howl, J.
- Pascal, S. M.**
—; Singer, A. U.; Yamazaki, T.; Kay, L. E.; Forman-Kay, J. D.
Structural and dynamic characterization of an SH2 domain-phosphopeptide complex by NMR approaches, 729
- Patel, D. R.**
—; Sturt, N. J. H.; Croucher, M. J.
Modulation of D-[2,3 ³H]aspartate release from rat forebrain slices by non-NMDA receptor agonists and antagonists, 84S
- Patel, M. K.** See Refson, J. S.; Schachter, M.
- Patel, R.**
—; Mistry, N.; Khoosal, D.; Lunec, J.; Herbert, K. E.; Thomas, S. M.
Autoantibodies to DNA in schizophrenia, 480S
- Patel, V.** See Boarder, M. R.
- Patel, V. B.** See Why, H. J. F.
—; Corbett, J. M.; Richardson, P. J.; Dunn, M. J.; Preedy, V. R.
Chronic effects of alcohol upon protein profiling in ventricular tissue, 461S
- ; Richardson, P. J.; Paice, A. G.; Preedy, V. R.
The chronic treatment of amlodipine in regressing hypertrophy, 460S
- Patell, V. B.** See Reilly, M. E.
- Paterson, I. C.** See Fahey, M. S.
- Paton, A.** See Moreton, K.
- Patterson, W. R.** See Poulos, T. L.
- Paul, A.**
—; Plevin, R.
Cell signalling events in mediating the induction of nitric oxide synthase in macrophages and vascular smooth muscle cells, 1029
- Pearce, A.**
—; Farrell, W. E.; Jenkins, H. A.
Characterisation of the isoforms of GRP78 using two-dimensional electrophoresis, 79S
- Pearson, J. D.** See May, M. J.; Wheeler-Jones, C. P. D.
- Pearson, J. P.** See Rankin, B. J.
- Peck, D.** See Sheikh, H.
- Pegorier, J.-P.** See Prip-Buus, C.
- Pellegrineschi, A.**
—; Kis, M.; Dix, I.; Kavanagh, T. A.; Dix, P. J.
Expression of horseradish peroxidase in transgenic tobacco, 247
- Pemberton, P. W.**
—; Osypiw, J. C.; Gleeson, D.; McMahon, R. F.; Lobley, R. W.
Changes in apical membrane composition of Caco-2 cells during enterocytic differentiation, 23S

- Penman, J.**
—; Liu, S.; Belchetz, P.; Goldspink, D. F.
Growth hormone induction and somatostatin suppression of hepatic proto-oncogenes and IGF-I in the rat, 328S
- Pereira, M. M. C.**
—; Dormer, R. L.; McPherson, M. A.
Mucin secretion mediated by the cystic fibrosis gene protein, CFTR, 532S
- Perotto, S.** See Hernandez, L. E.
- Perrett, D.** See Evans, M. D.
- Perry, C. R.**
—; Ashby, M. J.; Elsmere, S. A.
Penems as research tools to investigate the activity of *Escherichia coli* leader peptidase, 548S
- Persaud, S. J.** See Harris, T. E.; Wheeler-Jones, C. P. D.
- ; Wheeler-Jones, C. P. D.; Jones, P. M.
The mitogen-activated protein kinase cascade in rat islets of Langerhans, 221S
- Persuad, S. J.** See Ford, S. L.
- Peters, G. J.**
—; van der Wilt, C. L.
Thymidylate synthase as a target in cancer chemotherapy, 884
- Peters, M. J.** See Adcock, I. M.
- Peters, T. J.** See Hipkiss, J. B.; Raja, K. B.; Reilly, M. E.
- Pewsey, D. A.** See Phoenix, A.
- Phaneuf, S.**
—; Asboth, G.; Europe-Finner, G. N.; Watson, S. P.; Bernal, A. L.
Second messenger pathways for oxytocin and prostaglandins in human myometrium, 21S
- Phillips, J. M.** See Hale, G.
- Phillips, E.** See Davis C. L.
- Phillips, S. E. V.** See Reynolds, M. P.
- Phipps, A. N.**
—; Connock, M.; Johnson, P.; Burdett, K.
Peroxisomes and plasmalogens along the intestine villus, 577S
- Phoenix, D. A.** See Burrow, S. M.; Collins, R. F.; Harris, F.; Roberts, M. G.
- ; Harris, F.
The membrane-interactive properties of the low-molecular-mass penicillin-binding proteins of *Escherichia coli*, 976
- Investigation into the lipid requirement for the membrane anchoring of *Escherichia coli* penicillin binding protein 5, 31S
- ; Pewsey, A.; Roberts, M. G.
Distribution and clustering of rare codons in *Escherichia coli* genes, 503S
- Pigny, P.** See Porchet, N.
- Pin, J.-P.**
—; Gomez, J.; Joly, C.; Bockaert, J.
The metabotropic glutamate receptors: their second intracellular loop plays a critical role in the G-protein coupling specificity, 91
- Pinder, A. C.** See Hughes, D. A.
- Pioli, D.** See Webster, P. A.
- Piper, Z.** See Hughes, D. A.
- Pittner, R.** See Young, A.
- Pizzato, M.** See Marcello, A.
- Platt, D. J.** See Inche, C. A.
- Platt, K. P.**
—; Bristow, D. R.
Excitatory amino acid-induced neuronal cell death in rat cerebellar granule cell cultures, 599S
- Pleasant, A. E.** See Harrison, K. L.
- Plevin, R.** See Aidulis, D. M.; McLees, A.; Paul, A.
- Plumb, G. W.**
—; Chambers, S. J.; Lambert, N.; Wanigatunga, S.; Fenwick, G. R.; Williamson, G.
Evaluation of the antioxidant properties of food extracts, 254S
- Pockley, A. G.**
—; Williams, S.; Reid, S. D.; Bowles, M. J.
Effect of cyclosporin A, FK506 and rapamycin on proliferation and soluble IL-2 receptor release from mitogenically stimulated rat spleen cells, 615S
- Pocock, J. M.** See Cousin, M. A.
- Podmore, I. D.** See Evans, M. D.; Finnegan, M. T.; Poon, K. W.
- Pogson, C. I.** See Hickey, M. J.
- Polgreen, K. E.** See Kemp, G. J.
- Pollack, S. J.** See Sadler, I. I. J.
- Pongs, O.** See Abbott, G. W.
- Ponimaskin, E.**
—; Schmidt, M. F. G.
Acylation of viral glycoproteins: structural requirements for palmitoylation of transmembrane proteins, 565
- Poole, J.**
—; Johnson, P.
The helix 1a rod domain of desmin: antibody and molecular modelling studies, 611S
- Pooley, L.** See Houslay, M. D.
- Poon, K. W.**
—; Mistry, N.; Podmore, I. D.; Evans, M. D.; Herbert, K. E.; Lunec, J.
Micellar electrokinetic capillary chromatography of 8-oxoguanine and other bases of DNA, 433S
- Pope, C.**
—; Nestor, P. V.; Morrison, C.; Gannon, F.
Can PCR be used to normalise a cDNA library?, 383S
- Porchet, N.**
—; Pigny, P.; Buisine, M.-P.; Debailleul, V.; Degand, P.; Laine, A.; Aubert, J.-P.
Human mucin genes: genomic organization and expression of *MUC4*, *MUC5AC* and *MUC5B*, 800
- Porter, T.** See Taylor, G.
- Postle, A. D.** See Heung, Y. M. M.
- Potier, B.**
—; Vignes, M.; Collingridge, G. L.
Calcium transients in voltage-clamped dendrites of hippocampal neurons evoked by different patterns of synaptic activity, 653
- Poulos, T. L.**
—; Patterson, W. R.; Sundaramoorthy, M.
The crystal structure of ascorbate and manganese peroxidases: the role of non-haem metal in the catalytic mechanism, 228
- Pound, J. D.** See Lund, J.
- Pountney, D.** See Lazouras, K.
- Pountney, D. J.**
—; Shergill, J. K.; Simpson, R. J.; Wrigglesworth, J. M.
EPR and visible spectroscopic analysis of a duodenal b-type cytochrome implicated in the process of intestinal iron absorption, 140S
- Powell, D.**
—; Benboubetra, M.; Newey, S.; Harrison, R.
Xanthine oxidase activity and subcellular localization in human mammary epithelial cells, 616S
- Powell, N. A.** See Fricker, S.P.
- Powell, R.**
—; Mullarkey, M.; O'Brien, D.; McInerney, J. O.
Detection of micro-organisms in the environment, 435
- Power, A.** See Sheehan, D.
- ; Sheehan, D.
Seasonal variations in the levels of antioxidant enzymes in *mytilus edulis*, 354S
- Power, M. J.** See Casserly, Ú. M.; McGuinness, B. J.
- Powers, P. A.** See Lynch, P. J.
- Powner, D.**
—; Davis, K.; Matthews, G.; Davey, J.
Characterization of Krp 1, an endopeptidase that is essential for cell viability in fission yeast, 564S
- Poyner, D. R.** See Denny, B. J.
- Prapantthadara, L.-A.**
—; Kuttastep, S.; Hemingway, J.; Ketterman, A. J.
Characterisation of the major form of glutathione transferase in the mosquito *Anopheles dirus* A, 81S
- Pratt, J. R.** See Wood, C. K.
- ; Wood, C. K.; Moore, A. L.
Immunochemical characterization of mitochondrial proteins isolated from *Pisum sativum*, subjected to thermal stress and age development, 178S
- Pratt, K. A.** See Taylor, M. A. J.
- Preedy, V. R.** See Marway, J. S.; Paice, A. G.; Patel, V. B.; Reilly, M. E.; Why, H. J. F.
- Price, K. J.** See Williams, J. M.
- Price, L. K.** See Mondal, K.
- Price, N. C.** See McClelland, D. A.
- Priest, R.**
—; Nawaz, S.; Green, P. M.; Bird, M. I.
Adhesion of eosinophils to E- & P-selectin, 162
- Prime, S. S.** See Fahey, M. S.
- Primrose, W. U.** See Wilcox, R. A.
- Pring, J. B.** See Crane, D. T.
- Prip-Buus, C.**
—; Thumelin, S.; Chatelain, F.; Pegorier, J.-P.; Girard, J.
Hormonal and nutritional control of liver fatty acid oxidation and ketogenesis during development, 500
- Probst, A.** See Goedert, M.
- Procter, A. W.** See Qume, M.
- Proctor, G. B.** See Carpenter, G. H.
- Proud, C. G.** See Moule, S. K.
- Proudfoot, D.** See Stein, J. M.
- Pruijn, G. J. M.** See James, M. C.
- Prydz, K.**
—; Hovland, K. S.; Osen, I.
The role of microtubules in apical and basolateral endocytosis in epithelial Madin-Darby canine kidney (MDCK) cells, 535
- Przyborski, S. A.**
—; Cambray-Deakin, M. A.
Developmental profile of tau in cerebellar granule cell neurons *in vitro*, 51S
- Pulman, L. B.** See Self, C. H.
- Purkiss, J. R.**
Activation of phospholipase D in SH-SY5Y neuroblastoma cells: dependence on Ca²⁺ and protein kinase C, 427S
- Pyne, N. J.** See Pyne, S.; Tolan, D. G.
- ; Stevens, P.; Moughal, N.; Pyne, S.
PKC-dependent activation of the type II adenylate cyclase in airway smooth muscle limits the bradykinin-stimulated ERK-2 pathway, 200S
- Pyne, S.** See Pyne, N. J.; Tolan, D. G.
- ; Pyne, N. J.
Phospholipase D regulation involves extracellular calcium as a conditional requirement for

- subsequent stimulation by protein kinase C, 199S
- Qi, X.**
—; Holt, C.; McNulty, D.; Clarke, D. T.; Jones, G.
Limited interpretation of changes in the FTIR spectrum of β -lactoglobulin with temperature, 612S
- Qi, X. L.**
—; Brownlow, S.; Holt, C.; Sellers, P.
Multi-state thermal unfolding and aggregation of β -lactoglobulin A, 74S
- Quane, K. A.**
—; Keating, K. E.; Healy, J. M. S.; Heffron, J. J. A.; Lehane, M.; Krivosic-Horber, R.; Heytens, L.; McCarthy, T. V.
Haplotype analysis of the RYR1 gene in malignant hyperthermia and central core disease, 372S
- Quant, P. A.** See Makins, R. A.
- Queen, C.** See Östberg, L.
- Quinn, P. J.** See Yu, Z.-W.
- Quirk, P. G.** See Keane, N. E.
—; Keane, N. E.; Levine, B. A.; Wei, L.; Ellis, L.
Comparative phosphorylation kinetics of the human insulin receptor protein-tyrosine kinase domain and an enzymatically competent deletion construct—the tail could wag the dog, 188S
- Qume, M.**
—; Misra, A.; Zeman, S.; Boddy, J. L.; Cross, A. J.; Francis, P. T.; Procter, A. W.; Mann, D. M. A.; Bowen, D. M.
Non-serotonergic profiles of lobar atrophies, 601S
—; Misra, A.; Zeman, S.; Muthu, J.; Cross, A. J.; Francis, P. T.; Procter, A. W.; Neary, D.; Bowen, D. M.
Serotonergic profiles of lobar atrophies, 600S
- Radda, G. K.** See Anderson, Y. S.; Hopkins, J. C. A.; Kemp, G. J.; Keon, C. A.; Sanderson, A. L.
- Rafiq, M.** See Goodarzi, M. T.
- Rahman, D. R. J.**
—; Bentley, N. J.; Tuite, M. F.
The *Saccharomyces cerevisiae* small heat shock protein Hsp26 inhibits actin polymerisation, 77S
- Rahman, I.**
—; Li, X. Y.; Donaldson, K.; MacNee, W.
Cigarette smoke, glutathione metabolism and epithelial permeability in rat lungs, 235S
- Raja, K. B.**
—; Gerard, B.; McKie, A.; Beaumont, C.; Simpson, R. J.; Grandchamp, B.; Peters, T. J.
Duodenal expression of NF-E2 in mouse models of altered iron metabolism, 326S
- Ramesh, B.** See Mercer E. A. J.
- Ramsay, R. R.** See Sablin, S. O.
- Ramsy, R. R.** See A'Bhaird, N. N.
- Randall, R. W.** See Thompson, N. T.
- Rankin, B. J.**
—; Srivastava, E. D.; Record, C. O.; Pearson, J.P.; Allen, A.
Patients with ulcerative colitis have reduced mucin polymer content in the adherent colonic mucus gel, 104S
- Rankin, R.**
—; Douglas, A. J.; Foster, J. C.; Adair, B. M.
T cell epitopes of bovine respiratory syncytial virus attachment glycoprotein, 483S
- Rapaport, E.** See Futerman, A. H.
- Rasmussen, M.** See Ladds, G.
- Ratcliff, H.**
—; Jones, P. M.
Measurement of insulin secretion from single pancreatic β cells using a reverse haemolytic plaque assay, 218S
- Ratcliffe, C. F.**
—; Conley, E. C.; Brammar, W. J.
Distribution of cGMP-gated cation channel expression in bovine and porcine cardiovascular tissue, 441S
- Rau, M.** See Ohlmann, T.
- Ravid, R.** See Shanahan, C.
- Ray, A.**
—; Zhang, D.-H.; Ray, P.
Antagonism of nuclear factor- κ B functions by steroid hormone receptors, 952
- Ray, K.** See Hayes, B.
- Ray, P.** See Ray, A.
- Ray, S.** See Brosnan, M. E.
- Rayner, D. V.** See Trayhurn, P.
- Read, S.** See Venkatesh, S.
- Reason, A.** See Winchester, B.
- Record, C. O.** See Eaton, S.; Rankin, B. J.
- Rees, D. D.**
Role of nitric oxide in the vascular dysfunction of septic shock, 102S
- Rees, H. H.** See Aspbury, R. A.
- Reeves, J.** See Why, H. J. F.
- Refson, J. S.** See Clunn, G. F.
—; Schachter, M.; Patel, M. K.; Chan, P.; Wolfe, J. H. N.; Sever, P.
Correlation of heparin binding with responsiveness in human vascular smooth muscle cells, 172S
—; Schachter, M.; Patel, M. K.; Wolfe, J. H. N.; Sever, P.
Differential mitogenic effects of PDGF isoforms and heparin on human vascular smooth muscle cells, 173S
- Reid, S. D.** See Pockley, A. G.
- Reilly, M. E.** See Paice, A. G.
—; Ansell, H.; Marway, J. S.; Richardson, P. J.; Peters, T. J.; Preedy, V. R.
The effect of supplementation on alpha-tocopherol levels in liver, heart and skeletal muscle, 466S
—; Patell, V. B.; Marway, J. S.; Preedy, V. R.
Time-course changes in skeletal muscle protein synthesis in vivo in response to ethanol, 467S
- Rena, N. G.** See Houslay, M. D.
- Renard-Rooney, D. C.** See Thomas, A. P.
- Renwick, S. B.** See Chave, K. J.
—; Chave, K. J.; Sanders, P. G.; Snell, K.
Overexpression of human cytosolic serine hydroxymethyltransferase in *Escherichia coli*, 624S
- Ressing, M. E.** See Toes, R. E. M.
- Restall, C. J.** See Whiting, K. P.
- Reynolds, M. P.**
—; Baron, A. J.; Wilmont, C. M.; Phillips, S. E. V.; Knowles, P. F.; McPherson, M. J.
Tyrosine-495 is a key residue in the active site of galactose oxidase, 510S
- Rich, P. R.** See Jünemann, S.; Moody, A. J.
- Richards, S.** See Bruce, J. S.
- Richardson, P. J.** See Patel, V. B.; Reilly, M. E.; Why, H. J. F.
- Rider, C. C.** See Beesley, P. W.
- Rider, M. H.** See Hue, L.
- Riedel, B.** See Wissing, J. B.
- Riedl, A.**
—; Anderton, M.; Shamsi, Z.; Goldfarb, P.; Wiseman, A.
Structural modulation of lipid peroxidation by the proteins within membranes: model protein studies with liposomes, 251S
- Riley, P. R.**
—; Stewart, H. J.; Abayasekara, R. E.; Flint, A. P. F.
Functional characterisation of an ovine oxytocin signal transduction pathway in oxytocin receptor cDNA transfected Cos 7 cells, 267S
- Rink, T.** See Young, A.
- Rob, A.**
—; Ball, A. S.; Tuncer, M.; Wilson, M. T.
Isolation and characterization of a novel non-haem extracellular peroxidase produced by the thermophilic actinomycete *Thermosopora fusca* BD25, 507S
- Robb-Gaspers, L. D.** See Thomas, A. P.
- Roberts, G. C. K.** See Modi, S.
- Roberts, M.** See Collins, R. F.
—; Guthrie, D. J. S.; Williams, C. H.
Further studies on the action of aminopeptidases towards sulphur-containing substrates, 59S
- Roberts, M. G.** See Phoenix, D. A.
—; Phoenix, D. A.
Comparison of the potential membrane insertion geometry's of *Escherichia coli* low molecular weight penicillin binding protein anchors, 33S
- Roberts, R. E.** See McLean, W. G.
- Robertson, L.**
—; Magill, W. J.; Benson, E. E.; Bremner, D. H.; Bultjens, T. E. J.
Oxidative stress in the plant tissue culture environment, 263S
- Robertson, S.** See Huddleston, S.
- Robinson, A. M.**
—; Creeth, J. E.; Jones, M. N.
Adsorption of immunoliposomes to bacterial biofilms, 583S
- Robinson, D. R.**
—; Knoell, C. T.; Urakaze, M.; Huang, R.; Taki, H.; Sugiyama, E.; Xu, L.-L.; Yeh, E. T. H.; Olesiak, W.; Guo, M.; Colvin, R. B.; Auron, P. E.
Suppression of autoimmune disease by ω -3 fatty acids, 287
- Robinson, M. K.** See Woolley, S. T.
- Robinson, S.** See Johnston, D. G.
- Rogers, A. T.**
—; Wonnacott, S.
Nicotine-induced upregulation of α Bungarotoxin (α Bgt) binding sites in cultured rat hippocampal neurons, 48S
- Rolph, C. E.** See Scanlon, C. H.
- Ron, D.** See Mochly-Rosen, D.
- Roobol, A.** See Carden, M. J.
- Rooney, B.** See Eldridge, W.
- Rooney, B. C.** See Ogonah, O. W.; Woodcock, C.
- Rooney, T. A.** See Thomas, A. P.
- Rosario, L. M.** See Boarder, M. R.
- Rosen, S. D.** See Whyte, A.
- Ross, I.** See Warhurst, G.
- Ross-Smith, N.**
—; Tan, P.; Belfield, G.; Tuite, M. F.
Translational elongation factor 3 (EF-3): a study of its structural and functional divergence in fungi, 132S
- Rotondo, D.**
Fatty acid modulation of cell responsiveness, 291
- Rottier, P. J. M.** See van Genderen, I. L.
- Roussel, P.** See Scharfman, A.
- Rova, U.** See Filatov, D.
- Rowbotham, D. J.** See Campbell, D. J.

- Rowe, A. J.** See Clewlow, A. C.; Flood, G. J.; Silkowski, H.
- Rubin, L. L.** See Staddon, J. M.
- Rubio, V.**
—; Cervera, J.
The carbanoyl-phosphate synthase family and carbamate kinase: structure-function studies, 879
- Ruddock, L. W.** See Hirst, T. R.
- Ruiter, D. J.** See Danen, E. H. J.
- Ruiz-Larrea, M. B.**
—; Leal, A.; Martínez, R.; Martín, C.; Lacort, M.
Mechanism of inhibition of microsomal lipid peroxidation by estrogens: possible interactions with the cytochrome P450-dependent monooxygenase system, 256S
- Rumsby, M. G.** See Drew, L.; Fenton, J. A. L.; Moreton, K.
- Ruoppolo, M.** See Freedman, R. B.
- Russell, D.**
—; McPherson, M. A.; Dormer, R. L.
Histamine-stimulated Cl⁻ transport in HeLa cells, 553S
- Russell, J. C.** See Heaton, R. J.
- Russell, P.** See Borovjagin, A. V.
- Ruston, S.**
—; Eaglestone, S.; Webb, H.; Hirst, T. R.
Strategies for the purification of intact and proteolytically-activated native and engineered heat-labile enterotoxins of *Escherichia coli*, 55S
- Rutter, A. J.**
—; Lloyd, D.; Harwood, J. L.
Characterisation of the fatty acid delta12-desaturase of *Acanthamoeba castellanii*, 407S
- Ryan, N. M.** See Della Porte, P.
- Rye, P. D.**
—; Bovin, N. V.; Vlasova, E.; Høifødt, H.-K.; Kierulf, B.; Trones, G.-E.; Fodstad, Ø.
Breast cancer-associated antibody LU BCRU G7 recognizes the terminal disaccharide Galβ1-3GlcNAc and can be used to isolate tumour cells from body fluids by an immunomagnetic bead procedure, 584S
- Säaf, A.** See Whitley, P.
- Sablin, S. O.**
—; Ramsay, R. R.
Difference spectra for inhibitor binding to monoamine oxidases, 457S
- Sadeghi, R.** See Hawrylowicz, C.
- Sadeghi, S. J.**
—; Cass, A. E. G.
Electron transfer between cytochrome C peroxidase and ferrocene, 153S
- Sadler, I. I. J.**
—; Hawtin, S. R.; Taylor, V.; Shearman, M. S.; Pollack, S. J.
Glycosaminoglycans and sulphated polyanions attenuate the neurotoxic effects of β-amyloid, 106S
- Saermark, T.** See Harris, T. E.
- Saffell, J. L.**
—; Williams, E. J.; Doherty, P.; Walsh, F. W.
Axonal growth mediated by cell adhesion molecules requires activation of fibroblast growth factor receptors, 469
- Saggar-Malik, A.** See Mahieu, I.
- Saggerson, E. D.** See Broadway, N. M.
- Salim, K. A.**
—; Gordon, D.; Shaw, S.; Smith, C. A.
Response of root surface phosphatase activity of *Molinia caerulea* (L.) Moench, the purple moor grass, to edaphic environments, 367S
- Salmond, G. P. C.** See Chan, P. F.
- Salter, A. M.** See Bruce, J. S.
- Salvador, J. M.**
—; Mata, A. M.
Identification of two types of Ca²⁺ transport ATPases in pig brain by specific antibodies, 571S
- Sammut, I. A.** See Thorniley, M. S.
- ; Thorniley, M. S.; Simpkin, S.; Bates, T. E.; Green, C. J.
Changes in hepatic mitochondrial metabolic parameters following transplantation, 527S
- Sampson, C.** See White, C.
- Sanders, D.**
—; Muir, S. R.; Allen, G. J.
Ligand- and voltage-gated calcium release channels at the vacuolar membrane, 856
- Sanders, J. S.** See Leader, D. J.
- Sanders, P. G.** See Chave, K. J.; Renwick, S. B.; Snell, K.; Whitehouse, S. K.
- Sanderson, A. L.**
—; Kemp, G. J.; Thompson, C. H.; Radda, G. K.
Regulation of oxidative and glycogenolytic ATP turnover in exercising rat skeletal muscle, 292S
- Sanderson, E. M.**
—; Strange, P. G.
Expression of epitope-tagged D₂ dopamine receptors in Sf21 cells, 89S
- Sanderson, J.** See McLaughlan, W. R.
- Sanderson, N. M.**
—; Jones, M. N.
Interaction of cationic liposomes with skin bacteria, 561S
- Sanderson, P.** See Sherrington, E. J.
- ; Yaqoob, P.; Calder, P. C.
Dietary lipid modulation of cell mediated immunity in the rat, 273S
- Sandle, G. I.** See Baker, E. H.; Lomax, R. B.
- Sansom, D.** See Wilson, A.
- Sansom, M. S. P.** See Kerr, I. D.
- Sanz, C.** See Leon, Y.
- Sato, K.** See Keon, C. A.
- Sayed, S.** See Wheeler-Jones, C. P. D.
- Scanlon, C. H.**
—; Martinec, J.; Rolph, C. E.; Lumsden, P. J.
Characterization of inositol 1,4,5-triphosphate receptors from *Chenopodium rubrum*, 574S
- Schachter, M.** See Clunn, G. F.; Hughes, A. D.; Refson, J. S.
- ; Betteridge, L. J.; Hughes, A. D.; Patel, M. K.
Angiotensin II receptors are exclusively of the AT₁ subtype in cultured human vascular smooth muscle cells, 458S
- Schaffrath, R.**
—; Soond, S. M.; Meacock, P. A.
Cytoplasmic gene expression in yeast: a plasmid-encoded transcription system in *Kluyveromyces lactis*, 128S
- Schaible, T. F.** See Weisman, H. F.
- Schalch, W.** See Truscott, T. G.
- Scharfman, A.**
—; Lamblin, G.; Roussel, P.
Interactions between human respiratory mucins and pathogens, 836
- Schauer, R.** See Corfield, A. P.
- Scherer, G. F. E.**
The functional relationship of plant lipid-derived second messengers and plant lipid-activated protein kinase, 871
- Schmidt, M. F. G.** See Ponimaskin, E.
- Schoettle, S. L.** See Christopherson, R. I.
- Schofield, A.** See Elia, A.
- Schofield, C. F.** See Shiau, C.-Y.
- Schomberg, D. W.** See Couse, J. F.
- Schultz, C. J.** See Londos, C.
- Schulze, C.** See Staddon, J. M.
- Schwartz, T. W.** See Gether, U.
- Schwarz, A.** See Futerman, A. H.
- Schweizer, L. M.** See Carter, A. T.
- Schweizer, M.** See Carter, A. T.
- Scotland, G.** See Houslay, M. D.
- Scott, H. M.** See Watkins, S. L.
- Scott, J. D.** See Coghlan, V. M.; McCartney, S.
- Scott, J. E.**
—; Cummings, C.
The proteins of proteodermatan and proteokeratan sulphates (decoron and fibromodulin/lumicon) are horseshoe shaped, resembling ribonuclease inhibitor, 515S
- Scrutton, N. S.** See Mewies, M.
- Seabright, P. J.**
—; Smith, G. D.
The characterization of insulin degradation products in endosomes, 1S
- Sear, C. L.** See Ewan, S. G.
- Searle, M.-J.** See Abayasekara, R. E.
- Seeburg, P. H.** See Journot, L.
- Seehra, C. K.** See Conibear, P. B.
- Seely, N. A.**
—; Sreenan, J.; Morris, D.; Headon, D. R.
Gene expression in bovine mammary tissue at different stages of the oestrus cycle, 359S
- Self, C. H.** See Thompson, S.
- ; Fawcett, M.-C.; Spoor, J. A.; Pulman, L. B.; Thompson, S.
Studies on photocleavable nitrobenzyl-bovine serum albumin conjugates, 156S
- Selhub, J.** See Brosnan, J. T.
- Sellers, L. A.** See Wilkinson, G.
- Sellers, P.** See Qi, X. L.
- Selloum, L.** See Arrar, L.
—; Arrar, L.; Medani, B.; Khenchouche, A.; Bisker, H.
Effect of *Cleome arabica* leaves extract on inflammatory cells response in rat, 609S
- Sena, C. M.** See Boarder, M. R.
- Senger, R.**
—; Goldmann, W. H.; Isenberg, G.
The influence of cations on the polymerization of actin and actin in the presence of α-actinin/filamin, 57S
- Senior, A. E.**
—; Weber, J.; Al-Shawi, M. K.
Catalytic mechanism of *Escherichia coli*, 747
- Senior, S.** See Golding, C.
- Sensky, P. L.** See Arnold, M. K.
- Serra, D.** See Arias, G.
- Servetnick, D. A.** See Londos, C.
- Sessions, R. B.** See Williams, P. B.
- Sessiz, H. T.** See Oktay, G.
- Sever, P.** See Refson, J. S.
- Sewing, S.** See Abbott, G. W.
- Shadid, S.** See Fielding, B. A.
- Shah, B. H.** See Milligan, G.
—; Milligan, G.
Cyclic AMP differentially regulates the expression of α-subunits of G_s, G_q and G₁₁ G-proteins and their mRNA levels in rat C6 glioma cells, 10S
- Shall, S.** See Aoufouchi, S.
- Shall, S.** See Davis, T.
- Shamsi, Z.** See Riedl, A.
- Shanahan, C.**
—; Deasy, M.; Ravid, R.; O'Neill, C.
Comparative immunoblot analysis of the guanine nucleotide binding protein G_q in control and Alzheimer's disease brains, 363S

- Shand, J. H.**
—; West, D. W.; Flint, D. J.
Effects of growth hormone on mammary cholesterol metabolism in the lactating rat, 579S
- Shang, D.** See Lin, W.-R.
- Sharp, A. J.**
—; Halsall, A. A.; Dempsey, C. E.
Expression of yeast mitochondrial F_1F_0 ATPase subunit 9 in *Escherichia coli* as fusion constructs: sec-independent membrane insertion?, 520S
- Sharpe, M.** See Nicholls, P.
- Shaw, P. J.** See Bunney, T. D.
- Shaw, S.** See Salim, K. A.
- Shearman, M. S.** See Hawtin, S. R.; Sadler, I. I. J.
- Sheehan, D.** See Barry, T. R.; Carroll, N. M.; Curtin, G.; Foley, V.; McCarthy, R. M.; Power, A.
—; McIntosh, J.; Power, A.; Fitzpatrick, P. J.
Drug metabolizing enzymes of mussels as bioindicators of chemical pollution, 419
- Sheehan, J. K.**
—; Hanksi, C.; Corfield, A. P.; Paraskeva, C.; Thornton, D. J.
Mucin biosynthesis and macromolecular assembly, 819
- Sheikh, F. N.** See Llewellyn, D. H.
- Sheikh, H.**
—; Uff, C. R.; Peck, D.; Isacke, C. M.
Modulation of the hyaluronan receptor, CD44, by its transmembrane and cytoplasmic domains, 831
- Sheikh, J.**
—; Ongradi, J.; Austen, B.; Dagleish, A.
The potential importance of MHC mimicry by HIV in the pathogenesis of AIDS, 471S
- Sheldon, J.** See Brindle, K.
- Shennan, D. B.** See Millar, I. D.; Shillingford, J. M.; Shillingford, R. B.
—; McNeillie, S. A.
Volume-activated solute transport in human placental tissue, 25S
—; McNeillie, S. A.; Cliff, M. J.
The relationship between volume-sensitive taurine efflux and the anion-exchanger in lactating mammary tissue, 392S
- Shepherd, P. R.** See Haigh, R. J.; Navé, B. T.
—; Navé, B. T.; Siddle, K.
Insulin activates glycogen synthase by a novel PI 3-kinase/ 70^{sk} dependent pathway in 3T3-L1 adipocytes, 202S
Involvement of PI 3-kinase in stimulation of glucose transport and recruitment of transferrin receptors in 3T3-L1 adipocytes, 201S
- Shergill, J. K.** See Pountney, D. J.
- Sherrington, E. J.** See Carr, R. E.
—; Sanderson, P.; Calder, P. C.
The effect of dietary lipid manipulation on macrophage cell surface molecule expression, 272S
- Shiau, C.-Y.**
—; Byford, M. F.; Baldwin, J. E.; Schofield, C. J.
Molecular mechanism of the multifunctional enzyme L- δ -(α -aminoadipoyl)-L-cysteinyl-D-valine (ACV) synthetase, 629S
- Shillingford, J. M.**
—; Beechey, R. B.; Shennan, D. B.
The inhibition of Na^+ - P_i cotransport and P_i self-exchange mechanisms in lactating rat mammary tissue, 559S
—; Shennan, D. B.; Beechey, R. B.
The regulation of anion transport in lactating rat mammary tissue, 26S
- Shinmyo, A.** See Fujiyama, K.
- Shori, D. K.** See Carpenter, G. H.
- Shurety, W.**
—; Luzio, J. P.
Differential modulation of apical and basolateral endocytosis in Caco-2 cells, 184S
- Shuttleworth, C. A.** See Ball, S. G.; Dyer, C. E.; Macbeath, J. R. E.
- Sidaway, J. E.**
—; Dickson, A. J.; Smith, S. A.; Boam, D. S. W.
Effect of the thiazolidinedione BRL49653 and genetic obesity on hepatic gene expression in the Zucker rat, 590S
- Sidawy, A. N.** See Bailey, J. M.
- Siddiq, T.** See Why, H. J. F.
- Siddle, K.** See Haigh, R. J.; Navé, B. T.; Shepherd, P. R.
- Siedow, J. N.** See Moore, A. L.
- Sikand, K. S.**
—; Smith, G.; Lambert, D. G.
Ketamine inhibits K^+ evoked [3H] noradrenaline release from SH-SY5Y cells by reducing calcium influx, 417S
- Silkowski, H.**
—; Byron, O.; Davis, S. J.; Barclay, A. N.; Davies, E. A.; Rowe, A. J.; Harding, S. E.
Estimation of the dissociation constant of the cell adhesion molecules srCD2 and srCD48 using analytical ultracentrifugation, 435S
- Silva, I. J.**
—; Azevedo, M. S.; Manso, C. F.
Changes in the catalytic properties of benzylamine oxidase, 234S
- Silvester, J. A.**
—; Timmins, G. S.; Davies, M. J.
Detection of protein radicals formed by the photodynamic action of porphyrin sensitizers, 261S
- Sim, P.** See Mitchell, R.
—; Mitchell, R.
Activation of MAP kinase by the LHRH receptor through a PKC-dependent pertussis toxin-sensitive mechanism, 144S
- Sim, R. B.** See Soames, C. J.
- Simmonds, H. A.**
Enzymes of nucleotide biosynthesis: differences between intact and lysed cells as well as between species and tissues can be important, 877
- Simmons, C.** See James, M.
- Simons, L. H.** See Vollenbroek, E. G. M.
- Simpkin, S.** See Sammut, I. A.; Thorniley, M. S.
- Simpson, J.** See Ison, A. J.; Johnson, M. S.; McCulloch, D. A.; Wolbers, B.
- Simpson, R. J.** See Lazouras, K.; Pountney, D. J.; Raja, K. B.
- Simpson, T. W.**
—; Colón, G. E.; Stephanopoulos, G.
Two paradigms of metabolic engineering applied to amino acid biosynthesis, 381
- Sinclair, S. J.** See Thorniley, M. S.
- Singer, A. U.** See Pascal, S. M.
- Sinha, B.** See Endres, S.
- Sinigaglia, F.**
—; Hammer, J.
Predicting major histocompatibility complex-binding sequences within protein antigens, 675
- Skamarauskas, J. T.** See Hunt, J. V.
- Skidmore, E.** See Davis C. L.; Ewan, S. G.
- Slaaby, R.**
—; Davey, J.
Isolation of the *plcI* gene from the fission yeast *Schizosaccharomyces pombe*, 566S
- Slade, E.** See Fricker, S. P.
- Smales, C.** See Staddon, J. M.
- Smart, D.**
—; Lambert, D. G.
 μ -opioid activation of phospholipase C in SH-SY5Y cells rapidly desensitizes: mechanistic studies, 419S
- Smith, A.** See White, C.
- Smith, A. G.** See Laver, A. J.
- Smith, A. T.** See Loew, G. H.
- Smith, B. L.** See Mochly-Rosen, D.
- Smith, C. A.** See Salim, K. A.; Turner, J. B.
- Smith, C. L.**
—; Conneely, O. M.; O'Malley, B. W.
Oestrogen receptor activation in the absence of ligand, 935
- Smith, D. M.**
—; Bloom, S. R.
Paracrine/autocrine control of the islet and the amylin family, 336
- Smith, F. K.**
—; Colyer, J.
Expression and purification of cardiac phospholamban in *Escherichia coli*, 22S
- Smith, F. S.** See Titheradge, M. A.
- Smith, G.** See Sikand, K. S.
- Smith, G. C. M.** See Modi, S.
- Smith, G. D.** See Seabright, P. J.
—; Tikerpää, J.; Hammond, B. J.
Compartmental modelling of insulin-receptor interactions, 2S
- Smith, J. L.**
Structures of glutamine amidotransferases from the purine biosynthetic pathway, 894
- Smith, K. D.** See Elliott, H. G.
- Smith, S. A.** See Sidaway, J. E.
- Smith, S. J.** See Beesley, P. W.
- Smithers, N.** See Winder, A.
- Smulevich, G.**
The functional role of the key residues in the active site of peroxidases, 240
- Snell, K.** See Blann, L. S. R.; Chave, K. J.; Renwick, S. B.; Whitehouse, S. K.
—; Byrne, P. C.; Sanders, P. G.
Translational control of rabbit cytosolic serine hydroxymethyltransferase expression, 623S
- Snoep, J. L.** See Jensen, P. R.
- Soames, C. J.**
—; Sim, R. B.
An investigation of the interaction between human complement factor H and C3b, 53S
- Sofer, A.** See Futerman, A. H.
- Sohlenius, A.-K.** See DePierre, J. W.
- Soldini, L.** See McSheehy, P. M. J.
- Soneji, Y.** See Aitken, A.
- Soond, S. M.** See Schaffrath, R.
- Sooranna, S. R.** See Das, I.
—; Hirani, J.; Das, I.
Garlic can induce both GTP cyclohydrolase and nitric oxide synthase activity in choriocarcinoma cells, 543S
- Sorokine, O.** See Manenti, S.
- Spacey, G. D.** See Uings, I. J.
- Spedding, M.**
—; Lepagnol, J.
Pharmacology of sodium and calcium channel modulation in neurons: implications for neuroprotection, 633
- Spence, S.** See Houslay, M. D.
- Spengler, D.** See Journot, L.
- Spillantini, M. G.** See Goedert, M.
- Spiro, S.** See Hinsley, A. P.

- Spitzer, J. A.**
—; Zhang, P.
Hepatic cellular interactions in endotoxaemia and sepsis, 993
- Spitzer, J. J.**
Bacterial endotoxin effects on carbohydrate utilization and transport, 998
- Spoors, J. A.** See Self, C. H.; Thompson, S.
- Springer, C. J.** See Blakley, D. C.
- Srai, S. K. S.** See Abbott, G. W.; Mercer E. A. J.
- Sreenan, J.** See Seely, N. A.
- Sreenan, J. M.** See Grealy, M.
- Srivastava, E. D.** See Rankin, B. J.
- Staddon, J. M.**
—; Herrenknecht, K.; Schulze, C.; Smales, C.; Rubin, L. L.
Signal transduction at the blood-brain barrier, 475
- Stanley, M. S.** See Clement, D. J.
- Steel, G. J.**
—; Woodman, P. G.
Investigation of fusion complex assembly from placental clathrin-coated vesicle membranes, 555S
- Steening, R.** See Bhat, S.
- Steer, K.** See Bolton, C. H.
- Stein, J. M.**
—; Proudfoot, D.; Carpenter, K. L. H.; Bowyer, D. E.
A novel cell-growth inhibitor produced by macrophages, 591S
- Stephanopoulos, G.** See Simpson, T. W.
- Stephens, L.**
—; Molecules mediating signals, 207
- Stephens, R.** See Mahieu, I.
- Stern, M. E.** See Hicks, S. J.
- Stevens, D. A.** See Adcock, I. M.
- Stevens, L.** See McClelland, D. A.
- ; Avella, M.; Botham, K. M.
Neutral cholesteryl ester hydrolase activity in rat peritoneal macrophages: regulation by cyclic AMP, 576S
- Stevens, P.** See Pyne, N. J.
- Stevenson, C.**
—; Davies, R. J. H.
Potassium ferrate as a DNA chemical sequencing reagent and probe of secondary structure, 387S
- Stewart, G. S. A. B.** See Chan, P. F.
- Stewart, H. J.** See Riley, P. R.
- Stimson, W. H.** See Wannan, G. M.
- Stone, A. A.** See Fahey, M. S.
- Stone, M. A.**
—; Lenaghan, C.; Torr, N. C.; Torkington, T.; Wood, K. E.; Carey, F.
The use of spherical reconstituted high density lipoprotein for the measurement of cholesteryl ester transfer protein activity in human plasma, 491S
- Storm, J.** See Hilken, J.
- Strain, J. J.** See Freeburn, J. C.
- Strange, P.** See Coley, C.; Naylor, L.
- Strange, P. G.** See Gardner, B.; Hoare, S. R. J.; Sanderson, E. M.; Vile, J. M.; Woodcock, C.
- Streuli, C.** See Edwards, G.
- Strosberg, A. D.** See Marullo, S.
- Strotmann, H.** See Krenn, B.
- Struthers, L.**
—; Herbert, K. E.; Lunec, J.; Thomas, S. M.
Immunodetection of UV-induced DNA damage in a neuronal cell line, 474S
- Stuart, J. A.**
—; Hughes, P. J.; Kirk, C. J.; Davey, J.; Michell, R. H.
The involvement of inositol lipids and phosphates in signalling in the fission yeast *Schizosaccharomyces pombe*, 223S
- Sturt, N. J. H.** See Patel, D. R.
- Suen, C. K. M.** See Fu, L.
- Sugden, M. C.**
—; Holness, M. J.
Mechanisms underlying suppression of glucose oxidation in insulin-resistant states, 314
- Sugden, P. H.** See Gillespie-Brown, J.
- Sugiyama, E.** See Robinson, D. R.
- Suilleabhain, C. B. O.** See O'Sullivan, M. J.
- Sundaramoorthy, M.** See Poulos, T. L.
- Sundberg, C.** See DePierre, J. W.
- Surridge, C. D.** See Burns, R. G.
- Svoboda, P.** See Milligan, G.
- Swoboda, B. E. P.** See Egawhary, D. N.; Eghawhary, E. N.
—; Chen, J.; Egawhary, D. N.; Vince, F. P.
Hyperglycaemia, reperfusion injury and menadione cause identical damage to the mitochondrial DNA of cultured vascular endothelial cells, 396S
—; Eghawhary, D. N.; Chen, J.; Vince, F. P.
Diabetic complications and the mechanism of the hyperglycaemia-induced damage to the mt DNA of cultured vascular endothelial cells: (II) the involvement of protein kinase C, 519S
- Symons, A.** See Winder, A.
- Szabados, E.** See Christopherson, R. I.
- Tabar, M. B.**
—; Burdett, K.
CCK-8 sulphate inhibits intestinal glucose transport, 592S
- Tailor, V.** See Sadler, I. I. J.
- Tailor, V. J.** See Hawtin, S. R.
- Takahashi, N.** See Lund, J.
- Takei, J.** See Williams, P. B.
- Taki, H.** See Robinson, D. R.
- Tan, P.** See Ross-Smith, N.
- Taniguchi, H.** See Manenti, S.
- Tappia, P. S.** See Grimble, R. F.
- Tarba, C.** See Nicholls, P.
- Tarrant, H. M.**
—; Williams, D. C.
Dithiothreitol promotes a higher affinity state of the serotonin transporter for the tricyclic antidepressant, imipramine, 41S
- Tarrat, H. M.**
—; Williams, D. C.
Reconstitution of the rat brain serotonin transporter, 40S
- Tavare, J. M.** See Guiton, M.
- Taylor, C. W.**
—; Why do hormones stimulate Ca²⁺ mobilization?, 637
- Taylor, G.**
—; Porter, T.; Dillon, S.; Trill, J.; Ganguly, S.; Hart, T.; Davis, C.; Wyde, P.; Tempest, P.; Harris, W.
Anti-respiratory syncytial virus monoclonal antibodies show promise in the treatment and prophylaxis of viral disease, 1063
- Taylor, M. A.** See Kaszuba, M.
- Taylor, M. A. J.**
—; Briggs, G. S.; Baker, K. C.; Cummings, N. J.; Pratt, K. A.; Freedman, R. B.; Goodenough, P. W.
Expression of the pro-regions of papain and papaya proteinase IV in *Escherichia coli* and their inhibition of mature cysteine proteinases, 80S
- Teare, J.** See Marway, J. S.
- Tempest, P.** See Taylor, G.
- Teruel, T.** See Lorenzo, M.
- Tetlow, I. J.**
—; Bowsher, C. G.; Emes, M. J.
Reconstitution of hexose phosphate transport in membranes isolated from developing wheat endosperm amyloplasts, 570S
- Tey, K. K.** See Hemingway, C. J.
- Thelander, L.** See Filatov, D.
- Thomas, A. P.**
—; Robb-Gaspers, L. D.; Rooney, T. A.; Hajnóczky, G.; Renard-Rooney, D. C.; Lin, C.
Spatial organization of oscillating calcium signals in liver, 642
- Thomas, C. D.**
—; Jennings, L. J.
RepD/D*: a protein-DNA adduct arising during plasmid replication, 442S
- Thomas, M. E. A.** See Trayhurn, P.
- Thomas, P.** See Wood, J.
- Thomas, P. H.** See Adie, E. J.
- ; Adie, E. J.; Clegg, R. A.; Munday, M. R.
Autophosphorylation of cAMP-dependent protein kinase catalytic subunit, 500S
- Thomas, S.**
—; Fell, D. A.
Error and bias in control coefficients calculated from elasticities, 294S
- Thomas, S. M.** See Patel, R.; Struthers, L.
- Thompson, C. H.** See Sanderson, A. L.
- Thompson, G. E.** See Doris, R.
- Thompson, N. T.**
—; Randall, R. W.; Garland, L. G.
Role of c-lyn in the functional effects of GM-CSF on human neutrophils, 196S
- Thompson, S.** See Self, C. H.
- ; Fawcett, M.-C.; Spoors, J. A.; Self, C. H.
The modulation of protein A-IgG(Fc) binding by the reversible addition of 2-nitrobenzyl groups, 155S
- Thorniley, M. S.** See Lane, N. J.; Sammut, I. A.
- ; Sammut, I. A.; Simpkin, S.; Green, C. J.
An investigation into the effect of the hepatic transplantation on cerebral oxygenation and haemodynamics, 525S
- ; Sinclair, S. J.; Green, C. J.
The use of a Critikin cerebral redox research monitor model 2001 for assessing tissue viability during reconstructive surgery, 526S
- Thornton, D. J.** See Sheehan, J. K.
- Thumelin, S.** See Prip-Buus, C.
- Thurston, D. E.** See Hafiz, F.
- Tibaldi, J.** See Beesley, P. W.
- Tikerpää, J.** See Smith, G. D.
- Timmins, G. S.** See Silvester, J. A.
—; Davies, M. J.; Muller-Eberhard, U.
A study of the effects of complexation of heme by hemopexin upon its reactions with organic peroxides, 244S
- Tinkler, J.** See Truscott, T. G.
- Tinsley, J. M.** See Winder, S. J.
- Tipton, K. F.** See Byrne, J. M.; Irwin, J. A.
—; Might environmental factors contribute to neurodegenerative diseases?, 429
- Titheradge, M. A.** See Horton, R. A.
—; Knowles, R. G.; Smith, F. S.; Horton, R. A.; Ceppi, E. D.
Mechanism of inhibition of hepatic gluconeogenesis by bacterial endotoxin: a role for nitric oxide, 1002
- Tobias, E. S.** See Houslay, M. D.
- Toes, R. E. M.**

- ; Feltkamp, M. C. W.; Rensing, M. E.; Vierboom, M. P. M.; Blom, R. J. J.; Brandt, R. M. P.; Hartman, M.; Offringa, R.; Melief, C. J. M.; Kast, W. M.
Cellular immunity against DNA tumour viruses: possibilities for peptide-based vaccines and immune escape, 692
- Tolan, D. G.**
—; Pyne, N. J.; Pyne, S.
Phosphatidic acid phosphohydrolase in guinea-pig airway smooth muscle, 198S
- Tombs, M. P.** See Clewlow, A. C.
- Toomey, C. M.**
—; Flinn, N.; van der Walle, C.; Toth, I.; Munday, M. R.
Peptide substrates for AMP-activated protein kinase, 141S
—; Welham, K. J.; Munday, M. R.
Identification of an endogenous inhibitor of AMP-activated protein kinase, 142S
- Torkington, T.** See Stone, M. A.
- Török, Z.** See Leenhouts, J. M.
- Torr, N. C.** See Stone, M. A.
- Tosh, D.** See Lyall, H.
- Toth, I.** See Toomey, C. M.
- Touabti, A.** See Arrar, L.
- Tovey, S.**
—; Mezna, M.; Michelangeli, F.
The effects of cholesterol hemisuccinate and other membrane fluidity perturbing agents on inositol 1,4,5-triphosphate-induced calcium release from cerebellar microsomes, 429S
- Travers, M. T.** See Gardner, R. A.
- Trayhurn, P.**
—; Thomas, M. E. A.; Duncan, J. S.; Black, D.; Beattie, J. H.; Rayner, D. V.
Ultra-rapid detection of mRNAs on Northern blots with digoxigenin-labelled oligonucleotides and 'CDP-Star,' a new chemiluminescence substrate, 494S
- Trevan, M.** See Ahmed, N.
- Trigo, C.** See Ball, A. S.
- Trill, J.** See Taylor, G.
- Trones, G.-E.** See Rye, P. D.
- Trotter, P. J.**
—; Orchard, M. A.; Walker, J. H.
EGTA-resistant binding of annexin V to platelet membranes can be induced by physiological calcium concentrations, 37S
- Truscott, T. G.**
—; McGarvey, D.; Lambert, C.; Hill, T.; Tinkler, J.; Conn, P.; Böhm, F.; Land, E. J.; Schalch, W.
The interaction of carotenoids with reactive oxy-species, 252S
- Tsang-tan, L. L.** See Hickey, M. J.
- Tuckwell, D. S.** See Calderwood, D. A.; Davies, D.
- Tuite, M. F.** See Dunn, A.; Parry, J. W. L.; Rahman, D. R. J.; Ross-Smith, N.; Webster, P. A.
- Tuncer, M.** See Rob, A.
- Turnbull-Ross, A.** See Leader, D. J.
- Turner, A. J.** See Connolly, C.; Hooper, N. M.; Lim, J.; Lloyd, G. S.; Zuzel, K. A.
- Turner, G.** See Goodarzi, M. T.
- Turner, J. B.**
—; Garner, G. V.; Gordon, D. B.; Smith, C. A.
Purification and partial sequence of an α_3 -gliadin, 632S
- Turner, L.**
—; Ward, S. G.; Westwick, J.
A role for phosphoinositide 3-kinase in RANTES induced chemotaxis of T lymphocytes, 283S
- Turner, P. C.** See Yates, P. R.
- Turner, R. A.** See Moreton, K.
- Turton, J. S.** See Mills, J. D.
- Tuschiya, N.** See Keon, C. A.
- Twomey, C.**
—; Doonan, S.; Giartosio, A.
Thermal denaturation as a predictor of stability on long-term storage of a protein, 369S
- Tygart, K. M. A.** See Van Klinken, B. J.-W.
- Tygart, K. M.**
—; van der Wal, J.-W. G.; Einerhand, A. W. C.; Büller, H. A.; Dekker, J.
Muc2 in ulcerative colitis: a quantitative study, 531S
- Uff, C. R.** See Sheikh, H.
- Uings, I. J.**
—; Spacey, G. D.; Bonser, R. W.
Construction and expression of a functional chimeric receptor from PDGFR- β and c-erbB-2, 186S
- Umbach, A. L.** See Moore, A. L.
- Underwood, B.** See Winkler, M.
- Urakaze, M.** See Robinson, D. R.
- Vallee, R. B.** See Vaughan, K. T.
- Vallette, G.** See Laboisse, C.
- Valverde, A. M.** See Lorenzo, M.
- Vance, J.** See Acharya, U.
- van den Berg, C. W.**
—; Cinek, T.; Hallett, M. B.; Horejsi, V.; Morgan, B. P.
Exogenous CD59 incorporated into U937 cells through its glycosyl phosphatidylinositol anchor becomes associated with signalling molecules in a time dependent manner, 269S
- van den Bergen, C. W. M.** See Krab, K.
- van den Berghe, N.** See Barros, L. F.
- Van den Eijnden, D. H.**
—; Neeleman, A. P.; Van der Knapp, W. P. W.; Bakker, H.; Agterberg, M.; Van Die, I.
Novel glycosylation routes for glycoproteins: the lacdINAc pathway, 175
- Van den Eynde, B.**
—; Gaugler, B.; van der Bruggen, P.; Coulic, P.; Brichard, V.; Boon, T.
Human tumour antigens recognized by T-cells: perspectives for new cancer vaccines, 681
- van der Bruggen, P.** See Van den Eynde, B.
- van der Does, C.** See Driessen, A. J. M.
- van der Gugten, A. A.** See Jensen, P. R.
- Vanderhoek, J. Y.** See Bailey, J. M.
- Van der Knapp, W. P. W.** See Van den Eijnden, D. H.
- van der Linden, C.** See Vollenbroek, E. G. M.
- van der Logt, C. P. E.** See Verhoeven, M. E.
- van der Merwe, P. A.** See Davis, S. J.
- van der Valk, S. W.** See Hilkens, J.
- van der Vliet, A.** See Eiserich, J. P.
—; Eiserich, J. P.; Halliwell, B.; Cross, C. E.
Modification of aromatic amino acids by reactive nitrogen species, 237S
- van der Wal, J.-W. G.** See Tygart, K. M.
- van der Walle, C.** See Toomey, C. M.
- van der Wilt, C. L.** See Peters, G. J.
- van der Wolk, J. P. W.** See Driessen, A. J. M.
- Van Die, I.** See Van den Eijnden, D. H.
- Van Dorselaer, Al.** See Manenti, S.
- van Genderen, I. L.**
—; Godeke, G.-J.; Rottier, P. J. M.; van Meer, G.
The phospholipid composition of enveloped viruses depends on the intracellular membrane through which they bud, 523
- van Heeswijk, W. C.** See Jensen, P. R.
- Van Itallie, C. M.** See Anderson, J. M.
- Van Klinken, B. J.-W.**
—; Tygart, K. M. A. J.; Büller, H. A.; Einerhand, A. W. C.; Dekker, J.
Biosynthesis of intestinal mucins: MUC1, MUC2, MUC3 and more, 814
- van Klinken, B. J.-W.**
—; Oussoren, E.; Weenink, J.-J.; Büller, H. A.; Dekker, J.; Einerhand, A. W. C.
Mucin expression in colon adenocarcinoma cell lines, 529S
- van Mackelenbergh, M.** See Barros, L. F.
- Vanmechelen, E.** See Goedert, M.
- van Meer, G.** See van Genderen, I. L.
- Van Muijen, G. N. P.** See Danen, E. H. J.
- van Schijndel, J. W. P. M.** See Vollenbroek, E. G. M.
- van Veen, M.**
—; O'Shea, P.
The interaction of the neurodegenerative fragment of the β -amyloid peptide with phospholipid membranes, 547S
- van Venrooij, W. J.** See James, M. C.
- Van Walraven, H. S.** See Krenn, B.
- van Wely, K.** See Driessen, A. J. M.
- Varela-Nieto, I.** See Jones, D. R.; Leon, Y.
- Vaughan, K. T.**
—; Holzbaur, E. L. F.; Vallee, R. B.
Subcellular targeting of the retrograde motor cytoplasmic dynein, 50
- Vaughan, P. F. T.** See Goodall, A. R.
- Veal, E. A.**
—; Jackson, M. J.
Expression of *c-fos* and *c-myc* in satellite cell cultures from dystrophic *mdx* and control mouse muscle, 456S
Expression of the proto-oncogenes *c-fos* and *c-myc* in *mdx* dystrophic mouse muscle, 131S
- Veech, R. L.** See Keon, C. A.
- Veitch, K.** See Hue, L.
- Veitch, N. C.**
Aromatic donor molecule binding sites of heam peroxidases, 232
- Venkatesan, S.**
—; Imrie, H.; Read, S.; Halliday, D.
Apo C subclasses from non-insulin-dependent diabetic patients—a quantitative comparison with control subjects, 278S
- Verhoeven, M. E.**
—; van der Logt, C. P. E.; Beggs, T. S.; Davis, P. J.
Antibody fragments for controlled delivery of therapeutic agents, 1067
- Vernon, R. G.** See Doris, R.
—; Lindsay-Watt, S.
Possible role for PI3 kinase but not p70^{src} in regulation of lipogenesis by insulin and growth hormone in sheep adipose tissue, 190S
- Vierboom, M. P. M.** See Toes, R. E. M.
- Vignes, M.** See Potier, B.
- Vile, J. M.**
—; Strange, P. G.
Comparison of [³H]nemonapride and [³H]spiperone binding to D₂(long) dopamine receptors, 90S
- Vince, F. P.** See Egawhary, D. N.; Eghawhary, E. N.; Swoboda, B. E. P.
- Vine, W.** See Young, A.
- Vlasova, E.** See Rye, P. D.
- Vollenbroek, E. G. M.**

- ; Simons, L. H.; van Schijndel, J. W. P. M.; Barnett, P.; Balzar, M.; Dekker, H.; van der Linden, C.; Wever, R.
Vanadium chloroperoxidases occur widely in nature, 267
- von Germar, F. See Moody, A. J.
von Heijne, G. See Whitley, P.
Voordouw, G. See O'Connell, D. P.
Vos, H. L. See Hilkens, J.
- Wade, E. J.
—; Heck, S.; Cato, A. C. B.
Glucocorticoid receptor-activator protein-I interaction in drug design, 946
- Waeber, C. See Journot, L.
Wahle, K. W. J.
—; Chairman's introductory remarks, 277
- Wainwright, M. See Burrow, S. M.
Wajner, M. See Dutra-Filho, C. S.
Wajner, M. See Dutra-Filho, C. S.; Wyse, A. T. S.
Waks, T. See Gross, G.
Walden, P.
—; Wiesmüller, K.-H.; Jung, G.
Elucidation of T-cell epitopes: a synthetic approach with random peptide libraries, 678
- Walker, J. H. See Barwise, J. L.; Goodall, A. R.; Luckcuck, T.; Mohiti, J.; Trotter, P. J.
Wallin, E. See Whitley, P.
Wallis, M. See Giles, R. E.; Lioupis, A.
Wallis, O. C. See Giles, R. E.; Lioupis, A.
Walls, D. See Moore, S.
Walls, J. See Bevington, A.
Walsh, F. W. See Saffell, J. L.
Walsh, S. B.
—; Mantle, T. J.
Modification of mouse liver glutathione S-transferase Pi by iodoacetic acid, 485S
- Walters, B. See Brosnan, M. E.
Walters, D. See Mahieu, I.
Walton, T. J.
Inositol lipid signal transduction in phytoalexin elicitation, 862
- Wanigatunga, S. See Plumb, G. W.
Wannan, G. M.
—; Stimson, W. H.; Alexander, J.
Exercise induced modulation of immune parameters, 124S
- Wannmacher, C. M. D. See Dutra-Filho, C. S.; Wyse, A. T. S.
Waqar, M. A. See Javed, M. H.
Ward, S. See Turner, L.; Wilson, A.
Wardman, P. See Candeias, L. P.
Warhurst, G. See Lomax, R. B.
—; Higgs, N. B.; Grigor, M. R.; Ross, I.; Barbezat, G. O.
Expression of multiple somatostatin receptor genes in human colonic epithelial cells, 18S
- Waring, J. J. See Burrow, S. M.
Warr, J. R. See Drew, L.; Fenton, J. A. L.
Warren, B. See Myerscough, N.
Warren, L. C.
—; Wheeler, K. P.
Effects of ion concentration gradients on glycine transport and accumulation, 222S
- Washburn, T. F. See Couse, J. F.
Wassif, W. S. See Why, H. J. F.
Waters, C. M. See Clapp, K. L.
Waters, P. See Barry, T. R.
Waterworth, W. M.
—; West, C. E.; Hardy, D. J.; Bray, C. M.
A characterization of the peptide transport system in barley seeds, 558S
- Watkins, S. L.
—; Scott, H. M.; Burchell, A.
Glucose-6-phosphatase expression during rat development, 436S
- Watson, C. J.
—; Jarvis, S. M.
Adenosine transport in *Crithidia fasciculata*, 30S
- Watson, J. See Elliott, H. G.
Watson, J. M. See Mondal, K.
Watson, R. B. See Davies, D.
Watson, S. P. See Phaneuf, S.
Watson, S. R. See Whyte, A.
Watts, A.
Biophysics of the membrane interface, 959
- Wauth, R. See Leader, D. J.
Webb, H. See Ruston, S.
Webb, M. See Davis C. L.
Webb, T.
—; Jackson, P. J.; Morris, G. E.
Probing protein structure with proteases: studies of an equilibrium intermediate in protein unfolding, 477S
- Weber, J. See Senior, A. E.
Webster, P. A.
—; Pioli, D.; Tuite, M. F.; Freedman, R. B.
Properties and cellular functions of related yeast ER proteins protein disulphide-isomerase and Eug1p, 66S
- Weenink, J.-J. See van Klinken, B. J.-W.
Wei, L. See Keane, N. E.
Weisman, H. F.
—; Schaible, T. F.; Cabot, C. F.; Anderson, H.; Jordan, R. E.
Anti-platelet monoclonal antibodies for the prevention of arterial thrombosis: experience with ReoPro, a monoclonal antibody directed against the platelet GPIIb/IIIa receptor, 1051
- Welham, K. J. See Toomey, C. M.
Welinder, K. G.
—; Björnholm, B.; Dunford, H. B.
Functions of electrostatic potentials and conserved distal and proximal His-Asp H-bonding networks in haem peroxidases, 257
- Welsh, G. I. See Moule, S. K.
Werner-Grünet, H. S. See Krenn, B.
Wesseling, J. See Hilkens, J.
West, C. E. See Woodman, P. G.
West, D. W. See Shand, J. H.
West, K. See Lutz, E. M.
Westerhoff, H. V. See Jensen, P. R.; Mendes, P.
Weston, S. A. See Davies, D.
Westwick, J. See Murphy, C. T.; Turner, L.; Wilson, A.
Wever, R. See Harvey, P. J.; Vollenbroek, E. G. M.
Wheatley, M. See Davies, A. R. L.; Howl, J.
Wheeler, K. P. See Warren, L. C.
Wheeler-Jones, C. P. D. See May, M. J.; Persaud, S. J.
—; Houlston, R. A.; Morgan, A. J.; Pearson, J. D.
Phosphatase inhibitors potentiate the release of vasoactive mediators from human endothelium, 204S
—; Pearson, J. D.
Thrombin and histamine phosphorylate the 42 kDa mitogen-activated protein kinase in HUVEC, 203S
- Wheeler-Jones, C. P. D.
—; Sayed, S.; Persaud, S. J.
Effects of a myristoylated pseudosubstrate inhibitor of PKC in intact human platelets, 205S
- Whelan, M. A. See Archer, J. R.
- Whelan, R. See Kiley, S. C.
Whish, W. J. D. See Hipkiss, J. B.
White, C.
—; Sampson, C.; Burke, J.; Smith, A.
Investigation of the redox state of recombinant horseradish peroxidase produced in inclusion bodies and factors affecting the efficiency of refolding, 138S
- White, C. J. B. See Hipkiss, J. B.
White, I. N. H. See Davies, A. M.
White, K. N. See Fu, L.
Whitehouse, S. K.
—; Sanders, P. G.; Snell, K.
Molecular studies of the mitochondrial isoform of serine hydroxymethyltransferase, 625S
- Whiting, K. P.
—; Brain, P. F.; Restall, C. J.
Steroid hormone induced effects on membrane fluidity, 438S
- Whitley, P.
—; Sääf, A.; Gafvelin, G.; Johansson, M.; Wallin, E.; von Heijne, G.
Membrane protein anchors and polytopic determinants, 965
- Why, H. J. F.
—; Ansell, H.; Patel, V. B.; Wassif, W. S.; Reeves, J.; Siddiq, T.; Richardson, P. J.; Preedy, V. R.
Antioxidant status in hypertension and effects of angiotension converting enzyme inhibition, 224S
- Whyte, A. See Harrison, A. A.; Woolley, S. T.
—; Licence, S. T.; Woolley, S. T.; Harrison, A. A.; Haskard, D. O.; Binns, R. M.
Endothelial selectin expression and leukocyte trafficking in cutaneous DNFB-induced delayed hypersensitivity, 160S
—; Wooding, P.; Nayeem, N.; Watson, S. R.; Rosen, S. D.; Binns, R. M.
The L-selectin counter-receptor in porcine lymph nodes, 159S
- Wickström, C. See Carlstedt, I.
Wiens, B. L. See Neve, K. A.
Wiesmüller, K.-H. See Walden, P.
Wiggins, D. See Gibbons, G. F.
Wilcock, G. J. See Lin, W.-R.
Wilcox, R. A.
—; Erneux, C.; Primrose, W. U.; Gigg, R.; Nahorski, S. R.
2-Hydroxyethyl α -D-glucopyranoside 2,3,4'-triphosphate: a novel metabolically resistant adenosine A and myo-inositol 1,4,5-triphosphate analogue potentially interacts with the myo-inositol 1,4,5-triphosphate receptor, 420S
- Wild, D. G. See Maguire B. A.
Wilhelms, A. M. See Dutra-Filho, C. S.
Wilkins, S. See Capaldi, R. A.
Wilkie, N. See Morton, C.
Wilkinson, G. F. See Brown, C. A.
—; Feniuk, W.; Sellers, L. A.; Humphrey, P. P. A.
Calcium signalling in human colonic epithelial cells via tyrosine kinase and G-protein linked receptors, 459S
- Wilkinson, I. See Houslay, M. D.
Williams, C. H. See Roberts, M.
Williams, D. C. See Dunican, D. J.; Tarrant, H. M.; Zisterer, D. M.
Williams, E. J. See Saffell, J. L.
Williams, J. M.
—; Price, K. J.; Hanson, P. J.
Investigation of the Ca²⁺-dependency of nitric oxide synthase induced in rat colonic mucosa by intravenous lipopolysaccharide, 455S
- Williams, J. R. See Leaver, H. A.
Williams, M. See Knaggs, M.

- Williams, N. K.** See Christopherson, R. I.
- Williams, P. E.** See Chan, P. F.
- Williams, P. B.**
—; Takei, J.; Sessions R. B.; Dempsey, C. E.
Structure and dynamics of ion channel polypeptides from amide exchange analysis and dynamics simulations, 501S
- Williams, S.** See Brindle, K.; Pockley, A. G.
- Williams, S. C. R.** See Changani, K. K.
- Williams, W. P.** See Yu, Z.-W.
- Williamson, G.** See Faulds, C. B.; McLauchlan, W. R.; Plumb, G. W.
- Willmott, N.** See Alaluf, S.
- Willson, R. L.** See Everett, S. A.
- Wilmont, C. M.** See Reynolds, M. P.
- Wilson, A.**
—; Sansom, D.; Parry, R.; Westwick, J.; Ward, S.
The phosphoinositide 3-kinase inhibitor wortmannin inhibits CD28-mediated T cell co-stimulation, 282S
- Wilson, K.** See Fowler, A. M.
- Wilson, M. T.** See Rob, A.
- Wilton, D. C.** See Creaney, A.; Kinkaid, A. R.
- Winchester, B.**
—; Clayton, P.; Mian, N.; di-Tomaso, E.; Dell, A.; Reason, A.; Keir, G.
The carbohydrate-deficient glycoprotein syndrome: an experiment of nature in glycosylation, 185
- Winder, A.**
—; Smithers, N.; Witham, S.; Symons, A.; Edbrooke, M.
Tissue specific expression of the human $\alpha(1-3)$ fucosyltransferase gene family, 165S
- Winder, S. J.**
—; Hemmings, L.; Bolton, S. J.; Maciver, S. K.; Tinsley, J. M.; Davies, K. E.; Critchley, D. R.; Kendrick-Jones, J.
Calmodulin regulation of utrophin actin binding, 397S
- Winkler, M.**
—; Underwood, B.; Wiseman, A.
Notable increase in content of cytochrome P-450 enzymes in *Saccharomyces cerevisiae* in repetitive alternating culturing, 499S
- Winson, M. K.** See Chan, P. F.
- Wise, A.** See McCallum, J. F.; Milligan, G.
—; Milligan, G.
High level expression of mammalian G protein α subunit $G_{\alpha 1}$ subtypes in *Escherichia coli*, 12S
- Wise, C. J.** See James, M.
- Wiseman, A.** See Riedl, A.; Winkler, M.
- Wissing, J. B.**
—; Riedel, B.; Behrbohm, H.
Diacylglycerol- and phosphatidic acid-kinase studies in plant cell suspension cultures, 867
- Witham, S.** See Winder, A.
- Wolbers, B.**
—; Simpson, J.; Mitchell, R.
LHRH-induced tyrosine phosphorylation and MAP kinase activation in $\alpha T3-1$ cells, 145S
- Wolbers, W. B.** See Johnson, M. S.; Mitchell, R.
- Wolf, C. R.** See Modi, S.
- Wolfe, J. H. N.** See Refson, J. S.
- Wolters, M.** See Abbott, G. W.
- Wonnacott, S.** See Rogers, A. T.
- Wood, A. M.**
—; Bristow, D. R.
Media composition modulates glutamate-induced cell death in rat cerebellar granule cells, 596S
- Wood, C. A.** See Anderson, Y. S.
- Wood, C. K.** See Pratt, J. R.
—; Pratt, J. R.; Moore, A. L.
Developmental protein expression in thermally stressed *Pisum sativum* plants, 177S
- Wood, J.**
—; MacMillan, J. C.; Thomas, P.; Lowenstein, P. R.; Harper, P. S.; Jones, A. L.
Characterizing the Huntington's disease gene product, 595S
- Wood, J. L.**
—; Graham, A.
The role of thiols in oxidation of low-density lipoprotein by macrophages, 242S
- Wood, K. E.** See Stone, M. A.
- Woodall, A. A.**
—; Britton, G.; Jackson, M. J.
Antioxidant activity of carotenoids in phosphatidylcholine vesicles: chemical and structural considerations, 133S
- Woodcock, C.**
—; Graber, S. G.; Rooney, B. C.; Strange, P. G.
Expression of the rat D_2 and D_3 dopamine receptors in insect cells using the baculovirus system, 93S
- Woodgett, J. R.** See Mulot, S. F. C.
- Wooding, P.** See Whyte, A.
- Woodman, P. G.** See Buxbaum, E.; Steel, G. J.
- Woods, J. H.**
Object-oriented metabolic programming, 296S
- Woodward, R.** See Coley, C.; Naylor, L.
- Woolley, S. T.** See Harrison, A. A.; Whyte, A.
—; Whyte, A.; Licence, S. T.; Robinson, M. K.; Haskard, D. O.; Binns, R. M.
Appearance of lymphocytes positive for E-selectin ligands during inflammatory reactions *in vivo*, 158S
- Woscholski, R.** See Kodaki, T.
—; Kodaki, T.; Parker, P. J.
The lipid kinase activity of the phosphatidylinositol 3-kinase is affected by its intrinsic protein kinase activity., 14S
- Wraith, D. C.** See Fairchild, P. J.
- Wrigglesworth, J. M.** See Jünemann, S.; Pountney, D. J.
- Wright, A. F.** See Blakley, D. C.
- Wright, J.** See Barker, C. J.
- Wyde, P.** See Taylor, G.
- Wyse, A. T. S.**
—; Wajner, M.; Brusque, A.; Wannmacher, C. M. D.
Alanine reverses the inhibitory effect of phenylalanine and its metabolites on Na^+K^+ -ATPase in synaptic plasma membranes from cerebral cortex of rats, 227S
- Xu, L.-L.** See Robinson, D. R.
- Yamazaki, T.** See Pascal, S. M.
- Yang, S.-H.**
—; Dickson, A. J.
Wortmannin influences insulin regulation of gene 33 expression in rat hepatoma cells, 545S
- Yap, P.-L.** See Leaver, H. A.
- Yaqoob, P.** See Sanderson, P.
—; Calder, P. C.
The effect of dietary lipid manipulation on the production of murine T-cell derived cytokines, 279S
- Yarwood, S. J.**
—; Anderson, N. G.; Kilgour, E.
Cyclic AMP modulates adipogenesis in 3T3-F442A cells, 175S
- Yates, P. R.**
—; Dixon, L. K.; Turner, P. C.
Promoter analysis of an African Swine Fever Virus gene encoding a putative elongation factor, 139S
- Yeh, E. T. H.** See Robinson, D. R.
- Yenice, S.** See Yenisey, Ç.
- Yenisey, Ç.**
—; Fadiloglu, M.; Önvural, B.; Erer, F. O.
Clinical evaluation of copper and ceruloplasmin levels in effusions of malignant and benign origin, 606S
- ; Yenice, S.; Güner, G.; Güner, S.
Quantitation of MCA, CA 19.9, CA 125 and TSA levels in lung cancer, 530S
- Yin, H.** See Chan, C.
- York, J.** See Nicolaou, A.
- Young, A.**
—; Pittner, R.; Gedulin, B.; Vine, W.; Rink, T.
Amylin regulation of carbohydrate metabolism, 325
- Young, R. D.** See Lawrence P. A.
- Young, S. P.** See Latunde-Dada, G. O.
- Yu, J.** See Hirst, T. R.
—; Hirst, T. R.
A pleiotropic secretion mutant of *Aeromonas hydrophila* is unable to secrete heterologously expressed *E. coli* enterotoxin: implication for common mechanisms of protein secretion, 34S
- Yu, Z.-W.**
—; Quinn, P. J.
Dimethylsulphoxide stabilizes gel phases of phosphatidylcholines, 411S
- ; Williams, W. P.; Quinn, P. J.
Stabilization of the non-lamellar phase of dioleoylphosphatidylethanolamine by dimethylsulphoxide, 412S
- Yueh, Y. G.** See Crain, R. C.
- Zammit, V. A.** See Makins, R. A.
Insulin and the partitioning of hepatic fatty acid metabolism, 506
- Zema, S.** See Qume, M.
- Zeman, S.** See Qume, M.
- Zeng, L.** See Houslay, M. D.
- Zhang, D.-H.** See Ray, A.
- Zhang, P.** See Spitzer, J. A.
- Zhang, X. S.** See Carpenter, G. H.
- Zhang, Y.** See Fillingame, R. H.
- Zhou, Y.** See Duncan, T. M.
- Zhu, L.-M.**
—; Carrey, E. A.
Identification of the binding site for the allosteric inactivator UTP in mammalian CPS II, 620S
- Zisling, R.** See Futerman, A. H.
- Zisterer, D. M.**
—; Williams, D. C.
Identification of novel ligands for the peripheral-type benzodiazepine receptor, 371S
- Zlatkine, P.** See Jackson, C. S.
- Zloh, M.** See Bonzom, P.
- Zocchetti, A.** See McSheehy, P. M. J.
- Zuzel, K. A.**
—; Graham, J. G.; Hryszko, J.; Billington, D.; Turner, A. J.
Peptidase content of the bile canalicular membrane, 306S

- Ganguly, S. 1063
 Garforth, J. 511S
 Garner, G. V. 632S, 633S
 Gaskell, S. J. 907
 Geller, D. A. 1008
 George, A. J. T. 1044
 Gibbons, W. A. 613S, 614S
 Girvin, M. E. 760
 Golding, C. 554S, 971
 Goodenough, P. W. 587S
 Goodfellow, J. M. 711
 Gordon, D. B. 632S, 633S
 Gough, M. 536S, 840
 Graham, J. 598S
 Green, C. D. 589S
 Green, C. J. 524S–527S
 Green, L. J. 505S
 Grodsky, N. B. 752
 Gross, G. 1079
 Grunfeld, C. 1013
 Gräber, P. 780
 Gull, K. 585S
 Gum, J. R., Jr. 795
 Güner, G. 530S
 Güner, S. 530S
 Gwozdziński, K. 635S
- Hale, G. 1057
 Hallinan, T. 541S
 Halsall, A. A. 520S
 Hambley, T. W. 888
 Hanski, C. 819
 Hardardóttir, I. 1013
 Harding, J. J. 610S
 Hardy, D. J. 558S
 Haris, P. I. 502S
 Harris, W. J. 1035
 Harper, P. S. 595S
 Harris, D. 528S
 Harris, D. A. 790
 Harris, F. 562S, 563S, 976
 Harris, W. 1063
 Harrison, K. L. 603S
 Harrison, R. 616S
 Hart, T. 1063
 Hartog, A. F. 741
 Harutunian, D. L. 628S
 Hasselgren, P.-O. 1019
 Hawcroft, G. 631S
 Heaton, R. J. 502S
 Heck, S. 946
- Hernandez, L. E. 582S
 Hernández, M. L. 580S
 Herrmann, A. 535S, 845
 Hesp, J. R. 550S
 Hey, N. A. 826
 Hickey, M. J. 607S
 Hicks, S. J. 537S
 Hilkens, J. 822
 Hillary, J. B. 985
 Hipkiss, J. B. 572S
 Hirani, J. 543S
 Hirst, T. R. 985
 Hoffmann, W. 805
 Høifødt, H.-K. 584S
 Holmes, D. F. 720
 Holt, C. 612S
 Hong, H. 542S
 Hooper, N. M. 550S–552S
 Horton, R. A. 1002
 Hove-Jensen, B. 621S
 Hovenberg, H. W. 534S, 845
 Hughes, A. D. 608S
 Humphries, M. J. 504S, 505S, 512S, 516S
 Hutcheon, M. L. 736
 Hutton, T. 924
- Ingemarson, R. 903
 Isacke, C. M. 831
 Itzhaki, R. F. 594S, 598S
- Jain, R. 618S
 Janicka, M. 635S
 Jaouhari, R. A. 511S
 Jarry, A. 810
 Jault, J.-M. 752
 Javed, M. H. 626S
 Joba, W. 805
 Johansson, E. 903
 Johansson, M. 965
 Johnson, P. 542S, 577S, 611S
 Jones, A. L. 595S
 Jones, G. 612S
 Jones, M. G. 634S
 Jones, M. N. 561S, 568S, 583S
 Jones, P. M. 593S
 Jordan, R. E. 1051
- Karabashian, L. V. 628S
 Kaswan, R. L. 537S
- Kaszuba, M. 568S
 Kates, M. 697
 Kay, I. 911
 Kay, L. E. 729
 Kekos, D. 586S
 Kelly, V. P. 597S
 Khenchouche, A. 609S
 Kielty, C. M. 506S, 513S, 514S
 Kierulf, B. 584S
 Kingsman, A. 725
 Kingsman, S. 725
 Kingsnorth, A. N. 617S
 Kinkaid, A. R. 556S
 Knaggs, M. 711
 Knowles, P. F. 510S
 Knowles, R. G. 1002
 Kokotos, G. 614S
 Korach, K. S. 929
 Kraayenhof, R. 757
 Krenn, B. E. 757
 Kuiper, W. 981
 Kundu, D. 541S
- Laboisie, C. 810
 Laine, A. 800
 Ladds, G. 565S
 Laidlaw, S. 602S
 Lamblin, G. 836
 Lane, N. J. 524S
 Lawrence, P. A. 508S
 Leenhouts, J. M. 968
 Levy, R. 1079
 Levy, S. 1079
 Lim, J. 549S
 Lin, W.-R. 594S
 Lindell, G. 533S, 535S, 845
 Lomax, M. A. 567S
 Lopes de Menezes, D. E. 1073
 López de Heredia, M. 580S
 Lord, G. A. 633S
 Loregian, A. 627S
 Lowenstein, P. R. 595S
 Lücken, U. 780
 Lumsden, P. J. 574S
- Maas, M. C. E. 822
 Macbeath, J. R. E. 513S
 Macfarlane, J. 560S
 Macmillan, J. C. 595S
 Macris, B. J. 586S
- Maeda, M. 785
 Major, H. J. 924
 Malhotra, R. 539S, 540S, 546S
 Mallet, A. I. 911
 Manek, S. 524S
 Mann, D. M. A. 601S
 Mäntele, W. 521S
 Manthey, M. K. 888
 Manting, E. 981
 Marcello, A. 627S
 Martin, P. A. 544S
 Martinec, J. 574S
 Martínez, M. J. 580S
 Mata, A. M. 571S
 Matthews, G. 564S
 Matthews, S. 725
 McKie, J. H. 511S
 McNulty, D. 612S
 McPherson, M. A. 532S, 553S
 McPherson, M. J. 510S, 630S
 Medani, B. 609S
 Melton, R. G. 1047
 Merlin, D. 810
 Mewies, M. 509S
 Millar, I. D. 567S
 Mills, J. D. 775
 Misra, A. 600S, 601S
 Mitchell, I. J. 602S
 Mkhitarian, A. G. 628S
 Moase, E. H. 1073
 Møller, S. G. 630S
 Monaghan, P. 508S
 Moody, A. J. 521S
 Moxley, D. 573S
 Muir, S. R. 856
 Müller, M. 560S
 Murphy, L. I. 593S
 Murray, K. 585S
 Muthu, J. 600S
 Myerscough, N. 536S, 840
- Nadanaciva, S. 528S
 Narbad, A. 621S
 Neary, D. 600S
 Nelson, K. A. 619S
 Newall, J. F. 517S
 Newey, S. 616S
 Newham, P. 512S
 Nicolaou, A. 613S, 614S

- Nordman, H. 533S, 535S, 845
- O'Malley, B. W. 93S
 O'Neill, L. A. J. 597S
 O'Shea, P. 547S, 554S, 971
 Ochoa, B. 580S
 Oktay, G. 522S, 523S
 Omote, H. 78S
 Önvural, B. 606S
 Oppong, S. Y. 551S, 552S
 Ortu, G. 575S
 Östberg, L. 1038
 Oussoren, E. 529S
 Owen, E. 587S
- Packman, L. C. 509S
 Palu, G. 627S
 Pankhurst, C. L. 538S
 Paraskeva, C. 819, 840
 Pascal, S. M. 729
 Paul, A. 1029
 Peck, D. 831
 Pereira, M. M. C. 532S
 Perotto, S. 582S
 Perry, C. R. 548S
 Peters, G. J. 884
 Peters, T. J. 572S
 Pewsey, A. 503S
 Pheasant, A. E. 603S
 Phillips, J. 1057
 Phillips, S. E. V. 510S
 Phipps, A. N. 577S
 Phoenix, D. A. 503S, 562S, 563S, 976
 Pigny, P. 800
 Pizzato, M. 627S
 Platt, K. P. 599S
 Plevin, R. 1029
 Pockley, A. G. 615S
 Pogson, C. I. 607S
 Poole, J. 611S
 Porchet, N. 800
 Porter, T. 1063
 Powell, D. 616S
 Powner, D. 564S
 Procter, A. W. 600S, 601S
 Proctor, G. B. 538S
 Proudfoot, D. 591S
- Qi, X. 612S
 Queen, C. 1038
- Qume, M. 600S, 601S
- Rasmussen, M. 565S
 Ray, A. 952
 Ray, P. 952
 Rees, D. D. 102S
 Refson, J. S. 608S
 Reid, S. D. 615S
 Renwick, S. B. 622S, 624S
 Reynolds, M. P. 510S
 Rich, P. R. 521S
 Riedel, B. 867
 Rob, A. 507S
 Roberts, M. G. 503S
 Robinson, A. M. 583S
 Rolph, C. E. 574S
 Roussel, P. 836
 Rova, U. 903
 Rubio, V. 879
 Ruddock, L. W. 98S
 Russell, D. 553S
 Russell, J. C. 502S
 Rye, P. D. 584S
- Sääf, A. 96S
 Salvador, J. M. 571S
 Sammut, I. A. 525S, 527S
 Sanders, P. G. 622S–625S
 Sanders, D. 856
 Sanderson, N. M. 561S
 Scanlon, C. H. 574S
 Schachter, M. 608S
 Schaible, T. F. 1057
 Scharfman, A. 836
 Schauer, R. 840
 Scherer, G. F. E. 871
 Schoettle, S. L. 888
 Schofield, C. J. 629S
 Schomberg, D. W. 929
 Schweizer, L. M. 621S
 Schweizer, M. 621S
 Scott, J. E. 515S
 Scrutton, N. S. 509S
 Selloum, L. 609S
 Senior, A. E. 747
 Senior, S. 554S
 Sessions, R. B. 501S
 Sessiz, H. T. 522S, 523S
 Shand, J. H. 579S
 Shang, D. 594S
 Sharp, A. J. 520S
 Shaw, P. J. 581S
 Sheehan, J. K. 819
 Sheikh, H. 831
- Shennan, D. B. 559S, 567S
 Shiau, C.-Y. 629S
 Shillingford, J. M. 559S
 Shori, D. K. 538S
 Shuttleworth, C. A. 506S, 513S, 514S
 Sidaway, J. E. 590S
 Simmonds, H. A. 877
 Simpkin, S. 525S, 527S
 Sinclair, S. J. 526S
 Singer, A. U. 729
 Slaaby, R. 566S
 Smith, C. A. 632S
 Smith, C. L. 93S
 Smith, F. S. 1002
 Smith, J. L. 894
 Smith, S. A. 590S
 Snell, K. 622S–625S
 Sooranna, S. R. 543S
 Spitzer, J. A. 993
 Spitzer, J. J. 998
 Springer, C. J. 1047
 Steel, G. J. 555S
 Stein, J. M. 591S
 Stenning, R. 587S
 Stern, M. E. 537S
 Stevens, L. 576S
 Storm, J. 822
 Strotmann, H. 757
 Suen, C. K. M. 588S
 Swoboda, B. E. P. 518S, 519S
 Szabados, E. 888
- Tabar, M. B. 592S
 Takei, J. 501S
 Taylor, G. 1063
 Taylor, M. A. 568S
 Tempest, P. 1063
 Tetlow, I. J. 570S
 Thelander, L. 903
 Thomas, P. 595S
 Thorniley, M. S. 524S–527S
 Thornton, D. J. 819
 Titheradge, M. A. 1002
 Török, Z. 968
 Trill, J. 1063
 Trones, G.-E. 584S
 Tsang-Tan, L. L. 607S
 Tuckwell, D. S. 504S, 516S
 Tuncer, M. 507S
- Turner, A. J. 549S, 551S, 552S
 Turner, J. B. 632S
 Turton, J. S. 77S
 Tytgat, K. M. A. J. 531S, 814
- Uff, C. R. 831
- Vallette, G. 810
 van der Does, C. 981
 van der Logt, C. P. E. 1067
 van der Valk, S. W. 822
 Van der Wal, J.-W. G. 531S
 van der Wilt, C. L. 884
 van der Wolk, J. P. W. 981
 Van Klinken, B. J.-W. 529S, 814
 Van Veen, M. 547S
 Van Walraven, H. S. 757
 van Wely, K. 981
 Verhoeven, M. E. 1067
 Vince, F. P. 518S, 519S
 Vlasova, E. 584S
 Von Germar, F. 521S
 von Heijne, G. 96S
 Vos, H. L. 822
- Wade, E. J. 946
 Waks, T. 1079
 Wallin, E. 96S
 Walton, T. J. 862
 Waqar, M. A. 626S
 Warren, B. 536S
 Washburn, T. F. 929
 Waters, C. M. 602S
 Waterworth, W. M. 558S
 Watson, R. B. 516S
 Watts, A. 959
 Weber, J. 747
 Weenink, J.-J. 529S
 Weisman, H. F. 1051
 Werner-Grüne, S. 757
 Wesseling, J. 822
 West, C. E. 558S
 West, D. W. 579S
 Weston, S. A. 516S
 Whish, W. J. D. 572S
 White, K. N. 588S
 Whitehouse, S. K. 625S
 Whitley, P. 96S

contents — index of authors

Wickström, C. 845
Wilcock, G. K. 594S
Wilkens, S. 767
Williams, M. 711
Williams, N. K. 888
Williams, P. B. 501S
Williams, S. 615S
Wilmot, C. M. 510S
Wilson, K. 604S

Wilson, M. T. 507S
Wilton, D. C. 556S, 569S
Wissing, J. B. 867
Wood, A. M. 596S
Wood, J. 595S
Woodman, P. G. 555S,
557S
Wright, A. F. 1047
Wyde, P. 1063

Yamazaki, T. 729
Yang, S.-H. 545S
Yenice, S. 530S
Yenisey, Ç. 530S, 606S
Yin, H. 511S
York, J. 614S
Young, R. D. 508S
Yu, J. 985
Yueh, Y. G. 853

Zeman, S. 600S, 601S
Zhang, D.-H. 952
Zhang, P. 993
Zhang, X. S. 538S
Zhang, Y. 760
Zhou, Y. 736
Zhu, L.-M. 620S
Zloh, M. 613S