

674th Trinity College, Dublin

Signalling Homeostasis

ABSTRACTS

Abstract no.

Page no.

KEILIN MEMORIAL LECTURE

Time: Thursday 12 July, 11.45–12.45

- M1 Keilin's cytochromes: how bacteria vary them, use them and make them
S.J. Ferguson 91

SPEAKER ABSTRACTS

HOST COLLOQUIUM

DNA Damage Signalling and Apoptosis

*Speaker Session Times: Wednesday 11 July, 08.45–18.15
Thursday 12 July, 08.45–19.00*

- A1 Signalling and repair of DNA damage
S.P. Jackson 91
- A2 Molecular mechanisms of nucleotide excision repair
J. Hoeijmakers 91
- A3 Transducing the DNA damage signal in yeast
N. Lowndes 91
- A4 Pathogen-derived immunomodulatory molecules — the bridge between innate and adaptive immunity
K.H.G. Mills 92
- A5 Protein kinase ATM: genome stability, neuronal development and cancer cross paths
Y. Shiloh 92
- A6 Choosing between growth arrest and apoptosis through RB, Abl and p73
J.Y.J. Wang 92
- A7 DNA damage signalling and nuclear factor κ B (NF κ B): mechanisms of activation and implications for death
M.P. Boland 92
- A8 Uncovering breast-cancer susceptibility gene 1 (BRCA1)-regulated signalling pathways by microarray-based expression profiling
D.P. Harkin 93
- A9 Stress and apoptosis
D.R. Green 93

Subscribing institutions are encouraged to copy and distribute this table of contents for non-commercial purposes

Abstract no.	Page no.
A10 Transcriptional activation by nuclear factor κ B (NF- κ B) and p300/CREB-binding protein (CBP) N.D. Perkins	93'
A11 Secondary DNA structures as molecular targets for cancer therapeutics L.H. Hurley	93
A12 Caspase activation and effector function during the demolition phase of apoptosis S.J. Martin	94
A13 Cytotoxic signalling by inhibitors of DNA topoisomerase II W.T. Beck	94
A14 Pyrrolo-1,5-benzoxazepines: a new class of apoptotic agents D.M. Zisterer	94
A15 Oncogenes, apoptosis and cancer, with special emphasis on p53 and c-Myc G. Evan	94

NEUROSCIENCE GROUP COLLOQUIUM

Neurotransmitter Transporters: Molecular Mechanism and Regulation

Speaker Session Times: Wednesday 11 July, 08.45–18.15
Thursday 12 July, 08.45–11.00

B1 Molecular characterization of substrate-binding sites in the glutamate transporter family B.I. Kanner	95
B2 Molecular cloning and characterization of hemicholinium-3-sensitive choline transporters S. Apparsundaram	95
B3 Molecular mechanisms of cystine and glutamate transport G.J. McBean	95
B4 Serotonin transporter (SERT) biosynthesis and the problems of overexpression for structural studies C.G. Tate	95
B5 Regulation of the serotonin transporter by interacting proteins J. Haase	96
B6 On the structure, function and regulation of the serotonin transporter S. Horschitz	96
B7 Impact of oligomerization on the function of the serotonin transporter H.H. Sitte	96
B8 Up, down, fast, slow, here and there: regulating γ -aminobutyric acid (GABA) transporter function M.W. Quick	96
B9 Regulation of glycine transporters B. Lopez-Corcuera	97
B10 Molecular determinants involved in the asymmetrical distribution of glycine transporters in polarized cells F. Zafra	97

Abstract no.		Page no.
BIOENERGETICS GROUP COLLOQUIUM		
Mitochondrial Uncoupling Proteins		
	<i>Speaker Session Times:</i>	<i>Thursday 12 July, 08.45–19.00</i> <i>Friday 13 July, 08.45–17.20</i>
C1	A history of uncoupling protein 1 (UCP1) D.G. Nicholls	97
C2	Life without uncoupling protein 1 (UCP1) J. Nedergaard	97
C3	Function of uncoupling protein 1 (UCP1) homologues M.D. Brand	98
C4	Uncoupling protein 3 (UCP3) expression and function: studies in transgenic mice and human muscle M.-E. Harper	98
C5	Uncoupling protein 2: expression and function D. Ricquier	98
C6	Uncoupling protein 3 biological activity J.-P. Giacobino	98
C7	Genetics of uncoupling proteins C.H. Warden	99
C8	Brain uncoupling protein 2: localization and functions D. Richard	99
C9	Uncoupling protein 2 (UCP2) is a negative regulator of glucose-stimulated insulin secretion C.Y. Zhang	99
C10	Uncoupling protein 3 and fatty acid metabolism A.G. Dulloo	99
C11	Mitochondrial uncoupling and lipid metabolism in adipocytes J. Kopecky	100
C12	Perspectives on the biology of uncoupling protein (UCP) homologues S.H. Adams	100
C13	Mechanism of uncoupling protein action K.D. Garlid	100
C14	Uncoupling protein function M. Klingenberg	100
C15	Control of transport in the uncoupling proteins UCP1 and UCP2 E. Rial	101

Abstract no.	Page no.
D18 The SAP/SLAM defence system C. Terhorst	105
D19 Title to be announced N.K. Tonk	105

BIOCHEMICAL SOCIETY EDUCATION GROUP COLLOQUIUM

Teaching Practical Skills to 21st Century Biochemists

*Speaker Session Times: Thursday 12 July, 13.45–18.15
Friday 13 July, 08.45–12.15*

E1 Practical skills in life science A.M. Jones	106
E2 Practical biochemistry for preclinical medical students M. Loeffler	106
E3 Acquiring the right techniques for biomedical analyst and clinical chemistry D. Perrett	106
E4 Training the next generation of biochemists: projects, posters and posters E.J. Wood	106
E5 Practical molecular biology: large numbers on a small budget, a 21st-century paradox? N. Hughes	107
E6 Honours projects: from plan to publication M.J.R. Stark	107
E7 Developing graduates in the pharmaceutical industry M.R. Edbrooke	107
E8 Specialist and refresher courses for the practising biochemist: the importance of continuing education A.P. Mee	107

MOLECULAR AND CELLULAR PHARMACOLOGY GROUP AND LIPID GROUP COLLOQUIUM

Enzymes That Regulate Lipid Metabolism In Cell Signalling

Speaker Session Time: Friday 13 July, 08.45–17.30

F1 New aspects of sphingolipids in relation to apoptosis W.J. van Blitterswijk	108
F2 Co-ordinate regulation of growth factor receptors and lipid phosphate phosphatase-1 controls cell activation by exogenous lysophosphatidate D.N. Brindley	108
F3 Regulation of <i>de novo</i> sphingolipid biosynthesis: a necessary but dangerous pathway A.H. Merrill, Jr.	108
F4 Withdrawn	108

Abstract no.		Page no.
11	Expression and localization of a CLIC (chloride intracellular channel) protein fused to green fluorescent protein Q. Sun, A. McDonald, W. Suginta and R.H. Ashley	112
12	Relationship between variable Bcr-Abl expression levels and drug resistance: role of the Akt/protein kinase B pathway K. Keeshan, K.I. Mills, T.G. Cotter and S.L. McKenna	112
13	Role of tyrosine phosphorylation in tumour necrosis factor (TNF)-induced apoptosis of human umbilical vein endothelial cells (HUVECs) Y.M. O'Dowd, S.H. Teh, A.D.K. Hill, E. McDermott and N. O'Higgins	113
14	The two-stage evolution of homochirality: from sugars to protein via RNA J.M. Bailey	113
15	Fenretinide-induced cell death in epidermoid carcinoma is augmented by nifedipine E. Ulukaya and E.J. Wood	113
16	Regulation of p300/CREB-binding protein (CBP) activity by the cyclin-dependent kinase (CDK) inhibitor p21 ^{WAF1/CIP1} D.C. Bumpass, A. Thain, D.J. Gregory and N.D. Perkins	113
17	Stability of β -glucanase under conditions simulating the digestive tract P. Rossiter and G. Walsh	114
18	Mutation and clastogen screening strategies S. Devery, D. Walsh, P. Kenny and P.T. Tomkins	114
19	<i>In vitro</i> evolution of a novel transaminase by DNA shuffling S.V. Lynch and P.C. Engel	114
20	Investigating BRCT domains in <i>Arabidopsis thaliana</i> S.J. Butcher, M.J. Coleman and R.P. Bowater	114
21	Purification and characterization of phytase from <i>Aspergillus niger</i> ATCC 9142 A. Casey and G. Walsh	115
22	Induction of DNA damage by a step-test exercise protocol P.D. Hindell, K.A. Poole, E. Robinson, L. Reynolds and H.J. Mason	115
23	Studies on induction of differentiation in mouse embryonic stem cells using retinoic acid and dimethyl sulphoxide P. Creighton, J. Reeve, M. Garvey and J. Donlon	115
24	p53 response and function in neuroblastoma cell lines B. Nelson, M. Elliott, H.P. McDowell and M.R. White	115
25	The neuronal apoptosis inhibitory protein (NAIP) is a membrane-associated cytoplasmic protein in rabbit brain T.A. Lynch and G.E. Morris	116
26	Effects of protein kinase inhibitors on Type I diabetic serum-induced BRIN BD11 pancreatic β -cell cytotoxicity G. Dixon, N. McClenaghan, P. Flatt, J. Nolan and P. Newsholme	116
27	DNA damage in human sperm using alkaline and neutral Comet assays C. McVicar, N. McClure and S.E.M. Lewis	116
28	A human cell culture system for studying post-translational regulation of p53 at physiological levels A.M. Martin and D.W. Meek	116

Abstract no.	Page no.
29 Transient Jun N-terminal kinase (JNK) activation and suppression of apoptosis by insulin-growth factor I (IGF-I) A. Lyons, D. Krause, M. Leahy and R. O'Connor	117
30 The type of cell death induced by MPP ⁺ is both concentration- and time-dependent G.W. O'Keefe, S.G. Crotty, P. Dockery and A.M. Sullivan	117
31 Domain requirements for insulin-like-growth factor-I (IGF-1) receptor and insulin receptor tyrosine kinase activity P. Kiely, D. Buckley and R. O'Connor	117

MOLECULAR AND CELLULAR PHARMACOLOGY GROUP AND LIPID GROUP COLLOQUIUM

Enzymes That Regulate Lipid Metabolism In Cell Signalling

Poster Session Time: Friday 13 July, 12.15–14.00

32 Molecular mechanisms of SHIP (Src homology 2 domain-containing inositol 5'-phosphatase) function in FcγRIIB signalling S.J. Famiglietti, D.C. Fong and J.C. Cambier	117
33 Impairments in insulin-like growth factor 1 (IGF-1)-protein kinase B (PKB) signal transduction in Alzheimer's disease brain R.J. Griffin, J.A. Johnston, C.H. Williams, R. Ravid, R. O'Connor and C. O'Neill	118
34 Attenuation of G-protein-coupled receptor-activated p42/p44 mitogen-activated protein kinase by lipid phosphate phosphatases 1, 1a and 2 F. Alderton, P. Darroch, B. Sambhi, N. Pyne and S. Pyne	118
35 Specificity of arachidonic-acid-induced growth inhibition in chronic myeloid leukaemia N. Pudlo, H.A. Leaver and M.T. Rizzo	118
36 Vav1 is required for platelet aggregation to threshold concentrations of glycoprotein VI agonist, independent of phospholipase C and Rac J. Wilde, A. Pearce, G. Doody, V. Tybulewicz, S. Watson and M. Turner	118
37 Characterization of phenylalanine dehydrogenase with chemically synthesized non-natural amino acids S. O'Reilly, A.R. Maguire, S. Kalsey and P.C. Engel	119
38 Examination of coenzyme specificity in Clostridial glutamate dehydrogenase by site-directed mutagenesis J.M. Griffin and P.C.E. Engel	119
39 Isolation and characterization of a cold-adapted metallo-alkaline phosphatase from the Arctic psychrophile strain PA-43 B.M. Hayden, R. Cunnane, J.A. Irwin, H.M. Gudmundsson, G.A. Alfredsson and P.C. Engel	119

Abstract no.	Page no.
BIOENERGETICS GROUP COLLOQUIUM	
Mitochondrial Uncoupling Proteins	
<i>Poster Session Times: Thursday 12 July, 15.15–16.45</i> <i>Friday 13 July, 12.15–14.00</i>	
40 Reverse transcription (RT)-PCR evidence for the expression of uncoupling protein 2 (UCP-2) in spleen and a murine macrophage cell line (J774) O. Cunningham, A.M. Carroll and R.K. Porter	119
41 Artefactual uncoupling following uncoupling protein 3 (UCP3) expression in yeast mitochondria J.A. Harper, J.A. Stuart, K.M. Brindle, M.B. Jekabsons, S. Cadenas, J.C. Clapham and M.D. Brand	120
42 Discriminatory antibody raised to uncoupling protein 3 (UCP-3) used to detect protein in a number of systems E.P. Breen and R.K. Porter	120
43 Skeletal muscle uncoupling protein 3 expression following endurance swimming training in mice C.M. Brennan, A.M. McElligott, S.A. Warmington and R.K. Porter	120
44 Uncoupling protein 2 (UCP2), expressed at endogenous levels, mediates mitochondrial proton leak in mammalian cells S. Krauss, C.Y. Zhang and B.B. Lowell	120
45 Relationship between uncoupling proteins and mitochondrial proton leak in multiple tissues of Arctic ground squirrels J.L. Barger, M.D. Brand, B.M. Barnes and B.B. Boyer	121
46 Effect of chronic leptin administration on uncoupling protein 1 (UCP1) expression in neonatal lambs A. Mostyn, S. Pearce, D.H. Keisler, R. Webb and M.E. Symonds	121
47 Effect of administration of phosphorylated prolactin (p-prl) on voltage-dependent anion channel (VDAC) and cytochrome <i>c</i> abundance in liver of pregnant rats S. Pearce, A. Mostyn, A.M. Walker, M.E. Symonds and T. Stephenson	121
48 Overfeeding adolescent sheep affects uncoupling protein-1 (UCP-1), but not voltage-dependent anion channel (VDAC), abundance in fetal perirenal adipose tissue G. Gopalakrishnan, A. Mostyn, R.P. Aitken, T. Stephenson, J.M. Wallace and M.E. Symonds	121
49 Development of a hybrid protein to study the three-dimensional structure of uncoupling protein 1 (UCP1) matrix loops A. Ledesma, A. Romero and E. Rial	122
50 Uncoupling protein 2 expression and coenzyme Q content of spleen and lung: effects of neonatal endotoxaemia M. Edginton, A. Pierro and S. Eaton	122
51 Effects of maternal nutrient restriction on ovine fetal uncoupling protein-1 expression H. Budge, L. Edwards, T. Stephenson, M.E. Symonds and I.C. McMillen	122
52 Towards the identification of the retinoid-binding site in the uncoupling protein UCP1 P. Tomas, A. Ledesma and E. Rial	122

Abstract no.		Page no.
65	A family of proteins related to Spätzle, the Toll receptor ligand, are encoded in the <i>Drosophila</i> genome N.J. Gay, K. Mizuguchi and J.S. Parker	126
66	Requirement for CD28 co-stimulation is lower in SHP-1 deficient T cells R.J. Matthews, J.G. Sathish, K.G. Johnson, F.G. LeRoy, K.J. Fuller, M.B. Hallett, P. Brennan, L.K. Borysiewicz and M.J. Sims	126
67	Signal transduction mechanisms generating T-cell leukaemias in CD45-deficient mutant Lck mice D.J. Higgins, C. Carret, M.P. Baker and D.R. Alexander	126
68	The tyrosine phosphatase SHP-1 modulates proliferation and apoptotic responses in the interleukin-3-dependent cell line Ba/F3 N.R.D. Paling and M.J. Welham	126
69	Antithrombin III and hirudin inhibits lipopolysaccharide (LPS)-mediated nuclear factor κ B (NF- κ B) activation A. Mansell and L.A.J. O'Neill	127
70	CD28 up-regulates expression of EphA3 in Jurkat cells through the insulin-like growth factor I (IGF-I) receptor L.M. Smith, P.T. Walsh, T.G. Cotter, T. McCarthy and R. O'Connor	127
71	Regulation of interleukin (IL)-1-induced nuclear factor κ B (NF- κ B) signalling by Tollip (Toll-interacting protein) involves both receptor complex components TRAF6 and MyD88 A. Adjou and E. Qvarnstrom	127
72	Tumour-expressed fas ligand suppresses interleukin (IL)-2 production in tumour-infiltrating lymphocytes A.M. Houston, M.W. Bennett, G.C. O'Sullivan, F. Shanahan and J. O'Connell	127
73	Oxidation decreases the anti-inflammatory activity of secretory leucoprotease inhibitor C. Taggart, C. Greene, S. O'Neill and N.G. McElvaney	128
74	The Jurkat cell line has constitutively active phosphoinositide 3-kinase (PI3K)/protein kinase B (PKB) signalling: effect of inducible expression of a membrane-localized SHIP (Src homology 2 domain-containing inositol 5'-phosphatase) construct R.W. Freeburn and S.G. Ward	128
75	Regulation of inhibitory κ B α (I κ B α) by the upstream kinases I.C. Evans, K. Ray and E. Qvarnstrom	128
76	Characterization of the expression of inositol phosphatases PTEN and SHIP in T lymphoblasts and leukaemic cell lines: functional relevance to phosphoinositide (PI) 3-kinase-dependent signalling pathways S.J. Burgess, R. Freeburn, S. Mather and S.G. Ward	128
77	GPVI signalling in glycosphingolipid-enriched membrane domains (GEMs) P. Wonerow, J. Wilde, N. Asazuma, V. Horejsi, G. Koretzky, B. Schraven and S. Watson	129
78	Acylation of lysophosphatidylcholine is crucial to the monocyte response to lipopolysaccharide (LPS) B. Schmid, M.J. Finnen, J.L. Harwood and S.K. Jackson	129
79	Vav-2 signalling participates in the humoral immune response and B cell maturation G. Doody, S. Bell, E. Vigorito, E. Clayton, S. McAdam, C. Fernandez and M. Turner	129

Abstract no.		Page no.
80	Activity and regulation of human mannose-binding lectin (MBL)-associated serine protease 1 (MASP-1) K. Hajela and R.B. Sim	129
81	Regulation of the expression of NRD-convertase: a novel promoter element M.I. Psatha, J.A. Craft and A.R. Pierotti	130
82	Activation of nuclear factor κ B (NF κ B) by interleukin (IL)-1 and tumour necrosis factor (TNF) α in human endometrial cells S.M. Laird, D. Aston, E.M. Tuckerman and T.C. Li	130
83	The putative GTPase-activating protein IIP-1 functions antagonistically to Ras in the regulation of interleukin-1 signalling C.J. Caunt, E. Kiss-Toth, M. Walker, J. Sims and E.E. Qvarnstrom	130
84	Role of the cytoplasmic tyrosine phosphatase SHP-2 in haemopoietic cells following interleukin (IL)-3 stimulation H. Wheadon and M.J. Welham	130
85	Neutrophil elastase up-regulates interleukin-8 gene expression via a pathway involving interleukin-1-receptor-associated kinase in human bronchial epithelium D.E. Walsh, C.M. Greene, T. Carroll, C.C. Taggart, P.M. Gallagher, S. O'Neill and N.G. McElvaney	131
86	The interleukin (IL)-1 receptor homologue T1/ST2 activates mitogen-activated protein (MAP) kinases and AP1 but not nuclear factor κ B (NF- κ B) E.K. Brint, K. Fitzgerald and L.A.J. O'Neill	131
87	Role of phosphoinositide (PI) 3-kinase in interleukin (IL)-3-mediated proliferation and cell cycle progression B. Fox, C. Edmead and M.J. Welham	131
88	Mucin-degrading glycosidase activity in Peyer's patches J.A. Irwin, J.P. Ryan, M. Leonard, S.D. Carrington and A.W. Baird	131
89	Phosphoinositide (PI) 3-kinase-dependent pathways to nuclear factor (NF)- κ B activation in primary B cells H.K. Bone and N.A. Williams	132
90	Mal (MyD88 adapter-like) is a novel Toll interleukin (IL)-1 receptor (TIR) domain-containing adapter which recruits IRAK-2 during Toll-like receptor-4 signal transduction K.A. Fitzgerald, A.G. Bowie, E.M. Palsson-McDermott, A. Dunne, P. Gray, M.T. Harte, C.A. Jefferies, A.S. Mansell, D. McMurray, D.E. Smith, J.E. Sims, T.A. Bird and L.A.J. O'Neill	132
91	CXC chemokine receptor (CXCR)3-mediated signal transduction events in T-blasts in response to IP-10 (interferon-inducible protein-10) and ITAC (interferon-inducible T-cell alpha chemoattractant) stimulation D.G. Cronshaw, A.P. Curnock and S.G. Ward	132
92	BCL stimulates signal transduction through CXCR5 C.M. Wain, A.P. Curnock and S.G. Ward	132
93	Signal-transduction pathways mediated by the nucleophosmin-anaplastic lymphoma kinase S.D. Turner and D.R. Alexander	133

Abstract no.	Page no.
94 Investigation into the activation status of protein kinase C (PKC) isoforms β_1 , δ and θ in a Jurkat T cell line using phospho-specific antibodies M. Freeley, Y. Volkov, D. Kelleher and A. Long	133
95 Regulation of inhibitory $\kappa B\alpha$ ($I\kappa B\alpha$) through phosphorylation-dependent high-affinity nuclear factor κB (NF- κB) interactions L. Yang and E. Qwarnstrom	133
96 The ligand I309 stimulates signal transduction through CCR8 C.M. Wain, A.P. Curnock, J. Westwick and S.G. Ward	133
97 CCR4-mediated signal transduction events in CCR4-transfected CHO cells in response to macrophage-derived chemokine (MDC) stimulation D.G. Cronshaw, A.P. Curnock, C. Owen, Z. Brown and S.G. Ward	134
98 Dichloropropionanilide (DCPA) down-regulates T cell interleukin (IL)-2 production by interfering with the binding of key transcription factors K. Brundage, R. Schafer and J. Barnett	134
99 CD8 T-cell apoptosis induced by <i>Escherichia coli</i> heat-labile enterotoxin B-subunit occurs via a novel pathway involving the nuclear factor (NF- κB)-dependent activation of caspase-8 and caspase-3 R.J. Salmond, R.S. Pitman, M. Soriani, T.R. Hirst and N.A. Williams	134
100 Bovine spleen cathepsin B: presence and properties of the isoenzymic components C.D. Laffey and J.C. Donlon	134

BIOCHEMICAL SOCIETY EDUCATION GROUP COLLOQUIUM

Teaching Practical Skills to 21st Century Biochemists

Poster Session Time: Thursday 12 July, 15.15–16.45

101 Training the next generation of biochemists: projects, posters and posters E.J. Wood	135
102 Medical practical classes for the 21st century: an idea J.W. Assender and L.J. Woodgate	135

Speakers' papers will be published in *Biochemical Society Transactions*
volume 29, part 6 (November 2001)